

# VMware

## Exam Questions 2V0-21.20

Professional VMware vSphere 7.x



### NEW QUESTION 1

An administrator is investigating the reason for a powered on virtual machine failing to migrate with the following error log message:

The virtual machine requires hardware features that are unsupported or disabled on the target host.

```
CPUID details: incompatibility at level 0xx register 'xxx'
Host bits: xxxx:xxxx:xxxx:xxxx:xxxx:xxxx:xxxx:xxxx
Required: xxxx:xxxx:xxxx:xxxx:xxxx:xxxx:xxxx:xxxx
```

Which step should the administrator complete to resolve this error? (Choose the best answer.)

- A. Configure High Availability on the cluster.
- B. Configure vSAN on the cluster.
- C. Configure Distributed Resource Scheduler (DRS) on the cluster.
- D. Configure Enhanced vMotion Compatibility on the cluster.

**Answer: D**

### NEW QUESTION 2

What are two pre-requisites for enabling ESXi secure boot? (Choose two.)

- A. External Key Management Service
- B. vCenter Server 7.0 or greater
- C. Trusted Platform Module version 2.0
- D. ESXi 7.0 or greater
- E. Unified Extensible Firmware Interface (UEFI)


**Answer: AE**

#### Explanation:

<https://blogs.vmware.com/vsphere/2017/05/secure-boot-esxi-6-5-hypervisor-assurance.html>

### NEW QUESTION 3

Refer to the exhibit.



Which two migration methods can an administrator use to move virtual machines from the SA-Dev cluster to the SA-Compute cluster? (Choose two.)

- A. Cold migration of compute resource only
- B. Cold migration of storage only
- C. Hot migration of compute resource and storage resource
- D. Hot migration of compute resource only
- E. Cold migration of compute resource and storage resource

**Answer: CE**

### NEW QUESTION 4


Which vSphere feature provides for continuous local data center availability? (Choose the best answer.)

- A. vSphere Fault Tolerance
- B. Cross vCenter Migration
- C. vSphere Storage vMotion
- D. vSphere Replication

**Answer: A**

### NEW QUESTION 5

Refer to the exhibit.

Send email notifications ☒ Repeat 

Subject \* Alarm {Alarm name} on vCenter Server : {Target Name} is {New status}

Email to \* admin@vmware.com

An administrator enables email notifications as shown in the attached alarm. However, notifications are NOT being sent. Where must the mail server settings be configured to resolve this issue? (Choose the best answer.)

- A. In vCenter Server General settings in the vSphere Client.
- B. In the alarm rule definitions
- C. In the ESXi host system config for the cluster node hosting the vCenter Server Appliance
- D. In Administration settings in the vCenter Server Management Interface

**Answer: A**

#### NEW QUESTION 6

A development team has a recurring need to rapidly replicate hundreds of virtual machines (VMs) for load testing. Which method should the team use to deploy the VMs? (Choose the best answer.)

- A. Linked clones from a content library
- B. Instant clones using the vSphere API
- C. Full clones using vSphere Auto Deploy
- D. Full clones from a template

**Answer: C**

#### NEW QUESTION 7

A company has one corporate datacenter (C1) and one regional datacenter (R1). There is a vCenter Server in each location. An administrator wants a central library available to C1 and R1 for all templates and ISO images.

Which two steps must the administrator take to configure the content library feature to meet this requirement? (Choose two.)

- A. Create a published content library on C1.
- B. Create a local content library on R1.
- C. Create a local content library on C1.
- D. Create a subscribed content library on C1.
- E. Create a subscribed content library on R1.

**Answer: AE**

#### NEW QUESTION 8

ESXi provides VLAN support by assigning a VLAN ID to which component? (Choose the best answer.)

- A. Virtual standard switch
- B. Physical network interface card (NIC)
- C. Virtual distributed switch
- D. Port group

**Answer: D**

#### NEW QUESTION 9

In a vSphere High Availability (vSphere HA) cluster, which action does vSphere HA take when the VM Monitoring service does NOT receive heartbeats from a virtual machine (VM) in the cluster? (Choose the best answer.)

- A. The VM is restarted on a different host in the cluster.
- B. The VM is suspended on the same host in the cluster.
- C. The VM is migrated to a different host in the cluster.
- D. The VM is restarted on the same host in the cluster.

**Answer: A**

#### NEW QUESTION 10

What is the default shutdown order of virtual machines (VMs) on a host? (Choose the best answer.)

- A. Alphabetical based on VM names
- B. Highest utilization to lowest utilization
- C. Largest VM to smallest VM
- D. Reverse of the startup order

**Answer: D**

#### NEW QUESTION 10

Refer to the exhibit.

### Alarm Rule1

IF

VM CPU Ready Time

is below

1000=== ms for 15 min

ADD ADDITIONAL TRIGGER

THEN

Trigger the alarm and

Show as Critical

Send email notifications

ADD ANOTHER RULE

DUPLICATE RULE

REMOVE RULE

An administrator is consistently receiving an alarm regarding a CPU performance issue; however, there is NO CPU issue identified. What can the administrator do to make sure the alarm is triggered when there is an actual CPU performance issue? (Choose the best answer.)

- A. Change 'VM CPU Ready Time' to 'VM Memory Usage.'
- B. Change 'Show as Critical' to 'Show as Warning.'
- C. Change 'VM CPU Ready Time' to 'VM CPU Usage.'
- D. Change 'is below' to 'is above.'

**Answer: D**

**Explanation:**

<https://www.actualtechmedia.com/wp-content/uploads/2013/11/demystifying-cpu-ready.pdf>

**NEW QUESTION 12**

Which feature is a pre-requisite for configuring admission control on a cluster? (Choose the best answer.)

- A. vSphere Enhanced vMotion Compatibility (EVC)
- B. vSphere High Availability (HA)
- C. vSphere Fault Tolerance
- D. vSphere Distributed Resource Scheduler (DRS)

**Answer: B**

**Explanation:**

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.avail.doc/GUID-C4059DB9-D673-45C>

**NEW QUESTION 14**

What is the minimum CPU core requirement for successful installation, or upgrade, or ESXi on a host? (Choose the best answer.)

- A. 8
- B. 1
- C. 32
- D. 2

**Answer: D**

**NEW QUESTION 17**

An administrator adds an additional host to a cluster and is attempting to remediate the configuration with a host profile.

Which option would the administrator select on the host before it can be remediated with an existing host profile? (Choose the best answer.)

- A. Export Host Customizations
- B. Export Host Profile
- C. Attach Host Profile
- D. Copy Settings from Host

**Answer: C**

**Explanation:**

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.hostprofiles.doc/GUID-09C00374-53C>

**NEW QUESTION 22**

An administrator wants to ensure that when virtual machines (VMs) are powered on, Distributed Resource Scheduler (DRS) places them on the best-suited host.

When the cluster becomes imbalanced, the administrator wants DRS to display recommendations for manual VM migration. Which DRS automation level should the administrator select? (Choose the best answer.)

- A. Manual
- B. Partially automated
- C. Fully automated
- D. Disabled

**Answer: B**

**Explanation:**

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.resmgmt.doc/GUID-C21C0609-923B>

**NEW QUESTION 27**

An administrator is tasked with upgrading an existing vSphere environment to version 7.0. There are existing VMFS3 and VMFS5 datastores in the environment. Which statement is true regarding this upgrade? (Choose the best answer.)

- A. An ESXi 7.0 host will NOT recognize a VMFS3 datastore.
- B. VMFS3 is supported with ESXi 7.0 to store boot configurations only.
- C. A VMFS5 datastore CANNOT be upgraded; a new VMFS6 datastore is required.
- D. An ESXi 7.0 host can automatically upgrade a VMFS5 datastore.

**Answer: C**

**NEW QUESTION 29**

An administrator wants to enable bandwidth allocation for workloads by using Network I/O Control. What should the administrator configure to accomplish this? (Choose the best answer.)

- A. Management traffic
- B. Virtual machine traffic
- C. Load-balancing
- D. NIC teaming policy

**Answer: B**

**NEW QUESTION 31**

A company has a vSphere environment consisting of the following characteristics:

- A content library named 'CORP' is published at corporate headquarters on a vCenter Server named 'vcenterCorp'.
- A regional data center contains a set of hosts managed by a vCenter Server named vcenterR1.
- vcenterR1 subscribes to the CORP content library.

The administrator wants to create a new virtual machine image to use on vcenterR1. What are two possible ways the administrator can accomplish this task? (Choose two.)

- A. Configure vcenterR1 to download all library content immediately.
- B. Upload the new image to the CORP library on vcenterR1.
- C. Publish the CORP content library on vcenterR1.
- D. Upload the new image to the CORP library on vcenterCorp.
- E. Upload the new image to a local content library on vcenterR1.

**Answer: AD**

**Explanation:**

[https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.vm\\_admin.doc/GUID-254B2CE8-20A](https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.vm_admin.doc/GUID-254B2CE8-20A)

**NEW QUESTION 36**

An administrator wants to configure vCenter Server High Availability so that each node is located in a different data center. Which requirement must be met? (Choose the best answer.)

- A. Each node must be configured with at least three network adapters.
- B. Network latency between the nodes must be less than 10 milliseconds.
- C. All nodes must be located on a vSAN datastore in each data center.
- D. A vCenter Server license must be assigned to each node.

**Answer: B**

**Explanation:**

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.avail.doc/GUID-8FD87389-8CC9-429>

**NEW QUESTION 37**

A host profile is updated with a new password that urgently needs to be changed on all hosts attached to the host profile. Which option would an administrator select to complete the password change? (Choose the best answer.)

- A. Copy Settings from Host
- B. Remediate
- C. Check Host Profile Compliance
- D. Edit Host Customizations

**Answer:** B

#### NEW QUESTION 42

An administrator needs to configure Proactive High Availability (HA) in a vSphere environment so that virtual machines (VMs) do not run on any partially degraded hosts. The administrator would also like to see the recommendations before VMs are migrated. Which automation and remediation level should the administrator select? (Choose the best answer.)

- A. Automation Level – Manual Remediation Level – Quarantine mode
- B. Automation Level – Automated Remediation Level – Maintenance mode
- C. Automation Level – Manual Remediation Level – Maintenance mode
- D. Automation Level – Automated Remediation Level – Mixed mode

**Answer:** C

#### NEW QUESTION 45

What is a minimum disk controller requirement for VMware vSAN? (Choose the best answer.)

- A. A disk controller in JBOD mode
- B. A disk controller in pass-through or RAID 1 mode
- C. A disk controller in pass-through or RAID 5 mode
- D. A disk controller in pass-through or RAID 0 mode

**Answer:** D

#### NEW QUESTION 50

An administrator is deploying a vCenter Server Appliance and wants to join an existing vCenter Single Sign-On domain. The administrator gathers the following information:

- FQDN of the vCenter Single Sign-On server to join
- Domain name of the vCenter Single Sign-On server being joined
- Password of the vCenter Single Sign-On server administrator account.

What other information is needed to join the existing vCenter Single Sign-On domain? (Choose the best answer.)

- A. vSphere Client port
- B. Lightweight Directory Access Protocol (LDAP) port
- C. Single Sign-On (SSO) port
- D. HTTPS port

**Answer:** A

#### NEW QUESTION 54

An administrator is tasked with upgrading an existing vSphere environment to version 7.0. The environment consists of mounted NFS v3 datastores. The new design requires configuration of NFS v4.1 datastores. Which statement is true regarding this upgrade? (Choose the best answer.)

- A. The NFS v3 datastores can be unmounted and remounted using NFS v4.1.
- B. A new VMKernel port for NFS v4.1 needs to be created before the upgrade.
- C. Following first boot, NFS v3 datastores are automatically converted to NFS v4.1 by ESXi 7.0
- D. ESXi 7.0 does NOT support NFS v4.1.

**Answer:** B

#### NEW QUESTION 56

.....

## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### 2V0-21.20 Practice Exam Features:

- \* 2V0-21.20 Questions and Answers Updated Frequently
- \* 2V0-21.20 Practice Questions Verified by Expert Senior Certified Staff
- \* 2V0-21.20 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* 2V0-21.20 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The 2V0-21.20 Practice Test Here](#)**