

Microsoft

Exam Questions MS-203

Microsoft 365 Messaging



NEW QUESTION 1

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains 1,000 users.

A user named User1 receives a non-delivery report (NDR) when attempting to send an email message to an internal group named sales@contoso.com. The NDR contains the following text: "5.7.1 Delivery not authorized."

You need to ensure that User1 can send email to sales@contoso.com successfully.

Solution: You modify the properties of a mail flow rule

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/non-delivery-reports-in-exchange-online/fix>

NEW QUESTION 2

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that uses a third-party email hygiene system named Service1. Service1 blocks all encrypted email.

All external email is routed through Service1 by using a connector.

Users classify email by using sensitivity labels. Emails classified as Secret are encrypted automatically. You need to ensure that the users can send emails classified as Secret to external recipients.

Which two items should you create? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. a remote domain
- B. a connector
- C. a data loss prevention (DLP) policy
- D. a mail flow rule
- E. a label policy

Answer: BD

Explanation:

Use an additional Connector and a Mail Flow Rule to bypass the third-party email hygiene system for emails that have the Secret sensitivity label.

Emails with the sensitivity label will use the new connector. All other emails will use the existing connector. Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/con>

NEW QUESTION 3

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are hosted in Microsoft 365. All outbound SMTP email is routed through the on-premises Exchange organization.

A corporate security policy requires that you must prevent credit card numbers from being sent to internet recipients by using email.

You need to configure the deployment to meet the security policy requirement. Solution: From Microsoft 365, you create a data loss prevention (DLP) policy. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/data-loss-prevention-policies?view=o365-worldwid>

NEW QUESTION 4

- (Exam Topic 5)

You manage an Exchange Online tenant.

You plan to migrate on-premises Microsoft Exchange Server mailboxes by using a cutover migration.

You need to grant the required permissions to the migration administrator account to complete the migration. The solution must use the principle of least privilege.

Which three permissions should you grant? Each correct answer presents a complete solution NOTE: Each correct selection is worth one point.

- A. the FullAccess permission on each on-premises mailbox and the WriteProperty permission to modify the TargetAddress property of the on-premises user account
- B. the Receive As permission on the on-premises mailbox database that stores the user mailboxes and the WriteProperty permission to modify the TargetAddress property of the on-premises user account
- C. Domain Admins group member in Active Directory Domain Services (AD DS) of the on-premises Exchange organization
- D. the FullAccess permission on each on-premises mailbox
- E. the Receive As permission on the on-premises mailbox database that stores the user mailboxes

Answer: CDE

Explanation:

<https://docs.microsoft.com/en-us/exchange/mailbox-migration/assign-permissions-for-migration>

NEW QUESTION 5

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization that uses an Edge Server.

You plan to implement a hybrid deployment between Exchange Online and Exchange Server.

You need to ensure that all the email between Exchange Online and Exchange Server 2019 is sent by using the Edge Server.

Which two hybrid configuration topologies could you deploy to meet the requirements? Each correct answer presents a complete solution.

- A. Modern Minimal
- B. Classic Minimal
- C. Classic Full
- D. Classic Express
- E. Modern Full

Answer: CE

Explanation:

Reference:

<https://www.enowsoftware.com/solutions-engine/what-are-your-exchange-hybrid-options>

NEW QUESTION 6

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment. You plan to implement Hybrid Modern Authentication (HMA).

You retrieve the Exchange virtual directory settings, and you discover the following output.

```
InternalUrl           : https://mail.contoso.com
ExternalUrl           : https://mail.contoso.com
IISAuthenticationMethods : {Ntlm, Negotiate}
InternalAuthenticationMethods : {Ntlm, Negotiate}
ExternalAuthenticationMethods : {Ntlm, Negotiate}
```

You need to prepare the virtual directories for the planned implementation of HMA. What should you do?

- A. Add OAuth as an authentication method.
- B. Remove NTLM as an authentication method.
- C. Delete <https://mail.contoso.com> from the ExternalUrl value.
- D. Modify the InternalUrl value to <http://mail.contoso.com>.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/enterprise/configure-exchange-server-for-hybrid-modernauthentic>

NEW QUESTION 7

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization. You plan to migrate all mailboxes to Exchange Online.

You need to provide a user with the ability to perform the mailbox migrations. The solution must use the principle of least privilege.

Which role should you assign to the user?

- A. Recipient Management
- B. Server Management
- C. Help Desk
- D. Organization Management

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/permissions/feature-permissions/recipient-permissions?view=exchse>

NEW QUESTION 8

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant named contoso.com.

You create a partnership with two other companies named fabnkam.com and wingtiptoys.com. All the mailboxes of fabnkam.com are hosted in Microsoft 365. All the mailboxes of wingtiptoys.com are hosted in an on-premises Exchange Server 2019 organization.

You need to ensure that all the email messages sent from contoso.com to fabrikam.com and wingtiptoys.com is encrypted by using TLS.

What should you do?

- A. Configure one connector.
- B. Create an organizational relationship.
- C. Create two remote domains.
- D. Run the Office 365 Exchange Hybrid Configuration wizard.
- E. Configure two mail flow rules.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set>

NEW QUESTION 9

- (Exam Topic 5)

You have a Microsoft 365 E5 subscription.

A user attempts to send an email message to an external recipient and receives the following error message: "Your message couldn't be delivered because you weren't recognized as a valid sender. The most common reason for this is that your email address is suspected of sending spam and it's no longer allowed to send messages outside of your organization. Contact your mail admin for assistance. Remote Server returned '550 5.1.8 Access denied, bad outbound sender'." You need to ensure that the user send email to external recipients. What should you do?

- A. compliance management in the Exchange admin center
- B. Data loss prevention in the Security & Compliance admin center
- C. Threat management in the Security & Compliance admin center
- D. action center in the Exchange admin center

Answer: C

Explanation:

<http://automatica.com.au/2020/01/office-365-single-users-unable-to-send-email-access-denied-bad-outbound-sender-er>

NEW QUESTION 10

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains the following email domains:

- > Adatum.com
- > Contoso.com
- > Fabrikam.com

When external recipients receive email messages from the users in the tenant, all the messages are delivered by using the @contoso.com email domain.

You need to ensure that the users send email by using the @fabrikam.com email domain. Solution: From the Microsoft 365 portal, you set fabrikam.com as the default domain. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/admin/setup/domains-faq?view=o365-worldwide#how-do-i-set>

NEW QUESTION 10

- (Exam Topic 5)

You have a hybrid deployment of Microsoft Exchange Server 2019.

Users in your company's sales department have on-premises mailboxes and PST files.

You need to migrate the PST files to archive mailboxes. The archive mailboxes must reside in Exchange Online.

What should you do first?

- A. From Exchange Management Shell, run the Enable-Mailbox cmdlet and specify the-Archive parameter.
- B. From Exchange Management Shell, run the New-MoveRequest cmdlet.
- C. From Exchange Online PowerShell, run the Set-Mailbox cmdlet and specify the-ArchiveStatus parameter.
- D. From Exchange Online PowerShell, run the New-Mailbox cmdlet and specify the-Archive parameter.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/enable-mailbox?view=exchange-ps>

NEW QUESTION 15

- (Exam Topic 5)

SIMULATION


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that a user named Lee Gu can view all the Exchange Online configurations of your organization. The solution must use the principle of least privilege.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

* 1. Open the Microsoft 365 administration centre

This can be done at: <https://admin.microsoft.com>

* 2. Create a new user Please enter a first name Last name

Display name Username

* 3. Add the necessary licence

For admin roles you sometimes need a licence. Especially in the security stack within Microsoft 365.

* 4. Add the Global Reader role via Roles

You can give multiple roles to the person you want. Reference:

<https://365tips.be/en/how-to-create-a-global-reader-account-for-your-it-supplier/>

NEW QUESTION 17

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You need to provide a user named User1 with the ability to create and manage transport rules. To which management role group should you add User1?

- A. Compliance Management
- B. Server Management
- C. Records Management
- D. Hygiene Management

Answer: C

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/records-management-exchange-2013-help>

NEW QUESTION 20

- (Exam Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

Another administrator at contoso.com plans to deploy an SMTP smart host that uses an IP address of 131.107.2.200.

You need to prepare a solution to route all emails sent to users in the @contoso.com domain from your organization by using the SMTP host. The solution must have a status set to Off until the administrator deploys the smart host.

To complete this task, sign in to the Exchange admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

> In the EAC, navigate to Mail flow

>Send connectors, and then click Add +. This starts the New Send connector wizard.

> On the first page, enter the following information:

- Name: Enter a descriptive name for the Send connector, for example, Smart host to Internet.

- Type: Select a descriptive value. For example, Internet

oCr ustom.

When you're finished, click Next.

> On the next page, select Route mail through smart hosts, and then click Add +. In the Add smart host

dialog box that appears, identify the smart host by using one of the following values:

- IP address: For example, 192.168.3.2.

- Fully qualified domain name (FQDN): For example, securitydevice01.contoso.com. Note that the Exchange source servers for the Send connector must be able to resolve the smart host in DNS by using this FQDN.

When you're finished, click Save.

➤ You can enter multiple smart hosts by repeating Step 3. When you're finished, click Next.

➤ On the next page, in the Route mail through smart hosts that's required by the smart host. Valid values are:

section, select the authentication method

Table Description automatically generated

TABLE 1

Authentication mechanism	Description
None	No authentication. For example, when access to the smart host is restricted by the source IP address.
Basic authentication	Basic authentication. Requires a username and password. The username and password are sent in clear text.
Offer basic authentication only after starting TLS	Basic authentication that's encrypted with TLS. This requires a server certificate on the smart host that contains the exact FQDN of the smart host that's defined on the Send connector.
Exchange Server authentication	Generic Security Services application programming interface (GSSAPI) and Mutual GSSAPI authentication.
Externally secured	The connection is presumed to be secured by using a security mechanism that's external to Exchange. The connection may be an Internet Protocol security (IPsec) association or a virtual private network (VPN). Alternatively, the servers may reside in a trusted, physically controlled network.

➤ When you're finished, click Next.

➤ On the next page, in the Address space appears, enter the following information:

section, clickAdd +. In the Add domain dialog box that

- Type: Verify SMTP is entered.

- Fully Qualified Domain Name (FQDN): Enter an asterisk (*) to indicate the Send connector applies to messages addressed to all external domains. Alternatively, you can enter a specific external domain (for example, contoso.com), or a domain and all subdomains (for example, *.contoso.com).

- Cost: Verify 1 is entered. A lower value indicates a more preferred route for the domains you specified. When you're finished, click Save.

➤ Back on the previous page, the Scoped send connector setting is important if your organization has

Exchange servers installed in multiple Active Directory sites:

- If you don't select Scoped send connector, the connector is usable by all transport servers (Exchange 2013 or later Mailbox servers and Exchange 2010 Hub Transport servers) in the entire Active Directory forest. This is the default value.

- If you select Scoped send connector, the connector is only usable by other transport servers in the same Active Directory site.

When you're finished, click Next.

➤ On the next page, in the Source server section, clickAdd +. In the Select a Server dialog box that

appears, select one or more Mailbox servers that you want to use to send outbound mail to the smart host. If you have multiple Mailbox servers in your environment, select the ones that can route mail to the smart host. If you have only one Mailbox server, select that one. After you've selected at least one Mailbox server, click Add, click OK, and then click Finish.

After you create the Send connector, it appears in the Send connector list. From the Send connector list, you can turn the connector on or off. Reference: <https://docs.microsoft.com/en-us/exchange/mail-flow/connectors/outbound-smart-host-routing?view=exchserver>

NEW QUESTION 23

- (Exam Topic 5)

You have a Microsoft 365 subscription that contains a Microsoft Exchange Online tenant.

An named App1 emails files to a group named App1support. The files are sent in a file that has the jar extension.

You have tie anti-malware policy shown in following exhibit.



To enable only the members of the App1support group to receive the JAR files, you must [answer choice]

- add a new file entry to the Tenant Allow/Block List
- create a new anti-malware policy
- customize the file types for the default anti-malware policy
- disable the common attachments filter for the default anti-malware policy**

To periodically rescan previously delivered email messages in all mailboxes, you must [answer choice]

- create a new anti-malware policy
- enable zero-hour auto purge (ZAP) for malware in the default anti-malware policy
- select a different quarantine policy for the default anti-malware policy**

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

To enable only the members of the App1support group to receive the JAR files, you must [answer choice]

- add a new file entry to the Tenant Allow/Block List
- create a new anti-malware policy**
- customize the file types for the default anti-malware policy
- disable the common attachments filter for the default anti-malware policy

To periodically rescan previously delivered email messages in all mailboxes, you must [answer choice]

- create a new anti-malware policy
- enable zero-hour auto purge (ZAP) for malware in the default anti-malware policy**
- select a different quarantine policy for the default anti-malware policy**

NEW QUESTION 24

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has an Exchange Online tenant that contains 2,000 mailboxes.

A partner company named Fabrikam, Inc. uses a third-party messaging solution. The outbound SMTP server for Fabrikam uses an IP address of 131.107.2.22.

You discover that several email messages from the fabrikam.com domain are erroneously marked as spam. You need to ensure that all the email messages sent from the fabrikam.com domain are delivered successfully to the user mailboxes of your company.

Solution: You create a spam filter policy. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Add Fabrikam.com to the 'Domain allow list' in a spam filter policy.

NEW QUESTION 25

- (Exam Topic 5)

You have a hybrid deployment of Microsoft Exchange Server 2019. You need to configure modern attachments for Outlook on the web.

From Exchange Management Shell, which cmdlet should you run? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

my.sharepoint.com -Name Default -Identity https://Contoso-

- Set-CASMailbox
- Set-OutlookProvider
- Set-ClientAccessRule
- Set-OwaMailboxPolic /
- Identity
- internalSPMySiteHostURL
- WacExternalServicesEnabled
- ThirdPartyAttachmentsEnabled

my.sharepoint.com -E ternalSPMySiteHostURL https://Contoso-my.Contoso.com

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Reference:
<https://docs.microsoft.com/en-us/powershell/module/exchange/set-owamailboxpolicy?view=exchange-ps>

NEW QUESTION 26

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that does NOT contain any public folders.

You need to create a new public folder. The solution must ensure that users can create a post by sending an email to the folder.

Which three actions should you perform in sequence? To answer, move the appropriate cmdlets from the list of cmdlets to the answer area and arrange them in the correct order.

Actions		Answer Area
Assign an Exchange Online license.		
Create a public folder mailbox.		
Create a public folder.	 	 
Create a Microsoft 365 group.		
Create a shared mailbox.		
Mail-enable the public folder.		
Set an email address on a public folder.		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/exchange/collaboration-exo/public-folders/create-public-folder> <https://docs.microsoft.com/en-us/exchange/collaboration-exo/public-folders/enable-or-disable-mail-for-public-fo>

NEW QUESTION 29

- (Exam Topic 4)

Joni Sherman reports that the Microsoft Outlook client on her Windows 10 device fails to start. You need to troubleshoot the issue.

From the device, you start the Microsoft Remote Connectivity Analyzer. What should you run next?

- A. the Exchange ActiveSync test
- B. the Outlook Connectivity test
- C. the Service Account Access test
- D. the Microsoft Support and Recovery Assistant for Office 365 client

Answer: D

Explanation:

Reference:

<https://www.sherweb.com/blog/office-365/microsoft-support-and-recovery-assistant/>

NEW QUESTION 34

- (Exam Topic 3)

You need to perform a remote wipe of the devices of User2 and User3. You run the following commands.

Clear-MobileDevice -id User2-Device

-NotificationEmailAddress "admin@Fabrikam.com" Clear-MobileDevice -id User3-Device

-NotificationEmailAddress "admin@Fabrikam.com"

What occurs on each device? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

On the device of User2:

All data is deleted.
Only email messages are deleted.
Only email messages and calendar, contact, and file data are deleted.

On the device of User3:

All data is deleted.
Only email messages are deleted.
Only email messages and calendar, contact, and file data are deleted.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Text Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/exchange/clients/exchange-activesync/remote-wipe?view=exchserver-2019>

NEW QUESTION 37

- (Exam Topic 3)

You need to encrypt email between Fabrikam and Litware to support the planned changes. What should you configure in the Exchange admin center?

- A. a connector
- B. an organization relationship
- C. a sharing policy
- D. a remote domain

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set>

NEW QUESTION 39

- (Exam Topic 3)

You need to modify FilesPolicy to prevent users from downloading ASPX files. The solution must meet the technical requirements.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Set-SafeLinksPolicy
Set-OwaMailboxPolicy
Set-ActiveSyncMailboxPolicy
Set-HostedContentFilterPolicy

.aspx
*.aspx
@{Add = ".aspx"}
@{Remove = ".aspx"}

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Text Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/set-owamailboxpolicy?view=exchange-ps>

NEW QUESTION 40

- (Exam Topic 2)

You need to implement a solution to support the planned changes for the helpdesk users. What should you do?

- A. Assign the Recipient Policies role to the helpdesk users and a default management scope
- B. Assign the Mail Recipients role to the helpdesk users and use a default management scope
- C. Assign the Mail Recipients role to the helpdesk users and create a custom management scope
- D. Assign the Recipient Policies roles to the helpdesk users and create a custom management scope

Answer: C

NEW QUESTION 45

- (Exam Topic 2)

You need to resolve the issue for the customer service department users. What should you modify?

- A. a transport rule
- B. the Send connector to the Internet
- C. the tarpit interval
- D. the global throttling policy

Answer: D

NEW QUESTION 47

- (Exam Topic 2)

You need to recommend a solution to retain the items in the public folders. The solution must support the planned changes. What should you recommend?

- A. Create an Outlook rule that forwards all the items in each public folder to a compliance mailbox.
- B. Place an In-Place Hold on all the mailboxes of the public folders.
- C. Increase the frequency of the backups.
- D. Modify the public folder permissions.

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/in-place-and-litigation-holds#placingpublic>

NEW QUESTION 50

- (Exam Topic 1)

You need to recommend a solution for the public folders that supports the planned changes and meets the technical requirements. What should you recommend?

- A. Microsoft SharePoint site mailboxes
- B. Office 365 groups
- C. Resource mailboxes
- D. Public folder replicas

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/migrate-to-office-365-groups?view=exchserver-2019>

NEW QUESTION 55

- (Exam Topic 1)

You need to configure the Exchange organization to meet the security requirements for sending email messages to distribution groups. Which cmdlet should you run?

- A. Set-OrganizationConfig
- B. Set-DistributionGroup
- C. Set-Mailbox
- D. New-PolicyipConfig

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/powershell/module/exchange/organization/set-organizationconfig?view=exchange-ps>

NEW QUESTION 58

- (Exam Topic 1)

You need to recommend an Office 365 solution that meets the technical requirements for email from adatum.com.

Which two components should you recommend configuring from the Exchange admin center in Exchange Online? Each correct presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. DKIM signatures
- B. a spam filter
- C. a malware filter
- D. data loss prevention (DLP) policies
- E. a connection filter

Answer: BE

NEW QUESTION 61

- (Exam Topic 1)

You need to resolve the email delivery delay issue. What should you do?

- A. From the Security & Compliance admin center, modify the safe attachments policy
- B. From the Security & Compliance admin center, create a supervision policy.

- C. From the Exchange admin center in Exchange Online, modify the antimalware policy.
- D. From the Exchange admin center in Exchange Online, modify the spam filter policy.

Answer: A

Explanation:

References:
<https://docs.microsoft.com/en-us/office365/securitycompliance/dynamic-delivery-and-previewing>

NEW QUESTION 66

- (Exam Topic 1)

Use the drop-down menus to select the answer choice that complete each statement based on the information presented in the Exchange Online Connector exhibit.

NOTE: Each correct selection is worth one point.

To meet the security requirements for the email messages received from fabrikam.com, set (answer choice) to *, fabrikam.com.

▼

AssociatedAcceptedDomains

ConnectorSource

SenderDomains

When an email message is sent from fabrikam.com to an on-premises mailbox, the message will be sent (answer choice).

▼

back to a sender in fabrikam.com

to the Edge Transport server encrypted

to the Edge Transport server unencrypted

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

SenderDomains
to the Edge Transport server encrypted

NEW QUESTION 70

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 organization that contains 200 mailboxes.

You need to add a second email address to each mailbox. The address must have a syntax that uses the first letter of each user's last name, followed by the user's first name, and then @fabrikam.com.

Solution: You convert all the mailboxes to shared mailboxes, and then you run the Set-Mailbox cmdlet and specify the -EmailAddressPolicyEnabled \$true parameter.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:
<https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/email-address-policies/email-add>

NEW QUESTION 73

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that contains the users shown in the following table.

Name	Mobile device	Mail client
User1	iOS	Native mail client
User2	Android	Microsoft Outlook for Android

From the Exchange admin center, you issue a Wipe Data command for User1 and User2.

What occurs on the device of each user? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

User1: ▼

All the data in the email client is wiped.

Only email messages and calendar items are wiped.

The mobile device is wiped.

User2: ▼

All the data in the email client is wiped.

Only email messages and calendar items are wiped.

The mobile device is wiped.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/clients/exchange-activesync/remote-wipe?view=exchserver-2019>

NEW QUESTION 78

- (Exam Topic 5)

You run the following PowerShell command in a Microsoft 365 environment.

```
PS C:\WINDOWS\system32> Get-OrganizationConfig | fl *group*
```

```
DistributionGroupDefaultOU           :
DistributionGroupNameBlockedWordsList : {}
DistributionGroupNamingPolicy         :
MailTipsGroupMetricsEnabled          : True
DirectReportsGroupAutoCreationEnabled : False
GroupsCreationEnabled                 : False
HiddenMembershipGroupsCreationEnabled : False
GroupsUsageGuidelinesLink            :
DefaultGroupAccessType                : Private
IsMIPLabelForGroupsEnabled           : False
OcmGroupId                            :
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the command.

NOTE: Each correct selection is worth one point.

[Answer choice] can view the list of members in a group

▼

Only administrators

Only administrators and group owners

All users

[Answer choice] can view the contents of a group mailbox

▼

Only administrators

Only administrators and group owners

All users

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

NEW QUESTION 83

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 organization that contains 200 mailboxes.

You need to add a second email address to each mailbox. The address must have a syntax that uses the first letter of each user's last name, followed by the user's first name, and then @fabrikam.com.

Solution: You create an email address policy that uses the %1s%g@fabrikam.com email address format. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/email-address-policies/email-add>

NEW QUESTION 86

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant.

Users report that they cannot view attachments from Outlook on the web from their home computer. The Outlook Web App policy has the following settings.

ClassicAttachmentsEnabled	: True
ReferenceAttachmentsEnabled	: True
SaveAttachmentsToCloudEnabled	: True
MessagePreviewDisabled	: False
ForceWebReadyDocumentViewingFirstOnPublicComputers	: False
ForceWebReadyDocumentViewingFirstOnPrivateComputers	: False
ActionForUnknownFileAndMIMETypes	: Block
OWALightEnabled	: False
ForceSaveAttachmentFilteringEnabled	: False
ConditionalAccessPolicy	: ReadOnlyPlusAttachmentsBlocked

You need to ensure that the users can view attachments when they access Outlook on the web from their home computer.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Set-OWAMailboxPolicy -identity OwaMailboxPolicy-Default

-ActionForUnknownFileAndMIMETypes	Allow
-ConditionalAccessPolicy	False
-ForceWebReadyDocumentViewingFirstOnPublicComputers	ForceSave
-MessagePreviewsDisabled	ReadOnly
-OWALightEnabled	True

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Table Description automatically generated with medium confidence

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/set-owamailboxpolicy?view=exchange-ps>

NEW QUESTION 90

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that uses Microsoft Defender for Office 365. You have the policies shown in the following table.

Name	Type
Standard Preset Security Policy	Preset security policy
Policy1	Anti-malware

You need to track any modifications made to Policy1 by the identifying following:

- The name of the user that modified the policy
- The old and new values of settings modified in Policy1
- How the modifications compare to the baseline settings of Standard Preset Security Policy What should you use in the Microsoft 365 Defender portal?

- A. Threat tracker
- B. Threat analytics
- C. Audit
- D. Configuration analyzer

Answer: D

NEW QUESTION 95

- (Exam Topic 5)

Your network contains an Active Directory domain named fabrikam.com.

You have a Microsoft Exchange Server 2019 organization that contains two Mailbox servers in a database availability group (DAG).

You plan to implement a hybrid deployment by using the Exchange Modern Hybrid connection option. Which three configurations will be transferred automatically from the on-premises organization to Exchange Online? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. the device access rules
- B. the address book policies (ABPs)
- C. the Messaging Records Management (MRM) settings
- D. the mail flow rules
- E. the address lists

Answer: ACE

Explanation:

Reference:

<https://practical365.com/hybrid-exchange-making-it-easier-and-faster-to-move-to-the-cloud/>

NEW QUESTION 96

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment that contains the users shown in the following table.

Name	Mailbox location
User1	Exchange Online
User2	Exchange on-premises

You need to provide each user with an archive mailbox that is stored in Exchange Online.

Which admin center should you use to perform the configuration for each user? To answer, drag the appropriate admin centers to the correct users. Each admin center may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Admin Centers

The Exchange admin center from an on-premises server

The Exchange admin center from Exchange Online

The Microsoft 265 admin center

The Security and Compliance admin center

Answer Area

User1: Admin Center

User2: Admin Center

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/office365/securitycompliance/enable-archive-mailboxes> <https://docs.microsoft.com/en-us/exchange/hybrid-deployment/create-cloud-based-archive>

NEW QUESTION 100

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that contains 1,000 users.

A user recently sent an email message that was never received by a recipient on the internet. From the Exchange admin center, you successfully run a message trace but cannot see the message in the trace.

What is the most likely reason why the message fails to appear in the message trace?

- A. The user addressed the message to multiple internal and external receipts
- B. The user encrypted the email message.
- C. Your administrative user account requires additional rights.
- D. The message is in the user's Outbox folder.

Answer: D

NEW QUESTION 103

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant.

You recently hired two new administrators named Admin5 and Admin6. You need to grant the following permissions to the new administrators:

- > Admin5 must be able to assign licenses to users.
- > Admin6 must be able to modify the email SPAM settings of all users.

- > Admin5 must be able to configure the email forwarding settings of all users.
 - > Admin5 and Admin6 must be able to manage the mailbox permissions of all users. The solution must use the principle of least privilege.
- Which role should you assign to each user? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Admin5: ▼

User Administrator

Global Administrator

Exchange Administrator

Admin6: ▼

User Administrator

Global Administrator

Exchange Administrator

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, chat or text message Description automatically generated

Reference:

<https://www.withum.com/resources/a-breakdown-of-microsoft-365-admin-roles-responsibilities-previous-offic>

NEW QUESTION 106

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft Exchange Server 2019 hybrid deployment that contains two Mailbox servers named MBX1 and MBX2.

The company has the departments shown in the following table.

Name	Mailbox location	Number of recipients
Sales	MBX1	300
Production	MBX2	500
Administration	MBX1	200
IT	Exchange Online	50
Managers	Exchange Online	100
Marketing	Exchange Online	350

From the on-premises organization, outbound email is sent directly to the Internet by using DNS lookups. You are informed that some sales department users send email messages that are identified as spam.

You need to automatically block the sales department users from repeatedly sending spam. Solution: You modify the outbound spam filter policy in Exchange Online.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

From the on-premises organization, outbound email is sent directly to the Internet by using DNS lookups. Therefore, the Exchange Online outbound spam filter will not scan the emails sent from the on-premises mailboxes.

NEW QUESTION 110

- (Exam Topic 5)

You have an Exchange Online tenant that has the anti-spam settings configured as shown in the following exhibit.

Standard settings  On

Standard

Spam action	Move message to Junk Email folder
Mark bulk email as spam	On
Bulk threshold	7
Mark NDR backscatter as spam	Off
Safety Tips	On
Bulk email	Move message to Junk Email folder
Phishing email	Quarantine message

To change these settings or add new ones, switch to custom settings

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

Users will see safety tips when they access their mailbox from [answer choice].

▼

Outlook on the web only

Microsoft Outlook 2019 only

Microsoft Outlook 2019 and Outlook on the web

To reduce the amount of bulk email delivered to the inbox folders of users, you must [answer choice].

▼

modify Spam action

increase the value of Bulk threshold

decrease the value of Bulk threshold

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/safety-tips-in-office-365?view=o36> <https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/bulk-complaint-level-values?view=>

NEW QUESTION 113

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription.

You need to ensure that a user named User1 can review audit reports from the Microsoft 365 security center. User1 must be prevented from tracing messages from the Security admin center.

Solution: You assign the Reports reader role to User1. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 115

- (Exam Topic 5)

You purchase a Microsoft 365 subscription.

You create mailboxes for 10 users. Each user has a PST file stored in a network share. You need to migrate the PST files to the mailboxes.

In which order should you perform the actions? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.

NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct orders you select.

Actions	Answer Area
Create a PST Import mapping file	
Upload the PST files to Microsoft Office 365	
Install AzCopy	⬆
Start the PST Import job	⬆
Create a PST Import job	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

NEW QUESTION 117

- (Exam Topic 5)

Your company named Contoso, Ltd. has a Microsoft Exchange Server 2019 hybrid deployment. A partner company named Fabrikam, Inc. uses an Exchange Online subscription for email.

You need to ensure that all the users at Fabrikam can view the free/busy information of the users at Contoso.

What should you configure? To answer, drag the appropriate components to the correct companies. Each component may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Components	Answer Area
A connector	For Fabrikam: Component
A sharing policy	For Contoso: Component
A remote domain	
A federation trust	
An organization relationship	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface Description automatically generated with low confidence

Reference:

<https://docs.microsoft.com/en-us/exchange/sharing-exchange-2013-help>

<https://docs.microsoft.com/en-us/exchange/sharing/organization-relationships/organization-relationships>

NEW QUESTION 122

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that uses an email domain named contoso.com. Your company has a partnership with another company named fabrikam.com.

You need to ensure that all email messages sent to and received by the users at fabrikam.com are encrypted by using TLS.

What should you create in the Exchange admin center?

- A. one connector and one remote domain
- B. one remote domain and one accepted domain

- C. one connector and one accepted domain
- D. two connectors

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/setu>

NEW QUESTION 127

- (Exam Topic 5)

Your company has a Microsoft Exchange Server 2019 hybrid deployment. The company has a finance department.

You need to move all the on-premises mailboxes of the finance department to Exchange Online. The bulk of the move operation must occur during a weekend when the company's Internet traffic is lowest. The move must then be finalized the following Monday. The solution must minimize disruption to end users. What should you do first?

- A. Schedule a task that runs the New-MoveRequest cmdlet and specifies the Remote parameter.
- B. Run the New-MigrationBatch cmdlet and specify the MoveOptions parameter.
- C. Run the New-MigrationBatch cmdlet and specify the CompleteAfter parameter.
- D. Create a script that moves most of the mailboxes on Friday at 22:00 and the remaining mailboxes on Monday at 09:00.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/new-migrationbatch?view=exchange-ps>

NEW QUESTION 130

- (Exam Topic 5)

You have a Microsoft 365 E5 tenant that contains two Azure Active Directory (Azure AD) security groups named Finance and Marketing. The tenant contains the users and devices shown in the following table.

Name	Azure AD group membership	Device
User1	Finance	Device1
User2	Marketing	Device2
User3	Finance	Device3

The devices are configured as shown in the following table.

Device	Azure AD-joined	Microsoft Intune-enrolled
Device1	No	No
Device2	Yes	Yes
Device3	Yes	Yes

A conditional access policy is configured as shown in the following exhibit.

Name * Outlook on the Web Policy

Include Exclude

- None
- All users
- Select users and groups
 - All guest and external users ⓘ
 - Directory roles ⓘ
 - Users and groups

Select
1 group

A Finance ...

Assignments

- Users and groups ⓘ
 - Specific users included >
 - Cloud apps or actions ⓘ
 - 1 app included >
 - Conditions ⓘ
 - 0 conditions selected >
- Access controls
 - Grant ⓘ
 - 0 controls selected >
 - Session ⓘ
 - Use app enforced restrictions >

From Microsoft Exchange Online PowerShell, you run the following cmdlet. Set-OwaMailboxPolicy -Identity OwaMailboxPolicy-Default -ConditionalAccessPolicy ReadOnly

All the users connect to Exchange Online by using Outlook on the web.
 For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Statements	Yes	No
When using Outlook on the web, User1 can only view email attachments.	<input type="radio"/>	<input type="radio"/>
When using Outlook on the web, User2 can only view and print email attachments.	<input type="radio"/>	<input type="radio"/>
When using Outlook on the web, User3 can view, download, and print email attachments.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Text Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/set-owamailboxpolicy?view=exchange-ps>

NEW QUESTION 134

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft 365 subscription.

Several users in the finance department of the company recently accessed unsafe websites by clicking on links in email messages.

Users in the marketing department of the company report that they must be able to access all the links embedded in email messages.

You need to reduce the likelihood of the finance department users accessing unsafe websites. The solution must affect only the finance department users.

Solution: You create a new safe links policy and apply the policy to finance department users. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/set-up-safe-links-policies?view=o3>

NEW QUESTION 138

- (Exam Topic 5)

SIMULATION


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that a notification email is sent to compliance@constoso.com when a user marks an email message as Not Junk in Microsoft Outlook.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Go to the Microsoft 365 Defender portal and undEemr ail & collaboration policy.

> An alert policy consists of the following settings and conditions.

select policies & rules

>Alert

- Activity the alert is tracking. You create a policy to track an activity or in some cases a few related activities, such as sharing a file with an external user by sharing it, assigning access permissions, or creating an anonymous link. When a user performs the activity defined by the policy, an alert is triggered based on the alert threshold settings.

- Activity conditions. For most activities, you can define additional conditions that must be met to trigger an alert. Common conditions include IP addresses (so that an alert is triggered when the user performs the activity on a computer with a specific IP address or within an IP address range), whether an alert is triggered if a specific user or users perform that activity, and whether the activity is performed on a specific file name or URL. You can also configure a condition that triggers an alert when the activity is performed by any user in your organization. The available conditions are dependent on the selected activity.

> You can also define user tags as a condition of an alert policy. This results in the alerts triggered by the policy to include the context of the impacted user. You can use system user tags or custom user tags.

- When the alert is triggered. You can configure a setting that defines how often an activity can occur before an alert is triggered. This allows you to set up a policy to generate an alert every time an activity matches the policy conditions, when a certain threshold is exceeded, or when the occurrence of the activity the alert is tracking becomes unusual for your organization.

> If you select the setting based on unusual activity, Microsoft establishes a baseline value that defines the normal frequency for the selected activity. It takes up to seven days to establish this baseline, during which alerts won't be generated. After the baseline is established, an alert is triggered when the frequency of the activity tracked by the alert policy greatly exceeds the baseline value. For

auditing-related activities (such as file and folder activities), you can establish a baseline based on a single user or based on all users in your organization; for malware-related activities, you can establish a baseline based on a single malware family, a single recipient, or all messages in your organization.

- Alert category. To help with tracking and managing the alerts generated by a policy, you can assign one of the following categories to a policy.

- Data loss prevention
- Information governance
- Mail flow
- Permissions
- Threat management
- Others

➤ When an activity occurs that matches the conditions of the alert policy, the alert that's generated is tagged with the category defined in this setting. This allows you to track and manage alerts that have the same category setting on the Alerts page based on category.

page in the compliance center because you can sort and filter alerts

- Alert severity. Similar to the alert category, you assign a severity attribute (Low, Medium, High, or Informational) to alert policies. Like the alert category, when an activity occurs that matches the conditions of the alert policy, the alert that's generated is tagged with the same severity level that's set for the alert policy. Again, this allows you to track and manage alerts that have the same severity setting on the Alerts page. For example, you can filter the list of alerts so that only alerts with a High severity are displayed.
- Email notifications. You can set up the policy so that email notifications are sent (or not sent) to a list of users when an alert is triggered. You can also set a daily notification limit so that once the maximum number of notifications has been reached, no more notifications are sent for the alert during that day. In addition to email notifications, you or other administrators can view the alerts that are triggered by a policy on the Alerts page. Consider enabling email notifications for alert policies of a specific category or that have a higher severity setting.

Reference:
<https://docs.microsoft.com/en-us/microsoft-365/compliance/alert-policies?view=o365-worldwide#how-alert-pol>

NEW QUESTION 143

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization that contains the Mailbox servers shown in the following table.

Name	Member of	Database
EX1	Site1	Mail1
EX2	Site2	Mail2
EX3	Site3	Mail3

The organization contains the mailboxes shown in the following table.

Name	Database
User1	Mail1
User2	Mail2
User3	Mail3

You create the public folder mailboxes shown in the following table.

Mailbox	Database	Hierarchy
PF1	Mail1	Primary
PF2	Mail2	Secondary
PF3	Mail3	Secondary

You set the DefaultPublicFolderMailbox property of each user mailbox to the public folder mailbox closest to the user.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements

Yes **No**

If User3 creates a public folder, the folder hierarchy will be updated first on EX3.

When User2 views the folder hierarchy, the user will use EX2.

If User3 accesses a public folder from PF1, and then EX1 goes offline, User3 can still access the content in the public folder.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

A screenshot of a computer Description automatically generated with low confidence

Reference:

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/public-folders?view=exchserver-2019>

NEW QUESTION 145

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the

stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. Your company has a Microsoft 365 subscription. Several users in the finance department of the company recently accessed unsafe websites by clicking on links in email messages. Users in the marketing department of the company report that they must be able to access all the links embedded in email messages. You need to reduce the likelihood of the finance department users accessing unsafe websites. The solution must affect only the finance department users. Solution: You modify the content filtering settings. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/set-up-safe-links-policies?view=o3>

NEW QUESTION 146

- (Exam Topic 5)

You plan to use the Hybrid Agent to integrate your Microsoft Exchange Server 2016 organization and Exchange Online. The installation of the Hybrid Agent fails.

You validate the following Exchange virtual directory settings.

```
Get-WebServicesVirtualDirectory | fl
```

```
ExternalAuthenticationMethods: {Ntlm, WindowsIntegrated, WSSecurity, OAuth}
InternalURL : https://mail.contoso.com/EWS/Exchange.asmx
ExternalURL: https://mail.contoso.com/EWS/Exchange.asmx
MRSPProxyEnabled: False
Server : EX01
```

```
Get-MAPIVirtualDirectory | fl
```

```
InternalURL : https://autodiscover.contoso.com/mapi
ExternalURL: https://Autodiscover.contoso.com/mapid
Server: EX01
```

```
Get-OWAVirtualDirectory | fl
```

```
InternalURL : https://mail.contoso.com/owa
ExternalURL: https://mail.contoso.com/owa
Server: EX01
```

You need to install the Hybrid Agent successfully. What should you do first?

- A. Update the server parameter of WebServicesVirtualDirectory to the FQDN of Exchange instead of the host name.
- B. Set MRSPProxyEnabled to True.
- C. Remove WindowsIntegrated from ExternalAuthenticationMethods.
- D. Change the ExternalURL parameter of MAPIVirtualDirectory to https://mail.contoso.com instead of https://autodiscover.contoso.com.

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/hybrid-deployment/hybrid-agent#running-setup>

NEW QUESTION 151

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment.

You migrate public folders from on-premises to Exchange Online by using the batch migration process. After the batch migration completes, additional public folders are created on-premises.

You need to migrate the new on-premises public folders to Exchange Online. What should you do?

- A. Export the contents of the folders to a PST file, and then import the PST files by using Outlook PST export.
- B. Create a new public folder migration batch that contains only the new folders.
- C. Repeat the original batch migration process and add the new folders to the migration batch.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/migrate-to-exchange-online?view=exch>

NEW QUESTION 154

- (Exam Topic 5)

Your company named Contoso, Ltd. has a Microsoft Exchange Online subscription.

You have several transport rules. The rules automatically apply a disclaimer to email messages that contain certain keywords in the subject and are sent to recipients in an email domain named fabrikam.com.

You receive a report that some messages are delivered without the disclaimer.

You need to view which transport rules were applied to messages sent to the fabrikam.com recipients. What should you use?

- A. the SMTP protocol logs
- B. a URL trace
- C. the transport server logs
- D. a message trace

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/monitoring/trace-an-email-message/run-a-message-trace-andview-re>

NEW QUESTION 157

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that uses an email domain named contoso.com. You need to prevent all users from performing the following tasks:

- > Sending out-of-office replies to an email domain named fabrikam.com.
- > Sending automatic replies to an email domain named adatum.com.

The solution must ensure that all the users can send out-of-office replies and automatic replies to other email domains on the internet.

Solution: You create two new remote domains. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/remote-domains/remote-domains>

NEW QUESTION 158

- (Exam Topic 5)

Your company has an Exchange Server 2019 organization that has servers deployed in two Active Directory forests named adatum.com and contoso.com. The organization contains five Mailbox servers and two Edge Transport servers. You deploy Microsoft 365 and configure Exchange Online.

You plan to configure hybrid mail transport.

You need to identify the number of third-party CA certificates that must be used in the deployment. What is the minimum number of certificates?

- A. 1
- B. 2
- C. 4
- D. 5

Answer: A

NEW QUESTION 162

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant.

You have an on-premises scanner that emails scanned documents by using SMTP.

You need to create a Microsoft Office 365 SMTP relay to route email from the scanner to the internet. The solution must ensure that the connector accepts only email sent by the scanner.

How should you configure the connector? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Select your mail flow scenario

Specify your mail flow scenario, and we'll let you know if you need to set up a connector.
[Learn more](#)

From:

▼
Internet
Office 365
Partner organization
Your organization's email server

To:

▼
Internet
Office 365
Partner organization
Your organization's email server

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/how-to-set-up-a-multifunction-device-or-ap>

NEW QUESTION 167

- (Exam Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

Two users named Christie Cline and Irvyn Sayers leave your company.

You need to ensure that all email sent to the users at your company are forwarded automatically to the mailbox of Megan Bowen. The solution must NOT use mail flow rules.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

> In the EAC, go to Recipients >Mailboxes.

> In the list of user mailboxes, click or tap the mailbox that you want to configure mail forwarding for, and then click or tap Edit

> On the mailbox properties page, click Mailbox Features.

> Under Mail Flow, select View details

to view or change the setting for forwarding email messages.

On this page, you can set the maximum number of recipients that the user can send a message to. For

on-premises Exchange organizations, the recipient limit is unlimited. For Exchange Online organizations, the limit is 500 recipients.

> Check the Enable forwarding check box, and then click or tap Browse.

> On the Select Recipient

page, select a user you want to forward all email to. Select the deliver message

to both forwarding address and mailbox

check box if you want both the recipient and the forwarding

email address to get copies of the emails sent. Click or tap OK, and then click or tap Save.

Reference:

<https://docs.microsoft.com/en-us/exchange/recipients-in-exchange-online/manage-user-mailboxes/configure-em>

NEW QUESTION 171

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant.

All users use an email address suffix of @contoso.com.

You need to ensure that all the email messages sent to users who use an email address suffix of

@fabrikam.com are encrypted automatically. The solution must ensure that the messages can be inspected for data loss prevention (DLP) rules before they are

encrypted.
 What should you create?

- A. an Outbound connector
- B. a safe attachments policy
- C. a remote domain
- D. a mail flow rule

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/define-mail-flow-rules-to-encrypt-email?view=o365> <https://docs.microsoft.com/en-us/exchange/security-and-compliance/data-loss-prevention/data-loss-prevention>

NEW QUESTION 174

- (Exam Topic 5)

You have 1,000 user accounts that are each licensed for Microsoft 365. Each user account has a Microsoft Exchange Online mailbox. Ten of the user accounts are configured as service accounts for applications. The applications send event notifications to the mailboxes of the service accounts by using SMTP. The developers of each application have delegated access to the mailbox of their respective application. You need to ensure that all the event notifications sent by the applications are retained in the service account mailboxes so that new developers can review older notifications. The developers must be able to view only the notifications for their respective application. What should you do?

- A. Replace the service account mailboxes with a single user mailbox that contains a folder for each application.
- B. Replace the service account mailboxes with a single user mailbox that contains Power Automate rules.
- C. Convert the service account mailboxes into shared mailboxes.
- D. Convert the service account mailboxes into mail-enabled users.

Answer: C

NEW QUESTION 175

- (Exam Topic 5)

You create a transport rule as shown in the following exhibit.

```

Name           : Rule1
State          : Enabled
Mode           : AuditAndNotify
Priority        : 1
SentTo         : {User1@contoso.com}
StopRuleProcessing : True
DeleteMessage  : False
Disconnect     : False
RedirectMessageTo :
RejectMessageEnhancedStatusCode : 5.7.1
RejectMessageReasonText : Please forward all sales enquiries to 'Sales@Contoso.com'.
Quarantine     : False
SubjectOrBodyContainsWords : {Quote, Enquiry, Sales}
    
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

If an email message sent to User1 contains the word **Quote** ▼

- the message will be rejected
- the message will be delivered
- the message will be redirected to sales@contoso.com

The transport rule has ▼

- the highest priority and cannot be superseded by another rule
- the lowest priority. Another rule can supersede Rule1
- the medium priority. Another rule can supersede Rule1

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/policy-and-compliance/new-transportrule?view=>

NEW QUESTION 178

- (Exam Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to reduce the likelihood that malicious links contained in emails received by mailboxes in @lab.CloudCredential(1).TenantName are opened.

To complete this task, sign in to the Exchange admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

> Navigate to the Exchange Admin Center, and then choose the Advanced Threats section of the EAC.

> Click the Safe Links tab to examine all existing Safe Links policies:

> After navigating to the Safe Links policy page, choose the Add button (+) to create a new policy. The New Safe Links Policy window opens.

- In the resulting window we'll be presented with the options available for creating our new Safe Links policy.

> In Name

enter an appropriate, unique, name that describes this policy. In the description enter some text that provides a little more detail for anyone trying to make sense of the options selected here.

> Next we'll choose the action to take for URLs. We can leave this Off, if for example we are creating a policy to exclude a group of users that would otherwise be affected by another Safe Links policy.

- The checkbox Do not track user click can be selected if you do not wish to use the reporting functionality available at a later date. This is a key feature when understanding which users clicked a link that was later found to be a threat, so be careful about choosing to disable user click tracking.
 - Our final check box provides options for click-through is a link is found to be dangerous. In some circumstances you may trust users to click-through links, or they may request the ability to do so. In most circumstances you will not want a user to click-through the malicious link.
 - Some URLs, such as those for internal addresses or even trusted partners, may not require re-writing. Enter these URLs here.
 - Finally, we will select the scope for the rule under the Applied to section.
 - Using similar conditions to transport rules we can select who this rule applies to including:
 - Individual recipients
 - Recipient domains
 - Members of distribution groups
 - The same conditions can be used for exceptions. When you have configured your rule, choose Save. After saving the new Safe Links rule it will be shown in the EAC list. Just like Transport Rules, you can use the Enabled column to enable or disable the Safe Links policy.
- Reference:
<https://techgenix.com/implementing-exchange-online-advanced-threat-protection-part2/>

NEW QUESTION 179

- (Exam Topic 5)

You have a Microsoft Exchange Online subscription that uses a namespace of litwareinc.com. You create a connector in Exchange Online that is configured as shown in the following exhibit.

Name	: Contoso
Enabled	: True
UseMXRecord	: True
ConnectorType	: Partner
RecipientDomains	: {Contoso.com}
SmartHosts	: {}
TlsDomain	: Contoso.com
TlsSettings	: DomainValidation
IsTransportRuleScoped	: False
RouteAllMessagesViaOnPremises	: False
CloudServiceMailEnabled	: False
AllAcceptedDomains	: False

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

If an email message is sent to info@contoso.com, the message [answer choice].

▼

will always be delivered by using TLS

will never be delivered by using TLS

will sometimes be delivered by using TLS

If a user attempts to send an email message to info@contoso.com, and the receiving server does not have a certificate that contains the name contoso.com, [answer choice].

▼

the message will be delivered unencrypted

the messages will not be delivered

the message will be delivered by using TLS

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

If an email message is sent to info@contoso.com, the message [answer choice].

▼

will always be delivered by using TLS

will never be delivered by using TLS

will sometimes be delivered by using TLS

If a user attempts to send an email message to info@contoso.com, and the receiving server does not have a certificate that contains the name contoso.com, [answer choice].

▼

the message will be delivered unencrypted

the messages will not be delivered

the message will be delivered by using TLS

NEW QUESTION 182

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that contains three users named User1, User2, and User3. Mobile device mailbox policies are configured as shown in the following exhibit.

mobile device access [mobile device mailbox policies](#)



NAME	MODIFIED
Default (default)	9/28/2020 8:06 AM
Executive policy	9/28/2020 8:07 AM
Managers policy	9/28/2020 8:07 AM

The users are configured as shown in the following table.

Name	Assigned policy
User1	Executive policy
User2	Managers policy
User3	Default

You create a new mobile device mailbox policy as shown in the following exhibit.

new mobile device mailbox policy

*Required fields

*Name:

Mobile Tablet Policy

- This is the default policy
- Allow mobile devices that don't fully support these policies to synchronize

Policies for Exchange ActiveSync and OWA for Devices

Select the policies that you want to enable for Exchange ActiveSync and OWA for Devices. [Learn more](#)

- Require a password
 - Allow simple passwords
 - Require an alphanumeric password
 - Password must include this many character sets:
 - 2
 - Require encryption on device
 - Minimum password length:
 - 6
 - Number of sign-in failures before device is wiped:
 - 5
 - Require sign-in after the device has been inactive for (minutes):
 - minutes
 - Enforce password lifetime (days):
 - 30 days
- Password recycle count:
 - 10

Save Cancel

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Statements	Yes	No
Mobile Tablet Policy will be assigned to User3 automatically.	<input type="radio"/>	<input type="radio"/>
A new user can use a password of 135753.	<input type="radio"/>	<input type="radio"/>
Mobile Tablet Policy will be assigned to new users.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/exchange/create-or-modify-a-mobile-device-mailbox-policy-exchange-2013-he>

NEW QUESTION 186

- (Exam Topic 5)

Your company has a Microsoft Exchange Server 2019 organization that contains two servers in a database availability group (DAG).

The customer service department at the company uses public folders to receive customer communications. Only users in the customer service department can read items in the folders.

For a new customer, you create a mail-enabled public folder that has the default settings.

The customer reports that when she sends an email message to the email address of the public folder, she receives a non-delivery report (NDR).

You need to ensure that the public folder can receive email.

Which public permissions should you configure in Microsoft Outlook?

- A. Grant the Author permission to the Default group
- B. Grant the Author permission to the Anonymous group
- C. Grant the Create items permission to the Anonymous group
- D. Grant the Create items permission to the Default group

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/mail-enable-or-disable?view=exchserve>

NEW QUESTION 191

- (Exam Topic 5)

SIMULATION


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that the email messages in mailboxes and the documents in Microsoft OneDrive folders of all the users in your organization are retained for only five years.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

> From the Microsoft 365 compliance center, select Policies > Retention.

- > Select New retention policy retention policy. to start the create retention policy configuration, and name your new
- > For the Choose the type of retention policy to create page, select Static. Adaptive policies don't support the locations for Exchange public folders or Skype for Business.
- > Depending on your selected scope:
 - On the Choose locations page, toggle on or off any of the locations except the locations for Teams and Yammer. For each location, you can leave it at the default to apply the policy to the entire location.
- > Information specific to locations:
 - Exchange email and Exchange public folders
 - SharePoint sites and OneDrive accounts
 - Microsoft 365 Groups
 - Skype for Business
- > For Decide if you want to retain content, delete it, or both retaining and deleting content. page, specify the configuration options for You can create a retention policy that just retains content without deleting, retains and then deletes after a specified period of time, or just deletes content after a specified period of time.
- > Complete the configuration and save your settings. Reference: <https://docs.microsoft.com/en-us/microsoft-365/compliance/retention?view=o365-worldwide> <https://docs.microsoft.com/en-us/microsoft-365/compliance/create-retention-policies?view=o365-worldwide>

NEW QUESTION 195

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant named contoso.com.

Email messages from a remote domain named fabrikam.com are received from a server that uses a wildcard certificate for fabrikam.com and are encrypted by using TLS.

Fabrikam.com is switching to a third-party cloud filtering service for inbound and outbound email. The IP address used by the third-party service is 131.107.200.10.

You need to reconfigure the connector to only accept messages from fabrikam.com that are encrypted and received from the third-party service.

Which two settings should you modify for the connector? To answer, select the appropriate settings in the answer area.

NOTE: Each correct selection is worth one point.

Edit Connector

What security restrictions do you want to apply?

Reject email messages if they aren't sent over TLS.

And require that the subject name on the certificate that the partner uses to authenticate with Office 365 matches this domain name

*.fabrikam.com

Reject email messages if they aren't sent from within this IP address range

+ -

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set>

NEW QUESTION 196

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are hosted in Microsoft 365. All outbound SMTP email is routed through the on-premises Exchange organization.

A corporate security policy requires that you must prevent credit card numbers from being sent to internet recipients by using email.

You need to configure the deployment to meet the security policy requirement. Solution: From Microsoft 365, you create a supervision policy.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

You should create a Data Loss Prevention (DLP) policy.

NEW QUESTION 197

- (Exam Topic 5)

You recently implemented a hybrid deployment that contains a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 server named Server1. The public IP address of Server1 is 131.107.1.100. The deployment is configured as shown in the following table.

Object type	Configuration	Location
Accepted domain	Contoso.com	Microsoft 365
Remote domain	*	Microsoft 365
Outbound connector	Use DNS routing	Microsoft 365
Inbound connector	Default settings	Microsoft 365
Mail exchanger (MX) record	Contoso-com.mail.protection.outlook.com	Public DNS
Send connector	Use DNS routing	Exchange Server 2019

Users hosted in Microsoft 365 report that they receive non-delivery reports (NDRs) when they attempt to send email messages to mailboxes hosted in Exchange Server 2019.

You need to ensure that the email is delivered successfully. The solution must ensure that email delivery is successful for all the users at your company.

What should you do?

- A. Configure the remote domain to use a value of contoso.com.
- B. Modify the MX record to point to the internal Exchange servers.
- C. Configure the Outbound connector to use a smart host of 131.107.1.100.
- D. Configure the accepted domain to use a value of *.

Answer: C

NEW QUESTION 199

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment. You have the on-premises mailboxes shown in the following table.

Name	Forwarding address
User1	User6
User2	None
User3	None
User4	None
User5	None
User6	None

You add the mailbox permissions shown in the following table.

Mailbox	Permission
User2	Send As for User4
User4	Full Access for User3
User6	Send on Behalf for User5

You plan to migrate the mailboxes to Exchange Online by using remote mailbox move requests. The mailboxes will be migrated according to the schedule shown in the following table.

Week	Mailbox
1	User1, User2, User3, User6
2	User4, User5

Mailboxes migrated the same week will have their mailbox move requests included in the same batch and will be cut over simultaneously.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
The mail forwarding settings of the User1 mailbox will be preserved automatically after the migration.	<input type="radio"/>	<input type="radio"/>
The permissions granted to the User4 mailbox for the User2 mailbox will be preserved automatically after the migration.	<input type="radio"/>	<input type="radio"/>
The permissions granted to the User3 mailbox for the User4 mailbox will be preserved automatically after the migration.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/exchange-hybrid>

<https://practical365.com/exchange-online/configuring-exchange-hybrid-cross-forest-permissions/>

NEW QUESTION 200

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that has Office 365 Advanced Threat Protection (ATP) enabled.

The tenant contains a user named Ben Smith who has a UPN of ben.smith@fabrikam.com. Ben Smith is protected by using an ATP anti-phishing policy.

Ben Smith reports that emails sent from his personal account of ben.smith@relecloud.com are not delivered to his work email account.

You need to ensure that personal emails are delivered to the ben.smith@fabrikam.com What should you do?

- A. Create a transport rule to assign the MS-Exchange-Organization-PhishThresholdLevel header a value of 2 for the message received from ben.smith@relecloud.com
- B. Add ben.smith@fabrikam.com as a trusted sender to the ATP anti-phishing policy.
- C. Add ben.smith@relecloud.com as a trusted sender to the ATP anti phishing.
- D. Add relecloud.com to the ATP anti-phishing list of misted domains.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/configure-atp-anti-phishing-policies>

NEW QUESTION 202

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment.

You are migrating public folder data to Exchange Online by using a migration batch of the PublicFolder type. You need to identify the sync status of each move request in the batch.

Which cmdlet should you run?

- A. Gec-PublicFolderMailboxMigrationRequest
- B. Get-PublicFolderMigrationRequest
- C. Gec-PublicFolderMoveRequest
- D. Gee-MoveRequest

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/get-publicfoldermailboxmigrationrequest?view=>

NEW QUESTION 203

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization. You purchase a Microsoft Office 365 E5 subscription.

You plan to implement Exchange Modern Hybrid and free/busy sharing.

Which two components should you configure for the planned implementations? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. a sharing policy
- B. a federation trust
- C. a relying party trust
- D. Active Directory Lightweight Directory Services (AD LDS)
- E. an organization relationship

Answer: BE

Explanation:

References:
<https://docs.microsoft.com/en-us/exchange/shared-free-busy>

NEW QUESTION 208

- (Exam Topic 5)

Your company has a Microsoft Exchange Online tenant named contoso.com. The company acquires a company named ADatum Corporation that uses a third-party IMAP email service named adatum.com. You plan to migrate the mailbox content of adatum.com to contoso.com. You need to connect Microsoft 365 to the IMAP email service. What should you create first?

- A. a new organization relationship
- B. a new migration endpoint
- C. a new remote domain
- D. a new staged migration batch

Answer: B

Explanation:

Reference:
<https://docs.microsoft.com/en-us/exchange/mailbox-migration/migrating-imap-mailboxes/migrating-imap-mailb>

NEW QUESTION 213

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization. You need to identify which accounts in Active Directory are assigned permissions to dismount mailbox databases. How should you complete the command? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content. NOTE: Each correct selection is worth one point.

Values	Answer Area
Get-ManagementRole	\$Perms = [] -Cmdlet Dismount-Database
Get-ManagementRoleAssignment	\$Perms foreach { [] -Role \$_.Name -Delegating \$false
Get-ManagementRoleEntry	Format-Table -Auto Role,RoleAssigneeType,RoleAssigneeName}
Get-ManagementScope	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:
<https://docs.microsoft.com/en-us/powershell/exchange/find-exchange-cmdlet-permissions?view=exchange-ps>

NEW QUESTION 215

- (Exam Topic 5)

You have a Microsoft Exchange Online subscription for an email domain named contoso.com. A partner company has an Exchange Online subscription for an email domain named fabrikam.com. You need to prevent out-of-office messages sent by users in contoso.com from being sent to users in fabrikam.com. What is the best way to achieve the goal from the Exchange admin center? More than one answer choice may achieve the goal. (Choose the best answer.)

- A. Create a connector
- B. Create a mail flow rule
- C. Create a remote domain
- D. Create an accepted domain

Answer: C

Explanation:

Reference:
<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/remote-domains/remote-domains>

NEW QUESTION 216

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that uses Microsoft Defender for Office 365. You need to create a new Safe Attachments policy named Policy1 that meets the following requirements:

- > Immediately delivers email messages that contain attachments and replaces the attachments with placeholders
- > Reattaches the attachments after scanning is complete
- > Quarantines malicious attachments

Which action should you select for Policy1?

- A. Monitor
- B. Block
- C. Dynamic Delivery
- D. Replace

Answer: C

NEW QUESTION 220

- (Exam Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on-premises Exchange Server 2013 organization. The deployment contains the public folders shown in following table.

Name	Location
PF1	Exchange Server 2013
PF2	Exchange Online

You need to configure the deployment to meet the following requirements:

- > Exchange Server 2013 mailboxes must be able to access PF2.
- > Exchange Online mailboxes must be able to access PF1.

Which PowerShell script should you run from an Exchange Server 2013 server to meet each requirement? To answer, drag the appropriate scripts to the correct requirements. Each script may be used once, more than once, or at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

PowerShell Scripts	Answer Area
Import-PublicFolderMailboxes.ps1	Enable Exchange Server 2013 mailboxes to access PF2:
Sync-MailPublicFolders.ps1	
Sync-MailPublicFoldersCloudToOnprem.ps1	Enable Exchange Online mailboxes to access PF1:
Sync-ModernMailPublicFolders.ps1	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/exchange/hybrid-deployment/set-up-exo-hybrid-public-folders> <https://docs.microsoft.com/en-us/exchange/hybrid-deployment/set-up-modern-hybrid-public-folders>

NEW QUESTION 221

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant as shown in the following exhibit.

The screenshot shows the Exchange Admin Center interface for 'Contoso Electronics'. The 'mail flow' section is active, displaying a table of connectors. The selected connector is 'Connector to Server1', which is 'On'. Its configuration details are as follows:

STATUS	NAME	FROM	TO
On	Connector to Server1	Office 365	Partner organization

Connector to Server1 Configuration:

- Mail flow scenario:** From: Office 365, To: Partner organization
- Description:** None
- Status:** On (Turn it off)
- Validation:** Validate this connector. Last validation result: Failed. Last validation time: 4/7/2020 4:04 PM
- When to use the connector:** Use only for email sent to these domains: *
- Routing method:** Route email messages through these smart hosts: 131.107.100.200
- Security restrictions:** Always use Transport Layer Security (TLS) and connect only if the recipient's email server certificate is issued by a trusted certificate authority (CA) and the subject names matches this domain: server1.contoso.com

All email recipients have an email address that uses an SMTP suffix of @contoso.com.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Answer Area

131.107.100.200 will route

- all email messages from Exchange Online to any contoso.com recipients.
- all email from Exchange Online to any external recipients
- all email messages from Exchange Online to recipients hosted on Server1 only

The Exchange Online tenant

- cannot receive email messages from the internet
- can receive email messages from server1.contoso.com only
- can receive email messages from any email host on the internet

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Under "When to use this connector", it says "Use only for email sent to these domains: *" The asterisk means all domains so any external email will use the connector.

Box 2: With Exchange Online, you don't need to configure a receive connector as you would with on-premises Exchange. Therefore, the server by default will be able to receive emails from any email host.

NEW QUESTION 226

- (Exam Topic 5)

You have an Exchange Online tenant that contains several hundred mailboxes. Several users report that email messages from an SMTP domain named @fabrikam.com often fail to be delivered to their mailbox. You need to increase the likelihood that the email messages from the @fabrikam.com are delivered successfully to the users in the tenant.

- A. From the Security & Compliance admin center, modify the anti-spam policy settings.
- B. From the Security & Compliance admin center, modify the DKIM settings.
- C. From your public DNS zones, create a Sender Policy Framework (SPF) TXT record.
- D. From the Security & Compliance admin center, create a new ATP anti-phishing policy.

Answer: A

NEW QUESTION 228

- (Exam Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 organization. Users report that emails sent from Exchange Online mailboxes to the on-premises Exchange Server mailboxes are undelivered. You need to review the non-delivery report (NDR) for each undelivered email. What should you use?

- A. message trace in the Exchange admin center
- B. auditing in the Exchange admin center
- C. the SMTP protocol logs in Exchange Server
- D. the transport logs in Exchange Server

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/monitoring/trace-an-email-message/message-trace-faq>

NEW QUESTION 233

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant.

You need to perform an In-Place eDiscovery search. The solution must meet the following requirements: ➤ Minimize administrative effort.

- Search both public folders and mailboxes.
- Use an In-Place Hold to place the search results on hold. What should you do in the Microsoft 365 compliance center?

- A. Search the public folders and the mailboxes in a single search, and then place the results on In-Place Hold.
- B. Search the public folders first, and then place the results on In-Place Hold.
- C. Search the mailboxes second, and then place the results on In-Place Hold.
- D. Search the public folders and the mailboxes in a single search.
- E. Once the search completes, place only the mailboxes that contain results and the public folders on In-Place Hold.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/policy-and-compliance/ediscovery/search-public-folders?view=exchserver-2019>

NEW QUESTION 237

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that contains a custom role group named RGI.

You need to prevent users assigned to RGI from running a specific cmdlet. Which cmdlet should you run to modify RGI?

- A. Remove Entry
- B. Remove -ManagementRoleAssignment
- C. Set-ManagementScope
- D. Disable -CmdletExtensionAgent

Answer: B

NEW QUESTION 238

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization. You run the following commands.

```
New-ManagementScope -Name "VIP Mailboxes" -RecipientRoot "Contoso.com/ Executives"  
-RecipientRestrictionFilter (RecipientType -eq "UserMailbox")
```

```
New-ManagementRoleAssignment -SecurityGroup "VIP Admins" -Role "Mail Recipients"  
-CustomRecipientWriteScope "VIP Mailboxes" You have a user named Admin1.
```

You need to ensure that Admin1 can manage the mailboxes of users in the Executives organizational unit (OU) only. What should you do?

- A. Modify the membership of VIP Admins.
- B. Create a custom role group.
- C. Add Admin1 to the Recipient Management management role group.
- D. Move Admin1 to the Executives OU.

Answer: A

Explanation:

References:

<https://social.technet.microsoft.com/Forums/exchange/en-US/b316a841-c39d-483a-ac8e-64d5904c42e6/howto-limit-recipient-management-rights-to-users-in-a-ou-in-exchange-2010-sp1?forum=exchangesvradmlegacy>

NEW QUESTION 242

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You plan to implement a hybrid deployment between Exchange Online and Exchange Server. The deployment must meet the following requirements:

- Support Outlook for iOS and Android.
- Support 500 on-premises mailboxes.
- Support Modern Authentication.

Which hybrid configuration topology should you recommend?

- A. Classic Full
- B. Modern Minimal
- C. Modern Full
- D. Classic Minimal

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/hybrid-configuration-wizard-options> <https://docs.microsoft.com/en-us/exchange/hybrid-deployment/hybrid-agent>

NEW QUESTION 247

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment.

You need to change the free/busy data access sharing level between the on-premises organization and Exchange Online.

What should you do?

- A. Run the Hybrid Configuration wizard.
- B. Modify the organization relationship.
- C. Create an organization sharing policy.
- D. Create an individual sharing policy.

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/shared-free-busy>

NEW QUESTION 250

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You plan to implement a hybrid deployment between Exchange Online and Exchange Server.

You need to install the Exchange Online Hybrid Agent. The solution must use the principle of least privilege. To which roles should you be assigned to perform the installation? To answer, drag the appropriate roles to the correct products. Each role may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/hybrid-deployment/hybrid-agent>

NEW QUESTION 251

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment.

You need to remove the email addresses of your company's executives from the global address list (GAL). What are two possible ways to achieve the goal? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Run the Set-Mailbox cmdlet to modify the properties of each executive's mailbox.
- B. From the Exchange admin center, modify the properties of the GAL.
- C. From the Exchange admin center, modify the properties of each executive's mailbox.
- D. Run the Set-GlobalAddressList cmdlet to modify the properties of the GAL.

Answer: AC

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/set-mailbox?view=exchange-ps>

NEW QUESTION 256

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You add 100 new users and create a mailbox for each user. The new users have the City attribute in Active Directory set to Seattle.

You need to create a separate global address list (GAL) that contains only users who have the City attribute set to Seattle. The solution must ensure that any new users who have the City attribute of Seattle are added automatically to the new GAL.

What should you do?

- A. From the Azure Active Directory admin center, create an Office 365 group that uses a dynamic membership rule.
- B. From the Exchange admin center, create a new GAL.
- C. Run the New-EmailAddressPolicy cmdlet to create a new email address policy that uses a recipient filter.
- D. Run the New-GlobalAddressList cmdlet to create a new address list.

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/address-books/address-lists/address-lists>

NEW QUESTION 261

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You need to ensure that all email is retained for one year, and then moved to an archive mailbox. What should you use?

- A. a default policy tag
- B. a data loss prevention (DLP) policy
- C. a personal tag
- D. a retention policy tag

Answer: A

Explanation:

<https://docs.microsoft.com/en-us/exchange/policy-and-compliance/mrm/retention-tags-and-retention-policies?vi>

NEW QUESTION 262

- (Exam Topic 5)

You have a Microsoft 365 subscription.

Several users report today that they cannot access email from their mobile device. They successfully accessed their email from the same device yesterday.

You need to identify which mobile device access rule applies to the devices. Which cmdlet should you run?

- A. Get-MsolDevice
- B. Get-DeviceTenantRule
- C. Get-MobileDevice
- D. Get-ActiveSyncMailboxPolicy

Answer: C

Explanation:

The Get-MobileDevice cmdlet returns identification, configuration, and status information for each mobile device.

Note: The Get-MobileDeviceStatistics cmdlet can also be used. Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/devices/get-mobiledevice?view=exchange-ps>

NEW QUESTION 267

- (Exam Topic 5)

Your network contains an Active Directory domain named corp.contoso.com. The domain contains client computers that have Microsoft Office 365 Apps installed.

You have a hybrid deployment that contains a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 server named Server1. All recipients use an email address suffix of Contoso.com.

You migrate all the Exchange Server recipients to Exchange Online, and then decommission Server1. Users connected to the internal network report that they receive an Autodiscover error when they open Microsoft Outlook.

You need to ensure that all users can connect successfully to their mailbox by using Outlook. Which two actions should you perform? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. From the corp.contoso.com DNS zone, modify the Autodiscover host (A) record.
- B. Add an accepted domain.
- C. From the contoso.com DNS zone, modify the Autodiscover alias (CNAME) record
- D. Modify the name of the TLS certificate.
- E. From the domain, modify the Autodiscover service connection point (SCP).

Answer: CE

NEW QUESTION 270

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 organization that contains 200 mailboxes.

You need to add a second email address to each mailbox. The address must have a syntax that uses the first letter of each user's last name, followed by the user's first name, and then @fabrikam.com.

Solution: You create an email address policy that uses the %1g%s@fabrikam.com email address format. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/email-address-policies/email-add>

NEW QUESTION 272

- (Exam Topic 5)

You are evaluating the email hygiene configuration of a Microsoft Exchange Server 2019 organization. You run the command shown in the following exhibit.

```
[PS] C:\>Get-ContentFilterConfig | fl *SCL*

SCLRejectThreshold      : 7
SCLRejectEnabled        : True
SCLDeleteThreshold     : 9
SCLDeleteEnabled       : False
SCLQuarantineThreshold : 9
SCLQuarantineEnabled   : False
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Email messages that have a spam confidence level (SCL) of 8 will be [answer choice].

▼

deleted silently
 rejected with a response
 sent to the spam quarantine mailbox

Email messages that have a spam confidence level (SCL) of 7 will be [answer choice].

▼

deleted silently
 rejected with a response
 sent to the spam quarantine mailbox

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/antispam-antimalware/set-contentfilterconfig?vie>

NEW QUESTION 275

- (Exam Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

Users report that email disclaimers are no longer being appended to email messages sent to external recipients.

You need to ensure that all email sent to external recipients contains your corporate disclaimer.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

> In the Microsoft 365 admin center, choose Admin centers > Exchange.

> Open the EAC and go to Mail flow > Rules.

> Click Add +, and then click Apply disclaimers.

Graphical user interface, text, application Description automatically generated

Exchange admin center

dashboard

rules message trace url trace accepted domains remote domains connectors

recipients

permissions

compliance management

organization

protection


mail flow

mobile

public folders

unified messaging

hybrid



- > In the New rule window that appears, enter a unique name the rule.
 - > In the Apply this rule if The recipient is located box, select the conditions for displaying the disclaimer. For example, select condition, and then select outside the organization. If you want this rule to apply to every message that enters or leaves your organization, select [Apply to all messages].
 - > Next to the Do the following box, select enter text to enter the text of your disclaimer.
 - > Click Select one, and select one of the Fallback options if the disclaimer can't be added.
 - > Specify the audit severity level to assign the severity level that appears in the message log.
 - > Select the mode for the rule. Select Enforce to turn on the disclaimer immediately, or select Test without Policy Tips to put a message in the message tracking log instead of adding the disclaimer.
 - > If you have additional conditions or exceptions that you want to add, select More options at the bottom of the page, which will show additional settings. For example, to add the exception that prevents multiple disclaimers being added in an email conversation, select Add exception and then select the subject or body
 - >Subject or body matches these text patterns, and then specify the words or phrases in your disclaimer. Or, to put your disclaimer at the top of the email message instead of the bottom, in Do the following, select Apply a disclaimer to the message
 - >prepend a disclaimer.
- * 11. When you're finished, click Save.

Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/mail-flow-rules/disclaimers-signatures-foot>

NEW QUESTION 279

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains 1,000 mailboxes.

All the users in the sales department at your company are in a group named Sales.

The company is implementing a new policy to restrict the use of email attachments for the users in the Sales group.

You need to prevent all email messages that contain attachments from being delivered to the users in the Sales group.

Solution: You modify the permissions granted to the Sales group. Does this meet the goal?

A. Yes

B. No

Answer: B

Explanation:

Create a mail flow rule.

Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/mail-flow-rules/common-attachmentblocki>

NEW QUESTION 281

- (Exam Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to prevent email messages that contain attachments that have the .js file extension from being delivered to any recipients in your organization.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

➤ Go to **Mail flow > Rules**.

➤ Create the rule by using one of the following options:

- To create a rule from a template, click **Add** and select a template. +

- To copy a rule, select the rule, and then select **Copy** .

- To create a new rule from scratch, **Add** and then select **Create a new rule**. +


➤ In the **New rule** dialog box, name the rule, and then select the conditions and actions for this rule:

- In **Apply this rule if...**, select the condition you want from the list of available conditions:

Some conditions require you to specify values. For example, if you select The sender is... condition, you must specify a sender address. If you're adding a word or phrase, note that trailing spaces are not allowed.

- _ If the condition you want isn't listed, or if you need to add exceptions, select More options. Additional conditions and exceptions will be listed.
 - If you don't want to specify a condition, and want this rule to apply to every message in your organization, select [Apply to all messages] condition.
 - In Do the following..., select the action you want the rule to take on messages matching the criteria from the list of available actions: Some of the actions will require you to specify values. For example, if you select the Forward the message for approval to... condition, you will need to select a recipient in your organization.
 - _ If the condition you want isn't listed, select More options. Additional conditions will be listed.
 - Specify how rule match data for this rule is displayed in the Data Loss Prevention (DLP) reports and the protection reports.
 - Set the mode for the rule. You can use one of the two test modes to test the rule without impacting mail flow. In both test modes, when the conditions are met, an entry is added to the message trace:
 - _ Enforce: This turns on the rule and it starts processing messages immediately. All actions on the rule will be performed.
 - _ Test with Policy Tips: This turns on the rule, and any Policy Tip actions (Notify the sender with a Policy Tip) will be sent, but no actions related to message delivery will be performed. Data Loss Prevention (DLP) is required in order to use this mode.
 - _ Test without Policy Tips: Only the Generate incident report action will be enforced. No actions related to message delivery are performed.
- Exchange Online admins can create mail flow rules in the Exchange admin center (EAC) at Mail flow >Rules. You need permissions to do this procedure. After you start to create a new rule, you can see the full list of attachment-related conditions by clicking More options >Any attachment under Apply this rule if. The attachment-related options are shown in the following diagram.

Graphical user interface, application Description automatically generated with medium confidence
 new rule



Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/mail-flow-rules/manage-mail-flow-rules> <https://docs.microsoft.com/en-us/exchange/security-and-compliance/mail-flow-rules/inspect-message-attachmen>

NEW QUESTION 285

- (Exam Topic 5)

HOTSPOT

Your company has the offices shown in the following table.

Location	Public NAT IP address
New York	131.107.122.22
Portland	131.107.123.120
Seattle	131.107.123.10

The company has a Microsoft Exchange Online tenant that contains the users shown in the following table.

Name	Department	Office
User1	IT	Seattle
User2	IT	New York
User3	Helpdesk	Portland

You have the following Exchange Online client access rules.

```
PS C:\> Get-ClientAccessRule|fl Name, Priority, AnyOfProtocols,UserRecipientFilter,Action
```

```
Name           : Rule1
Priority        : 1
AnyOfProtocls  : {RemotePowerShell}
UserRecipientFilter :
Action         : AllowAccess
```

```
Name           : Rule2
Priority        : 2
AnyOfProtocls  : {ExchangeAdminCenter}
UserRecipientFilter : Department -ne 'IT'
Action         : DenyAccess
```

You create a new client access rule by using the following command.

```
New-ClientAccessRule -Name "Rule3" -Action DenyAccess
-AnyOfProtocols ExchangeAdminCenter
-ExceptAnyOfClientIPAddressOrRanges 131.107.123.0/24 -Priority 2
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Statements	Yes	No
Rule2 will be evaluated before Rule3	<input type="radio"/>	<input type="radio"/>
User2 can access the Exchange admin center	<input type="radio"/>	<input type="radio"/>
User3 can access the Exchange admin center	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/exchange/clients-and-mobile-in-exchange-online/client-access-rules/procedure> <https://docs.microsoft.com/en-us/exchange/clients-and-mobile-in-exchange-online/client-access-rules/client-acc>

NEW QUESTION 289

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

MS-203 Practice Exam Features:

- * MS-203 Questions and Answers Updated Frequently
- * MS-203 Practice Questions Verified by Expert Senior Certified Staff
- * MS-203 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * MS-203 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The MS-203 Practice Test Here](#)