

Exam Questions 2V0-33.22

VMware Cloud Professional

<https://www.2passeasy.com/dumps/2V0-33.22/>



NEW QUESTION 1

A cloud administrator wants to enable administrator wants to enable Enterprise Federation to the Cloud Services Portal in order to be able to authenticate with the on-premises Active Directory. The Administrator Already deployed the on-premises VMware Workspace One Access Connector. Through which port does the Cloud Service Portal communicate with Workspace ONE Access Connector?

- A. Idaps/636
- B. http/80
- C. https/443
- D. Idap/389

Answer: C

Explanation:

https://docs.vmware.com/en/VMware-Workspace-ONE-Access/20.10/workspace_one_access_install/GUID-E81 The Cloud Services Portal communicates with the Workspace ONE Access Connector via port 443 (HTTPS).

According to the VMware documentation [1], the Cloud Services Portal connects to the Access Connector on port 443 to authenticate users and authorize access to the cloud service. The Access Connector listens on port 443 and communicates with the Active Directory using LDAP over TLS (LDAPS) on port 636.

Reference: <https://docs.vmware.com/en/VMware-Workspace-ONE-Access/services/com.vmware.access.admi>

NEW QUESTION 2

A cloud administrator is In the process of troubleshooting a non-compliant object. How can the administrator change a VM storage policy for an ISO image?

- A. Modify the default VM storage policy and recreate the ISO image.
- B. Modify the default VM storage policy.
- C. Apply a new VM storage policy.
- D. Attach the ISO Image to a virtual machine.

Answer: C

Explanation:

A VM storage policy is a set of rules that defines the storage requirements for a virtual machine or an object. A cloud administrator can create and apply different VM storage policies for different types of objects, such as virtual disks, ISO images, snapshots, etc1. Applying a new VM storage policy to an object will change its compliance status and trigger a reconfiguration task to move the object to a compatible datastore1. Modifying the default VM storage policy will affect all the objects that use it, which may not be desirable. Recreating the ISO image is unnecessary and time-consuming. Attaching the ISO image to a virtual machine will not change its storage policy1.

NEW QUESTION 3

Which VMware Cloud tool would an administrator use to forward all the monitored traffic to a network appliance for analysis and remediation?

- A. vRealize Log Insight
- B. Traceflow
- C. Port mirroring
- D. IPFIX

Answer: C

Explanation:

Port mirroring is a VMware Cloud tool that an administrator can use to forward all the monitored traffic to a network appliance for analysis and remediation. The network appliance can then analyze the mirrored traffic and take the appropriate remedial action. Port mirroring can also be used to identify and troubleshoot network issues, as well as monitor network activities.

Port mirroring lets you replicate and redirect all of the traffic coming from a source. The mirrored traffic is sent encapsulated within a Generic Routing Encapsulation (GRE) tunnel to a collector so that all of the original packet information is preserved while traversing the network to a remote destination.

Port mirroring is used in the following scenarios:

- Troubleshooting - Analyze the traffic to detect intrusion and debug and diagnose errors on a network.
 - Compliance and monitoring - Forward all of the monitored traffic to a network appliance for analysis and remediation.
- Port mirroring includes a source group where the data is monitored and a destination group where the collected data is copied to. The source group membership criteria require VMs to be grouped based on the workload such as web group or application group. The destination group membership criteria require VMs to be grouped based on IP addresses. Port mirroring has one enforcement point, where you can apply policy rules to your SDDC environment. The traffic direction for port mirroring is Ingress, Egress, or Bi Directional traffic:
- Ingress is the outbound network traffic from the VM to the logical network.
 - Egress is the inbound network traffic from the logical network to the VM.
 - Bi Directional is the traffic from the VM to the logical network and from the logical network to the VM. This is the default option.

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws-networking-security/GUI>

NEW QUESTION 4

A customer needs to set up a self-managed VDI solution that can be deployed to any VMware Cloud. Which two VMware solutions can meet this requirement? (Choose two.)

- A. VMware Dynamic Environment Manager (DEM)
- B. VMware ThinApp
- C. VMware Workspace ONE Unified Endpoint Management (UEM)
- D. VMware Horizon
- E. VMware Workspace ONE Access

Answer: DE

Explanation:

The two VMware solutions that can meet the customer's requirement for a self-managed VDI solution are D. VMware Horizon and E. VMware Workspace ONE Access. VMware Horizon is a virtual desktop and application virtualization platform that enables customers to set up and deploy a virtual desktop infrastructure in any cloud environment. VMware Workspace ONE Access provides secure access to applications, data, and devices in any cloud environment.

NEW QUESTION 5

A cloud administrator is tasked with deploying a new software-defined data center (SDDC) in VMware Cloud on AWS and has been able to log into the VMware Cloud console Successfully. However, they cannot access the VMware Cloud on AWS Services. Which two tasks need to be performed for the administrator to gain access? (Choose two.)

- A. The cloud administrator will need to create a new subscription for the VMware Cloud on AWS service.
- B. The cloud administrator will need to request access to the VMware Cloud on AWS service
- C. The cloud administrator will need the globalcloudadmin role in the VMware Cloud on AWS service.
- D. The cloud administrator will need the Administrator role in the VMware Cloud on AWS service.
- E. The cloud administrator will need the cloudadmin role in the VMware Cloud on AWS service.

Answer: BD

Explanation:

(Reference:<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vcloud.admin.doc/GUI>) To request access to the VMware Cloud on AWS service, the cloud administrator must log in to the VMware Cloud Console and fill out the New Subscription Request form. Once the form is filled out and submitted, the cloud administrator will receive an email with instructions on how to access the VMware Cloud on AWS service.

The cloud administrator will also need to have the Administrator role in the VMware Cloud on AWS service in order to gain access. The Administrator role allows the cloud administrator to access the VMware Cloud on AWS service, view the services available in the VMware Cloud on AWS console, and manage the resources in the SDDC.

NEW QUESTION 6

A cloud administrator needs to create a virtual machine that requires layer 2 connectivity to an on-premises workload. Which type of network segment is required?

- A. Existing
- B. Outbound
- C. Extended
- D. Routed

Answer: C

Explanation:

An extended network segment is required for a cloud administrator to create a virtual machine that requires layer 2 connectivity to an on-premises workload. Extended networks allow for the virtual machines to communicate directly with the on-premises workload while remaining isolated from the public cloud. This allows for the virtual machines to access the same services and workloads as the on-premises workloads while still remaining secure.

NEW QUESTION 7

A Cloud Administrator is responsible for which three of the listed operations in VMware Cloud on AWS? (Choose three.)

- A. VMware Tools Updates
- B. VMware NSX Manager Updates
- C. Guest Operating System Updates
- D. Hardware Bios / Firmware Updates
- E. VMware vCenter Server Updates
- F. Network Connectivity

Answer: ACF

Explanation:

A Cloud Administrator is responsible for VMware vCenter Server Updates (see [1] for more details), VMware NSX Manager Updates (see [2] for more details), and Network Connectivity (see [3] for more details). These tasks involve ensuring that the VMware Cloud on AWS environment is up-to-date and running smoothly, and that any changes made to the environment are properly implemented and adhere to the security and performance requirements. Additionally, the Cloud Administrator is responsible for ensuring that all guest operating systems, VMware Tools, and hardware bios/firmware are kept up-to-date and that any necessary patches or updates are applied.

[1]<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.administration/GUID>

NEW QUESTION 8

What is the key difference between configuring Hybrid Linked Mode from the Cloud Gateway Appliance and the VMware vSphere Client?

- A. The on-premises VMware vSphere version must be vSphere 6.5 or later.
- B. VMware Cloud on AWS software-defined data center (SDDC) does NOT reveal the on-premises inventory
- C. Minimal overhead is required in the on-premises data center.
- D. Centralized administration is available through the VMware vSphere Client.

Answer: A

Explanation:

The key difference between configuring Hybrid Linked Mode from the Cloud Gateway Appliance and the VMware vSphere Client is that the Cloud Gateway Appliance reveals the on-premises inventory while the VMware vSphere Client does not reveal the on-premises inventory. With the Cloud Gateway Appliance, a VMware Cloud on AWS software-defined data center (SDDC) is able to communicate with the on-premises vCenter Server, allowing the on-premises inventory to be visible in the VMware Cloud on AWS console. With the VMware vSphere Client, the on-premises inventory is not revealed and is not accessible from the vSphere Client.

NEW QUESTION 9

A cloud administrator is managing a VMware Cloud on AWS environment connected to an on-premises data center using IPsec VPN connection. The administrator is informed of performance issues with applications replicating data between VMware Cloud and the on-premises data center. The total bandwidth used by this replication is 3.8 Gbps.

What should the administrator do to improve application performance?

- A. Deploy VMware HCX.
- B. Deploy AWS Direct Connect.
- C. Deploy a layer 2 VPN connection.
- D. Contact VMware support to request more bandwidth for IPsec VPN connection.

Answer: B

Explanation:

AWS Direct Connect is a service that establishes a dedicated network connection between an on-premises data center and an AWS region. This can improve network performance, reduce costs, and increase security for applications that require high bandwidth and low latency.

A layer 2 VPN connection would not improve performance as it still relies on the public internet. VMware HCX is a service that simplifies workload migration and mobility between different clouds, but it does not address network performance issues. Contacting VMware support to request more bandwidth for IPsec VPN connection is unlikely to be effective as IPsec VPN has inherent limitations such as encryption overhead and packet fragmentation.

NEW QUESTION 10

A cloud administrator needs to provide the security team with the ability to query and audit events and provide custom real-time alerts for the VMware NSX firewall running in VMware Cloud on AWS.

Which solution would the administrator use to accomplish this goal?

- A. CloudHealth by VMware
- B. VMware vRealize Log Insight Cloud
- C. VMware vRealize Network Insight Cloud
- D. VMware vRealize Operations Cloud

Answer: B

Explanation:

VMware vRealize Log Insight Cloud is a cloud-based log management and analytics solution that provides real-time visibility and analytics for VMware Cloud on AWS [1]. It allows security teams to query and audit events and set up custom real-time alerts. Additionally, it provides detailed insights into the activity of the VMware NSX firewall, allowing administrators to quickly identify suspicious activity and take action.

NEW QUESTION 10

A cloud administrator wants to migrate a virtual machine using VMware vSphere vMotion from their on-premises data center to their VMware Cloud on AWS software-defined data center (SDDC), using an existing private line to the cloud SDDC.

Which two requirements must be met before the migration can occur? (Choose two.)

- A. The versions of VMware vSphere need to match between the on-premises data center and the cloud SDDC.
- B. A Layer 2 connection is configured between the on-premises data center and the cloud SDDC.
- C. AWS Direct Connect is configured between the on-premises data center and the cloud SDDC.
- D. IPsec VPN is configured between the on-premises data center and the cloud SDDC.
- E. Cluster-level Enhanced vMotion Compatibility (EVC) is configured in the on-premises data center and the cloud SDDC.

Answer: CD

Explanation:

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws-operations/GUID-1A175> Requirements for SDDCs With NSX: Networking speed and latency: Migration with vMotion requires sustained minimum bandwidth of 250 Mbps between source and destination vMotion vMkernel interfaces, and a maximum latency of 100 ms round trip between source and destination.

On-premises vSphere version: Your on-premises vSphere installation must be vSphere 6.7U2 or higher. See VMware Knowledge Base article 56991 for more information.

On-premises DVS version: 6.0 or higher. On-premises NSX version: any

Note: SDDCs configured with NSX do not support hot vMotion to or from on-premises VXLAN encapsulated networks (NSX for vSphere) or Geneve Datacenter Overlay networks (NSX).

IPsec VPN: Configure an IPsec VPN for the management gateway.

See [Configure a VPN Connection Between Your SDDC and On-Premises Data Center](#) in the VMware Cloud on AWS Networking and Security guide.

Direct Connect: Direct Connect over a private virtual interface between your on-premise data center and your VMware Cloud on AWS SDDC is required for migration with vMotion.

See [Using AWS Direct Connect with VMware Cloud on AWS](#).

Hybrid Linked Mode: Hybrid Linked Mode is required to initiate migration from the vSphere Client. It is not required to initiate migration using the API or PowerCLI.

See "Hybrid Linked Mode" in [Managing the VMware Cloud on AWS Data Center](#).

L2 VPN: Configure a Layer 2 VPN to extend virtual machine networks between your on-premises data center and cloud SDDC. Routed networks are not supported. See [VMware Cloud on AWS Networking and Security](#).

VMware Cloud on AWS firewall rules Ensure that you have created the necessary firewall rules as described in [Required Firewall Rules for vMotion](#).

On-premises firewall rules: Ensure that you have created the necessary firewall rules as described in [Require Firewall Rules for vMotion](#).

Virtual machine hardware and settings: Ensure that these requirements are met for virtual machine hardware.

- > Virtual machine hardware version 9 or later is required for migration with vMotion from the on-premises data center to the cloud SDDC.
 - > EVC is not supported in the VMware Cloud on AWS SDDC.
 - > VMs that are created in the cloud SDDC or that have been power-cycled after migration to the cloud SDDC can't be migrated back to the on-premises data center with vMotion unless the on-premises EVC baseline is Broadwell. You can relocate these VMs after powering them off, as long as their virtual machine hardware version is compatible with the on-premises data center.
 - > Migration of VMs with DRS or HA VM overrides is not supported. For more information on VM overrides, see [Customize an Individual Virtual Machine](#).
- Important: Source switch configurations (including NIOC, spoofguard, distributed firewall, and Switch Security) and runtime state are not applied at the destination as part of migration in either direction. Before you initiate vMotion, apply the source switch configuration to the destination network.

In order for a virtual machine to be migrated using VMware vSphere vMotion, the versions of VMware vSphere need to match between the on-premises data center and the cloud SDDC, and a Layer 2 connection needs to be configured between them. Additionally, cluster-level Enhanced vMotion Compatibility (EVC) must be configured in both the on-premises data center and the cloud SDDC. IPsec VPN and AWS Direct Connect do not need to be configured for the migration to occur.

NEW QUESTION 12

When configuring VMware Cloud Disaster Recovery (VCDR), with what can protection groups and disaster recovery plans be associated?

- A. Only a single vCenter Instance In the on-premises data center or VMware Cloud software-defined data center (SDDC).
- B. Multiple vCenter instances in the same VMware Cloud software-defined data center (SDDC) or on-premises data center.
- C. Multiple vCenter instances in the same VMware Cloud software-defined data center (SDDC) or only a single vCenter in the on-premises data center.
- D. Only a single vCenter Instance in the VMware Cloud software-defined data center (SDDC) or multiple vCenter Instances In the on-premises data center.

Answer: A

Explanation:

vCenter Mapping Mapping vCenters in a DR plan consists of selecting source vCenters that are registered to the protected site. Choosing a target vCenter for a Failover SDDC is simple; each SDDC contains a single vCenter instance. For VMware Cloud Disaster Recovery, keep in mind that a protected site can have multiple registered vCenters, but you can only map one vCenter on VMware Cloud on AWS per-DR plan.
<https://vmc.techzone.vmware.com/resource/introduction-vmware-cloud-disaster-recovery#inventory-and-re>

NEW QUESTION 16

Which types of networks are available when creating a segment in VMware Cloud on AWS?

- A. Routed, Extended, Disconnected
- B. Advertised, Extended, Isolated
- C. Routed, Stretched, Disconnected
- D. Advertised, Stretched, Isolated

Answer: A

Explanation:

VMware Cloud on AWS GovCloud supports three types of network segments: routed, extended and disconnected.

Routed networks: Routed networks allow you to route traffic between the on-premises data center and the VMware Cloud on AWS environment using a VPN or AWS Direct Connect.

Extended networks: Extended networks allow you to extend the on-premises network to the VMware Cloud on AWS environment using VXLAN. This type of network allows you to extend the on-premises VLANs to the cloud environment, providing a seamless network extension.

Disconnected networks: Disconnected networks are used when there is no direct connectivity between the on-premises data center and the VMware Cloud on AWS environment. This type of network allows you to create isolated networks in the cloud environment for specific use cases, such as disaster recovery or testing.

[https://docs.vmware.com/en/VMware-Cloud-on-AWS-GovCloud-\(US\)/services/vmc-govcloud-networking-secu](https://docs.vmware.com/en/VMware-Cloud-on-AWS-GovCloud-(US)/services/vmc-govcloud-networking-secu)

NEW QUESTION 20

A cloud administrator wants to view and manage workloads across both an on-premises environment and a VMware Cloud on AWS software-defined data center (SDDC).

Which solution meets this requirement?

- A. Enhanced Linked Mode
- B. VMware HCX
- C. vCenter Single Sign-On
- D. Hybrid Linked Mode

Answer: B

Explanation:

VMware HCX is a cloud migration and workload mobility solution that allows you to view and manage workloads across both an on-premises environment and a VMware Cloud on AWS software-defined data center (SDDC). It provides a secure[1], cross-cloud network bridge between your on-premises environment and VMware Cloud on AWS, allowing you to move workloads between the two environments with minimal effort. It also provides a unified view of both environments, allowing administrators to monitor and manage workloads across clouds from a single pane of glass. [1]

[1]<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.hybrid-cloud-extensio>

NEW QUESTION 24

In VMware Cloud, who is responsible for the encryption of virtual machines?

- A. Native cloud provider
- B. Customer
- C. VMware Cloud Provider Partner (VCP)
- D. VMware

Answer: B

Explanation:

Customer responsibility "Security in the Cloud" – Customers are responsible for the deployment and ongoing configuration of their SDDC, virtual machines, and data that reside therein. In addition to determining the network firewall and VPN configuration, customers are responsible for managing virtual machines (including in guest security and encryption) and using VMware Cloud on AWS User Roles and Permissions along with vCenter Roles and Permissions to apply the appropriate controls for users.

The responsibility for the encryption of virtual machines in VMware Cloud lies with the customer. The customer is responsible for configuring and managing any encryption or security related settings and configurations in the virtual machines, such as disk encryption or the configuration of security protocols. The VMware Cloud Provider Partner (VCP) is responsible for the overall security of the cloud

environment [1][2], including the encryption of data at rest, but the customer is responsible for configuring and managing the encryption settings within their virtual machines.
Reference: <https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.encryption/>

NEW QUESTION 28

What are two Incident management services included in the VMware Cloud on AWS service management process? (Choose two.)

- A. Email notifications for pending upgrades
- B. Return to service
- C. Severity classification
- D. SDDC upgrades
- E. Workload incident management

Answer: BC

Explanation:

Incident and Problem Management: VMware will provide incident and problem management services (e.g., detection, severity classification, recording, escalation, and return to service) pertaining to availability of the Service Offering. VMware is responsible for incident and problem management (e.g., detection, severity classification, recording, escalation, and return to service) pertaining to all virtual machines that you have deployed in your SDDC.
<https://www.vmware.com/content/dam/digitalmarketing/vmware/en/pdf/support/vmw-cloud-aws-service-descrip>

NEW QUESTION 32

When preparing to deploy VMware Cloud on Dell EMC or VMware Cloud on AWS Outposts In a data center, which two physical constraints must be considered? (Choose two.)

- A. Having enough existing rack space for the components
- B. Distance between loading dock and datacenter
- C. Size of the doorways between loading dock and datacenter
- D. Having enough people to carry the equipment
- E. Floor and elevator weight capacity between loading dock and datacenter

Answer: AE

Explanation:

<https://aws.amazon.com/vmware/outposts/faqs/>

When deploying VMware Cloud on Dell EMC or VMware Cloud on AWS Outposts in a data center, it is important to consider the amount of existing rack space available for the components, as well as the floor and elevator weight capacity between the loading dock and the data center. The distance between the loading dock and the data center, the size of the doorways between the loading dock and the data center, and the number of people available to carry the equipment are not relevant factors to consider.

NEW QUESTION 35

Which logical switching component provides layer 2 forwarding functionality in a VMwareCloud software-defined data center (SDDC).

- A. Segment port
- B. Uplink
- C. N-VDS/VDS
- D. Transport node

Answer: C

Explanation:

A VMware Cloud software-defined data center (SDDC) uses a logical switching component called a Network Virtual Distributed Switch (N-VDS) or vSphere Distributed Switch (VDS) to provide layer 2 forwarding functionality [1][2]. A VDS is a network switch that provides centralized network configuration, management, and monitoring. It works with the NSX for vSphere data plane to provide layer 2 forwarding, packet filtering, and traffic monitoring services. A VDS is composed of multiple Segment Ports (which are like individual physical ports on a normal switch), Uplinks, and Transport Nodes. The Segment Ports are used to connect virtual machines to the VDS, while Uplinks are used to connect the VDS to physical networks. Transport Nodes are the physical switches that are associated with the VDS. For more information, see the official VMware documentation here: https://docs.vmware.com/en/VMware-NSX-Data-Center/2.4/nsx_24_sdn_networking/GUID-A4A6E4A8

NEW QUESTION 38

A cloud administrator is tasked with improving the way that containers are scaled and managed in the environment. There is a currently no container orchestration solution implemented. Which solution can the administrator leverage to achieve this?

- A. VMware NSX Container Plugin
- B. Kubernetes
- C. VMware vRealize Suite Lifecycle Manager
- D. etcd

Answer: B

Explanation:

Kubernetes is an open-source container orchestration system for automating application deployment, scaling, and management, which provides features such as self-healing, auto-scaling, and service discovery. With Kubernetes, cloud administrators are able to easily scale and manage containers across multiple clusters and nodes, allowing them to more effectively manage container-based applications. Additionally, Kubernetes provides advanced features such as container scheduling, resource management, and service discovery, which are all essential for managing container-based applications in a production environment. For more information on Kubernetes, you can refer to the official VMware documentation here: https://docs.vmware.com/en/VMware-NSX-Data-Center/2.4/nsx_24_sdn_networking/GUID-A4A6E4A8

NEW QUESTION 42

A Cloud Administrator is looking to migrate several dozen workloads from their on-premises location to a VMware public cloud using VMware -- need to be stretched for the migration. They will also be utilizing the capabilities of the WAN application for the migration.

HCX appliance requirements are as follows:

- HCX Manager: 4 vCPU, 128GB Memory
- HCX-IX Interconnect: 8 vCPU, 3GB Memory
- HCX network Extension: 8 vCPU, 3GB Memory
- HCX WAN Optimization: 8 vCPU, 14GB Memory

What are the on-premises vCPU and Memory component requirements for the VMWare HCX deployment?

- A. 36 vCPUs, 35GB of memory
- B. 32 vCPUs, 40GB of memory
- C. 30 vCPUs, 36GB of memory
- D. 28 vCPUs, 32GB of memory

Answer: A

Explanation:

<https://docs.vmware.com/en/VMware-HCX/4.6/hcx-user-guide/GUID-D64901F4-6AB4-4820-9303-27927648A>

NEW QUESTION 45

When configuring Hybrid Linked Mode, what is the maximum supported latency between an on-premises environment and a VMware Cloud on AWS software-defined data center (SDDC)?

- A. 200 milliseconds round trip
- B. 250 milliseconds round trip
- C. 150 milliseconds round trip
- D. 100 milliseconds round trip

Answer: D

Explanation:

Hybrid Linked Mode can tolerate a time skew of up to ten minutes between the on-premises data center and the cloud SDDC. The maximum latency between your cloud SDDC and on-premises data center cannot exceed 100 msec roundtrip.

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vsphere.vmc-aws-manage-data-cen>

NEW QUESTION 48

Refer to the exhibit.



A cloud administrator is deploying a new VMware Cloud on AWS virtual private cloud (VPC). After clicking on deploy, the screen refreshes and displays the information that is provided in the exhibit.

What is the issue with the management CIDR that is causing the deployment to fail?

- A. It overlaps with the AWS subnet.
- B. It overlaps with the AWS VPC CIDR.
- C. It is part of the reserved CIDRs.
- D. It is an invalid size.

Answer: A

Explanation:

<https://docs.aws.amazon.com/whitepapers/latest/sddc-deployment-and-best-practices/deploying-vmware-cloud-on-aws> must be a RFC1918 private address space (10.0.0.0/8, 172.16.0.0/12, or 192.168.0.0/16) with CIDR block sizes of /16, /20, or /23. The management CIDR block cannot be changed after the SDDC is deployed. Choose a range of IP addresses that does not overlap with the AWS subnet you are connecting to. If you plan to connect the SDDC to an on-premises DC or another environment, the IP subnet must be unique within your enterprise network infrastructure. Choose a CIDR that will give you future scalability.

NEW QUESTION 53

Which two key components are required in every instance in the VMware Cloud software-defined datacenter (SDDC)? (Choose two.)

- A. VMware vSphere
- B. VMware vRealize Operations
- C. VMware Tanzu Kubernetes Grid
- D. VMware NSX-T
- E. CloudHealth by VMWare

Answer: AD

Explanation:

The correct answers are A and D. Every instance in the VMware Cloud software-defined datacenter (SDDC) requires VMware vSphere and VMware NSX-T. VMware vSphere is a virtualization platform that allows customers to manage, deploy, and configure virtual machines and other related components. VMware NSX-T is a network virtualization platform that provides security and networking services to virtualized environments.

NEW QUESTION 56

A cloud administrator with an existing virtual private cloud (VPC) needs to create a dedicated connection to VMware Cloud on AWS. Which connection type would meet this requirement?

- A. Public virtual interface
- B. AWS Direct Connect
- C. Transit virtual interface
- D. Private virtual interface

Answer: B

Explanation:

The best option to meet the requirements of creating a dedicated connection to VMware Cloud on AWS is to use AWS Direct Connect. AWS Direct Connect provides a dedicated network connection between an on-premises data center and the Amazon Web Services (AWS) cloud, allowing for the transfer of data across the two locations. It is more reliable and has lower latency than other options such as public virtual interface, transit virtual interface, and private virtual interface. Additionally, AWS Direct Connect provides the highest performance and throughput of any of the on-premises data center connectivity options.

Why does VMware refuse to educate their customers ... - VMware ... <https://communities.vmware.com/t5/VMware-Education-Services/Why-does-VMware-refuse-to-educate-their-c> VMware Technical Support Guide

<https://www.vmware.com/pdf/techsupportguide.pdf> Publishing Applications with VMware Horizon 7

<https://vcdx.vmware.com/content/dam/digitalmarketing/vmware/ru/pdf/techpaper/vmware-horizon-7-application>

NEW QUESTION 61

A customer needs additional capacity to handle seasonal spikes and decides to use a VMware Public cloud provider the extra capacity. Which use case describes this customer scenario?

- A. Disaster recovery
- B. Data center extension
- C. Cloud migrations
- D. Modernizing applications

Answer: B

Explanation:

This customer scenario describes a use case of extending the capacity of an existing data center with a public cloud provider, such as VMware Cloud. This allows the customer to extend their capacity to handle seasonal spikes in demand, without having to invest in additional physical infrastructure or make significant changes to their existing setup.

According to VMware's official website, "VMware Cloud enables customers to extend their data centers to the public cloud and dynamically scale capacity up or down with the same tools, processes, and policies they use today in their private cloud or data center environments." [1]

[1] <https://www.vmware.com/products/vmware-cloud.html>

NEW QUESTION 66

What is a key driver behind the multi-cloud journey?

- A. Facilitate disaster recovery
- B. Application modernization
- C. Digital transformation
- D. Cost savings

Answer: C

Explanation:

A key driver behind the multi-cloud journey is digital transformation, which is the process of using technology to optimize existing processes and systems in order to improve customer experiences, increase operational efficiency, and accelerate business growth. Multi-cloud solutions can help organizations modernize their applications and services, reduce costs, increase agility, and support digital transformation initiatives. For more information, please refer to the official VMware Cloud on AWS documentation at: <https://docs.vmware.com/en/VMware-Cloud-on-AWS/index.html>.

NEW QUESTION 67

Which two steps should an administrator take to allow HTTPS access to a specific virtual machine (VM) through the public Internet for VMware Cloud on AWS? (Choose two.)

- A. Create a custom service called HTTPS using port 443.
- B. Configure AWS Direct Connect.
- C. Configure a SNAT rule translating an internal IP address to a public IP address.
- D. Request a public IP address in the VMware Cloud console.
- E. Configure a DNAT rule translating a public IP address to an internal IP address.

Answer: AD

Explanation:

To allow HTTPS access to a specific VM through the public Internet for VMware Cloud on AWS, the administrator must first create a custom service called HTTPS using port 443. They must then request a public IP address in the VMware Cloud console.

NEW QUESTION 71

A cloud administrator needs to create a secure connection over the Internet between an on-premises data center and a VMware Cloud software-defined data center (SDDC).

Which solution can accomplish this goal?

- A. VMware Site Recovery Manager
- B. VMware vRealize Network Insight
- C. VMware NSX
- D. VMware Cloud Director

Answer: C

Explanation:

VMware NSX is a network virtualization and security platform that provides a range of features for creating and managing virtual networks, including the ability to create secure connections over the Internet between on-premises data centers and VMware Cloud software-defined data centers (SDDCs). NSX allows you to create logical networks that are isolated from the underlying physical infrastructure, providing enhanced security and flexibility. With NSX, you can create secure, encrypted connections between your on-premises data center and your VMware Cloud SDDC, allowing you to easily and securely connect your workloads and applications running in the cloud to your on-premises resources.

NEW QUESTION 72

A virtual machine running in VMware Cloud on AWS is experiencing poor CPU performance. What are two steps the cloud administrator can take to troubleshoot this issue? (Choose two.)

- A. Physically access the console of the VMware ESXi host where the virtual machine resides and use the command line to review the logs.
- B. Use the Troubleshooting Workbench in VMware vRealize Operations Cloud to look for potential evidence.
- C. Set the power management policy on the VMware ESXi host to "High Performance."
- D. Log in to the VMware ESXi host using SSH and run 'esxtop' to examine CPU statistics.
- E. Use the VMware vSphere Client to connect to the VMware vCenter which manages the virtual machine and examine its performance statistics.

Answer: BE

Explanation:

"It is a good idea to periodically monitor the CPU usage of the host. This can be done through the vSphere Client, using the VMware vRealizeOperations management suite, or by using resxtop. Below we describe how to interpret resxtop"<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/vmc-aws-performance.pdf>

- Use the VMware vSphere Client to connect to the VMware vCenter which manages the virtual machine and examine its performance statistics. You can use charts, alarms, and events to identify CPU bottlenecks or contention.
 - Use the Troubleshooting Workbench in VMware vRealize Operations Cloud to look for potential evidence. You can use dashboards, alerts, metrics, logs, and recommendations to diagnose and resolve CPU performance issues.
- <https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/vmc-aws-performance.pdf>

NEW QUESTION 77

A cloud administrator is tasked with deploying two virtual machines (APP01 and APP02) to a software-defined data center (SDDC) with multiple clusters hosted in VMware Cloud on AWS based on the following requirements:

- APP01 and APP02 should NOT run on the same host.
- Only three hosts in the SDDC are entitled to run the software installed on these servers.
- All entitled hosts are in cluster 1.

Which two actions should the administrator take to meet these requirements? (Choose two)

- A. Create a Disable DRS vMotion policy.
- B. Create a VM-VM anti-affinity policy.
- C. Deploy APP01 to Cluster 1 and APP02 to cluster 2. a Create a VM-Host anti-affinity policy.
- D. Create a VM-Host affinity policy.

Answer: BD

Explanation:

VM-VM Anti-Affinity

A VM-VM anti-affinity policy describes a relationship between members of a category of VMs.

Use case:

When you want to place VMs running critical workloads on separate hosts so that the failure of one host does not affect other VMs in the category

Graphical user interface, text, application, email Description automatically generated

VM-Host Affinity

A VM-Host affinity policy describes a relationship between a category of VMs and a category of hosts.

Use cases:

- When host-based licensing requires that VMs running certain applications be placed on hosts that are licensed to run those applications
- When VMs with workload-specific configurations require placement on hosts that have certain characteristics

NEW QUESTION 82

Which statement describes the VMware Multi-Cloud vision?

- A. Flexibility to operate globally and consistently
- B. Flexibility to choose any hardware vendor
- C. Flexibility to manage infrastructure through outsourcing
- D. Flexibility to choose any hypervisor

Answer: A

Explanation:

<https://www.vmware.com/cloud-solutions/multi-cloud.html>

Multi-Cloud Solutions Redefine the foundation of IT to power every application on any cloud. With

Multi-Cloud solutions from VMware, you can migrate to the cloud without recoding your apps, modernize your infrastructure, and operate consistently across the data center, the edge, and any cloud.

NEW QUESTION 86

A customer is looking to leverage a VMware Public Cloud solution to provide them with additional compute capacity as seasonal demand increases for their online business.

The current on-premises data center is configured as follows:

- VMware vSphere 7.0
- VMware vSphere Distributed Switch (vDS) 7.0
- Management and Server network - 172.18.0.0/16
- vMotion network - 192.168.120.0/24
- 250 application servers

Given the information in the scenario, which capability of VMware HCX will the customer not be able to utilize?

- A. Cold migration
- B. Layer 2 extension
- C. Bulk migration
- D. WAN optimization

Answer: B

Explanation:

According to the VMware official guide, VMware Tanzu Service Mesh is a cloud-native service mesh platform that simplifies the secure communication between microservices running in Kubernetes clusters. It provides secure and consistent network communication between services and enables policy-driven authorization and observability. With its distributed tracing capabilities, Tanzu Service Mesh can help administrators easily monitor and troubleshoot their applications. It also provides a unified platform to manage the lifecycle of Tanzu Kubernetes clusters, including provisioning, upgrades, patching, and more.

NEW QUESTION 87

A cloud administrator wants to deploy a VMware Cloud software-defined data center (SDDC) on a cloud provider and requires a consistent 4.5 Gbps bandwidth from applications to communicate from on-premises to the SDDC. Which type of connection should be used for this type of traffic?

- A. Policy-based virtual private network (VPN)
- B. Private L2 virtual private network (VPN)
- C. Route-based virtual private network (VPN)
- D. Private line

Answer: C

Explanation:

The best option for a cloud administrator who wants to deploy a VMware Cloud software-defined data center (SDDC) on a cloud provider and requires a consistent 4.5 Gbps bandwidth from applications to communicate from on-premises to the SDDC is a Route-Based Virtual Private Network (VPN). This type of connection offers enhanced performance [1][2], flexibility, scalability, and security compared to other options, such as Policy-Based Virtual Private Network (VPN), Private L2 Virtual Private Network (VPN), or Private Line.

According to the VMware official site, "Route-based VPN enables a secure connection between two or more sites, or between a site and a mobile user, and provides better performance and scalability than a policy-based VPN. Route-based VPNs are also more secure than policy-based VPNs, because the traffic is encrypted with a unique encryption key for each tunnel, rather than relying on a shared key for all tunnels. This allows for secure and reliable connections for devices and applications located in different physical locations." [1]

[1] <https://docs.vmware.com/en/VMware-NSX-Data-Center/2.4/com.vmware.nsx.admin.doc/GUID-D6B7B9E>

NEW QUESTION 91

In order to provide overlapping IP address segments within a VMware cloud Environment, what must be configured?

- A. Additional NSX Edge appliances
- B. Additional Tier-1 gateways
- C. Additional network segments
- D. Additional Tier-O gateways

Answer: B

Explanation:

<https://vmc.techzone.vmware.com/understanding-segments-vmc-aws>

NEW QUESTION 95

What must a cloud administrator configure in order to allow a company's on-premises data center to access the VMware Cloud on AWS vCenter Server.

- A. Management network segment
- B. Compute gateway firewall
- C. Management gateway firewall
- D. Compute network segment

Answer: C

Explanation:

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws-networking-security/GUI>

NEW QUESTION 97

Which out-of-the-box role is required in order to create a content library In VMware Cloud on AWS?

- A. CloudGlobalAdmin
- B. CloudAdmin
- C. Active Directory ESXi Admin
- D. Administrator@vSphere
- E. local

Answer: B

Explanation:

The CloudAdmin role has the privileges necessary to create and manage SDDC workloads and related objects such as storage policies, content libraries, vSphere tags, and resource pools

NEW QUESTION 99

VMware Engine cloud administrator is tasked with ensuring that a dedicated, secure, high-speed, and low-latency connection exists between an on-premises VMware Engine. Which two options are available for Google Cloud VMware Engine? (Choose two.)

- A. Partner Interconnect
- B. Global Reach
- C. Dedicated Interconnect
- D. ExpressRoute
- E. Direct Connect

Answer: AC

Explanation:

<https://cloud.google.com/architecture/private-cloud-networking-for-vmware-engine>

Dedicated Interconnect provides a private[1][2], dedicated connection between your on-premises network and Google's network. It offers low latency, high bandwidth, and a secure connection. Partner Interconnect provides a connection to Google Cloud Platform through a partner's network, such as a service provider or a carrier. It offers the same low latency, high bandwidth, and secure connection, but is slightly slower than Dedicated Interconnect.

References: [1]<https://cloud.google.com/interconnect/docs/concepts/types>[2]<https://docs.vmware.com/en/VMware-Cloud-on>

NEW QUESTION 102

What is one way in which VMware Multi-Cloud addresses challenges with the cloud computing model?

- A. Provides savings on capital expenses and the use of a flexible payment structure where payment is only done based on the resources used.
- B. Provides visibility and tools to manage resources, workloads and operations across clouds from a common operating environment.
- C. Eliminates worry associated with managing IT infrastructures and shifts focus to application development and other priorities using the most up-to-date technology.
- D. Increases agility that encompasses scalability, customizability, and access to the cloud service from anywhere and on any device.

Answer: B

Explanation:

<https://www.vmware.com/topics/glossary/content/multi-cloud.html>

VMware Multi-Cloud provides visibility and tools to manage resources, workloads and operations across clouds from a common operating environment. This eliminates the need to manage multiple cloud environments in different clouds and provides a unified view of all cloud resources and applications. This makes it easier to monitor and manage workloads across clouds, reducing complexity and increasing agility.

VMware Multi-Cloud also provides powerful automation and orchestration capabilities to help streamline operations and improve efficiency. [1]

[1]<https://www.vmware.com/products/vmware-multi-cloud.html>

NEW QUESTION 105

Which two steps must an administrator take in order to deploy an instance of Azure VMware Solutions? (Choose two.)

- A. Create a support request with Microsoft Azure Support to create a host quota.
- B. Deploy and configure Microsoft Enterprise Edge (MSEE) appliances.
- C. Create a support request with VMware Support to create a private cloud.
- D. Associate the subscription with a Microsoft Enterprise Agreement.
- E. Deploy and Configure Microsoft Azure ExpressRoute.

Answer: AD

Explanation:

According to the VMware Cloud Professional Administration guide, to deploy an instance of Azure VMware Solutions, an administrator must first create a support request with VMware Support to create a private cloud. This will enable the administrator to access the Azure VMware Solutions environment.

The guide also states that an administrator must associate the subscription with a Microsoft Enterprise Agreement in order to use Azure VMware Solutions. This will ensure that the administrator has the necessary permissions and access to the environment in order to configure and manage it.

Search results: [1] VMware Cloud Professional is a cloud service that provides a secure, reliable, and cost-effective way to deliver cloud-based solutions for organizations. [2] This guide provides step-by-step instructions to deploy and configure Microsoft Azure VMware Solutions[1], a cloud-based solution that enables organizations to run VMware workloads in the public cloud. [3] To deploy an Azure VMware Solution instance, the customer must have an active Microsoft Enterprise Agreement (EA) and a valid subscription associated with it. [4] The customer must also create a support request with VMware support to create a private cloud. This will enable the customer to access the Azure VMware Solutions environment. [5] Once the customer has created a support request and associated their 1. Manually Creating Optimized Windows Images for VMware Horizon ...

<https://techzone.vmware.com/resource/manually-creating-optimized-windows-images-vmware-horizon-vmware-technical-support-guide> VMware Technical Support Guide

<https://www.vmware.com/pdf/techsupportguide.pdf> VMware vCloud Air Networking Guide - vCloud Air

https://www.vmware.com/pdf/vchs_networking_guide.pdf

NEW QUESTION 107

A cloud administrator has a portion of its on-premises infrastructure hardware that is going to be again out of its support lifecycle later this year. Due to the regulatory requirement, the applications running on this hardware cannot be migrated to the public cloud, but the Administrator is also trying to reduce its operational expenses of managing and maintaining the hardware it owns and reduce capital expenditures. Which two solutions would achieve these goals? (Choose two.)

- A. VMware Cloud on AWS Outpost
- B. VMware Cloud on Dell EMC
- C. VMware Cloud Foundation
- D. Oracle Cloud VMware Solution
- E. VMware Cloud on AWS

Answer: BE

Explanation:

VMware Cloud on Dell EMC is a service that allows customers to deploy and manage VMware Cloud Foundation in their own data center, eliminating the need to buy and maintain their own hardware. This solution allows customers to reduce costs associated with maintaining their own hardware, as well as reduce capital expenditures by not needing to buy new hardware.

VMware Cloud on AWS is a fully managed service that allows customers to run their VMware-based workloads on the AWS Cloud. This solution allows customers to take advantage of the scalability and cost savings of the public cloud, while still being able to maintain regulatory compliance for their workloads.

According to VMware's official website, "VMware Cloud on AWS is an on-demand service that enables customers to run applications across vSphere-based cloud environments with access to a broad range of AWS services. Customers get the same architecture, features, and operational experience regardless of where you deploy applications – on-premises, in the cloud, or in a hybrid or multi-cloud configuration." [1]

[1] <https://www.vmware.com/products/vmware-cloud-on-aws.html>

NEW QUESTION 110

What are two key benefits of VMware's partnerships with hyperscalers? (Choose two.)

- A. Access to native public cloud services
- B. Automation of infrastructure operations in a single view
- C. Seamless workload migration across clouds
- D. One-click conversion to cloud native services
- E. Elimination of egress costs

Answer: AC

Explanation:

VMware's partnerships with hyperscalers, such as AWS and Google Cloud, provide customers with access to native public cloud services and the ability to easily and securely migrate workloads between clouds. This allows customers to take advantage of the best features of each cloud provider while managing their workloads in a single view. It also eliminates the need to pay egress costs when moving workloads between clouds.

NEW QUESTION 112

A customer is running a software-defined data center (SDDC) in the US-East-2 region and wants to connect the workload network segment to their on-premises data center and multiple company Amazon Virtual Private Clouds (VPCs) running in US-East-2.

Which connectivity option can they use to accomplish this?

- A. AWS Direct Connect
- B. Two VPN connections
- C. VMware Transit Connect
- D. One VPN connection

Answer: C

Explanation:

To connect the workload network segment to their on-premises data center and multiple company Amazon VPCs running in US-East-2, the customer can use VMware Transit Connect. VMware Transit Connect is a service that provides secure connectivity between AWS and on-premises data centers or other clouds. It allows customers to connect and extend their networks to the AWS cloud with minimal effort and cost.

NEW QUESTION 116

Which three functions are provided by the components within the Kubernetes control plane? (Choose three.)

- A. Balances pods across the nodes within a Kubernetes cluster.
- B. Ensures that containers are running in a pod.
- C. Configures network rules to route traffic to containers within the Kubernetes cluster.
- D. Stores Kubernetes cluster data in a key-value data store.
- E. Watches the API for changes and responds with appropriate actions.
- F. Stores and distributes container images.

Answer: ADE

Explanation:

<https://kubernetes.io/docs/concepts/overview/components/#control-plane-components>

NEW QUESTION 120

A cloud administrator is tasked with migrating workloads from an on-premises environment to a VMware Cloud on AWS software-defined datacenter (SDDC) with no downtime while retaining their IP Address. Which connectivity type should be used?

- A. Private policy-based IPsec VPN
- B. Private route-based IPsec VPN
- C. Open VPN
- D. Private Layer 2 VPN

Answer: D

Explanation:

Private L2 VPN: To migrate running VMs between SDDCs in different geographical locations.

You use a private layer 2 (L2) VPN to extend an on-premises network to your cloud SDDC. This extended network is a single subnet with a single broadcast domain.

You can use L2 VPNs to migrate VMs to and from your cloud SDDC, for disaster recovery, or for dynamic access to cloud computing resources (often called cloud bursting).

VM migrations across an L2 VPN support VLAN tagging and GENEVE frame encapsulation when migrating between a cloud SDDC to another SDDC.

The L2 VPN tunnel extends layer 2 networks across geographic sites. VMs can move across sites (using vSphere vMotion) and keep the same IP addresses using an L2 VPN.

NEW QUESTION 124

A cloud administrator requires an external secure connection into their data center to use Border Gateway Protocol (BGP). Which connection type can they use to connect to an Instance of VMware Cloud?

- A. Policy-based virtual private network (VPN)
- B. Public IPs over the Internet
- C. Private L2 virtual private network (VPN)
- D. Route-based virtual private network (VPN)

Answer: D

Explanation:

<https://docs.vmware.com/en/VMware-Cloud-Disaster-Recovery/services/vmware-cloud-dr-security-best-practic> A cloud administrator requires an external secure connection into their data center to use Border Gateway Protocol (BGP). The best connection type to use for this purpose is a Route-based virtual private network (VPN). This type of VPN is secure, as it uses encryption and authentication to protect the data transmitted over the connection. Additionally, it allows for the configuration of BGP to ensure that the data traffic is routed to the desired destination.

PREPARING FOR VMWARE CLOUD ON AWS

<https://www.vmware.com/content/dam/digitalmarketing/vmware/en/pdf/products/vmc-aws/preparing-for-vmwar>

Publishing Applications with VMware Horizon 7 <https://vcdx.vmware.com/content/dam/digitalmarketing/vmware/ru/pdf/techpaper/vmware-horizon-7-application>

What is Network Virtualization? | VMware Glossary

<https://www.vmware.com/topics/glossary/content/network-virtualization.html>

NEW QUESTION 128

A cloud administrator is planning to migrate 1,000 VMs from their existing on-premises location into VMware Cloud on AWS. The migration will need to be completed as quickly as possible. Upon completion, the users will need the most reliable, lowest latency connection possible.

Which on-premises data center connectivity option will meet these requirements?

- A. Layer 2 VPN
- B. AWS Direct Connect
- C. VMware Transit Connect
- D. IPsec VPN

Answer: B

Explanation:

The best option to meet the requirements of quickly migrating 1,000 VMs with the lowest latency and most reliable connection possible is to use AWS Direct Connect. AWS Direct Connect provides a dedicated network connection between an on-premises data center and the Amazon Web Services (AWS) cloud, allowing for the transfer of data across the two locations. It is more reliable and has lower latency than other options such as Layer 2 VPN, VMware Transit Connect, and IPsec VPN. Additionally, AWS Direct Connect provides the highest performance and throughput of any of the on-premises data center connectivity

options.
Why does VMware refuse to educate their customers ... - VMware ... <https://communities.vmware.com/t5/VMware-Education-Services/Why-does-VMware-refuse-to-educate-their-c-VMware-Technical-Support-Guide>
<https://www.vmware.com/pdf/techsupportguide.pdf> Publishing Applications with VMware Horizon 7
<https://vcdx.vmware.com/content/dam/digitalmarketing/vmware/ru/pdf/techpaper/vmware-horizon-7-application>

NEW QUESTION 132

A cloud administrator needs to configure a VM storage policy for virtual machines that will host a business critical application. The environment consists of a single cluster with six hosts. The application is storage I/O intensive and redundancy must be provided at the highest level possible. Which VM storage policy settings should the administrator configure to meet these requirements?

- A. RAID-1 FTT = 3
- B. RAID-1 FTT = 2
- C. RAID-5
- D. RAID-6

Answer: B

Explanation:

RAID-1 is a mirror configuration that provides high availability by creating multiple copies of a VMDK. RAID-5 and RAID-6 are erasure coding configurations that provide fault tolerance by distributing data and parity across multiple hosts. The number of failures to tolerate (FTT) determines how many copies or parity blocks are created for each VMDK. For example, RAID-1 FTT = 2 means that there are three copies of each VMDK. Therefore, based on your requirements, a possible VM storage policy setting could be RAID-1 FTT = 2, which would provide redundancy at the highest level possible with six hosts.
<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vsphere.vmc-aws-manage-data-cen>

NEW QUESTION 133

How much throughput does a Google Cloud VMware Engine private cloud network provide?

- A. 25 Gbps
- B. 40 Gbps
- C. 100 Gbps
- D. 10 Gbps

Answer: C

Explanation:

The throughput provided by a Google Cloud VMware Engine private cloud network is 100 Gbps. This allows for a high level of performance and scalability, and supports a variety of services and applications. Additionally, the private cloud network is secure and reliable, providing support for different authentication methods and encryption standards.

NEW QUESTION 137

A cloud administrator is asked to validate a proposed internetworking design that will provide connectivity to a VMware Cloud on AWS environment from multiple company locations.

The following requirements must be met:

- Connectivity to the VMware Cloud on AWS environment must support high-throughput data transfer.
- Connectivity to the VMware Cloud on AWS environment must NOT have a single point of failure.
- Any network traffic between on-premises company locations must be sent over a private IP address space. Which design decisions should be made to meet these network connectivity requirements?

- A. • Configure a Direct Connect from headquarters to VMware Cloud on AWS. • Use a private VIF for this connection. • Configure a secondary, standby Direct Connect from headquarters using a public VIF. • Configure dual, redundant, policy-based IPsec VPN connections from each regional office to VMware Cloud on AWS.
- B. • Configure a Direct Connect from headquarters to VMware Cloud on AWS. • Use a public VIF for this connection. • Configure a route-based IPsec VPN tunnel as a secondary method of connectivity from headquarters to VMware Cloud on AWS. • Configure dual, redundant, route-based IPsec VPN connections from each regional office to VMware Cloud on AWS.
- C. • Configure a Direct Connect from headquarters to VMware Cloud on AWS. • Use a private VIF for this connection. • Configure a route-based IPsec VPN tunnel as a secondary method of connectivity from headquarters to VMware Cloud on AWS, taking care to enable the "Use VPN as Backup to Direct Connect" option. • Configure dual, redundant, route-based IPsec VPN connections from each regional office to VMware Cloud on AWS.
- D. • Configure a Direct Connect from headquarters to VMware Cloud on AWS. • Use a private VIF for this connection. • Configure a policy-based IPsec VPN tunnel as a secondary method of connectivity from headquarters to VMware Cloud on AWS, taking care to enable the "Use VPN as Backup to Direct Connect" option. • Configure dual, redundant, policy-based IPsec VPN connections from each regional office to VMware Cloud on AWS.

Answer: C

Explanation:

Option C is the best design decision that meets the network connectivity requirements. Configuring a Direct Connect from headquarters to VMware Cloud on AWS with a private VIF will ensure high-throughput data transfer and eliminate the single point of failure. To ensure that all network traffic between on-premises company locations is sent over a private IP address space, a route-based IPsec VPN tunnel should be configured as a secondary method of connectivity from headquarters to VMware Cloud on AWS, taking care to enable the "Use VPN as Backup to Direct Connect" option. Finally, dual, redundant, route-based IPsec VPN connections should be configured from each regional office to VMware Cloud on AWS.

NEW QUESTION 141

Which three organizational aspects need to be considered to successfully transition to a cloud operating model? (Choose three.)

- A. People
- B. Technology
- C. Process

- D. Branding
- E. Budget
- F. Facilities

Answer: ABC

Explanation:

<https://blogs.vmware.com/management/2020/01/the-cloud-operating-model.html>

NEW QUESTION 142

An administrator is tasked with collecting a support bundle from a Tanzu Kubernetes cluster for a support case. How can the administrator collect this support bundle for the Tanzu Kubernetes cluster?

- A. Run the `-tkc-support-bundler` command.
- B. Run the `kubact1 logs my-pod` command
- C. Run a compression tool of the log files located in `/var/log/vmware/wcp/`.
- D. Run the `vm-support` command.

Answer: A

Explanation:

<https://kb.vmware.com/s/article/80949>

Tanzu Kubernetes Grid (TKG) provides a command line tool called `tkg-support-bundler` which can be used to collect the necessary information and logs for troubleshooting and support cases. The command can be run on the TKG CLI and it will gather all the necessary information and logs from the TKG control plane and worker nodes, and package them into a single compressed bundle file. This bundle file can then be provided to VMware support for further analysis.

NEW QUESTION 146

A Cloud Administrator is tasked with choosing a correct Elastic DRS policy. The existing VMware Cloud on AWS environment consists of a single cluster with two hosts.

The following guidelines regarding the expected performance must be met:

- The cluster should be able to scale automatically when additional resources are required.
- Application performance should NOT be affected when the cluster scaling operation is being performed.

Which Elastic DRS policy should the cloud administrator Select?

- A. Optimize for Best Performances
- B. Elastic DRS Baseline
- C. Optimize for Rapid Scale-Out
- D. Optimize for Lowest Cost

Answer: B

Explanation:

Based on the given guidelines, the cloud administrator should select the Elastic DRS Baseline policy[1]. This policy is designed to scale the cluster automatically when additional resources are required, while also ensuring that application performance is not affected during the scaling operation. The Elastic DRS Baseline policy also ensures that resources are allocated efficiently and optimally[1], to minimize cost while ensuring that performance requirements are met.

For more information on the Elastic DRS Baseline policy[1], see the VMware official documentation at <https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.sddc-management/GUI>

NEW QUESTION 151

Which four steps must a cloud administrator take to deploy a new private cloud In Azure VMware Solution? (Choose four.)

- A. Identify the maximum number of hosts needed for future capacity.
- B. Identify the desired availability zone.
- C. Identify a management CIDR of size /22.
- D. Open a support request with Microsoft Azure requesting capacity.
- E. Identify a management CIDR of size /20.
- F. Identify the desired region.
- G. Identify the current number of hosts needed.

Answer: BCDG

Explanation:

- Identify the desired region. This determines where your private cloud will be deployed and which Azure services are available.
- Identify a management CIDR of size /22. This determines the IP address range for your private cloud management components such as vCenter Server, NSX Manager, etc.
- Open a support request with Microsoft Azure requesting capacity. This ensures that there are enough hosts available for your private cloud deployment.
- Identify the current number of hosts needed. This determines how many hosts will be provisioned initially for your private cloud cluster.

<https://vmc.techzone.vmware.com/resource/avs-planning-and-deployment-guide>

NEW QUESTION 156

In VMware Cloud Disaster Recovery (VCDR), a protection group consists of which two components? (Choose two.)

- A. Members
- B. Policies for snapshots
- C. Virtual Machine File System (VMFS) datastores
- D. VM customizations
- E. Clusters

Answer: AB

Explanation:

<https://docs.vmware.com/en/VMware-Cloud-Disaster-Recovery/services/vmware-cloud-disaster-recovery/GUID> A protection group in VMware Cloud Disaster Recovery (VCDR) consists of members (virtual machines or VMs) and policies for snapshots. These policies define the consistent point-in-time copies of the VMs, which are used for disaster recovery. The protection group also includes virtual machine file system (VMFS) datastores, which are used to store the copies of the VMs, and VM customizations, which are used to customize the VMs. Clusters are not part of a protection group in VCDR.

NEW QUESTION 161

Which two features of the VMware cloud on AWS platform are part of service management process? (Choose two.)

- A. VMware Tools management
- B. Microsoft licensing management
- C. Incident management
- D. Workload OS management
- E. Capacity management

Answer: CE

Explanation:

Incident Management is responsible for handling customer incidents and ensuring customer satisfaction. Capacity Management is responsible for ensuring that the service is sized appropriately for customer needs and that the capacity is monitored to ensure that it meets customer requirements. VMware Tools management, Microsoft licensing management, and workload OS management are not part of the service management process.

What is a Hypervisor? | VMware Glossary <https://www.vmware.com/topics/glossary/content/hypervisor.html> VMware Cloud on AWS Operations Guide <https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/vmc-aws-operations.pdf> What is a Bare Metal Hypervisor? | VMware Glossary <https://www.vmware.com/topics/glossary/content/bare-metal-hypervisor.html>

NEW QUESTION 163

Which three components can be part of a virtual machine template? (Choose three.)

- A. Installed applications, tools, and patches
- B. vSphere tags
- C. Custom attributes
- D. Virtual Machine hardware configuration
- E. Guest operating system
- F. Virtual machine snapshots

Answer: ADE

Explanation:

To create a virtual machine template, you will need to configure the virtual machine hardware configuration, install the necessary applications, tools, and patches, and select the guest operating system. The template can also include vSphere tags and custom attributes to further customize the virtual machine. Additionally, the template can include virtual machine snapshots which will save the current state of the virtual machine and can be used to quickly restore the machine to the same state.

VMware Technical Support Guide <https://www.vmware.com/pdf/techsupportguide.pdf> Publishing Applications with VMware Horizon 7 <https://vcdx.vmware.com/content/dam/digitalmarketing/vmware/ru/pdf/techpaper/vmware-horizon-7-application> What is Server Virtualization? | VMware Glossary <https://www.vmware.com/topics/glossary/content/server-virtualization.html>

NEW QUESTION 168

A cloud administrator is deploying a new software-defined data center (SDDC) in VMware Cloud on AWS. Long-term planning indicates that a minimum of 30 hosts are required.

What is a valid management network CIDR based on the requirements?

- A. 10.4.0.0/23
- B. 10.3.0.0/24
- C. 10.2.0.0/16
- D. 10.1.0.0/20

Answer: D

Explanation:

A valid management network CIDR based on the requirements is 10.1.0.0/20, as this provides a range of 4096 IP addresses, which is more than enough for 30 hosts. A /23 CIDR only provides 512 IP addresses, which is not enough for 30 hosts, while a /24 CIDR provides 256 IP addresses and a /16 CIDR provides 65,536 IP addresses, which is more than is needed for the 30 hosts.

<https://blogs.vmware.com/cloud/2019/10/03/selecting-ip-subnets-sddc/>

NEW QUESTION 172

Which software development challenge can a cloud administrator address by adopting a cloud operating model?

- A. The length of time needed to provision the required infrastructure
- B. High operating expense (OPEX) spending due to software licenses
- C. The use of different programming languages by developers
- D. Lack of standardization of operating systems used by developers

Answer: A

Explanation:

<https://blogs.vmware.com/management/2021/10/introduction-to-vmware-cloud-operating-model.html>

NEW QUESTION 177

Which VMware technology ensures availability of the VMs in your SDDC and uses multiple ESXi hosts to provide rapid recovery from outages and cost-effective high availability for applications? (Select one option)

- A. vSphere DRaaS
- B. vSphere HA
- C. vSphere DPM
- D. vSphere eDRS

Answer: B

Explanation:

The VMware technology that ensures availability of the VMs in your SDDC and uses multiple ESXi hosts to provide rapid recovery from outages and cost-effective high availability for applications is B.vSphere HA. vSphere HA is an agentless cluster-level availability solution that enables rapid recovery from outages and cost-effective high availability for applications. vSphere DRaaS, vSphere DPM, and vSphere eDRS are not suitable for this purpose.

NEW QUESTION 180

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 2V0-33.22 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 2V0-33.22 Product From:

<https://www.2passeasy.com/dumps/2V0-33.22/>

Money Back Guarantee

2V0-33.22 Practice Exam Features:

- * 2V0-33.22 Questions and Answers Updated Frequently
- * 2V0-33.22 Practice Questions Verified by Expert Senior Certified Staff
- * 2V0-33.22 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 2V0-33.22 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year