

PL-100 Dumps

Microsoft Power Platform App Maker

<https://www.certleader.com/PL-100-dumps.html>



NEW QUESTION 1

HOTSPOT - (Topic 4)

You are configuring security to enable users to analyze data by using Microsoft Excel templates.

You create a security role named TemplateAdministrator and configure the role as shown below and assign the role to a user named User1.

The screenshot shows the 'Security role: TemplateAdministrator' configuration page. The 'Entity' table lists various entities with their permissions for Create, Read, Write, Delete, Append, Append To, Assign, and Share. The 'Privacy Related Privileges' section includes Document Generation, Export to Excel, Mail Merge, and Sync to Outlook. The 'Miscellaneous Privileges' section includes Act on Behalf of Another User, Assign manager for a user, Assign Territory to User, Approve Email Addresses for Users or Queues, Assign position for a user, and Bulk Edit. A key at the bottom identifies the symbols used in the table.

Entity	Create	Read	Write	Delete	Append	Append To	Assign	Share
Business Unit	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Channel Property Group	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Currency	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Document Template	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Mailbox Auto Tracking Folder	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Organization	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Personal Document Template	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>

Privacy Related Privileges
Enabling these privileges will allow users to extract customer data from Microsoft Dynamics 365. For more information, review the corresponding user documentation.

Document Generation	<input checked="" type="radio"/>	Dynamics 365 for mobile	<input checked="" type="radio"/>
Export to Excel	<input type="radio"/>	Go Offline in Outlook	<input checked="" type="radio"/>
Mail Merge	<input checked="" type="radio"/>	Print	<input checked="" type="radio"/>
Sync to Outlook	<input checked="" type="radio"/>	Use Dynamics 365 App for Outlook	<input checked="" type="radio"/>

Miscellaneous Privileges

Act on Behalf of Another User	<input type="radio"/>	Approve Email Addresses for Users or Queues	<input type="radio"/>
Assign manager for a user	<input type="radio"/>	Assign position for a user	<input type="radio"/>
Assign Territory to User	<input type="radio"/>	Bulk Edit	<input type="radio"/>

Key

- None Selected
- User
- Business Unit
- Parent: Child Business Unit
- Organization

Use the drop-down menus to select the answer choice that answers each question based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

You need to ensure that User1 can see the pre-configured example templates.
Which permission should you change?

▼

Bulk Edit

Export to Excel

Read on Document Template

Read on Personal Document Template

You need to ensure that User1 can download the file to create an Excel template.
Which permission should you change?

▼

Bulk Edit

Export to Excel

Read on Document Template


Read on Personal Document Template

- A. Mastered
- B. Not Mastered


Answer: A

Explanation:

You need to ensure that User1 can see the pre-configured example templates.
Which permission should you change?



You need to ensure that User1 can download the file to create an Excel template.
Which permission should you change?



NEW QUESTION 2

- (Topic 4)

You create a Power Platform solution. Solution data is stored in a variety of documented cloud services. You must also be able to connect to one or more industry data sources. You need to configure the data sources. What should you do?

- A. Create a business process flow.
- B. Create a data policy template.
- C. Create a UI flow.
- D. Use an existing data connector.

Answer: D


Explanation:

In Power Apps, add a data connection to an existing canvas app or to an app that you're building from scratch. Your app can connect to SharePoint, Common Data Service, Salesforce, OneDrive, or many other data sources.

Note:

Add data source

- * 1. In the center pane, select connect to data to open the Data pane.
- * 2. Select Add data source.
- * 3. If the list of connections includes the one that you want, select it to add it to the app. Otherwise, skip to the next step.
- * 4. Select New connection to display a list of connections.
- * 5. In the search bar, type or paste the first few letters of the connection you want, and then select the connection when it appears.



- * 6. Select Create to both create the connection and add it to your app.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/add-data-connection>

NEW QUESTION 3

- (Topic 4)

You create a canvas app within a Power Platform environment. You need to identify potential accessibility issues for the canvas app before making the app available to other users. Which tool should you use?

- A. Portal Checker
- B. App Checker
- C. Solution Checker

Answer: B

Explanation:

Find accessibility issues

* 1. In the upper-right corner of Power Apps Studio, select the icon for the App checker.



* 2. In the menu that appears, select Accessibility.

A list of issues appears, sorted first by severity and then by screen.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/accessibility-checker>

NEW QUESTION 4

DRAG DROP - (Topic 4)

You create an app with multiple screens.

Test users report that the size and type of gallery displayed on each screen are different. You must improve the consistency for the app screens.

You need to create a reusable gallery that displays information based on the current record.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct orders you select.

Actions

- Add a gallery control.
- Add an input property.
- Create a component.
- Add a screen.
- Create a form.
- Add an output property.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- Create a component
- Add an input property
- Add a gallery control

From <https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/create-component> step 10 and 11

NEW QUESTION 5

DRAG DROP - (Topic 4)

: 186 DRAG DROP

A company uses Power Apps.

The company requires a canvas app that connects to the following sources:

- SharePoint list
- Microsoft 365 mailbox
- SOAP API

You need to select connector types.

Which connector types should you use? To answer, drag the appropriate connector types to the correct sources. Each connector type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 6

- (Topic 4)

You create a canvas app that connects to a Common Data Service database. Users report that they do not see any data in the app. You need to ensure that users can view data in the app. What should you do?

- A. Share the app with the users
- B. Add a Power Apps license to the users
- C. Assign a security role to the users
- D. Publish the app

Answer: C

Explanation:

Sharing access to the data in the Common Data Service. The users need permission to access the entities the app uses. To grant them access, you will need to:

- * 1. Create a security role
- * 2. Assign users to the security role

Note: Common Data Service for Apps has a powerful enterprise grade security model that allows you to group users in security roles and give those roles varying levels of access to entities that some of our most sophisticated business apps are built on.

Reference:

<https://powerapps.microsoft.com/en-us/blog/sharing-a-canvas-app-built-on-top-of-common-data-service/D18912E1457D5D1DDCDBD40AB3BF70D5D>

NEW QUESTION 7

- (Topic 4)

You create a weekly report app as a canvas app. The data source for the app is a Microsoft SharePoint list.

The file that contains the weekly report must be attached to each submission made in the app. Employees must modify the report through the canvas app after the initial submission.

The manager must be notified by email when an employee updates the report. You need to create cloud flows.

Which SharePoint trigger should you use?

- A. When an item is created
- B. When an item or file is modified
- C. When a file is created (properties only)
- D. When a file is created in a folder

Answer: B

NEW QUESTION 8

HOTSPOT - (Topic 4)

A company uses Power Apps. The company gathers product improvement suggestions at tradeshows by using tablet devices.


A product improvement suggestion has two parts: a topic and a comment. Attendees can enter up to 10 suggestions. You create a canvas app to allow attendees to enter suggestions. The wireless network connection inside the tradeshow is unreliable.

You need to ensure that the tablet devices save all suggestions.

Which solution technologies should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Action	Solution technology
Save suggestions while visitors enter data.	Collection
Save suggestions for future processing.	Export

NEW QUESTION 9

DRAG DROP - (Topic 4)

You are developing a Power BI report for a company.

The Power BI report must display company performance metrics in Power BI service. The report must include three fields in a visualization. The data for the report exists in a dataset.

The company will display the report on a large television screen during team meetings. You need to create the report.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer and arrange them in the correct order.

Actions		Answer Area
Add the report to a new dashboard		
Create a report		
Add a visualization to the report	➤	⬆
Create a paginated report	⬅	⬇
Select a dataset		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Select a dataset

Sign in to your Power BI online account, or sign up, if you don't have an account yet. Open the Power BI service. Get some data and open it in report view.

Box 2: Create a report

Use that data to create visualizations and save it as a report. Box 3: Add a visualization to the report

Box 4: Add the report to a new dashboard

Visualizations (known as visuals for short) display insights that have been discovered in the data. A Power BI report might have a single page with one visual or it might have pages full of visuals. In the Power BI service, visuals can be pinned from reports to dashboards.

NEW QUESTION 10

DRAG DROP - (Topic 4)

DRAG DROP

A company uses Microsoft Power Platform. All users in the company have read/write and create access to SharePoint.

You create a canvas app that displays data from a SharePoint list. A group of users must use the app without the ability to change the data source.

You need to share the app with the users.

What should you do? To answer, drag the appropriate actions to the correct components. Each action may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Actions	Answer Area	Component	Action
Send all users an email invitation.		Canvas app	
Enable Can use permission.		SharePoint connection	
Set the users as co-owners.			
Enable Can edit permission.			

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area	Component	Action
Send all users an email invitation.		Canvas app	Send all users an email invitation.
Enable Can use permission.		SharePoint connection	Enable Can use permission.
Set the users as co-owners.			
Enable Can edit permission.			

NEW QUESTION 10

DRAG DROP - (Topic 4)

DRAG DROP

A company is creating Power Apps apps for their customer service team.

You must create a final released solution to export to their test environment that cannot be changed in the new environment.

You need to determine the types of solutions to use.

Which type of solution should you use? To answer, drag the appropriate solution types to the correct conditions. Each solution type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Solution type	Answer Area						
<div style="border: 1px solid black; padding: 2px; margin-bottom: 2px;">Managed</div> <div style="border: 1px solid black; padding: 2px;">Unmanaged</div>	<table border="1"> <thead> <tr> <th>Condition</th> <th>Solution type</th> </tr> </thead> <tbody> <tr> <td>Assign a publisher for the first time</td> <td>Solution type</td> </tr> <tr> <td>Export the solution</td> <td>Solution type</td> </tr> </tbody> </table>	Condition	Solution type	Assign a publisher for the first time	Solution type	Export the solution	Solution type
Condition	Solution type						
Assign a publisher for the first time	Solution type						
Export the solution	Solution type						

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Unmanaged

Unmanaged solutions are used in development environments while you make changes to your application.

Box 2: Managed

Managed solutions are used to deploy to any environment that isn't a development environment for that solution.

NEW QUESTION 14

DRAG DROP - (Topic 4)

You create an expense claim app for a manufacturing company. Employees use the app to enter details of their expenses and upload receipts.

The company has an on-premises finance system with no APIs.

The company requires an automation to enable the manager to approve employee claim requests when they are submitted.

After a claim request is approved, the expense details must be entered in the on-premises finance system.

You need to create the flow.

Which flow type should you use for each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Flow types

Requirement	Flow type
Approve employee claim requests when they are submitted.	<ul style="list-style-type: none"> Automated flow <li style="background-color: #0070C0; color: white;">Automated flow Scheduled flow Instant flow
Enter the expense details in the on-premises finance system.	<ul style="list-style-type: none"> Cloud flow <li style="background-color: #0070C0; color: white;">Cloud flow Desktop flow Business process flow

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Flow types

Requirement	Flow type
Approve employee claim requests when they are submitted.	Automated flow
Enter the expense details in the on-premises finance system.	Cloud flow

NEW QUESTION 17

HOTSPOT - (Topic 4)

HOTSPOT

A company uses Power Apps. The company has a model-driven app that accesses a Microsoft Dataverse table. The app is shared with all users who all have the Basic User security role.

You must prevent the users from running and sharing the app.

What should you do? To answer, select the appropriate options in the answer area NOTE: Each correct selection is worth one point.

Answer Area

Requirement	Action
Prevent users from running the app.	<ul style="list-style-type: none"> Turn off the app. Export the app. Turn off the app. Remove access to the table.
Prevent users from sharing the app.	<ul style="list-style-type: none"> Remove access to the table. Export the app. Turn off the app. Remove access to the table.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Requirement	Action
Prevent users from running the app.	<ul style="list-style-type: none"> Turn off the app. Export the app. Turn off the app. Remove access to the table.
Prevent users from sharing the app.	<ul style="list-style-type: none"> Remove access to the table. Export the app. Turn off the app. Remove access to the table.

NEW QUESTION 20

- (Topic 4)

You create a canvas app.

A user is not able to determine which field currently has focus. You run App checker to identify errors.

You need to verify that the focused border thickness is set to a value greater than zero. Which section of the App checker results should you check?

- A. Rules
- B. Performance
- C. Accessibility
- D. Runtime

Answer: C

Explanation:

The Accessibility checker classifies each issue as an error, a warning, or a tip based the issue's severity.

Issues include:

? Focus isn't showing

When the FocusBorderThickness of a control is set to 0. It is good practice to ensure a proper color-contrast ratio between the focus border and the control itself so it's clearly visible.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/accessibility-checker>

NEW QUESTION 24

HOTSPOT - (Topic 4)

A company uses Microsoft Dataverse to store holiday employee request data.

An HR manager needs a report that displays overview information about the employee requests.

You need to design a report that visualizes request data over time and type.

Which Microsoft Power BI functionalities should you use to complete each step? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Step	Functionality
Create additional relationships between tables	Model view Model view Data view Report view
Change the data type of a column	Data view Model view Data view Report view
Design visuals	Report view Model view Data view Report view
Choose data for import	Navigator Data view Report view Navigator

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Step	Functionality
Create additional relationships between tables	Model view Model view Data view Report view
Change the data type of a column	Data view Model view Data view Report view
Design visuals	Report view Model view Data view Report view
Choose data for import	Navigator Data view Report view Navigator

NEW QUESTION 27

DRAG DROP - (Topic 4)

A company is building multiple Power Apps apps to support a mobile sales team. The apps must all share a common control that has custom properties. You need to create a solution for the apps.

Which objects should you use? To answer, drag the appropriate objects to the correct to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Objects	Requirement	Object
Entity	Reuse the custom control for multiple canvas apps.	
Component		
Component library	Receive input data through a custom property.	
Component framework		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Component library

Components are reusable building blocks for canvas apps so that app makers can create custom controls to use inside an app, or across apps using a component library. Components can use advanced features such as custom properties and enable complex capabilities.

By creating a component library, app makers easily share and update one or more components with other makers.

Component libraries are containers of component definitions that make it easy to: Discover and search components.

Publish updates.

Notify app makers of available component updates.

Box 2: Component

A component can receive input values and emit data if you create one or more custom properties.

NEW QUESTION 31

DRAG DROP - (Topic 4)

DRAG DROP

A company uses data from a publicly available web service. You plan to create a tabular report by using Power BI Desktop to visualize data from the web service. The data returned in one column is numeric and must be converted to a corresponding text

You need to create the report and make it available only to co workers.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct orders you select

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 36

- (Topic 4)

You design a canvas app that has multiple screens. Each screen will have multiple button controls.

The button controls must all have the same background color. You must be able to change

You need to configure the button fill property. What should you do?

- A. Update the Fill property to a variable created by using the Navigate function.
- B. Update the Fill property to a variable created by using the Set function.
- C. Select all the buttons while holding the Ctrl key, and then change the color property.
- D. Use a background image property in place of setting a color property.

Answer: A

NEW QUESTION 37

- (Topic 2)

You need to create a flow for moving data from the Sales Log to the Job Setup entity. Which type of flow should you use?

- A. a scheduled flow for the Job Setup entity
- B. an instant (button) flow for the Sales Log
- C. a business process flow for the Job Setup entity
- D. an automated flow for the Sales Log

Answer: A

Explanation:

Scenario: Automatically perform the following actions immediately when a sale is won:

- ? Generate a sequential job number.
- ? Copy key sales information to the Job Setup entity used by manufacturing.

NEW QUESTION 42

HOTSPOT - (Topic 2)

You need to meet the requirement for the time tracking app.

Which controls should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement	Solution
Automatically record the duration of work when a job number is read.	<div style="border: 1px solid black; padding: 2px;"> <div style="text-align: right; border-bottom: 1px solid black;">▼</div> <div style="padding: 2px;">Card</div> <div style="padding: 2px;">Rating</div> <div style="padding: 2px;">Slider</div> <div style="padding: 2px;">Timer</div> </div>
Read the employee's number into the app.	<div style="border: 1px solid black; padding: 2px;"> <div style="text-align: right; border-bottom: 1px solid black;">▼</div> <div style="padding: 2px;">Barcode-scanner</div> <div style="padding: 2px;">Card</div> <div style="padding: 2px;">Image</div> <div style="padding: 2px;">Shape</div> </div>
Display a photo of an employee when the employee badge is read.	<div style="border: 1px solid black; padding: 2px;"> <div style="text-align: right; border-bottom: 1px solid black;">▼</div> <div style="padding: 2px;">Camera</div> <div style="padding: 2px;">Card</div> <div style="padding: 2px;">Icon</div> <div style="padding: 2px;">Image</div> </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Timer

A Timer control in Power Apps is a control that can determine how your app responds after a certain amount of time passes.

Box 2: Barcode scanner

The Barcode scanner control for canvas apps scans barcodes, QR codes, and data-matrix codes on an Android or iOS device.

Box 3: Image

Image control in Power Apps is a control that shows an image from, for example, a local file or a data source.

NEW QUESTION 46

- (Topic 2)

You need to modify the entity form to resolve the customer request number issue. What should you do?

- A. Use a calculated field
- B. Change the data type of the customer request number field to Lookup
- C. Change the data type of the customer request number field to Autonumber

Answer: C

Explanation:

Scenario: Users report that the customer request number is difficult to interpret. They request that you change the number to a system generated sequential number. Autonumber columns are columns that automatically generate alphanumeric strings whenever they are created.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/data-platform/autonumber-fields>

NEW QUESTION 51

- (Topic 1)

You need to provide all app components of the application to Tailwind Traders. What should you do?

- A. Package the application and flow components into a single solution for export.
- B. Run the app checker and flow checker prior to publishing each component for export.
- C. Export each component separately but use the same version number for each component.
- D. Publish the application and flow solutions at the same time before exporting each one.

Answer: B

Explanation:

Scenario: When identifying versions of the app solution, all dependencies, entities, and user interfaces components must be identified to avoid any unintentional issues caused by reverting individual components to a previous version.

Power Apps has added components to the rule set that encourages best practices in the Power Apps Checker. You can check your canvas apps and flows that are included in solutions and then review all issues in a single, consolidated report.

Reference:

<https://docs.microsoft.com/en-us/power-platform-release-plan/2019wave2/microsoft-powerapps/checker-includes-rules-canvas-apps-flows>

NEW QUESTION 56

HOTSPOT - (Topic 1)

You need to create a flow for sending required emails to the regional manager.
How should you create the flow? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Option	Type
Flow type to use	<div style="border: 1px solid gray; padding: 2px;"> <div style="background-color: #f0f0f0; padding: 2px; display: flex; justify-content: space-between; align-items: center;"> ▼ </div> <div style="border: 1px solid gray; padding: 2px;"> <p>Instant</p> <p>Automated</p> <p>Business Process!</p> <p>Scheduled</p> </div> </div>
Trigger to start flow	<div style="border: 1px solid gray; padding: 2px;"> <div style="background-color: #f0f0f0; padding: 2px; display: flex; justify-content: space-between; align-items: center;"> ▼ </div> <div style="border: 1px solid gray; padding: 2px;"> <p>HTTP Webhook</p> <p>Power Apps</p> <p>Common Data Service when a record is created</p> <p>Office 365 Outlook Send an email</p> </div> </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated
Box 1: Business Process

Scenario: If a sales representative submits a status report and assigns the At Risk status to a process, the app must prompt the sales representative to enter a detailed description for the risk. This information must be emailed to the regional manager.

Business process flows provide a guide for people to get work done. They provide a streamlined user experience that leads people through the processes their organization has defined for interactions that need to be advanced to a conclusion of some kind. This user experience can be tailored so that people with different security roles can have an experience that best suits the work they do.

Box 2: Common Data Service when a record is created

The Microsoft Dataverse (Common Data Service) connector provides the following triggers to help you define when your flows start:

- ? When a row is created, updated, or deleted
- ? When an action is performed
- ? When a flow step is run from a business process flow

NEW QUESTION 60

HOTSPOT - (Topic 4)

A coworker creates a canvas app.

The canvas app contains the following formula. The formula is attached to the OnVisible property of the first screen that users see:

```
Collect (
Toolbox,
{
  Tool: "Hammer",
  Quantity: 1
},
{
  Tool: "Screwdriver",
  Quantity: 2
}
)
```

You are updating the canvas app.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area	Yes	No
The formula will update multiple records in a data source named Toolbox if the records exist.	<input type="radio"/>	<input type="radio"/>
A local collection is created to store data if a data source named Toolbox does not already exist.	<input type="radio"/>	<input type="radio"/>
If a collection named Toolbox exists the formula will clear any existing records before making any changes.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: No

Records are added, not updated.

Box 2: Yes

The Collect function adds records to a data source. Syntax: Collect(DataSource, Item, ...)

DataSource – Required. The data source that you want to add data to. If it doesn't already exist, a new collection is created.

Item(s) - Required. One or more records or tables to add to the data source.

Box 3: No

No records are cleared.

NEW QUESTION 61

- (Topic 4)

DRAG DROP

A company uses Microsoft Power Platform in a production environment. The company is defining new business processes in a prototyping environment. You create components in both environments.

You need to package the components you create.

Which solution types should you use? To answer, drag the appropriate solution types to the connect components. Each solution type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 65

DRAG DROP - (Topic 4)

You are design ng a dashboard for a model driven app Users are licensed to use Dynamics 365 Seles Professional

Users must be able to filter the dashboard. You need to determine how to apply the filters.

Which type of dashboard should you use? To answer, drag the appropriate dashboard types to the correct requirements. Each dashboard type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 68

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company is deploying Microsoft Power Platform components to streamline a job candidate screening process.

The human resources (HR) representatives of the company plan to attend school career fairs. The HR representatives must qualify and enter potential job candidates into a Power Apps app. The HR representatives must enter the following information for each candidate:

Field name	Data type	Criteria for follow up
Name	Text	No
Degree	Text	Yes
First available hire date	Date	Yes
Initial impression	Integer 0-10	Yes
Resume	Picture	No
Not currently viable	Boolean	Yes
Follow up	Boolean	NA

If a candidate is currently unqualified for a job position but would eventually qualify based on follow-up criteria, the follow-up checkbox must be selected or cleared in the system immediately.

The company plans to create a similar Power Apps app that will contain the same business use case, but for internal employees and promotions.

You need to create a Power Apps app solution to automatically mark the candidate for follow up.

Proposed solution: Create a business rule on the appropriate data entity with a scope of entity.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use Common Data Service workflow with a PowerQuery on the data entity.

Note: Process (Workflow) table/entity reference is a set of logical rules that define the steps necessary to automate a specific business process, task, or set of actions to be performed. Common Data Service workflow support: Filter triggers based on which attributes change - You can control which field changes trigger your automated flows. For example, trigger your flow only when the status field changes while ignoring all other fields that may change.

Reference:

<https://docs.microsoft.com/en-us/business-applications-release-notes/april19/microsoft->

NEW QUESTION 73

- (Topic 4)

In a Common Data Service database, you create a canvas app and a custom entity. The app also reads data from the Account entity in the Common Data Service database.

Entity access permissions will be controlled by the Common Data Service User security role. You create a Common Data Service solution.

You need to replicate the changes to a new Common Data Service database.

Which two components should you include with the canvas app? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Custom entity
- B. Account entity
- C. Common Data Service User security role
- D. Sitemap

Answer: BC

NEW QUESTION 75

- (Topic 4)

You receive ideas from employees in a Microsoft Teams channel. Managers are not members of the Teams channel. Submissions must be reviewed by three managers who are determined by submission type. You need approval from the managers to process submissions. What should you create?

- A. approval request in the Teams channel that requires a response from all approvers
- B. approval request in a chat with the three managers that requires a response from all approvers
- C. approval template that requires responses to be completed in order
- D. approval template that requires a response from all approvers

Answer: B

NEW QUESTION 76

- (Topic 4)

An inside sales staff uses three model-driven apps for their sales process. Each app includes the same custom specialized component.

You must standardize the inside and outside sales process by creating a canvas app that has the same functionality as the three model-driven apps. You do not have administrator permissions.

You need to incorporate the logic of the custom component in the outside sales canvas app.

Where should you build the custom component?

- A. Custom control
- B. Component library
- C. Any of the three apps
- D. Solution

Answer: B

NEW QUESTION 78

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are creating a canvas app that displays a list of accounts.

Users must be able to select an account and view details for the account. The app must include a feature that brings the user back to the list of accounts.

You add a blank screen named Screen_Accounts and add a gallery named Gallery_Accounts to the screen. You set the data source of Gallery_Accounts to Accounts and add another blank screen named Screen_AccountDetail.

You need to complete the app. Solution:

? Add an edit form to Screen_AccountDetail and set the Default Mode of the form to New

? Set the OnSelect property of Gallery_Accounts to Navigate(Screen_AccountDetail).

? Set the data source of the form to Accounts.

? Set the Item property of the form to Selected.

? Add a back icon on Screen_AccountDetail and set its OnSelect property to Navigate(Screen_Accounts).

Does the solution meet the goal?

A. Yes

B. No

Answer: B

Explanation:

FormMode.New: the form is populated with default values and the user can modify the values of the fields. Once complete, the user can add the record to the data source.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-form>

NEW QUESTION 83

DRAG DROP - (Topic 4)

DRAG DROP

You develop Microsoft Power Platform solutions for Contoso, Ltd You create a Power Virtual Agents chatbot in a Microsoft Teams team.

You need to make the chatbot available to all users in your organization.

Which three actions should you perform in sequence? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.

A. Mastered

B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 84

DRAG DROP - (Topic 4)

You are creating entities in a Common Data Service database to capture sales data. You create an entity named Sales that includes the following fields:

Field	Description
SalesPerson	The name of the salesperson who made the sale
Quantity	The number of units sold
Rate	The sale price per unit
GrossAmount	A value obtained by multiplying the Quantity times the Rate. This value is for display purposes only
DiscountAmount	An amount that a salesperson enters into the app to discount a sale
NetAmount	A value obtained by subtracting the DiscountAmount from the GrossAmount

You create a new entity that includes a field named TotalSales. The field is used to capture the aggregated sales for each salesperson.

You need to configure the fields for the entities.

Which field types should you use? To answer, drag the appropriate field types to the correct field names. Each field type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Field types	Answer Area	
	Field name	Field type
Rollup	GrossAmount	Field type
Calculated	DiscountAmount	Field type
Simple	TotalSales	Field type

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Calculated

Calculated columns are calculated in real-time when they are retrieved. Calculated columns can be composed using different data types. For example, an Integer calculated column may reference values from Decimal or Currency columns.

Box 2: Simple

A simple column isn't defined as a calculated or rollup column.

Box 3: Rollup

Because rollup columns persist in the database, they can be used for filtering or sorting just like regular columns.

NEW QUESTION 87

- (Topic 4)

You create a canvas app that uses the following resources:

- Power Automate cloud flow
- Custom connector
- Microsoft Dataverse customization
- Connection

You need to export the app as a package to move the app to a different environment. Which resource type will be exported with the app?

- A. Custom connector
- B. Connection
- C. Microsoft Dataverse customization
- D. Power Automate cloud flow

Answer: D

NEW QUESTION 89

- (Topic 4)

You create a canvas app.

You need to ensure that there are no screen reader issues in the app.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Open Test Studio.	
Select Formula.	
Open the App checker.	
Select Accessibility.	
Select Error.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
Open Test Studio.	
Select Formula.	
Open the App checker.	Open the App checker.
Select Accessibility.	Select Accessibility.
Select Error.	Select Error.

NEW QUESTION 91

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are creating a canvas app.

You need to automatically detect bicycles in pictures taken with the camera.

Proposed solution:

? Create a Category Classification custom model in AI Builder.

? Train the model with pictures of bicycles and then publish the trained model.

? Add the Object Detector control to your canvas app.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead create an Object Detection custom model Reference:

<https://docs.microsoft.com/en-us/ai-builder/prediction-overview> <https://docs.microsoft.com/en-us/ai-builder/object-detector-component-in-powerapps>

NEW QUESTION 96

- (Topic 4)

The postal service uses a system based on the Microsoft Database to manage the delivery of packages.

To improve the delivery service, the management requires the delivery staff to use personal cell phones to communicate the location and the exact time of each delivery.

You need to design a solution. What should you do?

- A. Create a button flow with user input for the delivery time and location
- B. Create a UI flow that sends the delivery time and location
- C. Create a button flow with full address and timestamp trigger tokens

Answer: B

Explanation:

Button trigger tokens are data points that are known and available to the device on which a button flow is running. These tokens change based on factors such as the current time or the geographic location of the device at a given moment.

Note: For example, if you are running a button flow on a smart phone, it is likely that the phone knows the time at your current location as well as the date and your current address. In this context, the time, date and address where the phone is located are all determined at the time the button flow runs. They are automatically available for use in any button flows that are executed on the device. You can use these trigger tokens to build useful flows that will minimize repetitive tasks such as providing your location to someone or tracking how much time you spent on a particular job/service call.

Reference:

<https://docs.microsoft.com/en-us/power-automate/introduction-to-button-trigger-tokens>

NEW QUESTION 99

DRAG DROP - (Topic 4)

You have an existing Power Apps environment.

You need to create a Common Data Service database for the environment.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions		Answer Area
Select Create my database		
Configure currency and language settings		
Configure database collation settings	➤	⬆
Set the environment type to Production	⬅	⬇
Select an existing environment		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Select an existing environment Add a database in the admin center:

* 1. In the admin center, in the left navigation pane, select Environments.

* 2. Select the environment to which you want to add the database.

Step 2: Select Create my database

- * 3. Select + Add database
- Step 3: Configure currency and language settings
- * 4. Enter the following, and then select Add.

Setting	Description
Language	The default language for this environment.
Currency	The base currency used for reporting.
Enable Dynamics 365 apps	Select Yes and make a selection to automatically deploy apps such as Dynamics 365 Sales and Dynamics 365 Customer Service.
Deploy sample apps and data	Select Yes to include sample apps and data. Sample data gives you something to experiment with as you learn. You must select No for Enable Dynamics 365 apps for this setting to appear.
Security group	Select a security group to restrict access to this environment.

NEW QUESTION 101

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are creating a canvas app.

You need to automatically detect bicycles in pictures taken with the camera. Proposed solution:

- ? Create an Object Detection custom model in AI Builder.
- ? Train the model with pictures of bicycles and then publish the trained model.
- ? Add the Object Detector control to your canvas app.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

To train an object detection model to recognize your objects, you have to gather images that contain those objects.

The first thing you'll do when you create an AI Builder object detection model is to define its domain.

Upload images

Then Train and publish your object detection model

The object detector component takes a photo or loads an image file to do an object detection scan. On a mobile device, the user chooses between taking a photo or selecting one already available in the device user interface. When an image is selected, the component automatically scans it to identify objects.

Reference:


<https://docs.microsoft.com/en-us/ai-builder/prediction-overview> <https://docs.microsoft.com/en-us/ai-builder/object-detector-component-in-powerapps>

NEW QUESTION 103

HOTSPOT - (Topic 4)

HOTSPOT

Users in your company vote on color choices for marketing materials by using the following canvas app:



Users enter color names into a text control and then select Add color to add the color to the Color options radio control. You must remove all the listed colors when a user selects Clear Selection

You need to implement the functionality.

Which Power Fx formulas should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Action	Power Fx formula
User selects Add color .	If(txtColor.Value <> "", Collect(ColorList, txtColor.Value)) If(txtColor.Value <> "", Collect(ColorList, txtColor.Value)) If(Value(txtColor.Text) <> "", Collect(ColorList, txtColor.Text)) If(Value(txtColor.Color) <> "", Collect(ColorList, txtColor.Color))
User selects Clear Selection .	Revert(radioselector); ClearCollect(ColorList, txtColor.Value) Reset(radioselector); Clear(ColorList) Reset(radioselector); Refresh(ColorList) Revert(radioselector); Remove(ColorList) Revert(radioselector); ClearCollect(ColorList, txtColor.Value)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Action	Power Fx formula
User selects Add color .	If(txtColor.Value <> "", Collect(ColorList, txtColor.Value)) If(txtColor.Value <> "", Collect(ColorList, txtColor.Value)) If(Value(txtColor.Text) <> "", Collect(ColorList, txtColor.Text)) If(Value(txtColor.Color) <> "", Collect(ColorList, txtColor.Color))
User selects Clear Selection .	Revert(radioselector); ClearCollect(ColorList, txtColor.Value) Reset(radioselector); Clear(ColorList) Reset(radioselector); Refresh(ColorList) Revert(radioselector); Remove(ColorList) Revert(radioselector); ClearCollect(ColorList, txtColor.Value)

NEW QUESTION 107

DRAG DROP - (Topic 4)

DRAG DROP

A company is migrating to a new Microsoft 365 tenant. You create an expense

You need to move the latest version of the canvas app and cloud flow to the new tenant. Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Import the app.	
Publish all changes.	
Create a copy of the app in the cloud.	
Export the app as a package.	
Share the app with a user in the new tenant.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
Import the app.	
Publish all changes.	
Create a copy of the app in the cloud.	Create a copy of the app in the cloud.
Export the app as a package.	Export the app as a package.
Share the app with a user in the new tenant.	Share the app with a user in the new tenant.

NEW QUESTION 110

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company is deploying Microsoft Power Platform components to streamline a job candidate screening process.

The human resources (HR) representatives of the company plan to attend school career fairs. The HR representatives must qualify and enter potential job candidates into a Power Apps app. The HR representatives must enter the following information for each candidate:

Field name	Data type	Criteria for follow up
Name	Text	No
Degree	Text	Yes
First available hire date	Date	Yes
Initial impression	Integer 0-10	Yes
Resume	Picture	No
Not currently viable	Boolean	Yes
Follow up	Boolean	NA

If a candidate is currently unqualified for a job position but would eventually qualify based on follow-up criteria, the follow-up checkbox must be selected or cleared in the system immediately.

The company plans to create a similar Power Apps app that will contain the same business use case, but for internal employees and promotions.

You need to create a Power Apps app solution to automatically mark the candidate for follow up.

Proposed solution: Create a Power Automate flow with conditions that use entered data as default data.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use Common Data Service workflow with a PowerQuery on the data entity.

Note: Process (Workflow) table/entity reference is a set of logical rules that define the steps necessary to automate a specific business process, task, or set of actions to be performed. Common Data Service workflow support: Filter triggers based on which attributes change - You can control which field changes trigger your automated flows. For example, trigger your flow only when the status field changes while ignoring all other fields that may change.

Reference:

<https://docs.microsoft.com/en-us/business-applications-release-notes/april19/microsoft-flow/automated-parity-classic-common-data-service-workflows>

NEW QUESTION 114

- (Topic 4)

You work in a warehouse. You build an app for physical inventory counts that is used by different staff members. The typical count takes 14 hours.

The app has a warehouse screen with a gallery that contains the aisles in the warehouse. When a staff member selects an aisle record, another screen displays all the items stored in that aisle. The staff must know how long each aisle takes to do a physical inventory count.

You need to add logic to the app. What should you do?

- A. Configure a timer control, add it to the aisle screen, and then reset it when exiting the aisle screen
- B. Create and configure a stopwatch custom control, and then add it to the gallery
- C. Create and configure a stopwatch custom component, and then add it to the aisle screen
- D. Configure a timer control, add it to the gallery, and then reset it when the selection changes

Answer: C

Explanation:

Reference:

<https://www.cdata.com/kb/tech/azuredatalake-odata-powerapps.rst>

NEW QUESTION 119

HOTSPOT - (Topic 4)

HOTSPOT

A company uses Power Apps and Microsoft Data verse. You need to perform the following activities:

- * Create a model-driven app.
- * Design navigation for the app
- * Show an approval name field on the form if the amount is greater than \$1,000.

Which features should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Activity
Create model driven app.
Design app navigation.
Show approval name field if amount > \$1,000.

Feature
App designer
App designer
Solution checker
App checker
Site map
Site map
Solutions area
Table designer
Table designer
Form designer
Table designer
Business rule designer

NEW QUESTION 124

DRAG DROP - (Topic 4)

An insurance broker uses a Microsoft Dataverse environment with custom tables. You create a Power Apps app to manage vehicle insurance policies.

The app has a drop-down field that allows users to categorize a policy holder's driving record. This category field is not mandatory.

You need to ensure that insurance agents enter the correct categories when creating a new vehicle policy.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- In the vehicle policy table, click on Add subcomponents and navigate to Business rules.
- Add a Recommendation card, select the driver record drop-down field and enter the recommendation details.
- In the vehicle policy table, navigate to Business rules.
- Add a business rule and enter a meaningful business rule name.
- Click on the Condition card, select the Vehicle Policy and check for new driver.

Answer area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

- In the vehicle policy table, click on Add subcomponents and navigate to Business rules.
- Add a Recommendation card, select the driver record drop-down field and enter the recommendation details.

Answer area

- In the vehicle policy table, navigate to Business rules.
- Add a business rule and enter a meaningful business rule name.
- Click on the Condition card, select the Vehicle Policy and check for new driver.

NEW QUESTION 125

HOTSPOT - (Topic 4)


You are developing an app for a package delivery company. Delivery team members will use the app on their phones. Distribution center team members will use a web-based version of the app that runs on tablet devices.

When a delivery person arrives at a location and the package recipient is present, the app must capture the recipient's signature. If the recipient is not available, the app must capture a picture of the drop-off location or the person receiving the package.

You need to design phone-based and web-based versions of the app.

Which app type and media control should you use? To answer, configure the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

App Type: Screens

To insert the Camera control in your PowerApps program you can use the blank screen, and select Insert->Media->Camera.

Media Type: Camera

Use the Camera control to capture pictures with a device's camera. The device must have a camera and the user must authorize the app to use the camera.

Tap or select the camera control to capture a picture from the camera.

The most recently captured picture is available through the Photo property. With this property, the images can be:

- ? Viewed with the Image control. Use the Image control to view the captured image.
- ? Temporarily put in a variable or a collection.
- ? Stored in a database.
- ? Transmitted as a base64 encoded text string.

NEW QUESTION 130

- (Topic 4)

You create a canvas app named Hardware Order that suggests computer hardware to customers.

A value must be entered for the EmployeeID field when creating a new order if the value in the OrderType field does not contain the prefix test.

You need to configure the business rule.

Which two actions should you perform? Each correct answer presents part of the complete solution.

NOTE: Each correct selection is worth one point.

- A. Set the scope of the business rule to Entity.
- B. Add a Recommendation action and configure it to enter the order type.
- C. Set the scope of the business rule to All Forms.
- D. Use the following condition expression:(OrderType Does not begin with [test]) AND (Modified By Does not contain data)

Answer: AD

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/data-platform-create-business-rule>

NEW QUESTION 133

HOTSPOT - (Topic 4)

A company is building a Power Apps app to track key project tasks.

Users assign tasks a risk status on a scale of 0 to 100 by using a slider input control named RiskStatus on the app. The highest risks use the risk status value of 100.

For each task, the user selects a button named RiskLevel to send the name of the task and RiskStatus number to key project stakeholders. The color of the button must change to the color listed in the following table based on the value of the RiskStatus control. The default color for the button is green.

RiskStatus slider value	Risk description	RiskLevel button color
0–50	No/Low risk	Green
51–100	High risk	Red

You need to configure the solution to change the color of the RiskLevel button.

How should you configure the app? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Question

Response

Where do you enter the formula to change the button color?

	▼
On the RiskStatus slider.	
On the RiskLevel button.	
In the variables of the Power Apps app.	
On the OnStart property of the Power Apps app.	

Which formula should you use?

	▼
If (RiskStatus.Value > 75) (return Red;)	
If (RiskStatus.Value > 75, Red, Green)	
If (RiskStatus.Value > 75 ? Red : Green)	
RiskLevel.Fill = RiskStatus.Value > 75 ? Red : Green;	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: On the RiskLevel button.
On the RiskLevel button fill property.
Box 2: Risklevel.Fill = RiskStatus.Value > 75 ? Red : Green;
Most every type of control in a Power App, has a Fill property, for the fill color.

NEW QUESTION 137

DRAG DROP - (Topic 4)
DRAG DROP

A company uses Power Automate. You manage two cloud flows named A and B. Users must perform the following activities:

- Manage the properties of cloud flow A.
- Manually trigger cloud flow B

You need to set up privileges for the business users by using the principle of least privilege Which privilege types should you grant for each activity? To answer, drag the appropriate privilege types to the correct activities. Each privilege type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

Note: Each correct selection is worth one point.

Privilege types	Answer Area	Activity	Privilege type
Microsoft Power Platform Admin	<div style="border: 1px solid gray; width: 100px; height: 100px;"></div>	Manage the properties of cloud flow A.	
Co-owner		Manually trigger cloud flow B.	
Run-only			

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Privilege types	Answer Area	Activity	Privilege type
Microsoft Power Platform Admin	<div style="border: 1px solid gray; width: 100px; height: 100px;"></div>	Manage the properties of cloud flow A.	Co-owner
Co-owner		Manually trigger cloud flow B.	Run-only
Run-only			

NEW QUESTION 141

DRAG DROP - (Topic 4)

The company is adding a multi-stream interactive dashboard to a model-driven app.

The company requires configuration of the dashboard to filter the table data based on modified accounts over the last month.

You need to configure the filters for the model-driven app dashboard.

Which configuration should you use? To answer, drag the appropriate locations to the correct requirements. Each configuration may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Configurations

Filter by

Table view

Filter table

Time frame

Answer Area

Requirement	Configuration
Configure visual filter attributes that the dashboard can use.	
Configure the field that the dashboard uses to filter the table data monthly.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Filter table
Filter Table: The visual filters and global filter attributes are based on this table.
Box 2: Filter By
Filter By: The column that the time frame filter applies to.

NEW QUESTION 142

- (Topic 4)

You are designing an interactive report for a model-driven app. The report will use more than five million records. The query that retrieves data for the report requires more than five minutes to complete. You need to create the report. Which option should you use?

- A. Interactive dashboard
- B. Power BI
- C. Standard dashboard

Answer: B

NEW QUESTION 146

DRAG DROP - (Topic 4)

You are designing an app for a bank. You plan to use the following entities in the app:

Entity	Comments
Clients	Clients are assigned to a branch office
Bank accounts	A client may have multiple bank accounts. A bank account may have multiple clients as bank account owners
Branch offices	Clients are assigned to a branch office
Employees	Each employee works at only one branch office

You need to configure the relationships between the entities.

Which relationship types should you use? To answer, drag the appropriate relationship types to the correct relationships. Each source may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Relationship types

One-to-one

One-to-many

Many-to-one

Many-to-many

Answer Area

Relationship		
Source entity	Target entity	Relationship type
Clients	Bank accounts	Relationship type
Clients	Branch offices	Relationship type
Branch offices	Employees	Relationship type

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Many-to-many
Box 2: Many-to-one
A client have a single branch office.

A branch office can have many clients.
Box 3: One-to-many
A branch office can have many employees. An employee only works at one branch office.

NEW QUESTION 148

HOTSPOT - (Topic 4)

An administrator plans to create and deploy dashboards for use only by sales associates. The dashboards will display the current sales pipeline, open cases, recent major wins, and key opportunities by postal code.

Sales associates must be able to act on the specific data displayed in dashboards. You need to create the dashboards.

Which type of dashboards should you create? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement	Type of dashboard
Ensure that all sales associates can view the dashboard.	<input type="checkbox"/> User <input type="checkbox"/> System
Ensure that sales associates can interact with data from the dashboards.	<input type="checkbox"/> Standard <input type="checkbox"/> Multi-stream <input type="checkbox"/> Single-stream

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: User

Type of dashboard: If you want your dashboards to be available across the organization and do not want to manage the access levels at a more detailed level, you might want to create an organization-owned dashboard. However, if you are concerned about the access privileges and security of your dashboard, consider creating a user-owned dashboard where you have more control on who can access it.

Box 2: Single-stream

The single-stream dashboards display real-time data over one stream based on an entity view or queue. The single-stream dashboards are typically helpful to Tier 2 service leads or managers, who monitor fewer, but more complex or escalated cases.

NEW QUESTION 150

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are creating a canvas app.

You need to automatically detect bicycles in pictures taken with the camera. Proposed solution:

? Create a Category Classification custom model in AI Builder.

? Train the model with pictures of bicycles and then publish the trained model.

? Add the Object Detector control to your canvas app.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead create an Object Detection custom model Reference:

<https://docs.microsoft.com/en-us/ai-builder/prediction-overview> <https://docs.microsoft.com/en-us/ai-builder/object-detector-component-in-powerapps>

NEW QUESTION 152

DRAG DROP - (Topic 4)

A company must use a Power Apps app custom control that is exported from a different canvas Power Apps app.

You need to insert the custom control into the Power Apps app.

Where should you complete the actions? To answer, drag the appropriate locations to the correct actions. Each location may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Objects	Answer Area	
	Action	Location
<div style="display: flex; gap: 10px;"> <div style="border: 1px solid gray; padding: 5px; width: 60px; text-align: center;">Display</div> <div style="border: 1px solid gray; padding: 5px; width: 100px; text-align: center;">Screens</div> </div> <div style="border: 1px solid gray; padding: 5px; width: 100px; margin-top: 5px; text-align: center;">Components</div>	Import a custom control from a file.	<input style="width: 100px; height: 20px;" type="text"/>
	Add an alignment to the custom control to display it in the middle of the Power Apps app screen.	<input style="width: 100px; height: 20px;" type="text"/>


- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Components

- * 1. To add code components to a canvas app:
- * 2. Navigate to Power Apps Studio.
- * 3. Create a new canvas app or edit an existing app to which you want to add the code component.
- * 4. Go to Insert > Custom > Import component.



NEW QUESTION 155

- (Topic 4)

A company creates an app that uses Microsoft Dataverse tables.

The app creator wants to verify that the app is operating as expected by using a sample set of real-world data.

You need to import the sample data into Dataverse tables.

Which two technologies can you use? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Power BI
- B. SharePoint
- C. Power Query
- D. Dataflows

Answer: CD

Explanation:

C: You can create a table in Dataverse and fill that table with data from an OData feed by using Power Query. You can use the same techniques to integrate data from these online and on-premises sources, among others:

SQL Server Salesforce IBM DB2

Access

Excel Web APIs

OData feeds Text files

D: You can create a new Dataverse table that stores all the metadata from the dataflow run. For every refresh of a dataflow, a record is added to this table. You can also store metadata for multiple dataflow runs in the same table.

Reference:

<https://docs.microsoft.com/en-us/power-query/dataflows/load-dataflow-metadata-into-dataverse-table>

<https://docs.microsoft.com/en-us/power-query/dataflows/add-data-power-query>

NEW QUESTION 160

DRAG DROP - (Topic 4)

A company uses Power Automate and Power Apps to streamline business processes. You need to use AI Builder to analyze customer reviews of the company's products.

In which order should you perform the actions? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.

Action
Publish the model.
Connect data to the model.
Train the model.
Use the model in a Power Automate flow.

Answer Area


- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Connect data to the model.

First create an AI Builder form processing model for the customer reviews you want to process.



Step 2: Train the model. Step 3: Publish the model.
Step 4: Use the model in a Power Automate flow.
Once you train and publish the model, create a solution-aware flow in Power Automate.

NEW QUESTION 165

- (Topic 4)

You have a Power Apps solution that includes three model-driven apps, a business process flow, and a scheduled flow. The solution is deployed to a datacentre in the United States.

You plan to deploy the solution to Canada.

You need to identify applicable government regulations for all components of the solution. Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. View results in the Service Trust portal.
- B. Check the results of the Solution checker.
- C. Identify regulations for the region where the tenant resides.
- D. Identify all regulations for the region where the Common Data Service database resides.
- E. Configure data loss prevention (DLP) policies in the Power Platform Admin center.

Answer: ADE

Explanation:

A: The Microsoft Service Trust Portal provides a variety of content, tools, and other resources about Microsoft security, privacy, and compliance practices.

D: The Service Trust Portal contains details about Microsoft's implementation of controls and processes that protect our cloud services and the customer data therein.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/get-started-with-service-trust-portal>

NEW QUESTION 170

- (Topic 4)

A clothing retailer is creating a Power Virtual Agents chatbot in Microsoft Teams. The chatbot will use Microsoft Dataverse for Teams to provide sales metrics by store.

A user wants to be able to ask the chatbot to see all the sales for pants.

You need to configure the chatbot to provide sales data for pants even when a user enters the terms jeans, slacks, or trousers.

Which chatbot component should you use?

- A. Skills
- B. Tables
- C. Topics
- D. Supported languages
- E. Entities

Answer: E

Explanation:

Reference:

<https://docs.microsoft.com/en-us/power-virtual-agents/advanced-entities-slot-filling>

NEW QUESTION 175

- (Topic 4)

You are creating a canvas app. You plan to use variables that are scoped to a screen to store values.

You need to create and update the value of the variables.

Which three functions can you use? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Collect
- B. Patch
- C. Navigate
- D. Set
- E. UpdateContext

Answer: BCE

Explanation:

B: Use the Patch function to modify records in complex situations. Such as, when you do updates that require no user interaction or use forms that span multiple screens.

CE: Context variables are scoped for Screen. They are great for passing values to a screen, much like parameters to a procedure in other languages. Can be referenced from only one screen.

Functions available for context variables: UpdateContext

Navigate Note:

Use the UpdateContext function to create a context variable, which temporarily holds a piece of information, such as the number of times the user has selected a button or the result of a data operation.

Context variables are also preserved when a user navigates between screens. You can use Navigate to set one or more context variables for the screen that the formula will display, which is the only way to set a context variable from outside the screen. Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-patch>

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-navigate>

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-updatecontext>

NEW QUESTION 180

- (Topic 4)

You are creating an app for an organization's human resources (HR) department. You create an Employee entity in an unmanaged Common Data Service solution.

Another user creates the following Power Automate flows separately from the solution:

Flow	Description
FlowA	Send email to the HR manager when a new document is uploaded to Microsoft SharePoint.
FlowB	Send email to the HR manager after a user selects a document in Microsoft OneDrive for Business and runs the flow.
FlowC	Send email to the HR manager at 8 AM daily if new documents are uploaded in Microsoft OneDrive for Business since the previous day.
FlowD	Send email to the HR manager when a new employee record is added.

You need to incorporate the flows that can be added to the solution.

Which two flows can you include? Each correct selection presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. FlowA
- B. FlowB
- C. FlowC
- D. FlowD

Answer: AD

Explanation:

You can add any of these conditions to determine precisely when your flow is triggered.

Reference:

<https://docs.microsoft.com/en-us/power-automate/connection-cds-native>

NEW QUESTION 183

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your PL-100 Exam with Our Prep Materials Via below:

<https://www.certleader.com/PL-100-dumps.html>