

Microsoft

Exam Questions AZ-305

Designing Microsoft Azure Infrastructure Solutions



NEW QUESTION 1

- (Exam Topic 1)

How should the migrated databases DB1 and DB2 be implemented in Azure?

Database:

	▼
A single Azure SQL database	
Azure SQL Managed Instance	
An Azure SQL Database elastic pool	

Service tier:

	▼
Hyperscale	
Business Critical	
General Purpose	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Table Description automatically generated

Box 1: SQL Managed Instance

Scenario: Once migrated to Azure, DB1 and DB2 must meet the following requirements:

- Maintain availability if two availability zones in the local Azure region fail.
- Fail over automatically.
- Minimize I/O latency.

The auto-failover groups feature allows you to manage the replication and failover of a group of databases on a server or all databases in a managed instance to another region. It is a declarative abstraction on top of the existing active geo-replication feature, designed to simplify deployment and management of geo-replicated databases at scale. You can initiate a geo-failover manually or you can delegate it to the Azure service based on a user-defined policy. The latter option allows you to automatically recover multiple related databases in a secondary region after a catastrophic failure or other unplanned event that results in full or partial loss of the SQL Database or SQL Managed Instance availability in the primary region.

Box 2: Business critical

SQL Managed Instance is available in two service tiers:

General purpose: Designed for applications with typical performance and I/O latency requirements. Business critical: Designed for applications with low I/O latency requirements and minimal impact of underlying maintenance operations on the workload.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-sql/database/auto-failover-group-overview> <https://docs.microsoft.com/en-us/azure/azure-sql/managed-instance/sql-managed-instance-paas-overview>

NEW QUESTION 2

- (Exam Topic 1)

You need to configure an Azure policy to ensure that the Azure SQL databases have TDE enabled. The solution must meet the security and compliance requirements.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Create an Azure policy definition that uses the deployIfNotExists effect.	
Create a user-assigned managed identity.	
Invoke a remediation task.	
Create an Azure policy assignment.	
Create an Azure policy definition that uses the Modify effect.	

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

A picture containing text Description automatically generated

Scenario: All Azure SQL databases in the production environment must have Transparent Data Encryption (TDE) enabled.

Step 1: Create an Azure policy definition that uses the deployIfNotExists identity.

The first step is to define the roles that deployIfNotExists and modify needs in the policy definition to successfully deploy the content of your included template.

Step 2: Create an Azure policy assignment

When creating an assignment using the portal, Azure Policy both generates the managed identity and grants it the roles defined in roleDefinitionIds.

Step 3: Invoke a remediation task

Resources that are non-compliant to a deployIfNotExists or modify policy can be put into a compliant state through Remediation. Remediation is accomplished by instructing Azure Policy to run the deployIfNotExists effect or the modify operations of the assigned policy on your existing resources and subscriptions, whether that assignment is to a management group, a subscription, a resource group, or an individual resource.

During evaluation, the policy assignment with deployIfNotExists or modify effects determines if there are non-compliant resources or subscriptions. When non-compliant resources or subscriptions are found, the details are provided on the Remediation page.

Reference:

<https://docs.microsoft.com/en-us/azure/governance/policy/how-to/remediate-resources>

NEW QUESTION 3

- (Exam Topic 1)

You migrate App1 to Azure. You need to ensure that the data storage for App1 meets the security and compliance requirement
 What should you do?

- A. Create an access policy for the blob
 B. Modify the access level of the blob service.
 C. Implement Azure resource locks.
 D. Create Azure RBAC assignments.

Answer: A

Explanation:

Scenario: Once App1 is migrated to Azure, you must ensure that new data can be written to the app, and the modification of new and existing data is prevented for a period of three years.

As an administrator, you can lock a subscription, resource group, or resource to prevent other users in your organization from accidentally deleting or modifying critical resources. The lock overrides any permissions the user might have.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-resource-manager/management/lock-resources>

NEW QUESTION 4

- (Exam Topic 2)

What should you include in the identity management strategy to support the planned changes?

- A. Move all the domain controllers from corp.fabrikam.com to virtual networks in Azure.
 B. Deploy domain controllers for corp.fabrikam.com to virtual networks in Azure.
 C. Deploy a new Azure AD tenant for the authentication of new R&D projects.
 D. Deploy domain controllers for the rd.fabrikam.com forest to virtual networks in Azure.

Answer: B

Explanation:

Directory synchronization between Azure Active Directory (Azure AD) and corp.fabrikam.com must not be affected by a link failure between Azure and the on-premises network. (This requires domain controllers in Azure)

Users on the on-premises network must be able to authenticate to corp.fabrikam.com if an Internet link fails. (This requires domain controllers on-premises)

NEW QUESTION 5

- (Exam Topic 3)

You need to recommend a solution that meets the application development requirements. What should you include in the recommendation?

- A. an Azure Container Registry instance
- B. deployment slots
- C. Continuous Integration/Continuous Deployment (CI/CD) sources
- D. the Azure App Configuration service

Answer: B

NEW QUESTION 6

- (Exam Topic 3)

You need to recommend an App Service architecture that meets the requirements for Appl. The solution must minimize costs. What should few recommend?

- A. one App Service Environment (ASE) per availability zone
- B. one App Service plan per availability zone
- C. one App Service plan per region
- D. one App Service Environment (ASE) per region

Answer: D

NEW QUESTION 7

- (Exam Topic 3)

You are evaluating whether to use Azure Traffic Manager and Azure Application Gateway to meet the connection requirements for App1. What is the minimum numbers of instances required for each service? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Answer Area

Azure Traffic Manager:

1

2

3

6

Azure Application Gateway:

1

2

3

6

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Azure Traffic Manager:

1

2

3

6

Azure Application Gateway:

1

2

3

6

NEW QUESTION 8

- (Exam Topic 4)

A company has an on-premises file server cbflserver that runs Windows Server 2019. Windows Admin Center manages this server. The company owns an Azure subscription. You need to provide an Azure solution to prevent data loss if the file server fails.

Solution: You decide to create an Azure Recovery Services vault. You then decide to install the Azure Backup agent and then schedule the backup. Would this meet the requirement?

- A. Yes
- B. No

Answer: A

NEW QUESTION 9

- (Exam Topic 4)

What two parameters would you recommend set up to ensure that the new IPSCustomers database will scale to meet the workload demands?

- A. Define the maximum of CPU cores
- B. Define the maximum resource limit per group of databases
- C. Define the maximum of Database Transaction Units
- D. Define the maximum of the allocated storage
- E. Define the maximum size for a database

Answer: CE

NEW QUESTION 10

- (Exam Topic 5)

Your organization has developed and deployed several Azure App Service Web and API applications. The applications use Azure Key Vault to store several authentication, storage account, and data encryption keys.

Several departments have the following requests to support the applications:

Department	Request
Security	<ul style="list-style-type: none">Review membership of administrative roles and require to provide a justification for continued membershipGet alerts about changes in administrator assignments.See a history of administrator activation, including which changes administrators made to Azure resources.
Development	<ul style="list-style-type: none">Enable the applications to access Azure Key Vault and retrieve keys for use in code.
Quality Assurance	<ul style="list-style-type: none">Receive temporary administrator access to create and configure additional Web and API applications in the test environment.

You need to recommend the appropriate Azure service for each department request.

What should you recommend? To answer, configure the appropriate options in the dialog box in the answer area.

NOTE: Each correct selection is worth one point.

Department

Azure Service

Security

Azure AD Privileged Identity Management

Azure AD Managed Service Identity

Azure AD Connect

Azure AD Identity Protection

Development

Azure AD Privileged Identity Management

Azure AD Managed Service Identity

Azure AD Connect

Azure AD Identity Protection

Quality Assurance

Azure AD Privileged Identity Management

Azure AD Managed Service Identity

Azure AD Connect

Azure AD Identity Protection

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Text Description automatically generated with medium confidence

<https://docs.microsoft.com/en-us/azure/active-directory/managed-identities-azure-resources/overview>

NEW QUESTION 10

- (Exam Topic 5)

You plan to deploy an application named App1 that will run in containers on Azure Kubernetes Service (AKS) clusters. The AKS clusters will be distributed across four Azure regions.

You need to recommend a storage solution to ensure that updated container images are replicated automatically to all the Azure regions hosting the AKS clusters. Which storage solution should you recommend?

- A. Azure Cache for Redis
- B. Premium SKU Azure Container Registry
- C. Azure Content Delivery Network (CON)
- D. geo-redundant storage (GRS) accounts

Answer: B

NEW QUESTION 12

- (Exam Topic 5)

You have SQL Server on an Azure virtual machine. The databases are written to nightly as part of a batch process. You need to recommend a disaster recovery solution for the data. The solution must meet the following requirements:

- Provide the ability to recover in the event of a regional outage.
- Support a recovery time objective (RTO) of 15 minutes.
- Support a recovery point objective (RPO) of 24 hours.
- Support automated recovery.
- Minimize costs.

What should you include in the recommendation?

- A. Azure virtual machine availability sets
- B. Azure Disk Backup
- C. an Always On availability group
- D. Azure Site Recovery

Answer: D

Explanation:

Replication with Azure Site Recover:

- RTO is typically less than 15 minutes.
- RPO: One hour for application consistency and five minutes for crash consistency. Reference:

<https://docs.microsoft.com/en-us/azure/site-recovery/site-recovery-sql>

NEW QUESTION 14

- (Exam Topic 5)

You plan to develop a new app that will store business critical data. The app must meet the following requirements:

- Prevent new data from being modified for one year.
- Minimize read latency.
- Maximize data resiliency.

You need to recommend a storage solution for the app.

What should you recommend? To answer, select the appropriate options in the answer area.

Azure Storage account kind:

	▼
StorageV2	
BlobStorage	
BlockBlobStorage	

Replication:

	▼
Zone-redundant storage (ZRS)	
Locally-redundant storage (LRS)	
Read-access geo-redundant storage (RA-GRS)	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/storage/common/storage-account-overview> <https://docs.microsoft.com/en-us/azure/storage/common/storage-redundancy?toc=/azure/storage/blobs/toc.json>

NEW QUESTION 15

- (Exam Topic 5)

You have an on-premises Microsoft SQL Server 2008 instance that hosts a 50-GB database.

You need to migrate the database to an Azure SQL managed instance. The solution must minimize downtime. What should you use?

- A. Azure Migrate
- B. WANdisco LiveData Platform for Azure
- C. Azure Data Studio
- D. SQL Server Management Studio (SSMS)

Answer: C

NEW QUESTION 17

- (Exam Topic 5)

You have an Azure subscription.

You need to recommend an Azure Kubernetes service (AKS) solution that will use Linux nodes. The solution must meet the following requirements:

- Minimize the time it takes to provision compute resources during scale-out operations.
- Support autoscaling of Linux containers.
- Minimize administrative effort.

Which scaling option should you recommend?

- A. Virtual Kubetet
- B. cluster autoscaler
- C. virtual nodes
- D. horizontal pod autoscaler

Answer: B

Explanation:

<https://docs.microsoft.com/en-us/azure/aks/virtual-nodes>

NEW QUESTION 21

- (Exam Topic 5)

You have a .NET web service named Service1 that performs the following tasks:

- Reads and writes temporary files to the local file system.
- Writes to the Application event log.

You need to recommend a solution to host Service1 in Azure. The solution must meet the following requirements:

- Minimize maintenance overhead.
- Minimize costs.

What should you include in the recommendation?

- A. an Azure Functions app
- B. an App Service Environment (ASE)
- C. an Azure virtual machine scale set
- D. an Azure App Service web app

Answer: C

NEW QUESTION 24

- (Exam Topic 5)

You have an application named App1. App1 generates log files that must be archived for five years. The log files must be readable by App1 but must not be modified.

Which storage solution should you recommend for archiving?

- A. Ingest the log files into an Azure Log Analytics workspace
- B. Use an Azure Blob storage account and a time-based retention policy
- C. Use an Azure Blob storage account configured to use the Archive access tier
- D. Use an Azure file share that has access control enabled

Answer: B

Explanation:

Immutable storage for Azure Blob storage enables users to store business-critical data objects in a WORM (Write Once, Read Many) state.

Immutable storage supports:

Time-based retention policy support: Users can set policies to store data for a specified interval. When a time-based retention policy is set, blobs can be created and read, but not modified or deleted. After the retention period has expired, blobs can be deleted but not overwritten.

Reference:

<https://docs.microsoft.com/en-us/azure/storage/blobs/storage-blob-immutable-storage>

NEW QUESTION 25

- (Exam Topic 5)

You have an Azure subscription that contains a Basic Azure virtual WAN named VirtualWAN1 and the virtual hubs shown in the following table.

Name	Azure region
Hub1	US East
Hub2	US West

You have an ExpressRoute circuit in the US East region.

You need to create an ExpressRoute association to VirtualWAN1. What should you do first?

- A. Upgrade VirtualWAN1 to Standard.
- B. Create a gateway on Hub1.
- C. Create a hub virtual network in US East.
- D. Enable the ExpressRoute premium add-on.

Answer: A

Explanation:

US East and US West are in the same geopolitical region so there is no need for enabling ExpressRoute premium add-on <https://docs.microsoft.com/en-us/azure/virtual-wan/virtual-wan-about#basicstandard>

The current config of virtual WAN is only Basic as given, so it can connect to only site to site VPN, to connect to express route it needs to be upgraded from basic to standard.

<https://docs.microsoft.com/en-us/azure/virtual-wan/virtual-wan-about>
<https://docs.microsoft.com/en-us/azure/virtual-wan/virtual-wan-about>

NEW QUESTION 26

- (Exam Topic 5)

You are designing a microservices architecture that will be hosted in an Azure Kubernetes Service (AKS) cluster. Apps that will consume the microservices will be hosted on Azure virtual machines. The virtual machines and the AKS cluster will reside on the same virtual network.

You need to design a solution to expose the microservices to the consumer apps. The solution must meet the following requirements:

- Ingress access to the microservices must be restricted to a single private IP address and protected by using mutual TLS authentication.
- The number of incoming microservice calls must be rate-limited.
- Costs must be minimized.

What should you include in the solution?

- A. Azure API Management Premium tier with virtual network connection
- B. Azure Front Door with Azure Web Application Firewall (WAF)
- C. Azure API Management Standard tier with a service endpoint
- D. Azure App Gateway with Azure Web Application Firewall (WAF)

Answer: A

Explanation:

One option is to deploy APIM (API Management) inside the cluster VNet.

The AKS cluster and the applications that consume the microservices might reside within the same VNet, hence there is no reason to expose the cluster publicly as all API traffic will remain within the VNet. For these scenarios, you can deploy API Management into the cluster VNet. API Management Premium tier supports VNet deployment.

Reference:

<https://docs.microsoft.com/en-us/azure/api-management/api-management-kubernetes>

NEW QUESTION 29

- (Exam Topic 5)

You need to design a highly available Azure SQL database that meets the following requirements:

- * Failover between replicas of the database must occur without any data loss.
- * The database must remain available in the event of a zone outage.
- * Costs must be minimized.

Which deployment option should you use?

- A. Azure SQL Database Business Critical
- B. Azure SQL Database Managed Instance Business Critical
- C. Azure SQL Database Serverless
- D. Azure SQL Database Premium

Answer: D

Explanation:

General Purpose / Standard prevents data loss through high available storage

<https://docs.microsoft.com/en-us/azure/azure-sql/database/service-tier-general-purpose?view=azuresql>. This architectural model relies on high availability and reliability of Azure Blob storage that transparently replicates database files and guarantees no data loss if underlying infrastructure failure happens. General Purpose / Standard support Zone Redundancy For General Purpose tier the zone-redundant configuration is Generally Available in the following regions: <https://docs.microsoft.com/en-us/azure/azure-sql/database/high-availability-sla?view=azuresql&tabs=azure-pow> Without any information regarding the usage pattern, serverless is possible. Other option is D <https://docs.microsoft.com/en-us/azure/azure-sql/database/serverless-tier-overview?view=azuresql>

NEW QUESTION 33

- (Exam Topic 5)

A company has an existing web application that runs on virtual machines (VMs) in Azure.

You need to ensure that the application is protected from SQL injection attempts and uses a layer-7 load balancer. The solution must minimize disruption to the code for the existing web application.

What should you recommend? To answer, drag the appropriate values to the correct items. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Values	Answer Area	
	Item	Value
Web Application Firewall (WAF)		
Azure Application Gateway	Azure service	
Azure Load Balancer		
Azure Traffic Manager	Feature	
SSL offloading		
URL-based content routing		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: Azure Application Gateway

Azure Application Gateway provides an application delivery controller (ADC) as a service. It offers various layer 7 load-balancing capabilities for your applications.

Box 2: Web Application Firewall (WAF)

Application Gateway web application firewall (WAF) protects web applications from common vulnerabilities and exploits.

This is done through rules that are defined based on the OWASP core rule sets 3.0 or 2.2.9.

There are rules that detects SQL injection attacks. References:

<https://docs.microsoft.com/en-us/azure/application-gateway/application-gateway-faq> <https://docs.microsoft.com/en-us/azure/application-gateway/waf-overview>

NEW QUESTION 34

- (Exam Topic 5)

You are designing a virtual machine that will run Microsoft SQL Server and will contain two data disks. The first data disk will store log files, and the second data disk will store data. Both disks are P40 managed disks.

You need to recommend a caching policy for each disk. The policy must provide the best overall performance for the virtual machine.

Which caching policy should you recommend for each disk? To answer, drag the appropriate policies to the correct disks. Each policy may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Policies

None
ReadOnly
ReadWrite

Answer Area

⏪	Log:	Policy
⏩	Data:	Policy

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, application Description automatically generated

References:

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/sql/virtual-machines-windows-sql-performan>

NEW QUESTION 37

- (Exam Topic 5)

You plan provision a High Performance Computing (HPC) cluster in Azure that will use a third-party scheduler.

You need to recommend a solution to provision and manage the HPC cluster node. What should you include in the recommendation?

- A. Azure Lighthouse
- B. Azure CycleCloud
- C. Azure Purview
- D. Azure Automation

Answer: B

Explanation:

You can dynamically provision Azure HPC clusters with Azure CycleCloud. Azure CycleCloud is the simplest way to manage HPC workloads.

Note: Azure CycleCloud is an enterprise-friendly tool for orchestrating and managing High Performance Computing (HPC) environments on Azure. With CycleCloud, users can provision infrastructure for HPC systems, deploy familiar HPC schedulers, and automatically scale the infrastructure to run jobs efficiently at any scale. Through CycleCloud, users can create different types of file systems and mount them to the compute cluster nodes to support HPC workloads.

Reference:

<https://docs.microsoft.com/en-us/azure/cyclecloud/overview>

NEW QUESTION 39

- (Exam Topic 5)

Your company has an Azure Web App that runs via the Premium App Service Plan. A development team will be using the Azure Web App. You have to configure the Azure Web app so that it can fulfil the below requirements.

Provide the ability to switch the web app from the current version to a newer version

Provide developers with the ability to test newer versions of the application before the switch to the newer version occurs

Ensure that the application version can be rolled back Minimize downtime

Which of the following can be used for this requirement?

- A. Create a new App Service Plan
- B. Make use of deployment slots
- C. Map a custom domain

D. Backup the Azure Web App

Answer: B

NEW QUESTION 43


- (Exam Topic 5)

You are designing a cost-optimized solution that uses Azure Batch to run two types of jobs on Linux nodes. The first job type will consist of short-running tasks for a development environment. The second job type will consist of long-running Message Passing Interface (MPI) applications for a production environment that requires timely job completion.

You need to recommend the pool type and node type for each job type. The solution must minimize compute charges and leverage Azure Hybrid Benefit whenever possible.

What should you recommend? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

NEW QUESTION 48

- (Exam Topic 5)

You have an Azure subscription. The subscription contains an app that is hosted in the East US, Central Europe, and East Asia regions.

You need to recommend a data-tier solution for the app. The solution must meet the following requirements: ➤ Support multiple consistency levels.

- Be able to store at least 1 TB of data.
- Be able to perform read and write operations in the Azure region that is local to the app instance. What should you include in the recommendation?

- A. an Azure Cosmos DB database
- B. a Microsoft SQL Server Always On availability group on Azure virtual machines
- C. an Azure SQL database in an elastic pool
- D. Azure Table storage that uses geo-redundant storage (GRS) replication

Answer: A

Explanation:

Azure Cosmos DB approaches data consistency as a spectrum of choices. This approach includes more options than the two extremes of strong and eventual consistency. You can choose from five well-defined levels on the consistency spectrum.

With Cosmos DB any write into any region must be replicated and committed to all configured regions within the account.

Reference:

<https://docs.microsoft.com/en-us/azure/cosmos-db/consistency-levels-tradeoffs>

NEW QUESTION 50

- (Exam Topic 5)

You have a multi-tier app named Appl and an Azure SQL database named SQL 1. The backend service Of Appl writes data to Users use the Appl client to read the data from SQL 1.

During periods of high utilization the users experience delays retrieving the data. You need to minimize how long it takes for data requests.

What should you include in the solution?

- A. Azure Synapse Analytics
- B. Azure Content Delivery Network (CON)
- C. Azure Data Factory
- D. Azure Cache for Redis

Answer: D

NEW QUESTION 54

- (Exam Topic 5)

A company named Contoso, Ltd. has an Azure Active Directory (Azure AD) tenant that is integrated with Microsoft Office 365 and an Azure subscription.

Contoso has an on-premises identity infrastructure. The infrastructure includes servers that run Active Directory Domain Services (AD DS), and Azure AD Connect

Contoso has a partnership with a company named Fabrikam, Inc. Fabrikam has an Active Directory forest and an Office 365 tenant. Fabrikam has the same on-

premises identity infrastructure as Contoso.

A team of 10 developers from Fabrikam will work on an Azure solution that will be hosted in the Azure subscription of Contoso. The developers must be added to the Contributor role for a resource in the Contoso subscription.

You need to recommend a solution to ensure that Contoso can assign the role to the 10 Fabrikam developers. The solution must ensure that the Fabrikam developers use their existing credentials to access resources.

What should you recommend?

- A. Configure a forest trust between the on-premises Active Directory forests of Contoso and Fabrikam.
- B. Configure an organization relationship between the Office 365 tenants of Fabrikam and Contoso.
- C. In the Azure AD tenant of Contoso, use MIM to create guest accounts for the Fabrikam developers.
- D. Configure an AD FS relying party trust between the fabrikam and Contoso AD FS infrastructures.

Answer: A

Explanation:

Trust configurations - Configure trust from managed forests(s) or domain(s) to the administrative forest

- > A one-way trust is required from production environment to the admin forest.
- > Selective authentication should be used to restrict accounts in the admin forest to only logging on to the appropriate production hosts.

References:

<https://docs.microsoft.com/en-us/windows-server/identity/securing-privileged-access/securing-privileged-access>

NEW QUESTION 56

- (Exam Topic 5)

You have an Azure subscription.

You need to deploy an Azure Kubernetes Service (AKS) solution that will use Windows Server 2019 nodes. The solution must meet the following requirements:

- Minimize the time it takes to provision compute resources during scale-out operations.
- Support autoscaling of Windows Server containers. Which scaling option should you recommend?

- A. horizontal pod autoscaler
- B. Kubernetes version 1.20.2 or newer
- C. cluster autoscaler
- D. Virtual nodes
- E. with Virtual Kubelet ACI

Answer: C

Explanation:

<https://docs.microsoft.com/en-us/azure/aks/cluster-autoscaler#about-the-cluster-autoscaler>

NEW QUESTION 59

- (Exam Topic 5)

Your on-premises network contains a file server named Server1 that stores 500 GB of data. You need to use Azure Data Factory to copy the data from Server1 to Azure Storage.

You add a new data factory.

What should you do next? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

From Server1:

From the data factory:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Box 1: Install a self-hosted integration runtime

The Integration Runtime is a customer-managed data integration infrastructure used by Azure Data Factory to provide data integration capabilities across different network environments.

Box 2: Create a pipeline

With ADF, existing data processing services can be composed into data pipelines that are highly available and managed in the cloud. These data pipelines can be scheduled to ingest, prepare, transform, analyze, and publish data, and ADF manages and orchestrates the complex data and processing dependencies

References:

<https://docs.microsoft.com/en-us/azure/machine-learning/team-data-science-process/move-sql-azure-adf>

NEW QUESTION 63

- (Exam Topic 5)

You plan to deploy an Azure web app named Appl that will use Azure Active Directory (Azure AD) authentication.

App1 will be accessed from the internet by the users at your company. All the users have computers that run Windows 10 and are joined to Azure AD. You need to recommend a solution to ensure that the users can connect to App1 without being prompted for authentication and can access App1 only from company-owned computers. What should you recommend for each requirement? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

The users can connect to App1 without being prompted for authentication:	<input type="checkbox"/> An Azure AD app registration <input type="checkbox"/> An Azure AD managed identity <input type="checkbox"/> Azure AD Application Proxy
The users can access App1 only from company-owned computers:	<input type="checkbox"/> A conditional access policy <input type="checkbox"/> An Azure AD administrative unit <input type="checkbox"/> Azure Application Gateway <input type="checkbox"/> Azure Blueprints <input type="checkbox"/> Azure Policy

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, chat or text message Description automatically generated

Box 1: An Azure AD app registration

Azure active directory (AD) provides cloud based directory and identity management services. You can use azure AD to manage users of your application and authenticate access to your applications using azure active directory.

You register your application with Azure active directory tenant. Box 2: A conditional access policy

Conditional Access policies at their simplest are if-then statements, if a user wants to access a resource, then they must complete an action.

By using Conditional Access policies, you can apply the right access controls when needed to keep your organization secure and stay out of your user's way when not needed.

Timeline Description automatically generated



Reference:

<https://codingcanvas.com/using-azure-active-directory-authentication-in-your-web-application/> <https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/overview> <https://docs.microsoft.com/en-us/powerapps/developer/data-platform/walkthrough-register-app-azure-active-dire> "After consenting to use their Dataverse account with the ISV's application, end users can connect to Dataverse environment from external application. The consent form is not displayed again to other users after the first user who has already consented to use the ISV's app. Apps registered in Azure Active Directory are multi-tenant, which implies that other Dataverse users from other tenant can connect to their environment using the ISV's app."

NEW QUESTION 64

- (Exam Topic 5)

You plan to automate the deployment of resources to Azure subscriptions.

What is a difference between using Azure Blueprints and Azure Resource Manager templates?

- A. Azure Resource Manager templates remain connected to the deployed resources.
- B. Only Azure Resource Manager templates can contain policy definitions.
- C. Azure Blueprints remain connected to the deployed resources.
- D. Only Azure Blueprints can contain policy definitions.

Answer: C

Explanation:

With Azure Blueprints, the relationship between the blueprint definition (what should be deployed) and the blueprint assignment (what was deployed) is preserved. This connection supports improved tracking and auditing of deployments. Azure Blueprints can also upgrade several subscriptions at once that are governed by the same blueprint.

Reference:

<https://docs.microsoft.com/en-us/answers/questions/26851/how-is-azure-blue-prints-different-from-resource-m.h>

NEW QUESTION 66

- (Exam Topic 5)

You have the Azure resources shown in the following table.

Name	Type	Description
VNET1	Virtual network	Connected to an on-premises network by using ExpressRoute
VM1	Virtual machine	Configured as a DNS server
SQLDB1	Azure SQL Database	Single instance
PE1	Private endpoint	Provides connectivity to SQLDB1
contoso.com	Private DNS zone	Linked to VNET1 and contains an A record for PE1
contoso.com	Public DNS zone	Contains a CNAME record for SQLDB1

You need to design a solution that provides on-premises network connectivity to SQLDB1 through PE1. How should you configure name resolution? To answer, select the appropriate options in the answer area.

Azure configuration:

Configure VM1 to forward contoso.com to the public DNS zone.
 Configure VM1 to forward contoso.com to the Azure-provided DNS at 168.63.129.16.
 In VNet1, configure a custom DNS server set to the Azure-provided DNS at 168.63.129.16.

On-premises DNS configuration:

Forward contoso.com to VM1.
 Forward contoso.com to the public DNS zone.
 Forward contoso.com to the Azure-provided DNS at 168.63.129.16.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Azure configuration:

Configure VM1 to forward contoso.com to the public DNS zone.
 Configure VM1 to forward contoso.com to the Azure-provided DNS at 168.63.129.16.
 In VNet1, configure a custom DNS server set to the Azure-provided DNS at 168.63.129.16.

On-premises DNS configuration:

Forward contoso.com to VM1.
 Forward contoso.com to the public DNS zone.
 Forward contoso.com to the Azure-provided DNS at 168.63.129.16.

NEW QUESTION 70

- (Exam Topic 5)

You have an on-premises file server that stores 2 TB of data files.

You plan to move the data files to Azure Blob storage in the Central Europe region.

You need to recommend a storage account type to store the data files and a replication solution for the storage account. The solution must meet the following requirements:

- > Be available if a single Azure datacenter fails.
- > Support storage tiers.
- > Minimize cost.

What should you recommend? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Account type:

Blob storage
 Storage (general purpose v1)
 StorageV2 (general purpose v2)

Replication solution:

Geo-redundant storage (GRS)
 Zone-redundant storage (ZRS)
 Locally-redundant storage (LRS)
 Read-access geo-redundant storage (RA-GRS)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, chat or text message Description automatically generated

Account Type: StorageV2

Replication solution: Zone-redundant storage (ZRS)

NEW QUESTION 75

- (Exam Topic 5)

You are designing a SQL database solution. The solution will include 20 databases that will be 20 GB each and have varying usage patterns. You need to recommend a database platform to host the databases. The solution must meet the following requirements:

- The compute resources allocated to the databases must scale dynamically.
- The solution must meet an SLA of 99.99% uptime.
- The solution must have reserved capacity.
- Compute charges must be minimized.

What should you include in the recommendation?

- A. 20 databases on a Microsoft SQL server that runs on an Azure virtual machine
- B. 20 instances of Azure SQL Database serverless
- C. 20 databases on a Microsoft SQL server that runs on an Azure virtual machine in an availability set
- D. an elastic pool that contains 20 Azure SQL databases

Answer: D

Explanation:

Azure SQL Database elastic pools are a simple, cost-effective solution for managing and scaling multiple databases that have varying and unpredictable usage demands. The databases in an elastic pool are on a single server and share a set number of resources at a set price. Elastic pools in Azure SQL Database enable SaaS developers to optimize the price performance for a group of databases within a prescribed budget while delivering performance elasticity for each database. Guaranteed 99.995 percent uptime for SQL Database Reference:

<https://docs.microsoft.com/en-us/azure/azure-sql/database/elastic-pool-overview> <https://azure.microsoft.com/en-us/pricing/details/sql-database/elastic/>

<https://www.azure.cn/en-us/support/sla/virtual-machines/>

<https://techcommunity.microsoft.com/t5/azure-sql/optimize-price-performance-with-compute-auto-scaling-in-az>

NEW QUESTION 79

- (Exam Topic 5)

You plan to store data in Azure Blob storage for many years. The stored data will be accessed rarely.

You need to ensure that the data in Blob storage is always available for immediate access. The solution must minimize storage costs.

Which storage tier should you use?

- A. Cool
- B. Archive
- C. Hot

Answer: A

Explanation:

Azure cool tier is equivalent to the Amazon S3 Infrequent Access (S3-IA) storage in AWS that provides a low cost high performance storage for infrequently access data.

Note: Azure's cool storage tier, also known as Azure cool Blob storage, is for infrequently-accessed data that needs to be stored for a minimum of 30 days.

Typical use cases include backing up data before tiering to archival systems, legal data, media files, system audit information, datasets used for big data analysis and more.

The storage cost for this Azure cold storage tier is lower than that of hot storage tier. Since it is expected that the data stored in this tier will be accessed less frequently, the data access charges are high when compared to hot tier. There are no additional changes required in your applications as these tiers can be accessed using APIs in the same manner that you access Azure storage.

References:

<https://cloud.netapp.com/blog/low-cost-storage-options-on-azure>

NEW QUESTION 84

- (Exam Topic 5)

You have an Azure subscription that contains two applications named App1 and App2. App1 is a sales processing application. When a transaction in App1 requires shipping, a message is added to an Azure Storage account queue, and then App2 listens to the queue for relevant transactions.

In the future, additional applications will be added that will process some of the shipping requests based on the specific details of the transactions.

You need to recommend a replacement for the storage account queue to ensure that each additional application will be able to read the relevant transactions.

What should you recommend?

- A. one Azure Service Bus queue
- B. one Azure Service Bus topic
- C. one Azure Data Factory pipeline
- D. multiple storage account queues

Answer: B

Explanation:

A queue allows processing of a message by a single consumer. In contrast to queues, topics and subscriptions provide a one-to-many form of communication in a publish and subscribe pattern. It's useful for scaling to large numbers of recipients. Each published message is made available to each subscription registered with the topic. Publisher sends a message to a topic and one or more subscribers receive a copy of the message, depending on filter rules set on these subscriptions.

Reference:

<https://docs.microsoft.com/en-us/azure/service-bus-messaging/service-bus-queues-topics-subscriptions>

NEW QUESTION 86

- (Exam Topic 5)

You have an Azure web app named App1 and an Azure key vault named KV1. App1 stores database connection strings in KV1. App1 performs the following types of requests to KV1:

- > Get
- > List
- > Wrap
- > Delete
- > Unwrap
- > Backup
- > Decrypt
- > Encrypt

You are evaluating the continuity of service for App1. You need to identify the following if the Azure region that hosts KV1 becomes unavailable:

- > To where will KV1 fail over?
- > During the failover, which request type will be unavailable?

What should you identify? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

To where will KV1 fail over?

A server in the same Availability Set

A server in the same fault domain

A server in the same paired region

A virtual machine in a scale set

During the failover, which request type will be unavailable?

Backup

Decrypt

Delete

Encrypt

Get

List

Unwrap

Wrap

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Table Description automatically generated

Box 1: A server in the same paired region

The contents of your key vault are replicated within the region and to a secondary region at least 150 miles away, but within the same geography to maintain high durability of your keys and secrets.

Box 2: Delete

During failover, your key vault is in read-only mode. Requests that are supported in this mode are:

- > List certificates
- > Get certificates
- > List secrets
- > Get secrets
- > List keys
- > Get (properties of) keys
- > Encrypt
- > Decrypt
- > Wrap
- > Unwrap
- > Verify
- > Sign

> Backup
Reference:
<https://docs.microsoft.com/en-us/azure/key-vault/general/disaster-recovery-guidance>

NEW QUESTION 89

- (Exam Topic 5)
You are developing a multi-tier app named App1 that will be hosted on Azure virtual machines. The peak utilization periods for App1 will be from 8 AM to 9 AM and 4 PM to 5 PM on weekdays.
You need to deploy the infrastructure for App1. The solution must meet the following requirements:

- Support virtual machines deployed to four availability zones across two Azure regions.
- Minimize costs by accumulating CPU credits during periods of low utilization.

What is the minimum number of virtual networks you should deploy, and which virtual machine size should you use? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Answer Area

Number of virtual networks:

2

1

2

3

4

Virtual machine size:

B-Series

A-Series

B-Series

D-Series

M-Series

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area

Number of virtual networks:

2

1

2

3

4

Virtual machine size:

B-Series

A-Series

B-Series

D-Series

M-Series

NEW QUESTION 90

- (Exam Topic 5)
You plan to deploy an infrastructure solution that will contain the following configurations:

- External users will access the infrastructure by using Azure Front Door.
- External user access to the backend APIs hosted in Azure Kubernetes Service (AKS) will be controlled by using Azure API Management.
- External users will be authenticated by an Azure AO B2C tenant that uses OpenID Connect-based federate with a third-party identity provider.

Which function does each service provide? To answer, drag the appropriate functions to the correct services. Each function may be used once, more than once, or not at all You may need to drag the split bar between panes or scroll to view content.
NOTE: Each correct selection is worth one point.

Functions	Answer Area
Protection against Open Web Application Security Project (OWASP) vulnerabilities	Front Door: <input type="text"/>
IP filtering on a per-API level	API Management: <input type="text"/>
Validation of Azure B2C JSON Web Tokens (JWTs)	

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Front Door: Protection against Open Web Application Security Project (OWASP) vulnerabilities¹

API Management: IP filtering on a per-API level² and validation of Azure B2C JSON Web Tokens (JWTs)³ References:

1: Azure Front Door - Web Application Firewall 2: Azure API Management policy reference - ip-filter 3: to validate an Azure B2C JWT token in a web API?

NEW QUESTION 92

- (Exam Topic 5)

You are developing a sates application that will contain several Azure cloud services and handle different components of a transaction. Different cloud services will process customer orders, billing, payment inventory, and shipping. You need to recommend a solution to enable the cloud services to asynchronously communicate transaction information by using XML messages. What should you include in the recommendation?

- A. Azure Data Lake
B. Azure Notification Hubs
C. Azure Queue Storage
D. Azure Service Fabric

Answer: C

NEW QUESTION 93

- (Exam Topic 5)

You have the Free edition of a hybrid Azure Active Directory (Azure AD) tenant. The tenant uses password hash synchronization.

You need to recommend a solution to meet the following requirements:

- Prevent Active Directory domain user accounts from being locked out as the result of brute force attacks targeting Azure AD user accounts.
- Block legacy authentication attempts to Azure AD integrated apps.
- Minimize costs.

What should you recommend for each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

To protect against brute force attacks:

Azure AD Password Protection
Conditional access policies
Pass-through authentication
Smart lockout

To block legacy authentication attempts:

Azure AD Application Proxy
Azure AD Password Protection
Conditional access policies
Enable Security defaults

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: Smart lockout

Smart lockout helps lock out bad actors that try to guess your users' passwords or use brute-force methods to get in. Smart lockout can recognize sign-ins that

come from valid users and treat them differently than ones of attackers and other unknown sources. Attackers get locked out, while your users continue to access their accounts and be productive.

Box 2: Conditional access policies

If your environment is ready to block legacy authentication to improve your tenant's protection, you can accomplish this goal with Conditional Access.

How can you prevent apps using legacy authentication from accessing your tenant's resources? The recommendation is to just block them with a Conditional Access policy. If necessary, you allow only certain users and specific network locations to use apps that are based on legacy authentication.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-password-smart-lockout> <https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/block-legacy-authentication>

NEW QUESTION 98

- (Exam Topic 5)

You need to design a highly available Azure SQL database that meets the following requirements:

- * Failover between replicas of the database must occur without any data loss.
- * The database must remain available in the event of a zone outage.
- * Costs must be minimized.

Which deployment option should you use?

- A. Azure SQL Database Premium
- B. Azure SQL Database Hyperscale
- C. Azure SQL Database Basic
- D. Azure SQL Managed Instance Business Critical

Answer: D

NEW QUESTION 103

- (Exam Topic 5)

Your on-premises network contains a file server named Server1 that stores 500 GB of data. You need to use Azure Data Factory to copy the data from Server1 to Azure Storage.

You add a new data factory.

What should you do next? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

From Server1:

▼

Install an Azure File Sync agent

Install a self-hosted integration runtime

Install the File Server Resource Manager role service

From the data factory:

▼

Create a pipeline

Create an import/export job

Provision an Azure-SQL Server Integration Services (SSIS) integration runtime

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Box 1: Install a self-hosted integration runtime

The Integration Runtime is a customer-managed data integration infrastructure used by Azure Data Factory to provide data integration capabilities across different network environments.

Box 2: Create a pipeline

With ADF, existing data processing services can be composed into data pipelines that are highly available and managed in the cloud. These data pipelines can be scheduled to ingest, prepare, transform, analyze, and publish data, and ADF manages and orchestrates the complex data and processing dependencies

References:

<https://docs.microsoft.com/en-us/azure/machine-learning/team-data-science-process/move-sql-azure-adf> <https://docs.microsoft.com/pl-pl/azure/data-factory/tutorial-hybrid-copy-data-tool>

syu31svc 3 months, 4 weeks ago

<https://docs.microsoft.com/en-us/azure/data-factory/create-self-hosted-integration-runtime?tabs=data-factory> "A self-hosted integration runtime can run copy activities between a cloud data store and a data store in a private network"

<https://docs.microsoft.com/en-us/azure/data-factory/introduction>

"With Data Factory, you can use the Copy Activity in a data pipeline to move data from both on-premises and cloud source data stores to a centralization data store in the cloud for further analysis"

NEW QUESTION 107

- (Exam Topic 5)

You need to recommend a solution to generate a monthly report of all the new Azure Resource Manager resource deployment in your subscription. What should you include in the recommendation?

- A. Azure Analysis Services
- B. Application Insights
- C. Azure Monitor action groups
- D. Azure Log Analytics

Answer: D

Explanation:

Activity logs are kept for 90 days. You can query for any range of dates, as long as the starting date isn't more than 90 days in the past. Through activity logs, you can determine:

- > what operations were taken on the resources in your subscription
- > who started the operation
- > when the operation occurred
- > the status of the operation
- > the values of other properties that might help you research the operation

Reference:

<https://docs.microsoft.com/en-us/azure/azure-resource-manager/management/view-activity-logs> <https://docs.microsoft.com/en-us/azure/automation/change-tracking>

NEW QUESTION 112

- (Exam Topic 5)

Your company has two on-premises sites in New York and Los Angeles and Azure virtual networks in the East US Azure region and the West US Azure region. Each on-premises site has Azure ExpressRoute circuits to both regions.

You need to recommend a solution that meets the following requirements:

- > Outbound traffic to the Internet from workloads hosted on the virtual networks must be routed through the closest available on-premises site.
- > If an on-premises site fails, traffic from the workloads on the virtual networks to the Internet must reroute automatically to the other site.

What should you include in the recommendation? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Routing from the virtual networks to the on-premises locations must be configured by using:	<div><div></div><div>Azure default routes</div><div>Border Gateway Protocol (BGP)</div><div>User-defined routes</div></div>
The automatic routing configuration following a failover must be handled by using:	<div><div></div><div>Border Gateway Protocol (BGP)</div><div>Hot Standby Routing Protocol (HSRP)</div><div>Virtual Router Redundancy Protocol (VRRP)</div></div>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

An on-premises network gateway can exchange routes with an Azure virtual network gateway using the border gateway protocol (BGP). Using BGP with an Azure virtual network gateway is dependent on the type you selected when you created the gateway. If the type you selected were: ExpressRoute: You must use BGP to advertise on-premises routes to the Microsoft Edge router. You cannot create user-defined routes to force traffic to the ExpressRoute virtual network gateway if you deploy a virtual network gateway deployed as type: ExpressRoute. You can use user-defined routes for forcing traffic from the Express Route to, for example, a Network Virtual Appliance.

<https://docs.microsoft.com/ja-jp/azure/expressroute/designing-for-disaster-recovery-with-expressroute-privatepe> <https://docs.microsoft.com/en-us/azure/expressroute/expressroute-optimize-routing#suboptimal-routing-from-cu>

NEW QUESTION 115

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has deployed several virtual machines (VMs) on-premises and to Azure. Azure ExpressRoute has been deployed and configured for on-premises to Azure connectivity.

Several VMs are exhibiting network connectivity issues.

You need to analyze the network traffic to determine whether packets are being allowed or denied to the VMs. Solution: Install and configure the Microsoft Monitoring Agent and the Dependency Agent on all VMs. Use the Wire Data solution in Azure Monitor to analyze the network traffic.

Does the solution meet the goal?

- A. Yes
B. No

Answer: B

Explanation:

Instead use Azure Network Watcher to run IP flow verify to analyze the network traffic.

Note: Wire Data looks at network data at the application level, not down at the TCP transport layer. The solution doesn't look at individual ACKs and SYNs.

Reference:

<https://docs.microsoft.com/en-us/azure/network-watcher/network-watcher-monitoring-overview> <https://docs.microsoft.com/en-us/azure/network-watcher/network-watcher-ip-flow-verify-overview>

NEW QUESTION 119

- (Exam Topic 5)

You are designing an application that will aggregate content for users.

You need to recommend a database solution for the application. The solution must meet the following requirements:

- Support SQL commands.
- Support multi-master writes.
- Guarantee low latency read operations.

What should you include in the recommendation?

- A. Azure Cosmos DB SQL API
- B. Azure SQL Database that uses active geo-replication
- C. Azure SQL Database Hyperscale
- D. Azure Database for PostgreSQL

Answer: A

Explanation:

With Cosmos DB's novel multi-region (multi-master) writes replication protocol, every region supports both writes and reads. The multi-region writes capability also enables:

Unlimited elastic write and read scalability.

* 99.999% read and write availability all around the world.

Guaranteed reads and writes served in less than 10 milliseconds at the 99th percentile. Reference:

<https://docs.microsoft.com/en-us/azure/cosmos-db/distribute-data-globally>

NEW QUESTION 123

- (Exam Topic 5)

The application will host video files that range from 50 MB to 12 GB. The application will use certificate-based authentication and will be available to users on the internet.

You need to recommend a storage option for the video files. The solution must provide the fastest read performance and must minimize storage costs.

What should you recommend?

- A. Azure Files
- B. Azure Data Lake Storage Gen2
- C. Azure Blob Storage
- D. Azure SQL Database

Answer: C

Explanation:

Blob Storage: Stores large amounts of unstructured data, such as text or binary data, that can be accessed from anywhere in the world via HTTP or HTTPS. You can use Blob storage to expose data publicly to the world, or to store application data privately.

Max file in Blob Storage. 4.77 TB. Reference:

<https://docs.microsoft.com/en-us/azure/architecture/solution-ideas/articles/digital-media-video>

NEW QUESTION 124

- (Exam Topic 5)

You have the Azure subscriptions shown in the following table.

Name	Location	Azure AD tenant
Sub1	East US	contoso.onmicrosoft.com
Sub2	East US	contoso-recovery.onmicrosoft.com

Contoso.onmicrosft.com contains a user named User1.

You need to deploy a solution to protect against ransomware attacks. The solution must meet the following requirements:

- Ensure that all the resources in Sub1 are backed up by using Azure Backup.
- Require that User1 first be assigned a role for Sub2 before the user can make major changes to the backup configuration.

What should you create in each subscription? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Sub1:

The Microsoft Azure Recovery Services (MARS) agent

A Recovery Services vault

A Resource Guard

An Azure Site Recovery job

Microsoft Azure Backup Server (MABS)

The Microsoft Azure Recovery Services (MARS) agent

Sub2:

A Recovery Services vault

A Recovery Services vault

A Resource Guard

An Azure Site Recovery job

Microsoft Azure Backup Server (MABS)

The Microsoft Azure Recovery Services (MARS) agent

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Answer Area

Sub1:

The Microsoft Azure Recovery Services (MARS) agent

A Recovery Services vault

A Resource Guard

An Azure Site Recovery job

Microsoft Azure Backup Server (MABS)

The Microsoft Azure Recovery Services (MARS) agent

Sub2:

A Recovery Services vault

A Recovery Services vault

A Resource Guard

An Azure Site Recovery job

Microsoft Azure Backup Server (MABS)

The Microsoft Azure Recovery Services (MARS) agent

NEW QUESTION 125
- (Exam Topic 5)
You plan to deploy the backup policy shown in the following exhibit.
You plan to deploy the backup policy shown in the following exhibit.

Policy1

Associated items

Delete

Save

Discard

Backup frequency

Daily

6:00 PM

(UTC) Coordinated Universal Time

Retention range

☒ Retention of daily backup point.

* At

For

Day(s)

6:00 PM

90

☒ Retention of weekly backup point.

* On

* At

For

Week(s)

Sunday

6:00 PM

26

☒ Retention of monthly backup point.

Week Based

Day Based

* On

* Day

* At

For

Month(s)

First

Sunday

6:00 PM

36

☐ Retention of yearly backup point.

Not Configured

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

Answer Area

Virtual machines that are backed up by using the policy can be recovered for up to a maximum of [answer choice]:

	▼
90 days	
26 weeks	
36 months	
45 months	

The minimum recovery point objective (RPO) for virtual machines that are backed up by using the policy is [answer choice]:

	▼
1 hour	
1 day	
1 week	
1 month	
1 year	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Graphical user interface, text, application Description automatically generated

NEW QUESTION 126
- (Exam Topic 5)
You have an Azure subscription that contains an Azure SQL database.
You are evaluating whether to use Azure reservations on the Azure SQL database. Which tool should you use to estimate the potential savings?

- A. The Purchase reservations blade in the Azure portal
- B. The Advisor blade in the Azure portal
- C. The SQL database blade in the Azure portal

Passing Certification Exams Made Easy

visit - <https://www.surepassexam.com>

Answer: A

Explanation:

Buy reserved capacity

- Sign in to the Azure portal.
- Select All services > Reservations.
- Select Add and then in the Purchase Reservations pane, select SQL Database to purchase a new reservation for SQL Database.
- Fill in the required fields. Existing databases in SQL Database and SQL Managed Instance that match the attributes you select qualify to get the reserved capacity discount. The actual number of databases or managed instances that get the discount depends on the scope and quantity selected. Graphical user interface, text Description automatically generated

Select the product you want to purchase

SQL Reserved vCores provide a significant discount over pay-as-you-go prices by allowing you to pre-pay for the future use of compute capacity for your Azure SQL Database (PaaS) deployments. Additional software costs will still apply. For SQL Server on Azure VMs (IaaS), purchase Reserved Virtual Machines Instances. [Learn More](#)

Scope
Single resource group

Subscription
Finance App - Test

Resource Group
cloud-shell-storage-westus

Filter by name...
Region: West US 2
Term: One Year
Add Filter
Reset filters

PERFORMANCE TIER	REGION	TERM	DEPLOYMENT TYPE
SQL Database Managed Instance Business Critical - Compute Gen4	West US 2	One Year	SQL Database Managed Instance
SQL Database Managed Instance Business Critical - Compute Gen5	West US 2	One Year	SQL Database Managed Instance
SQL Database Managed Instance General Purpose - Compute Gen4	West US 2	One Year	SQL Database Managed Instance
SQL Database Managed Instance General Purpose - Compute Gen5	West US 2	One Year	SQL Database Managed Instance
SQL Database Single/Elastic Pool Business Critical - Compute Gen4	West US 2	One Year	SQL Database Single/Elastic Pool
SQL Database Single/Elastic Pool Business Critical - Compute Gen5	West US 2	One Year	SQL Database Single/Elastic Pool
SQL Database Single/Elastic Pool General Purpose - Compute Gen4	West US 2	One Year	SQL Database Single/Elastic Pool
SQL Database Single/Elastic Pool General Purpose - Compute Gen5	West US 2	One Year	SQL Database Single/Elastic Pool

Select

Cancel

Price per unit: <UnitPrice>
34% Estimated savings

- Review the cost of the capacity reservation in the Costs section.
- Select Purchase.
- Select View this Reservation to see the status of your purchase. Reference:
<https://docs.microsoft.com/en-us/azure/azure-sql/database/reserved-capacity-overview>

NEW QUESTION 127

- (Exam Topic 5)

You plan to migrate App1 to Azure. The solution must meet the authentication and authorization requirements. Which of the endpoint should App1 use to obtain an access token?

- A. Microsoft identify platform
- B. Azure AD
- C. Azure instance Service (IMDS)
- D. Azure Service management

Answer: A

NEW QUESTION 129

- (Exam Topic 5)

You need to recommend a solution to deploy containers that run an application. The application has two tiers. Each tier is implemented as a separate Docker Linux-based image. The solution must meet the following requirements:

- The front-end tier must be accessible by using a public IP address on port 80.
- The backend tier must be accessible by using port 8080 from the front-end tier only.
- Both containers must be able to access the same Azure file share.
- If a container fails, the application must restart automatically.
- Costs must be minimized.

What should you recommend using to host the application?

- A. Azure Kubernetes Service (AKS)
- B. Azure Service Fabric
- C. Azure Container instances
- D. Azure Container registries

Answer: C

Explanation:

Azure Container Instances enables a layered approach to orchestration, providing all of the scheduling and management capabilities required to run a single container, while allowing orchestrator platforms to manage multi-container tasks on top of it.

Because the underlying infrastructure for container instances is managed by Azure, an orchestrator platform does not need to concern itself with finding an appropriate host machine on which to run a single container.

Azure Container Instances can schedule both Windows and Linux containers with the same API. Orchestration of container instances exclusively because they start quickly and bill by the second, an environment based exclusively on Azure Container Instances offers the fastest way to get started and to deal with highly variable workloads.

Reference:

<https://docs.microsoft.com/en-us/azure/container-instances/container-instances-overview> <https://docs.microsoft.com/en-us/azure/container-instances/container-instances-orchestrator-relationship>

NEW QUESTION 134

- (Exam Topic 5)

You have the resources shown in the following table.

Name	Type
AS1	Azure Synapse Analytics instance
CDB1	Azure Cosmos DB SQL API account

CDB1 hosts a container that stores continuously updated operational data.

You are designing a solution that will use ASI to analyze the operational data daily.

You need to recommend a solution to analyze the data without affecting the performance of the operational data store.

What should you include in the recommendation?

- A. Azure Cosmos DB change feed
- B. Azure Data Factory with Azure Cosmos DB and Azure Synapse Analytics connectors
- C. Azure Synapse Analytics with PolyBase data loading
- D. Azure Synapse Link for Azure Cosmos DB

Answer: D

NEW QUESTION 137

- (Exam Topic 5)

You have an Azure subscription.

You need to deploy an Azure Kubernetes Service (AKS) solution that will use Windows Server 2019 nodes.

The solution must meet the following requirements:

Minimize the time it takes to provision compute resources during scale-out operations. Support autoscaling of Windows Server containers.

Which scaling option should you recommend?

- A. cluster autoscaler
- B. horizontal pod autoscaler
- C. Kubernetes version 1.20.2 or newer
- D. Virtual nodes with Virtual Kubelet ACI


Answer: D

Explanation:

Azure Container Instances (ACI) lets you quickly deploy container instances without additional infrastructure overhead. When you connect with AKS, ACI becomes a secured, logical extension of your AKS cluster. The virtual nodes component, which is based on Virtual Kubelet, is installed in your AKS cluster that presents ACI as a virtual Kubernetes node. Kubernetes can then schedule pods that run as ACI instances through virtual nodes, not as pods on VM nodes directly in your AKS cluster.

Your application requires no modification to use virtual nodes. Deployments can scale across AKS and ACI and with no delay as cluster autoscaler deploys new nodes in your AKS cluster.

Diagram Description automatically generated



Note: AKS clusters can scale in one of two ways:

➤ The cluster autoscaler watches for pods that can't be scheduled on nodes because of resource constraints.

The cluster then automatically increases the number of nodes.

➤ The horizontal pod autoscaler uses the Metrics Server in a Kubernetes cluster to monitor the resource demand of pods. If an application needs more resources, the number of pods is automatically increased to meet the demand.

Reference:

<https://docs.microsoft.com/en-us/azure/aks/concepts-scale5>

NEW QUESTION 141

- (Exam Topic 5)

You have an Azure App Service web app named Webapp1 that connects to an Azure SQL database named DB1. Webapp1 and DB1 are deployed to the East US Azure region.

You need to ensure that all the traffic between Webapp1 and DB1 is sent via a private connection. What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Create a virtual network that contains at least:

- 1 subnet
- 2 subnets
- 3 subnets

From the virtual network, configure name resolution to use:

- A private DNS zone
- A public DNS zone
- The Azure DNS Private Resolver

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Answer Area

Create a virtual network that contains at least:

- 1 subnet
- 2 subnets
- 3 subnets

From the virtual network, configure name resolution to use:

- A private DNS zone
- A public DNS zone
- The Azure DNS Private Resolver

NEW QUESTION 142

- (Exam Topic 5)

You have an on-premises network and an Azure subscription. The on-premises network has several branch offices. A branch office in Toronto contains a virtual machine named VM1 that is configured as a file server. Users access the shared files on VM1 from all the offices. You need to recommend a solution to ensure that the users can access the shares files as quickly as possible if the Toronto branch office is inaccessible. What should you include in the recommendation?

- A. a Recovery Services vault and Azure Backup
 B. an Azure file share and Azure File Sync
 C. Azure blob containers and Azure File Sync
 D. a Recovery Services vault and Windows Server Backup

Answer: B

Explanation:

Use Azure File Sync to centralize your organization's file shares in Azure Files, while keeping the flexibility, performance, and compatibility of an on-premises file server. Azure File Sync transforms Windows Server into a quick cache of your Azure file share. You need an Azure file share in the same region that you want to deploy Azure File Sync. Reference: <https://docs.microsoft.com/en-us/azure/storage/files/storage-sync-files-deployment-guide>

NEW QUESTION 143

- (Exam Topic 5)

Your on-premises datacenter contains a server that runs Linux and hosts a Java app named Appl. App1 has the following characteristics:

- App1 is an interactive app that users access by using HTTPS connections.
 - The number of connections to App1 changes significantly throughout the day.
 - App1 runs multiple concurrent instances.
 - App1 requires major changes to run in a container. You plan to migrate App1 to Azure.
- You need to recommend a compute solution for Appl. The solution must meet the following requirements:
- The solution must run multiple instances of Appl.
 - The number of instances must be managed automatically depending on the load.
 - Administrative effort must be minimized.

What should you include in the recommendation?

- A. Azure Batch
 B. Azure App Service
 C. Azure Kubernetes Service (AKS)
 D. Azure Virtual Machine Scale Sets

Answer: C

NEW QUESTION 147

- (Exam Topic 5)

You have an app named App1 that uses an on-premises Microsoft SQL Server database named DB1. You plan to migrate DB1 to an Azure SQL managed instance.

You need to enable customer-managed Transparent Data Encryption (TDE) for the instance. The solution must maximize encryption strength.

Which type of encryption algorithm and key length should you use for the TDE protector?

- A. AES256
- B. RSA4096
- C. RSA2048
- D. RSA3072

Answer: D

NEW QUESTION 149

- (Exam Topic 5)

You have several Azure App Service web apps that use Azure Key Vault to store data encryption keys. Several departments have the following requests to support the web app:

Department	Request
Security	<ul style="list-style-type: none">Review the membership of administrative roles and require users to provide a justification for continued membership.Get alerts about changes in administrator assignments.See a history of administrator activation, including which changes administrators made to Azure resources.
Development	<ul style="list-style-type: none">Enable the applications to access Key Vault and retrieve keys for use in code.

Which service should you recommend for each department's request? To answer, configure the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Security:

Azure AD Privileged Identity Management

Azure AD Privileged Identity Management

Azure Managed Identity

Azure AD Connect

Azure AD Identity Protection

Development:

Azure Managed Identity

Azure AD Privileged Identity Management

Azure Managed Identity

Azure AD Connect

Azure AD Identity Protection

Quality Assurance:

Azure AD Privileged Identity Management

Azure AD Privileged Identity Management

Azure Managed Identity

Azure AD Connect

Azure AD Identity Protection

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

NEW QUESTION 154

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company plans to deploy various Azure App Service instances that will use Azure SQL databases. The App Service instances will be deployed at the same time as the Azure SQL databases.

The company has a regulatory requirement to deploy the App Service instances only to specific Azure regions. The resources for the App Service instances must reside in the same region.

You need to recommend a solution to meet the regulatory requirement.

Solution: You recommend using an Azure policy initiative to enforce the location. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:
Azure Resource Policy Definitions can be used which can be applied to a specific Resource Group with the App Service instances.
Reference:
<https://docs.microsoft.com/en-us/azure/governance/policy/overview>

NEW QUESTION 159

- (Exam Topic 5)
You have the resources shown in the following table.

Name	Type	Resource group
VM1	Azure virtual machine	RG1
VM2	On-premises virtual machine	Not applicable

You create a new resource group in Azure named RG2. You need to move the virtual machines to RG2.
What should you use to move each virtual machine? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

VM1:

Azure Arc

Azure Lighthouse

Azure Migrate

Azure Resource Mover

The Data Migration Assistant (DMA)

VM2:

Azure Arc

Azure Lighthouse

Azure Migrate

Azure Resource Mover

The Data Migration Assistant (DMA)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

VM1:

Azure Arc

Azure Lighthouse

Azure Migrate

Azure Resource Mover

The Data Migration Assistant (DMA)

VM2:

Azure Arc

Azure Lighthouse

Azure Migrate

Azure Resource Mover

The Data Migration Assistant (DMA)

NEW QUESTION 163

- (Exam Topic 5)
You are designing an Azure governance solution.
All Azure resources must be easily identifiable based on the following operational information environment, owner, department and cost center
You need to ensure that you can use the operational information when you generate reports for the Azure resources.
What should you include in the solution?

- A. Azure Active Directory (Azure AD) administrative units
- B. an Azure data catalog that uses the Azure REST API as a data source
- C. an Azure policy that enforces tagging rules
- D. an Azure management group that uses parent groups to create a hierarchy

Answer: C

Explanation:
You use Azure Policy to enforce tagging rules and conventions. By creating a policy, you avoid the scenario of resources being deployed to your subscription that don't have the expected tags for your organization. Instead of manually applying tags or searching for resources that aren't compliant, you create a policy that

automatically applies the needed tags during deployment.

Note: Organizing cloud-based resources is a crucial task for IT, unless you only have simple deployments. Use naming and tagging standards to organize your resources for these reasons:

Resource management: Your IT teams will need to quickly locate resources associated with specific workloads, environments, ownership groups, or other important information. Organizing resources is critical to assigning organizational roles and access permissions for resource management.

Reference:

<https://docs.microsoft.com/en-us/azure/cloud-adoption-framework/decision-guides/resource-tagging> <https://docs.microsoft.com/en-us/azure/azure-resource-manager/management/tag-policies>

NEW QUESTION 167

- (Exam Topic 5)

You need to design an Azure policy that will implement the following functionality:

- For new resources, assign tags and values that match the tags and values of the resource group to which the resources are deployed.
- For existing resources, identify whether the tags and values match the tags and values of the resource group that contains the resources.
- For any non-compliant resources, trigger auto-generated remediation tasks to create missing tags and values. The solution must use the principle of least privilege.

What should you include in the design? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Azure Policy effect to use:

Append
 EnforceOPAConstraint
 EnforceRegoPolicy
 Modify

Azure Active Directory (Azure AD) object and RBAC role to use for the remediation tasks:

A managed identity with the Contributor role
 A managed identity with the User Access Administrator role
 A service principal with the Contributor role
 A service principal with the User Access Administrator role

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, chat or text message Description automatically generated

Box 1: Modify

Modify is used to add, update, or remove properties or tags on a resource during creation or update. A common example is updating tags on resources such as costCenter. Existing non-compliant resources can be remediated with a remediation task. A single Modify rule can have any number of operations.

Box 2: A managed identity with the Contributor role

➤ Managed identity

How remediation security works: When Azure Policy runs the template in the deployIfNotExists policy definition, it does so using a managed identity. Azure Policy creates a managed identity for each assignment, but must have details about what roles to grant the managed identity.

➤ Contributor role

The Contributor role grants the required access to apply tags to any entity. Reference:

<https://docs.microsoft.com/en-us/azure/governance/policy/concepts/effects> <https://docs.microsoft.com/en-us/azure/governance/policy/how-to/remediate-resources>

<https://docs.microsoft.com/en-us/azure/azure-resource-manager/management/tag-resources> <https://docs.microsoft.com/en-us/azure/governance/policy/concepts/effects#modify>

NEW QUESTION 169

- (Exam Topic 5)

You have an Azure Data Lake Storage account that contains 1,000 10-MB CSV files and an Azure Synapse Analytics dedicated SQL pool named sql1. You need to load the files to sql1. The solution must meet the following requirements:

- Maximize data load performance.
- Eliminate the need to define external tables before the data loads.

What should you use?

- A. the copy statement
 B. PolyBase
 C. BCP
 D. the sqlBulkcopy object

Answer: B

NEW QUESTION 172

- (Exam Topic 5)

You deploy two instances of an Azure web app. One instance is in the East US Azure region and the other instance is in the West US Azure region. The web app uses Azure Blob storage to deliver large files to end users.

You need to recommend a solution for delivering the files to the users. The solution must meet the following requirements:

- Ensure that the users receive files from the same region as the web app that they access.
- Ensure that the files only need to be updated once.
- Minimize costs.

What should you include in the recommendation?

- A. Azure File Sync
 B. Distributed File System (DFS)
 C. read-access geo-redundant storage (RA-GRS)

D. geo-redundant storage (GRS)

Answer: C

NEW QUESTION 175

- (Exam Topic 5)

You have an on-premises network and an Azure subscription. The on-premises network has several branch offices.

A branch office in Toronto contains a virtual machine named VM1 that is configured as a file server. Users access the shared files on VM1 from all the offices.

You need to recommend a solution to ensure that the users can access the shares files as quickly as possible if the Toronto branch office is inaccessible.

What should you include in the recommendation?

- A. a Recovery Services vault and Azure Backup
- B. an Azure file share and Azure File Sync
- C. Azure blob containers and Azure File Sync
- D. a Recovery Services vault and Windows Server Backup

Answer: B

Explanation:

Use Azure File Sync to centralize your organization's file shares in Azure Files, while keeping the flexibility, performance, and compatibility of an on-premises file server. Azure File Sync transforms Windows Server into a quick cache of your Azure file share.

You need an Azure file share in the same region that you want to deploy Azure File Sync. Reference:

<https://docs.microsoft.com/en-us/azure/storage/files/storage-sync-files-deployment-guide>

NEW QUESTION 180

- (Exam Topic 5)

You need to design a highly available Azure SQL database that meets the following requirements:

- Failover between replicas of the database must occur without any data loss.
- The database must remain available in the event of a zone outage.
- Costs must be minimized

Which deployment option should you use?

- A. Azure SQL Database Standard
- B. Azure SQL Database Serverless
- C. Azure SQL Managed Instance General Purpose
- D. Azure SQL Database Premium

Answer: C

NEW QUESTION 184

- (Exam Topic 5)

You have an on-premises file server that stores 2 TB of data files.

You plan to move the data files to Azure Blob Storage In the West Europe Azure region,

You need to recommend a storage account type to store the data files and a replication solution for the storage account. The solution must meet the following requirements:

- Be available if a single Azure datacenter fails.
- Support storage tiers.
- Minimize cost.

What should you recommend? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Storage Account type:	<div>Premium block blobs Standard general-purpose v1 Standard general-purpose v2</div>
Redundancy:	<div>Geo-redundant storage (GRS) Zone-redundant storage (ZRS) Locally-redundant storage (LRS) Read-access geo-redundant storage (RA-GRS)</div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Account Type: StorageV2

Replication solution: Zone-redundant storage (ZRS) <https://docs.microsoft.com/en-us/azure/storage/common/storage-redundancy>

<https://docs.microsoft.com/en-us/azure/storage/common/storage-redundancy#supported-azure-storage-services> <https://docs.microsoft.com/en-us/azure/storage/common/storage-account-overview#types-of-storage-accounts>

Data must be available if a single Azure datacenter fails. It means the storage account must support ZRS replication. Also, solution should support storage tiers.

Only General-purpose V2 supports ZRS and storage tiers.

<https://docs.microsoft.com/en-us/azure/storage/blobs/storage-blob-storage-tiers>

NEW QUESTION 187

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You need to deploy resources to host a stateless web app in an Azure subscription. The solution must meet the following requirements:

- Provide access to the full .NET framework.
- Provide redundancy if an Azure region fails.
- Grant administrators access to the operating system to install custom application dependencies.

Solution: You deploy two Azure virtual machines to two Azure regions, and you create a Traffic Manager profile.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Azure Traffic Manager is a DNS-based traffic load balancer that enables you to distribute traffic optimally to services across global Azure regions, while providing high availability and responsiveness.

<https://docs.microsoft.com/en-us/azure/traffic-manager/traffic-manager-overview>

NEW QUESTION 188

- (Exam Topic 5)

You have an Azure subscription.

You plan to deploy five storage accounts that will store block blobs and five storage accounts that will host file shares. The file shares will be accessed by using the SMB protocol.

You need to recommend an access authorization solution for the storage accounts. The solution must meet the following requirements:

- Maximize security.
- Prevent the use of shared keys.
- Whenever possible, support time-limited access.

What should you include in the solution? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

For the blobs:	<div style="border: 1px solid #ccc; padding: 5px;"> <div style="background-color: #f0f0f0; padding: 2px;">A user delegation shared access signature (SAS) only</div> <div style="background-color: #007bff; color: white; padding: 2px;">A user delegation shared access signature (SAS) only</div> <div style="padding: 2px;">A shared access signature (SAS) and a stored access policy</div> <div style="padding: 2px;">A user delegation shared access signature (SAS) and a stored access policy</div> </div>
For the file shares:	<div style="border: 1px solid #ccc; padding: 5px;"> <div style="background-color: #f0f0f0; padding: 2px;">Azure AD credentials</div> <div style="background-color: #007bff; color: white; padding: 2px;">Azure AD credentials</div> <div style="padding: 2px;">A user delegation shared access signature (SAS) only</div> <div style="padding: 2px;">A user delegation shared access signature (SAS) and a stored access policy</div> </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

For the blobs:	<div style="border: 1px solid #ccc; padding: 5px;"> <div style="background-color: #f0f0f0; padding: 2px;">A user delegation shared access signature (SAS) only</div> <div style="background-color: #007bff; color: white; padding: 2px;">A user delegation shared access signature (SAS) only</div> <div style="padding: 2px;">A shared access signature (SAS) and a stored access policy</div> <div style="padding: 2px;">A user delegation shared access signature (SAS) and a stored access policy</div> </div>
For the file shares:	<div style="border: 1px solid #ccc; padding: 5px;"> <div style="background-color: #f0f0f0; padding: 2px;">Azure AD credentials</div> <div style="background-color: #007bff; color: white; padding: 2px;">Azure AD credentials</div> <div style="padding: 2px;">A user delegation shared access signature (SAS) only</div> <div style="padding: 2px;">A user delegation shared access signature (SAS) and a stored access policy</div> </div>

NEW QUESTION 192

- (Exam Topic 5)

You have 12 Azure subscriptions and three projects. Each project uses resources across multiple subscriptions.

You need to use Microsoft Cost Management to monitor costs on a per project basis. The solution must minimize administrative effort.

Which two components should you include in the solution? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. budgets
- B. resource tags
- C. custom role-based access control (RBAQ roles
- D. management groups
- E. Azure boards

Answer: CD

NEW QUESTION 195

- (Exam Topic 5)

You plan to deploy an application named App1 that will run on five Azure virtual machines. Additional virtual machines will be deployed later to run App1. You need to recommend a solution to meet the following requirements for the virtual machines that will run App1:

- Ensure that the virtual machines can authenticate to Azure Active Directory (Azure AD) to gain access to
- an Azure key vault, Azure Logic Apps instances, and an Azure SQL database.
- Avoid assigning new roles and permissions for Azure services when you deploy additional virtual machines.
- Avoid storing secrets and certificates on the virtual machines. Which type of identity should you include in the recommendation?

- A. a service principal that is configured to use a certificate
- B. a system-assigned managed identity
- C. a service principal that is configured to use a client secret
- D. a user-assigned managed identity

Answer: D

Explanation:

Managed identities for Azure resources is a feature of Azure Active Directory.

User-assigned managed identity can be shared. The same user-assigned managed identity can be associated with more than one Azure resource.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/managed-identities-azure-resources/overview>

NEW QUESTION 198

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

AZ-305 Practice Exam Features:

- * AZ-305 Questions and Answers Updated Frequently
- * AZ-305 Practice Questions Verified by Expert Senior Certified Staff
- * AZ-305 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * AZ-305 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The AZ-305 Practice Test Here](#)