

Microsoft

Exam Questions SC-300

Microsoft Identity and Access Administrator



NEW QUESTION 1

- (Exam Topic 1)

You need to configure the MFA settings for users who connect from the Boston office. The solution must meet the authentication requirements and the access requirements.
What should you configure?

- A. named locations that have a private IP address range
- B. named locations that have a public IP address range
- C. trusted IPs that have a public IP address range
- D. trusted IPs that have a private IP address range

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/location-condition>

Location offer your country set, IP ranges MFA trusted IP and corporate network VPN gateway IP address: This is the public IP address of the VPN device for your on-premises network. The VPN device requires an IPv4 public IP address. Specify a valid public IP address for the VPN device to which you want to connect. It must be reachable by Azure Client Address space: List the IP address ranges that you want routed to the local on-premises network through this gateway. You can add multiple address space ranges. Make sure that the ranges you specify here do not overlap with ranges of other networks your virtual network connects to, or with the address ranges of the virtual network itself.

NEW QUESTION 2

- (Exam Topic 1)

You need to meet the authentication requirements for leaked credentials. What should you do?

- A. Enable federation with PingFederate in Azure AD Connect.
- B. Configure Azure AD Password Protection.
- C. Enable password hash synchronization in Azure AD Connect.
- D. Configure an authentication method policy in Azure AD.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/security/fundamentals/steps-secure-identity>

NEW QUESTION 3

- (Exam Topic 2)

You need to meet the planned changes and technical requirements for App1. What should you implement?

- A. a policy set in Microsoft Endpoint Manager
- B. an app configuration policy in Microsoft Endpoint Manager
- C. an app registration in Azure AD
- D. Azure AD Application Proxy

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/develop/quickstart-register-app>

NEW QUESTION 4

- (Exam Topic 2)

You need to meet the technical requirements for the probability that user identifies were compromised. What should the users do first, and what should you configure? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.


Answer Area

| | |
|-----------------------|--|
| The users must first: | <div>Provide consent for any app to access the data of Contoso.</div> <div>Register for multi-factor authentication (MFA).</div> <div>Register for self-service password reset (SSPR).</div> |
| You must configure: | <div>A sign-in risk policy</div> <div>A user risk policy</div> <div>An Azure AD Password Protection policy</div> |

- A. Mastered
- B. Not Mastered

Answer: A


Explanation:



NEW QUESTION 5

- (Exam Topic 2)

You need to implement the planned changes and technical requirements for the marketing department. What should you do? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:
<https://docs.microsoft.com/en-us/azure/active-directory/governance/entitlement-management-organization>

NEW QUESTION 6

- (Exam Topic 3)

You need implement the planned changes for application access to organizational data. What should you configure?

- A. authentication methods
- B. the User consent settings
- C. access packages
- D. an application proxy

Answer: D

NEW QUESTION 7

- (Exam Topic 4)

You have a Microsoft 365 tenant named contoso.com. Guest user access is enabled. Users are invited to collaborate with contoso.com as shown in the following table.

| User email | User type | Invitation accepted | Shared resource |
|--------------------|-----------|---------------------|------------------------|
| User1@outlook.com | Guest | No | Enterprise application |
| User2@fabrikam.com | Guest | Yes | Enterprise application |

From the External collaboration settings in the Azure Active Directory admin center, you configure the Collaboration restrictions settings as shown in the following exhibit.

Collaboration restrictions

- ☐ Allow invitations to be sent to any domain (most inclusive)
- ☐ Deny invitations to the specified domains
- ☒ Allow invitations only to the specified domains (most restrictive)

 Delete



TARGET DOMAINS



Outlook.com

From a Microsoft SharePoint Online site, a user invites user3@adatum.com to the site.
For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

| Statements | Yes | No |
|--|-----------------------|-----------------------|
| User1 can accept the invitation and gain access to the enterprise application. | <input type="radio"/> | <input type="radio"/> |
| User2 can access the enterprise application. | <input type="radio"/> | <input type="radio"/> |
| User3 can accept the invitation and gain access to the SharePoint site. | <input type="radio"/> | <input type="radio"/> |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes
Invitations can only be sent to outlook.com. Therefore, User1 can accept the invitation and access the application.
Box 2: Yes
Invitations can only be sent to outlook.com. However, User2 has already received and accepted an invitation so User2 can access the application.
Box 3: No
Invitations can only be sent to outlook.com. Therefore, User3 will not receive an invitation.

NEW QUESTION 8

- (Exam Topic 4)
You have an Azure Active Directory (Azure AD) tenant named contoso.com that contains an Azure AD enterprise application named App1.
A contractor uses the credentials of user1@outlook.com.
You need to ensure that you can provide the contractor with access to App1. The contractor must be able to authenticate as user1@outlook.com.
What should you do?

- A. Run the New-AzureADMSInvitation cmdlet.
- B. Configure the External collaboration settings.
- C. Add a WS-Fed identity provider.
- D. Implement Azure AD Connect.

Answer: A

Explanation:

Reference:
<https://docs.microsoft.com/en-us/azure/active-directory/external-identities/b2b-quickstart-add-guest-users-portal> <https://docs.microsoft.com/en-us/powershell/module/azuread/new-azureadmsinvitation?view=azureadps-2.0>

NEW QUESTION 9

- (Exam Topic 4)
You have a Microsoft 365 E5 tenant. You purchase a cloud app named App1.
You need to enable real-time session-level monitoring of App1 by using Microsoft Cloud app Security.
Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

From Microsoft Cloud App Security, create a session policy.

Publish App1 in Azure Active Directory (Azure AD).

Create a conditional access policy that has session controls configured.

From Microsoft Cloud App Security, modify the Connected apps settings for App1.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

A picture containing application Description automatically generated
Reference:
<https://docs.microsoft.com/en-us/cloud-app-security/proxy-deployment-any-app> <https://docs.microsoft.com/en-us/cloud-app-security/session-policy-aad>

NEW QUESTION 10

- (Exam Topic 4)
Your company has an Azure Active Directory (Azure AD) tenant named contoso.com. The company has a business partner named Fabrikam, Inc. Fabrikam uses Azure AD and has two verified domain names of fabrikam.com and litwareinc.com. Both domain names are used for Fabrikam email addresses.
You plan to create an access package named package1 that will be accessible only to the users at Fabrikam. You create a connected organization for Fabrikam. You need to ensure that the package1 will be accessible only to users who have fabrikam.com email addresses. What should you do? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

To allow access for users who have fabrikam.com email addresses, configure:

An access package assignment in Identity Governance
An access package policy in Identity Governance
A conditional access policy in Azure AD
The External collaboration settings in Azure AD

To block access for users who have litwareinc.com email addresses, configure:

An access package assignment in Identity Governance
An access package policy in Identity Governance
A conditional access policy in Azure AD
The External collaboration settings in Azure AD

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Text Description automatically generated
Reference:
<https://docs.microsoft.com/en-us/azure/active-directory/governance/entitlement-management-access-package-re> <https://docs.microsoft.com/en-us/azure/active-directory/governance/entitlement-management-access-package-cr>

NEW QUESTION 10

- (Exam Topic 4)
You have an Azure Active Directory (Azure AD) tenant that contains a user named User1. An administrator deletes User1. You need to identify the following:
• How many days after the account of User1 is deleted can you restore the account?
• Which is the least privileged role that can be used to restore User1?
What should you identify? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Number of days:

Role:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Number of days:

Role:

NEW QUESTION 13

- (Exam Topic 4)

You have a Microsoft 365 E5 subscription that contains two users named User1 and User2.

You need to ensure that User1 can create access reviews for groups, and that User2 can review the history report for all the completed access reviews. The solution must use the principle of least privilege.

Which role should you assign to each user? To answer, drag the appropriate roles to the correct users. Each role may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content


NOTE: Each correct selection is worth one point.

| Roles | Answer Area |
|----------------------|--|
| Global administrator | User1: <input type="text" value="Role"/> |
| Global reader | User2: <input type="text" value="Role"/> |
| Reports reader | |
| Security operator | |
| Security reader | |
| User administrator | |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 14

- (Exam Topic 4)
You have an Azure Active Directory (Azure AD) tenant.
You configure self-service password reset (SSPR) by using the following settings:

- Require users to register when signing in: Yes
- Number of methods required to reset: 1

What is a valid authentication method available to users?

- A. home prions
- B. mobile app notification
- C. a mobile app code
- D. an email to an address in your organization

Answer: A

NEW QUESTION 17

- (Exam Topic 4)
You use Azure Monitor to analyze Azure Active Directory (Azure AD) activity logs.
Yon receive more than 100 email alerts each day for tailed Azure AI) user sign-in attempts. You need to ensure that a new security administrator receives the alerts instead of you. Solution: From Azure monitor, you modify the action group.
Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 21

- (Exam Topic 4)
You have an Azure Active Directory (Azure AD) tenant named contoso.com.
You need to ensure that Azure AD External Identities pricing is based on monthly active users (MAU). What should you configure?

- A. an access review
- B. the terms or use
- C. a linked subscription
- D. a user flow

Answer: C

Explanation:
Reference:
<https://docs.microsoft.com/en-us/azure/active-directory/external-identities/external-identities-pricing>

NEW QUESTION 23

- (Exam Topic 4)
You have a Microsoft 365 E5 subscription that contains three users named User1, User2, and User3. You need to configure the users as shown in the following table.

| User | Configuration |
|-------|---|
| User1 | <ul style="list-style-type: none"> User administrator role Device Administrators role Identity Governance Administrator role |
| User2 | <ul style="list-style-type: none"> Records Management role Quarantine Administrator role group |
| User3 | <ul style="list-style-type: none"> Endpoint Security Manager role Intune Role Administrator role |

Which portal should you use to configure each user? To answer, drag the appropriate portals to the correct users. Each portal may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Portals

Answer Area

Azure Active Directory admin center

Exchange admin center

Microsoft 365 compliance center

Microsoft Endpoint Manager admin center

SharePoint admin center

User1:

User2:

User3:

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

NEW QUESTION 24

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Active Directory (Azure AD) tenant that syncs to an Active Directory forest.

You discover that when a user account is disabled in Active Directory, the disabled user can still authenticate to Azure AD for up to 30 minutes.

You need to ensure that when a user account is disabled in Active Directory, the user account is immediately prevented from authenticating to Azure AD.

Solution: You configure password writeback. Does this meet the goal?

- A. Yes
 B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/choose-ad-authn>

NEW QUESTION 28

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant that contains the objects shown in the following table.

- A device named Device1
- Users named User1, User2, User3, User4, and User5
- Five groups named Group1, Group2, Group3, Group4, and Group5

The groups are configured as shown in the following table.

| Name | Type | Membership type | Members |
|--------|---------------|-----------------|------------------------------|
| Group1 | Security | Assigned | User1, User3, Group2, Group4 |
| Group2 | Security | Dynamic User | User2 |
| Group3 | Security | Dynamic Device | Device1 |
| Group4 | Microsoft 365 | Assigned | Group5 |
| Group5 | Microsoft 365 | Assigned | User5 |

How many licenses are used if you assign the Microsoft Office 365 Enterprise E5 license to Group1?

- A. 2
- B. 3
- C. 4

Answer: B

Explanation:

Reference:
<https://docs.microsoft.com/en-us/azure/active-directory/enterprise-users/licensing-group-advanced>

NEW QUESTION 29

- (Exam Topic 4)
 You have an Azure Active Directory (Azure AD) tenant that contains the following group:

- > Name: Group1
- > Members: User1, User2
- > Owner: User3

On January 15, 2021, you create an access review as shown in the exhibit. (Click the Exhibit tab.)

Create an access review

Review name *

Review1

Description ⓘ

Start date *

01/15/2021

Frequency

Monthly

Duration (in days) ⓘ

14

End ⓘ

Never

End by

Occurrences

Number of times

0

End date *

02/15/2021

Users

Users to review

Members of a group

Scope

☐ Guest users only

☒ Everyone

Group *

Group1

Reviewers

Reviewers

Members (self)

Programs

Link to program

Default Business Flow

▼

Upon completion settings

▼

Advanced settings

Start

Users answer the Review1 question as shown in the following table.

| User | Date | Do you still need access to Group1? |
|-------|------------------|-------------------------------------|
| User1 | January 17, 2021 | Yes |
| User2 | January 20, 2021 | No |

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

| Statements | Yes | No |
|---|-----------------------|-----------------------|
| On February 5, 2021, User1 can answer the Review1 question again. | <input type="radio"/> | <input type="radio"/> |
| On January 25, 2021, User2 can answer the Review1 question again. | <input type="radio"/> | <input type="radio"/> |
| On January 22, 2021, User3 can answer the Review1 question. | <input type="radio"/> | <input type="radio"/> |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

A screenshot of a computer Description automatically generated with low confidence

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/governance/review-your-access>

NEW QUESTION 33

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant named contoso.com.

All users who run applications registered in Azure AD are subject to conditional access policies. You need to prevent the users from using legacy authentication.

What should you include in the conditional access policies to filter out legacy authentication attempts?

- A. a cloud apps or actions condition
- B. a user risk condition
- C. a client apps condition
- D. a sign-in risk condition

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/block-legacy-authentication>

NEW QUESTION 34

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant that has an Azure Active Directory Premium Plan 2 license. The tenant contains the users shown in the following table.

| Name | Role |
|--------|----------------------------|
| Admin1 | Cloud device administrator |
| Admin2 | Device administrator |
| User1 | None |

You have the Device Settings shown in the following exhibit.

Devices | Device settings ...
 Default Directory - Azure Active Directory

« Save Discard Got feedback?

All devices

Device settings

Enterprise State Roaming

BitLocker keys (Preview)

Diagnose and solve problems

Activity

Audit logs

Bulk operation results (Preview)

Troubleshooting + Support

New support request

Users may join devices to Azure AD ⓘ

All Selected None

Selected

No member selected

Users may register their devices with Azure AD ⓘ

All None

Devices to be Azure AD joined or Azure AD registered require Multi-Factor Authentication ⓘ

Yes No

⚠ We recommend that you require Multi-Factor Authentication to register or join devices using Conditional Access. Set this device setting to No if you require Multi-Factor Authentication using Conditional Access.

Maximum number of devices per user ⓘ

5

Additional local administrators on all Azure AD joined devices

Manage Additional local administrators on All Azure AD joined devices

User1 has the devices shown in the following table.

| Name | Operating system | Device identity |
|---------|------------------|---------------------|
| Device1 | Windows 10 | Azure AD joined |
| Device2 | iOS | Azure AD registered |
| Device3 | Windows 10 | Azure AD registered |
| Device4 | Android | Azure AD registered |

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements

Yes No

User1 can join four additional Windows 10 devices to Azure AD.

☐ ☐

Admin1 can set Devices to be Azure AD joined or Azure AD registered require Multi-Factor Authentication to **Yes**.

☐ ☐

Admin2 is a local administrator on Device3.

☐ ☐

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

Users may join 5 devices to Azure AD.

Box 2: Yes

Box 3: No

An additional local device administrator has not been applied Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/devices/device-management-azure-portal>

NEW QUESTION 39

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant that has Security defaults disabled. You are creating a conditional access policy as shown in the following exhibit.

New

Conditional access policy

Control user access based on conditional access policy to bring signals together, to make decisions, and enforce organizational policies. [Learn more](#)

Name *

Policy1

Assignments

Users and groups ⓘ

Specific users included

Cloud apps or actions ⓘ

All cloud apps

Conditions ⓘ

0 conditions selected

Access controls

Grant ⓘ

0 controls selected

Session ⓘ

0 controls selected

Enable policy

Report-only

On

Off

Create

Control user access based on users and groups assignment for all users, specific groups of users, directory roles, or external guest users. [Learn more](#)

Include

Exclude

☐ None

☐ All users

☒ Select users and groups

☐ All guest and external users ⓘ

☐ Directory roles ⓘ

☒ Users and groups

Select

1 user

US

User1

user1@sk200922outlook.onm...

...

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

To ensure that User1 is prompted for multi-factor authentication (MFA) when accessing Cloud apps, you must configure the [answer choice].

Conditions settings

Enable policy setting

Grant settings

Sessions settings

Users and groups setting

To ensure that User1 is prompted for authentication every eight hours, you must configure the [answer choice].

Conditions settings

Enable policy setting

Grant settings

Sessions settings

Users and groups setting

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:
<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/howto-conditional-access-policy-all>

NEW QUESTION 42

- (Exam Topic 4)
You have a Microsoft 365 E5 subscription.
You need to create a Microsoft Defender for Cloud Apps session policy. What should you do first?

- A. From the Microsoft Defender for Cloud Apps portal, select User monitoring.
- B. From the Microsoft Defender for Cloud Apps portal, select App onboarding/maintenance
- C. From the Azure Active Directory admin center, create a Conditional Access policy.
- D. From the Microsoft Defender for Cloud Apps portal, create a continuous report.

Answer: A

NEW QUESTION 45

- (Exam Topic 4)
You have an Azure Active Directory (Azure AD) tenant that syncs to an Active Directory forest. The tenant-uses through authentication. A corporate security policy states the following:
➤ Domain controllers must never communicate directly to the internet.
➤ Only required software must be- installed on servers.
The Active Directory domain contains the on-premises servers shown in the following table.

Passing Certification Exams Made Easy

visit - <https://www.surepassexam.com>

| Name | Description |
|---------|---|
| Server1 | Domain controller (PDC emulator) |
| Server2 | Domain controller (infrastructure master) |
| Server3 | Azure AD Connect server |
| Server4 | Unassigned member server |

You need to ensure that users can authenticate to Azure AD if a server fails.
 On which server should you install an additional pass-through authentication agent?

- A. Server2
- B. Server4
- C. Server1
- D. Server3

Answer: B

Explanation:

Reference:
<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-pta-quick-start>

NEW QUESTION 47

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant named contoso.com.
 You implement entitlement management to provide resource access to users at a company named Fabrikam, Inc. Fabrikam uses a domain named fabrikam.com.
 Fabrikam users must be removed automatically from the tenant when access is no longer required. You need to configure the following settings:

- Block external user from signing in to this directory: No
 - Remove external user: Yes
 - Number of days before removing external user from this directory: 90
- What should you configure on the Identity Governance blade?

- A. Access packages
- B. Settings
- C. Terms of use
- D. Access reviews

Answer: B

Explanation:

Reference:
<https://docs.microsoft.com/en-us/azure/active-directory/governance/entitlement-management-external-users>

NEW QUESTION 52

- (Exam Topic 4)

You have an on-premises datacenter that contains the hosts shown in the following table.

| Name | Description |
|-----------|---|
| Server1 | Domain controller that runs Windows Server 2019 |
| Server2 | Server that runs Windows Server 2019 and has Azure AD Connect deployed |
| Server3 | Server that runs Windows Server 2019 and has a Microsoft ASP.NET application named App1 installed |
| Server4 | Unassigned server that runs Windows Server 2019 |
| Firewall1 | Hardware firewall connected to the internet that blocks all traffic unless explicitly allowed |

You have an Azure Active Directory (Azure AD) tenant that syncs to the Active Directory forest. Multi-factor authentication (MFA) is enforced for Azure AD.
 You need to ensure that you can publish App1 to Azure AD users.
 What should you configure on Server and Firewall1? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

Service to install on Server4:

| |
|--|
| Azure AD Application Proxy |
| The Azure AD Password Protection DC agent |
| The Azure AD Password Protection proxy service |
| Web Application Proxy in Windows Server |

Rule to configure on Firewall1:

| |
|--|
| Allow incoming HTTPS connections from Azure AD to Server4. |
| Allow incoming IPsec connections from Azure AD to Server4. |
| Allow outbound HTTPS connections from Server4 to Azure AD. |
| Allow outbound IPsec connections from Server4 to Azure AD. |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/manage-apps/application-proxy>

NEW QUESTION 57

- (Exam Topic 4)

You have a Microsoft Exchange organization that uses an SMTP' address space of contoso.com.

Several users use their contoso.com email address for self-service sign up to Azure Active Directory (Azure AD).

You gain global administrator privileges to the Azure AD tenant that contains the self-signed users.

You need to prevent the users from creating user accounts in the contoso.com Azure AD tenant for self-service sign-up to Microsoft 365 services.

Which PowerShell cmdlet should you run?

- A. Set-MsolCompanySettings
- B. Set-MsolDomainFederationSettings
- C. Update-MsolFederatedDomain
- D. Set-MsolDomain

Answer: A

Explanation:

<https://docs.microsoft.com/en-us/azure/active-directory/enterprise-users/directory-self-service-signup>

NEW QUESTION 58

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant named contoso.com.

You plan to bulk invite Azure AD business-to-business (B2B) collaboration users.

Which two parameters must you include when you create the bulk invite? Each correct answer presents part of the solution

NOTE: Each correct selection is worth one point.

- A. email address
- B. redirection URL
- C. username
- D. shared key
- E. password

Answer: AB

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/external-identities/tutorial-bulk-invite>

NEW QUESTION 60

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant that syncs to an Active Directory domain.

The on-premises network contains a VPN server that authenticates to the on-premises Active Directory domain. The VPN server does NOT support Azure Multi-Factor Authentication (MFA).

You need to recommend a solution to provide Azure MFA for VPN connections. What should you include in the recommendation?

- A. Azure AD Application Proxy
- B. an Azure AD Password Protection proxy
- C. Network Policy Server (NPS)
- D. a pass-through authentication proxy

Answer: C

NEW QUESTION 63

- (Exam Topic 4)

You have a Microsoft 365 tenant.

You create a named location named HighRiskCountries that contains a list of high-risk countries.

You need to limit the amount of time a user can stay authenticated when connecting from a high-risk country.

What should you configure in a conditional access policy? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

| | |
|---------------------------------------|--|
| Configure HighRiskCountries by using: | <input type="checkbox"/> A cloud app or action <input type="checkbox"/> A condition <input type="checkbox"/> A grant control <input type="checkbox"/> A session control |
| Configure Sign-in frequency by using: | <input type="checkbox"/> A cloud app or action <input type="checkbox"/> A condition <input type="checkbox"/> A grant control <input type="checkbox"/> A session control |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/location-condition> <https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/concept-conditional-access-session>

NEW QUESTION 68

- (Exam Topic 4)

Your network contains an on-premises Active Directory domain that sync to an Azure Active Directory (Azure AD) tenant. The tenant contains the shown in the following table.

| Name | Type | Directory synced |
|-------|-------|------------------|
| User1 | User | No |
| User2 | User | Yes |
| User3 | Guest | No |

All the users work remotely.

Azure AD Connect is configured in Azure as shown in the following exhibit.

PROVISION FROM ACTIVE DIRECTORY



Azure AD Connect cloud provisioning

This feature allows you to manage provisioning from the cloud.

[Manage provisioning \(Preview\)](#)

Azure AD Connect sync

| | |
|--------------------|----------------------|
| Sync Status | Enabled |
| Last Sync | Less than 1 hour ago |
| Password Hash Sync | Enabled |

USER SIGN IN



| | | |
|-----------------------------|----------|-----------|
| Federation | Disabled | 0 domains |
| Seamless single sign-on | Disabled | 0 domains |
| Pass-through authentication | Enabled | 2 agents |

Connectivity from the on-premises domain to the internet is lost. Which user can sign in to Azure AD?

- A. User1 only
- B. User1 and User 3 only
- C. User1, and User2 only
- D. User1, User2, and User3

Answer: B

NEW QUESTION 71

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant.

You need to review the Azure AD sign-ins log to investigate sign ins that occurred in the past. For how long does Azure AD store events in the sign-in log?

- A. 14 days
- B. 30 days
- C. 90 days
- D. 365 days

Answer: B

NEW QUESTION 73

- (Exam Topic 4)

You have an Azure subscription that contains the custom roles shown in the following table.

| Name | Type |
|-------|--|
| Role1 | Azure Active Directory (Azure AD) role |
| Role2 | Azure subscription role |

You need to create a custom Azure subscription role named Role3 by using the Azure portal. Role3 will use the baseline permissions of an existing role. Which roles can you clone to create Role3?

- A. Role2 only
- B. built-in Azure subscription roles only
- C. built-in Azure subscription roles and Role2 only
- D. built-in Azure subscription roles and built-in Azure AD roles only
- E. Role1, Role2 built-in Azure subscription roles, and built-in Azure AD roles

Answer: A

NEW QUESTION 76

- (Exam Topic 4)
 You configure Azure Active Directory (Azure AD) Password Protection as shown in the exhibit. (Click the Exhibit tab.)

Custom smart logout

Lockout threshold ⓘ

5

✓

Lockout duration in seconds ⓘ

3600

✓

Custom banned passwords

Enforce custom list ⓘ

Yes

No

Custom banned password list ⓘ

Contoso

Litware

Tailwind

project

Zettabyte

MainStreet

✓

Password protection for Windows Server Active Directory

Enable password protection on Windows Server Active Directory ⓘ

Yes

No

Mode ⓘ

Enforced

Audit

You are evaluating the following passwords:

- > Pr0jectlitw@re
- > T@ilw1nd
- > C0nt0s0

Which passwords will be blocked?

- A. Pr0jectlitw@re and T@ilw1nd only
- B. C0nt0s0 only
- C. C0nt0s0, Pr0jectlitw@re, and T@ilw1nd
- D. C0nt0s0 and T@ilw1nd only
- E. C0nt0s0 and Pr0jectlitw@re only

Answer: C

Explanation:

Reference:
<https://blog.enablingtechcorp.com/azure-ad-password-protection-password-evaluation>

NEW QUESTION 81

- (Exam Topic 4)
 You have a Microsoft 365 tenant.
 The Azure Active Directory (Azure AD) tenant syncs to an on-premises Active Directory domain. The domain contains the servers shown in the following table.

| Name | Operating system | Configuration |
|---------|---------------------|-------------------|
| Server1 | Windows Server 2019 | Domain controller |
| Server2 | Windows Server 2019 | Domain controller |
| Server3 | Windows Server 2019 | Azure AD Connect |

The domain controllers are prevented from communicating to the internet. You implement Azure AD Password Protection on Server1 and Server2. You deploy a new server named Server4 that runs Windows Server 2019.
 You need to ensure that Azure AD Password Protection will continue to work if a single server fails. What should you implement on Server4?

- A. Azure AD Connect
- B. Azure AD Application Proxy
- C. Password Change Notification Service (PCNS)
- D. the Azure AD Password Protection proxy service

Passing Certification Exams Made Easy

visit - <https://www.surepassexam.com>

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-password-ban-bad-on-premisesdep>

NEW QUESTION 84

- (Exam Topic 4)

You configure a new Microsoft 365 tenant to use a default domain name of contoso.com.

You need to ensure that you can control access to Microsoft 365 resource-, by using conditional access policy.

What should you do first?

- A. Disable the User consent settings.
- B. Disable Security defaults.
- C. Configure a multi-factor authentication (MFA) registration policy1.
- D. Configure password protection for Windows Server Active Directory.

Answer: B

NEW QUESTION 85

- (Exam Topic 4)

You have a Microsoft 365 tenant.

You need to Identity users who have leaked credentials. The solution must meet the following requirements:

- Identity sign-ins by users who are suspected of having leaked credentials.
- Flag the sign-ins as a high-risk event.
- Immediately enforce a control to mitigate the risk, while still allowing the user to access applications. What should you use? To answer, select the appropriate options in the answer area.

To classify leaked credentials as high-risk, use:

| |
|--|
| Azure Active Directory (Azure AD) Identity Protection |
| Azure Active Directory (Azure AD) Privileged Identity Management (PIM) |
| Identity Governance |
| Self-service password reset (SSPR) |

To trigger remediation, use:

| |
|---|
| Client apps not using Modern authentication |
| Device state |
| Sign-in risk |
| User location |
| User risk |

To mitigate the risk, select:

| |
|--|
| Apply app enforced restrictions |
| Block access |
| Grant access but require app protection policy |
| Grant access but require password change |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

To classify leaked credentials as high-risk, use:

| |
|--|
| Azure Active Directory (Azure AD) Identity Protection |
| Azure Active Directory (Azure AD) Privileged Identity Management (PIM) |
| Identity Governance |
| Self-service password reset (SSPR) |

To trigger remediation, use:

| |
|---|
| Client apps not using Modern authentication |
| Device state |
| Sign-in risk |
| User location |
| User risk |

To mitigate the risk, select:

| |
|--|
| Apply app enforced restrictions |
| Block access |
| Grant access but require app protection policy |
| Grant access but require password change |

NEW QUESTION 89

- (Exam Topic 4)

Your company requires that users request access before they can access corporate applications.

You register a new enterprise application named MyApp1 in Azure Active Directory (Azure AD) and configure single sign-on (SSO) for MyApp1.

Which settings should you configure next for MyApp1?

- A. Self-service

- B. Provisioning
- C. Roles and administrators
- D. Application proxy

Answer: A

Explanation:

Reference:
<https://docs.microsoft.com/en-us/azure/active-directory/manage-apps/manage-self-service-access>

NEW QUESTION 93

- (Exam Topic 4)
You have a new Microsoft 365 tenant that uses a domain name of contoso.onmicrosoft.com. You register the name contoso.com with a domain registrar. You need to use contoso.com as the default domain name for new Microsoft 365 users. Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Delete the contoso.onmicrosoft.com domain.

Register a custom domain name of contoso.com.

Set the domain to primary.

Create a new TXT record in DNS.

Verify the domain name.

Answer Area

<

>

↑

↓

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Table Description automatically generated with medium confidence
Reference:
<https://practical365.com/configure-a-custom-domain-in-office-365/>

NEW QUESTION 95

- (Exam Topic 4)
You have a Microsoft 365 tenant. You need to identify users who have leaked credentials. The solution must meet the following requirements.

- Identity sign-Ins by users who ate suspected of having leaked credentials.
- Rag the sign-ins as a high risk event.
- Immediately enforce a control to mitigate the risk, while still allowing the user to access applications. What should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

To classify leaked credentials as high-risk, use:

Azure Active Directory (Azure AD) Identity Protection

Azure Active Directory (Azure AD) Privileged Identity Management (PIM)

Identity Governance

Self-service password reset (SSPR)

To trigger remediation, use:

Client apps not using Modern authentication

Device state

Sign-in risk

User location

User risk

To mitigate the risk, select:

Apply app enforced restrictions

Block access

Grant access but require app protection policy

Grant access but require password change

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/concept-identity-protection-risks>

NEW QUESTION 96

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

SC-300 Practice Exam Features:

- * SC-300 Questions and Answers Updated Frequently
- * SC-300 Practice Questions Verified by Expert Senior Certified Staff
- * SC-300 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * SC-300 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The SC-300 Practice Test Here](#)