

Exam Questions PL-100

Microsoft Power Platform App Maker

<https://www.2passeasy.com/dumps/PL-100/>



NEW QUESTION 1

- (Exam Topic 1)

You publish the first version of the app and solution on November 1, 2020. You need to create the version numbers for the app and the solution. Which version numbers should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Versions	Answer Area						
Version 1							
1.0.0.0	<table border="1"> <thead> <tr> <th>Object</th> <th>Version</th> </tr> </thead> <tbody> <tr> <td>Solution</td> <td>Version</td> </tr> <tr> <td>App</td> <td>Version</td> </tr> </tbody> </table>	Object	Version	Solution	Version	App	Version
Object	Version						
Solution	Version						
App	Version						
1.20.11.1							
20.11.1.1							

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: 1.0.0.0

When identifying versions of the app solution, all dependencies, entities, and user interfaces components must be identified to avoid any unintentional issues caused by reverting individual components to a previous version.

A solution's version has the following format: major.minor.build.revision. An update must have a higher major, minor, build or revision number than the parent solution. For example, for a base solution version 3.1.5.7, a small update could be a version 3.1.5.8 or a slightly more significant update could have version 3.1.7.1. A substantially more significant update could be version 3.2.0.0.

Box 2: 20.11.1.1

Scenario:

> You must use the following version control numbering scheme:

- Major: The last two digits of the year the app is packaged
- Minor: Two digits that represent the month when the app is packaged
- Build: A number that is incremented to represent significant changes to the app
- Revision: The incremented revision for a package

New versions of the application must completely replace previous versions of the app. Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/update-solutions>

NEW QUESTION 2

- (Exam Topic 1)

You need to meet the requirements for sales representative that submit status reports. How should you configure the flow?

- A. Add a parallel branch that uses the value of a dynamic content variable
- B. Add a number functions action that evaluates the risk value by using a static variable to determine if an email is required
- C. Add a condition that evaluates the risk value by using a dynamic content variable
- D. Add a data operation action that evaluates a dynamic content variable

Answer: C

Explanation:

Salespeople often do not set status of RFQs in the Sales Log to Won when a sale is closed and the customer purchase order is received.

Include a dashboard that shows all currently active quotes, their status in the sales cycle, the probability of closing, and estimated manufacturing and installation dates, by customer, product division, status, and salesperson.

NEW QUESTION 3

- (Exam Topic 1)

You need to provide the app to Tailwind Traders. What should you do?

- A. Within Managed Properties, set the value of the Allow customizations option to true
- B. Export the app as a managed solution.
- C. Use the Share App feature.
- D. Within Managed Properties, set the value of the Allow customizations option to false
- E. Export the app as a managed solution.
- F. Within Managed Properties, set the value of the Allow customizations option to false
- G. Export the app as an unmanaged solution.

Answer: C

Explanation:

Scenario: The completed app and all supporting components must be provided to Tailwind Traders. Tailwind Traders must not be able to make changes to any of the components.

Managed Solution: A managed solution is a finalized solution that can be distributed and installed. They are created by exporting an unmanaged solution by setting restrictions to prevent any further customizations. The whole point of Managed is locking down the Component states so they cannot be edited. Deleting the Managed Solution will remove all its customisations as well as data contained. Managed Solutions become read only once deployed so they cannot be manipulated.

Reference:

<https://powerusers.microsoft.com/t5/Power-Apps-Pro-Dev-ISV/Managed-vs-Unmanaged/td-p/495685>

NEW QUESTION 4

- (Exam Topic 1)

You need to modify the app design to meet the accessibility needs of the sales associates.

Which properties should you configure? To answer, drag the appropriate properties to the correct restrictions. Each property may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Properties	Restriction	Property
TabIndex		
DisplayMode	Design for User2	
AccessibleLabel	Design for User3	
Tooltip		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: AccessibleLabel

Scenario: Before deploying the app to production, you must ensure that the app conforms to Microsoft accessibility and performance guidelines.

User2 is visually impaired and cannot see images. AccessibleLabel is a label for screen readers.

An empty value for Image, Icon, and Shape controls will hide the controls from screen reader users. Box 2: TabIndex

User3 is unable to use a mouse.

TabIndex determines if the control participates in keyboard navigation.

Keyboard navigation is an important aspect of any app. For many, the keyboard is more efficient than using touch or a mouse. The navigation order should:

Mirror what is seen visually.

Only have a tab stop at controls that are interactive.

Follow either an intuitive across and then down "Z" order or a down and then across "reverse-N" order.

NEW QUESTION 5

- (Exam Topic 1)

You need to ensure that the app can support the needs of User2 and User3, and meets the production deployment requirements.

Which tools should you use? To answer, select the appropriate tool in the answer area. NOTE: Each correct selection is worth one point.

Tools	Requirement	Tool
Solution Checker	Accessibility	
App Checker	Deployment	
Object Detector		
Preview the app		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: App Checker

Scenario: Several sales representatives have accessibility restrictions. User2 is visually impaired and cannot see images. User3 is unable to use a mouse.

Users who have vision, hearing, or other impairments can use your canvas app more easily and successfully if you consider accessibility as you design how the app looks and behaves. If you're not sure how to make your app more accessible, you can run the AppChecker Accessibility checker in Power Apps Studio.

Box 2: Solution Checker

Scenario: Before deploying the app to production, you must ensure that the app conforms to Microsoft accessibility and performance guidelines.

Use solution checker to validate your model-driven apps in Power Apps. Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/accessibility-checker> <https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/use-powerapps-checker>

NEW QUESTION 6

- (Exam Topic 1)

You need to create the mobile app. Which type of app should you create?

- A. model-driven app
- B. portal app
- C. Microsoft 365 web app
- D. canvas app

Answer: D

Explanation:

An accessible canvas app will allow users with vision, hearing, and other impairments to successfully use the app. In addition to being a requirement for many governments and organizations, following the below guidelines increases usability for all users, regardless of their abilities.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/accessible-apps>

NEW QUESTION 7

- (Exam Topic 2)

You need to configure the system to meet the sales requirements.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement	Action
Ensure that work estimates are complete before entering estimated sales values into the Sales Log.	<div style="border: 1px solid black; padding: 5px;"> <div style="border-bottom: 1px solid black; padding-bottom: 2px;">Use a Business Process flow</div> <div style="padding-bottom: 2px;">Use a UI flow</div> </div>
Prevent modification of timesheet entries by an employee.	<div style="border: 1px solid black; padding: 5px;"> <div style="border-bottom: 1px solid black; padding-bottom: 2px;">Add a custom control to the Business Process flow</div> <div style="padding-bottom: 2px;">Use a formula to set the DisplayMode property</div> <div style="padding-bottom: 2px;">Use a business rule</div> </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, application Description automatically generated

Box 1: Use a Business Process flow

Scenario: The Sales Log app must enforce process standards related to the completion of estimates and supporting materials needed during the sales lifecycle.

Box 2: Use a formula to set the DisplayMode property

DisplayMode - The mode to use for data cards and controls within the form control. Derived from the Mode property based and cannot be set independently:

Graphical user interface, text, application, email Description automatically generated

Mode	DisplayMode	Description
FormMode.Edit	DisplayMode.Edit	Data cards and controls are editable, ready to accept changes to a record.
FormMode.New	DisplayMode.Edit	Data cards and controls are editable, ready to accept a new record.
FormMode.View	DisplayMode.View	Data cards and controls are not editable and optimized for viewing.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/controls/control-form-detail>

NEW QUESTION 8

- (Exam Topic 2)

You need to implement features for the solution.

Which Power Platform component should you use for each feature? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Feature	Component
Mobile app for Sales Log workbook	<div style="border: 1px solid black; padding: 2px;"> <div style="border-bottom: 1px solid black; padding: 2px;">▼</div> <div style="padding: 2px;">Canvas app</div> <div style="padding: 2px;">Model-driven app</div> <div style="padding: 2px;">Power Virtual Agents chatbot</div> </div>
Embed KPIs for sales quotas by region	<div style="border: 1px solid black; padding: 2px;"> <div style="border-bottom: 1px solid black; padding: 2px;">▼</div> <div style="padding: 2px;">Content Pack</div> <div style="padding: 2px;">Power BI Desktop</div> <div style="padding: 2px;">Power BI service</div> </div>
Transfer of key sales information to the Job Setup entity	<div style="border: 1px solid black; padding: 2px;"> <div style="border-bottom: 1px solid black; padding: 2px;">▼</div> <div style="padding: 2px;">Power Automate</div> <div style="padding: 2px;">Business process flow</div> <div style="padding: 2px;">Power Virtual Agents</div> </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Box 1: Model-driven app

The Sales app must meet the following requirements:

- Provide a central location for all sales pipeline and quote information that is easily accessible and maintains all of the versions of the estimate, quote, and engineering documents.

Compared to canvas apps, model-driven apps in PowerApps are based on underlying data — specifically, the data stored in Common Data Service (CDS).

Box 2: Power BI Desktop

You can create a KPI in Power BI Desktop.

- Open your report editor in Power BI Desktop then select a report on which you are working.
- On your right, you will see a Visualizations pane and a Fields pane.
- From the Visualizations pane, select the KPI visual.
- Etc.

Box 3: Power Automate

NEW QUESTION 9

- (Exam Topic 2)

You need to modify the entity form to resolve the customer request number issue. What should you do?

- A. Use a calculated field
- B. Change the data type of the customer request number field to Lookup
- C. Change the data type of the customer request number field to Autonumber

Answer: C

Explanation:

Scenario: Users report that the customer request number is difficult to interpret. They request that you change the number to a system generated sequential number.

Autonumber columns are columns that automatically generate alphanumeric strings whenever they are created. Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/data-platform/autonumber-fields>

NEW QUESTION 10

- (Exam Topic 2)

You need to implement the change requested by the operations manager. Which control should you use?

BF70D5D

- A. Camera
- B. Shape
- C. Add picture
- D. Image

Answer: D

Explanation:

Scenario: The operations manager asks that the time tracking app display the employee's photo once they have scanned their badge.

Image control in Power Apps is a control that shows an image from, for example, a local file or a data source. Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/controls/control-image>

NEW QUESTION 10

- (Exam Topic 2)

You need to implement logic in the app for lost sales. What should you do?

- A. Create a business process flow.
- B. Define a business rule for the Sales Log edit form.
- C. Set the required field property of the Won/Lost field to Required.
- D. Create a formula for the Description field that uses the Update function.

Answer: B

Explanation:

Scenario: Requests for quotes are currently stored in a Sales Log workbook. The workbook includes the following information:

➤ Status of the Request for Quote (RFQ) with the values of Won, Lost, No Bid, and Cancelled Salespeople often do not set status of RFQs in the Sales Log to Won when a sale is closed and the customer purchase order is received.

You can create business rules and recommendations to apply logic and validations without writing code or creating plug-ins. Business rules provide a simple interface to implement and maintain fast-changing and commonly used rules.

Business rules defined for an entity apply to both canvas apps and model-driven apps if the entity is used in the app.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/data-platform-create-business-rule>

NEW QUESTION 13

- (Exam Topic 2)

You need to resolve the user's issue with the time tracking app.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Add a component to the time tracking screen for tracking total time.
- B. Create a new component inside of the component library for the time tracking app.
- C. Upload the component to AppSource.
- D. Add the Total Time field to the screen and set the value of the field property to Rollup

Answer: AB

Explanation:

Scenario Issue: Users want to be able to see their weekly total time entered from all screens.

A component library provides a centralized and managed repository of components for reusability. Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/component-library>

NEW QUESTION 15

- (Exam Topic 3)

HOTSPOT

A company is building several Power Apps apps to help with sales operations collaboration. You need to identify the right solution for data storage.

Which solution should you use? To answer select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Characteristic	Solution
Limits the number of records that can be added.	<input type="checkbox"/> Microsoft Dataverse for Teams <input type="checkbox"/> Microsoft Dataverse <input checked="" type="checkbox"/> Microsoft Dataverse for Teams
Allows for advanced development tasks for apps specific to Microsoft Teams.	<input type="checkbox"/> Microsoft Dataverse <input checked="" type="checkbox"/> Microsoft Dataverse <input type="checkbox"/> Microsoft Dataverse for Teams
Has the most granular level of security to account for column-level security in Microsoft Teams.	<input type="checkbox"/> Microsoft Dataverse <input checked="" type="checkbox"/> Microsoft Dataverse <input type="checkbox"/> Microsoft Dataverse for Teams

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Characteristic	Solution
Limits the number of records that can be added.	<input type="checkbox"/> Microsoft Dataverse for Teams <input type="checkbox"/> Microsoft Dataverse <input checked="" type="checkbox"/> Microsoft Dataverse for Teams
Allows for advanced development tasks for apps specific to Microsoft Teams.	<input type="checkbox"/> Microsoft Dataverse <input checked="" type="checkbox"/> Microsoft Dataverse <input type="checkbox"/> Microsoft Dataverse for Teams
Has the most granular level of security to account for column-level security in Microsoft Teams.	<input type="checkbox"/> Microsoft Dataverse <input checked="" type="checkbox"/> Microsoft Dataverse <input type="checkbox"/> Microsoft Dataverse for Teams

NEW QUESTION 17

- (Exam Topic 3)

You are creating a multi-page canvas app that loads tabular data from an external data source. Once loaded, the data must be available to all screens within the canvas app.

You need to reduce the number of times that the app must retrieve data from the data source. Which two data stores can you use? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. parameter
- B. global variable
- C. collection
- D. environment variable

Answer: CD

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/working-with-data-sources>

NEW QUESTION 22

- (Exam Topic 3)

HOTSPOT

A company uses Power Apps and Microsoft Data verse. You need to perform the following activities:

- * Create a model-driven app.
- * Design navigation for the app
- * Show an approval name field on the form if the amount is greater than \$1,000.

Which features should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Activity	Feature
Create model driven app.	<ul style="list-style-type: none"> App designer App designer Solution checker App checker
Design app navigation.	<ul style="list-style-type: none"> Site map Site map Solutions area Table designer
Show approval name field if amount > \$1,000.	<ul style="list-style-type: none"> Table designer Form designer Table designer Business rule designer

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Activity	Feature
Create model driven app.	<ul style="list-style-type: none"> App designer App designer Solution checker App checker
Design app navigation.	<ul style="list-style-type: none"> Site map Site map Solutions area Table designer
Show approval name field if amount > \$1,000.	<ul style="list-style-type: none"> Table designer Form designer Table designer Business rule designer

NEW QUESTION 26

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are developing a model-driven app that uses a Common Data Service database. App users will have a variety of different security roles.

Development and testing must be performed using production data. Multiple testers must be used at each testing stage.

You need to provision and configure new environments for development and testing. Solution:

- > Provision a developer environment named D1 and a sandbox environment named S1.
- >

Copy the production environment to both D1 and S1.

➤ Use D1 for development and S1 for testing. Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Production: This is intended to be used for permanent work in an organization. Do not use production environment for testing.
 Note: Instead use two sandboxed environments: one for development and one for testing. Reference:
<https://docs.microsoft.com/en-us/power-platform/admin/environments-overview>

NEW QUESTION 28

- (Exam Topic 3)

You are creating an app for a company. You need to evaluate the default solution.
 Which two behaviors should you expect from the default solution? Each correct answer presents a complete solution.
 NOTE: Each correct selection is worth one point.

- A. You can change the prefix of the publisher of the default solution
- B. If you create a Power Automate flow in a solution, the flow uses the prefix defined in the publisher
- C. If you create an environment variable in a solution, the variable uses the prefix defined in the publisher
- D. You can change the version number of the default solution

Answer: AC

Explanation:

<https://docs.microsoft.com/en-us/dynamics365/customerengagement/on-premises/customize/use-solutions-for-y>

NEW QUESTION 30

- (Exam Topic 3)

You create a canvas app named Hardware Order that suggests computer hardware to customers.
 A value must be entered for the EmployeeID field when creating a new order if the value in the OrderType field does not contain the prefix test.
 You need to configure the business rule.
 Which two actions should you perform? Each correct answer presents part of the complete solution.
 NOTE: Each correct selection is worth one point.

- A. Set the scope of the business rule to Entity.
- B. Add a Recommendation action and configure it to enter the order type.
- C. Set the scope of the business rule to All Forms.
- D. Use the following condition expression:(OrderType Does not begin with [test]) AND (Modified By Does not contain data)

Answer: AD

Explanation:

Reference:
<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/data-platform-create-business-rule>

NEW QUESTION 34

- (Exam Topic 3)

You are an app builder for a medical office. The medical office uses activities to book appointments and business process flows to track patient status. The cleaning staff wants the app to connect directly to a Microsoft Excel workbook to track cleaning tasks. The office does not have access to reporting tools including Power BI.
 You need to create apps for the following groups of users. Apps must not require customizations or the use of additional products.

Groups	Comments	Requirements
Reception area staff	Users will access the app only from desktop devices in the office.	Users must be able to access contacts and display activities as a doughnut chart.
Medical staff	Users will access the app from tablet devices.	Users must be able to access activities and business process flows.
Cleaning staff	Users will access the app only from mobile phone devices.	Users must be able to interact with a checklist to mark cleaning tasks as completed.

Which type of app should you build for each group? To answer, drag the appropriate app types to the correct groups. Each app type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
 NOTE: Each correct selection is worth one point.

App types

Canvas app

Model-driven app

Embedded canvas app

Answer Area

Group	App type
Reception area staff	App type
Medical staff	App type
Cleaning staff	App type

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/embedded-canvas-app-guidelines> <https://global.hitachi-solutions.com/blog/canvas-vs-model-driven-apps>

NEW QUESTION 39

- (Exam Topic 3)

You are a technical assistant for a legal services organization. The company uses SharePoint to manage documents and Microsoft Dataverse as the data store. The company has strict rules about access, permissions, and privacy.

Lawyers and paralegals use Microsoft Teams for communications and collaboration. Employees use personal devices to access legal files. You do not have access to the admin area in Microsoft Power Platform.

You need to ensure that these rules are observed consistently and managed in one place.

Which type of app should you create? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Requirement	App type
Access client billing details	<div style="border: 1px solid black; padding: 5px;"> <div style="text-align: right; border-bottom: 1px solid black;">▼</div> <ul style="list-style-type: none"> Canvas app in Microsoft Teams Canvas app in SharePoint Model-driven app in SharePoint Model-driven app in Microsoft Teams </div>
Log phone calls and schedule appointments with clients and the team assigned to them	<div style="border: 1px solid black; padding: 5px;"> <div style="text-align: right; border-bottom: 1px solid black;">▼</div> <ul style="list-style-type: none"> Dynamics 365 App for Outlook Microsoft Teams calendar SharePoint calendar </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: Model-driven app in Microsoft Teams

A user's ability to see and use apps is controlled by sharing the application with the user. Sharing of canvas apps is done directly with a user or Azure AD group but is still subject to Dataverse security roles. Sharing of model-driven apps is done via Dataverse security roles.

Box 2: Sharepoint Calendar Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/database-security>

NEW QUESTION 43

- (Exam Topic 3)

HOTSPOT

A company is creating an app to manage project status reports.

Users will update a series of controls and click a submit button. The submit button will calculate a risk score for the project and return to the previous screen with that risk score. The risk score will be used in two different forms.

You need to create the formula on the button click. To answer, select the appropriate option in the answer area NOTE: Each correct selection is worth one point.

Answer Area

Action	Formula component
Assign the scope for the variable.	Global variable Collection Context variable Global variable Lookups
Separate the calculate action from the previous screen.	: :
Go to the next page.	Navigate() Navigate() Revert() NewForm() SetFocus()

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
 Answer Area

Action	Formula component
Assign the scope for the variable.	Global variable Collection Context variable Global variable Lookups
Separate the calculate action from the previous screen.	: :
Go to the next page.	Navigate() Navigate() Revert() NewForm() SetFocus()

NEW QUESTION 46

- (Exam Topic 3)

A call center manager monitors incoming phone calls. The manager analyzes the performance of phone reps by using a custom view. The view contains a custom field named Phone call Duration in Minutes.

The call center manager must present an Excel spreadsheet daily to upper management. The spreadsheet must contain the call center performance for further trending analysis and corrective actions.

You need to create the spreadsheet.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Answer Area

- Create a pivot table, and then use the Phone call Duration in Minutes field as a category area and the Rep field as a series
- Create a pivot table, and then use the Phone Rep field as a category and the Phone call Duration in Minutes field as a series
- Set the formula for phone call duration in minutes to Average and add a pie chart linked the pivot table
- Export the custom view to an Excel dynamic spreadsheet
- Export the custom view to an Excel dynamic pivot table
- Save the spreadsheet and upload it back to the system
- Export the custom view to an Excel template



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Timeline Description automatically generated with low confidence

Step 1: Export the custom view to an Excel dynamic pivot table

You can export app data to an Office Excel PivotTable to see patterns and trends in data. An Excel PivotTable is a great way to summarize, analyze, explore, and present your app data.

Step 2: Create a pivot table, and then use the Phone Rep field as a category and the Phone call Duration in Minutes as field as series

Step 3: Set the formula for phone call duration in minutes to Average and add a pie chart linked to the pivot table

Step 4: Save the spreadsheet and upload it back to the system. Reference:

<https://docs.microsoft.com/en-us/powerapps/user/export-excel-pivottable>

NEW QUESTION 49

- (Exam Topic 3)

You create a Power Platform solution. Solution data is stored in a variety of documented cloud services. You must also be able to connect to one or more industry data sources.

You need to configure the data sources. What should you do?

- A. Create a business process flow.
- B. Create a data policy template.
- C. Create a UI flow.
- D. Use an existing data connector.

Answer: D

Explanation:

In Power Apps, add a data connection to an existing canvas app or to an app that you're building from scratch. Your app can connect to SharePoint, Common Data Service, Salesforce, OneDrive, or many other data sources.


Note:

Add data source


* 1. In the center pane, select connect to data to open the Data pane.

* 2. Select Add data source.


* 3. If the list of connections includes the one that you want, select it to add it to the app. Otherwise, skip to the next step.



* 4. Select New connection to display a list of connections.



* 5. In the search bar, type or paste the first few letters of the connection you want, and then select the connection when it appears.



* 6. Select Create to both create the connection and add it to your app. Reference:
<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/add-data-connection>

NEW QUESTION 52

- (Exam Topic 3)

A company uses several forms for biannual performance evaluations. The company conducts the evaluations by using a pen and paper process. The evaluations contain several performance areas that have a score of 1-10. A paragraph explains the score.

The company must scan completed performance evaluations into a Common Data Service entity by using a Power Apps app. The information in the documents must automatically map to entities and convert into quantifiable information.

If any key phrases in the scored topics cause concern, the company must follow a series of actions to prepare for a follow up.

You need to extract the information and perform the actions when the evaluations are scanned. Which component should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Requirement	Component
Convert the evaluations from images to data	<ul style="list-style-type: none"> AI Builder Power BI Dataflows Business rules
Convert a form processing variable to an integer	<ul style="list-style-type: none"> Initialize variable Add dynamic content Append to string variable Extract entities and their types from text
Use the flow action to convert a form processing variable to an integer	<ul style="list-style-type: none"> Scope Do until Condition Apply to each

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, table, email Description automatically generated

Box 1: AI Builder

The object detection component of AI Builder for PowerApps takes a photo or loads an image file to do an object detection scan. On a mobile device, the user chooses between taking a photo or selecting one already available in the device user interface. When an image is selected, the component automatically scans it to identify objects.

Box 2: Extract entities and their types from text

The Entity extraction prebuilt model identifies and classifies key elements from text into pre-defined entities. You can use the prebuilt model out of the box in power apps and power automate.

Box 3: Scope

Scope is a simple way to put similar actions and conditions together like a Stage. Reference:

<https://docs.microsoft.com/en-us/ai-builder/object-detector-component-in-powerapps> <https://powerapps.microsoft.com/en-us/blog/new-ai-builder-models-are-now-generally-available/>

NEW QUESTION 55

- (Exam Topic 3)

A user named Bill Jones creates a canvas app and shares it with other users in his company as shown in SharePowerUsers and ShareJimSmith exhibits. (Click the SharePowerUsers tab and the ShareJimSmith tab.)

Share Company App

Enter a name, email address, or Everyone

Shared with Sort by Name ▾

- BJ Bill Jones
Owner
- JS Jim Smith
Co-owner ✕
- PU Power Users
User ✕

Power Users

This User can use this app

Co-owner
Can use, edit, share app but not delete or change owner.

Data permissions ⓘ

Make sure your users have access to the data used in your app, including gateways, APIs, connectors, and entities.

Share Company App

Enter a name, email address, or Everyone

Shared with Sort by Name ▾

- BJ Bill Jones
Owner
- JS Jim Smith
Co-owner ✕
- PU Power Users
User ✕

Jim Smith

This User can use this app

Co-owner
Can use, edit, share app but not delete or change owner.

Data permissions ⓘ

Make sure your users have access to the data used in your app, including gateways, APIs, connectors, and entities.

There are multiple versions of the app. Users must only be able to run the most recently published version of the app as shown in the table below:

Version	Modified	Modified by	Power Apps release	Published	Version note
Version 4	09/05/2020 17:32	Bill Jones	3.20023.8		Changed fonts
Version 3	09/05/2020 17:30	Bill Jones	3.20023.8	Live	Changed business logic
Version 2	09/05/2020 17:22	Bill Jones	3.20023.8		Updated background color
Version 1	09/05/2020 17:20	Bill Jones	3.20023.8		

You need to ensure that sharing is configured correctly.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

	Yes	No
Member of the Power Users group are able to publish version 4 of the canvas app.	<input type="radio"/>	<input type="radio"/>
When using the canvas app, a member of the Power Users group can see version 4.	<input type="radio"/>	<input type="radio"/>
If version 2 of the canvas app is restored, it will be labelled as the Live version.	<input type="radio"/>	<input type="radio"/>
If Jim Smith edits the canvas app he will be editing version 4.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

A screenshot of a computer Description automatically generated with low confidence

Box 1: No


They can only use the app. Box 2: Yes

Box 3: No

You would need to publish Version 2 to make it live.


Note: If you want to publish the restored version, select Publish this version, and then select Publish this version when prompted to confirm.

Graphical user interface, table Description automatically generated



Notice the published restore version that shows up as Live.

Graphical user interface, application Description automatically generated



Box 4: Yes

The most recent version of any app is available only to those who have edit permissions for it. Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/share-app> <https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/restore-an-app>
<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/save-publish-app>

NEW QUESTION 56

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are creating a canvas app.

You need to automatically detect bicycles in pictures taken with the camera. Proposed solution:

- > Create an Object Detection custom model in AI Builder.
- > Train the model with pictures of bicycles and then publish the trained model.
- > Add the Object Detector control to your canvas app.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

To train an object detection model to recognize your objects, you have to gather images that contain those objects.

The first thing you'll do when you create an AI Builder object detection model is to define its domain. Upload images

Then Train and publish your object detection model

The object detector component takes a photo or loads an image file to do an object detection scan. On a mobile device, the user chooses between taking a photo or selecting one already available in the device user interface. When an image is selected, the component automatically scans it to identify objects.

Reference:

<https://docs.microsoft.com/en-us/ai-builder/prediction-overview> <https://docs.microsoft.com/en-us/ai-builder/object-detector-component-in-powerapps>

NEW QUESTION 58

- (Exam Topic 3)

You are creating an app for an organization's human resources (HR) department. You create an Employee entity in an unmanaged Common Data Service solution.

Another user creates the following Power Automate flows separately from the solution:

Flow	Description
FlowA	Send email to the HR manager when a new document is uploaded to Microsoft SharePoint.
FlowB	Send email to the HR manager after a user selects a document in Microsoft OneDrive for Business and runs the flow.
FlowC	Send email to the HR manager at 8 AM daily if new documents are uploaded in Microsoft OneDrive for Business since the previous day.
FlowD	Send email to the HR manager when a new employee record is added.

You need to incorporate the flows that can be added to the solution.

Which two flows can you include? Each correct selection presents a complete solution.


NOTE: Each correct selection is worth one point.

- A. FlowA
- B. FlowB
- C. FlowC
- D. FlowD

Answer: AD

Explanation:

You can add any of these conditions to determine precisely when your flow is triggered.



Reference:

<https://docs.microsoft.com/en-us/power-automate/connection-cds-native>

NEW QUESTION 59

- (Exam Topic 3)

You work in a warehouse. You build an app for physical inventory counts that is used by different staff members. The typical count takes 14 hours. The app has a warehouse screen with a gallery that contains the aisles in the warehouse. When a staff member selects an aisle record, another screen displays all the items stored in that aisle. The staff must know how long each aisle takes to do a physical inventory count. You need to add logic to the app. What should you do?

- A. Configure a timer control, add it to the aisle screen, and then reset it when exiting the aisle screen
- B. Create and configure a stopwatch custom control, and then add it to the gallery
- C. Create and configure a stopwatch custom component, and then add it to the aisle screen
- D. Configure a timer control, add it to the gallery, and then reset it when the selection changes

Answer: C

Explanation:

Reference:
<https://www.cdata.com/kb/tech/azuredatalake-odata-powerapps.rst>

NEW QUESTION 61

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company is deploying Microsoft Power Platform components to streamline a job candidate screening process.

The human resources (HR) representatives of the company plan to attend school career fairs. The HR representatives must qualify and enter potential job candidates into a Power Apps app. The HR representatives must enter the following information for each candidate:

Field name	Data type	Criteria for follow up
Name	Text	No
Degree	Text	Yes
First available hire date	Date	Yes
Initial impression	Integer 0-10	Yes
Resume	Picture	No
Not currently viable	Boolean	Yes
Follow up	Boolean	NA

If a candidate is currently unqualified for a job position but would eventually qualify based on follow-up criteria, the follow-up checkbox must be selected or cleared in the system immediately.

The company plans to create a similar Power Apps app that will contain the same business use case, but for internal employees and promotions.

You need to create a Power Apps app solution to automatically mark the candidate for follow up. Proposed solution: Create a business rule on the appropriate data entity with a scope of entity. Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use Common Data Service workflow with a PowerQuery on the data entity.

Note: Process (Workflow) table/entity reference is a set of logical rules that define the steps necessary to automate a specific business process, task, or set of actions to be performed.

Common Data Service workflow support: Filter triggers based on which attributes change - You can control which field changes trigger your automated flows. For example, trigger your flow only when the status field changes while ignoring all other fields that may change.

Reference:
<https://docs.microsoft.com/en-us/business-applications-release-notes/april19/microsoft-flow/automated-parity-cl>

NEW QUESTION 66

- (Exam Topic 3)

DRAG DROP

You develop Microsoft Power Platform solutions for Contoso, Ltd You create a Power Virtual Agents chatbot in a Microsoft Teams team.

You need to make the chatbot available to all users in your organization.

Which three actions should you perform in sequence? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- Access the chatbot in the Teams app store in the Built by your colleagues category.
- Publish the chatbot.
- Access the chatbot in the Teams app store in the Built for Contoso category.
- Submit the chatbot for admin approval.

Answer area

>

<

↑

↓

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 71

- (Exam Topic 3)

DRAG DROP

You are creating a Power Automate cloud flow to update a column on each Item in a list of Microsoft Dataverse records. Records are sorted in order of priority. You must use a complex expression to determine the column value. The column value must be stored in a variable to make future maintenance easier. Records must be processed based on the sorted order.

You need to add flow steps to process the list of records.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 72

- (Exam Topic 3)

A company has an on-premises system that stores product information. The company plans to replace the information with a Power Platform solution that uses the Common Data Service.

The Power Platform solution needs to use data from the product information system. You need to transform and import the data from the product information system. Which two tools should you use? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Dataflow
- B. Business process flow
- C. Power BI Desktop
- D. Data gateway

Answer: AD

Explanation:

The on-premises data gateway acts as a bridge to provide quick and secure data transfer between onpremises data (data that isn't in the cloud) and several Microsoft cloud services. These cloud services include Power BI, PowerApps, Power Automate, Azure Analysis Services, and Azure Logic Apps. By using a gateway, organizations can keep databases and other data sources on their on-premises networks, yet securely use that on-premises data in cloud services.

Can use the Power Platform dataflows to load entity in CDS with the option to transform data. Reference:

<https://docs.microsoft.com/en-us/power-bi/connect-data/service-gateway-onprem> <https://nishantrana.me/2020/07/07/load-data-from-sql-on-premise-to-cds-common-data-service-using-powerplat>

NEW QUESTION 77

- (Exam Topic 3)

You are developing a Power BI report for a company.

The Power BI report must display company performance metrics in Power BI service. The report must include three fields in a visualization. The data for the report exists in a dataset.

The company will display the report on a large television screen during team meetings. You need to create the report.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer and arrange them in the correct order.

Actions		Answer Area
Add the report to a new dashboard		
Create a report		
Add a visualization to the report	➤	⬆
Create a paginated report	➤	⬇
Select a dataset		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, chat or text message Description automatically generated

Box 1: Select a dataset

Sign in to your Power BI online account, or sign up, if you don't have an account yet. Open the Power BI service.

Get some data and open it in report view. Box 2: Create a report

Use that data to create visualizations and save it as a report. Box 3: Add a visualization to the report

Box 4: Add the report to a new dashboard

Visualizations (known as visuals for short) display insights that have been discovered in the data. A Power BI report might have a single page with one visual or it might have pages full of visuals. In the Power BI service, visuals can be pinned from reports to dashboards.

Reference:

<https://docs.microsoft.com/en-us/power-bi/fundamentals/service-get-started> <https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-report-visualizations>

NEW QUESTION 82

- (Exam Topic 3)

You are using Test Studio to test a Power Apps canvas app. You need to ensure that the app conforms to several use cases. What should you do first?

- A. Save the app to the cloud.
- B. Create test cases for each requirement.
- C. Save the app to your computer.
- D. Create a test suite.
- E. Record test cases for each requirement.

Answer: D

Explanation:

Create a test suite.

By default, a test suite and test case are created for you in Test Studio. Test suites are used to organize your test cases.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/working-with-test-studio>

NEW QUESTION 87

- (Exam Topic 3)

You have a Power Automate flow that processes files in a Microsoft SharePoint document library. The flow only needs to be run as required. You add steps to the flow to process the files.

Before leaving the office for the day, the manager must initiate the flow. The flow must not start processing files before 11:00 PM.

You need to configure the flow.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Add a recurrence trigger and configure to run daily at 11 00 PM.
- B. Add a Condition action
- C. If the time greater than 11:00 PM use a Terminate action prevent further processing.
- D. Manually trigger the flow.
- E. Add a Delay Until action and enter the timestamp for 11 00 PM.

Answer: CD

Explanation:

Delay an action until a specific timestamp.

Note: The Microsoft Dataverse connector provides four ways to add wait conditions. Use these wait conditions when you need to delay processing in your flows until a particular condition is met.

- > Postpone triggering the flow and the first action until a specific time: Wait condition using Postpone Until.
- > Add a fixed delay before the next step.
- > Delay an action until a specific timestamp.
- > Delay an action until a specific event occurs.

Reference:

<https://docs.microsoft.com/en-us/power-automate/dataverse/wait-conditions>

NEW QUESTION 92

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company has locations in multiple countries and regions across four continents.

The company stores the total amount of each order in the local currency of the country/region where the customer is located. The company stores the applicable exchange rates in a custom US dollars (USD) exchange rate table.

You need to create a visualization that displays the total amount of orders by country/region in USD. Proposed solution:

Create a custom rollup field of type currency on the country/region table that aggregates all the total amounts for the orders from that country/region and display this rollup field in a Power BI chart.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use a calculated field.

Need to calculate the exchange rate in USD.

Calculated columns are calculated in real-time when they are retrieved. Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/data-platform/calculated-rollup-attributes>

NEW QUESTION 95

- (Exam Topic 3)

In a Common Data Service database, you create a canvas app and a custom entity. The app also reads data from the Account entity in the Common Data Service database.

Entity access permissions will be controlled by the Common Data Service User security role. You create a Common Data Service solution.

You need to replicate the changes to a new Common Data Service database.

Which two components should you include with the canvas app? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Custom entity
- B. Account entity
- C. Common Data Service User security role
- D. Sitemap

Answer: BC

NEW QUESTION 97

- (Exam Topic 3)

You have a solution that contains a Power Automate flow, an environment variable, and a model-driven app.

Which three steps should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- Select the managed solution.
- Adjust the version number.
- Publish all changes.
- Select the unmanaged solution.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Adjust the version number. Step 2: Select the managed solution.

Managed Solution: A managed solution is a finalized solution that can be distributed and installed. They are created by exporting an unmanaged solution by setting restrictions to prevent any further customizations. The whole point of Managed is locking down the Component states so they cannot be edited. Deleting the Managed Solution will remove all its customisations as well as data contained. Managed Solutions become read only once deployed so they cannot be manipulated.

Step 3: Publish all changes. Reference:

<https://powerusers.microsoft.com/t5/Power-Apps-Pro-Dev-ISV/Managed-vs-Unmanaged/td-p/495685>

NEW QUESTION 101

- (Exam Topic 3)

A company is building a Power Apps app to track key project tasks.

Users assign three tasks a risk status on a scale of 0 to 100 by using slider input controls named RiskStatus on the app. The highest risks use the risk status value of 100.

Task name	Slider input control name
Task1	RiskStatus1 [0–100]
Task2	RiskStatus2 [0–100]
Task3	RiskStatus3 [0–100]

If the combined value of all the tasks is 150 or above, a header bar on the screen must display the text HIGH RISK.

You need to configure a solution to change the text on the header bar.

How should you configure the app? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement

Configuration

Where should you apply logic to change the text?

- On the header control.
- On each RiskStatus slider input.
- In the global variables of the Power Apps app.
- On the OnStart property of the Power Apps app.

Which formula should you use?

- SUM(RiskStatus1.value,RiskStatus2.value,RiskStatus3.value)>=150? "HIGH RISK" : ""
- IF(SUM(RiskStatus1.value,RiskStatus2.value,RiskStatus3.value)<150, "", HIGH RISK")
- Updateif((RiskStatus1.value+RiskStatus2.value+RiskStatus3.value)>=150, "HIGH RISK")
- UpdateContext(IF(RiskStatus1.value+RiskStatus2.value+RiskStatus3.value>=150), "HIGH RISK")

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, application Description automatically generated

Box 1: On each RiskStatus slider input You can change the value based on input. Box 2: Updateif(..)

Use the Updateif function to modify one or more values in one or more records that match one or more conditions. The condition can be any formula that results in a true or false and can reference columns of the data source by name. The function evaluates the condition for each record and modifies any record for which the result is true.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/working-with-formulas#change-a-value-based-> <https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-update-updateif>

NEW QUESTION 105

- (Exam Topic 3)

HOTSPOT

A bicycle shop uses Microsoft Dataverse to track bicycle rentals and renter information. The bicycle shop has a standalone tablet with a canvas app. Renters use the app to check out bicycles. Only one renter at a time can check out bicycles.

Multiple renters can rent as a team. You must expand the app to allow team rentals in one step. All team members must be registered under a single phone number.

You need to modify the canvas app to display team and team member information, along with bicycle information

Which UI elements should you use for each requirement? To answer, select the appropriate options in the answer area

NOTE: Each correct selection is worth one point.

Answer Area

Requirement	UI element
Phone number lookup	<input type="checkbox"/> Choice <input type="checkbox"/> Text input <input checked="" type="checkbox"/> Choice <input type="checkbox"/> Pen input
Team members and their bicycles	<input checked="" type="checkbox"/> Gallery <input type="checkbox"/> List box <input type="checkbox"/> Container <input type="checkbox"/> Data table <input checked="" type="checkbox"/> Gallery

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Requirement	UI element
Phone number lookup	<input type="checkbox"/> Choice <input type="checkbox"/> Text input <input checked="" type="checkbox"/> Choice <input type="checkbox"/> Pen input
Team members and their bicycles	<input checked="" type="checkbox"/> Gallery <input type="checkbox"/> List box <input type="checkbox"/> Container <input type="checkbox"/> Data table <input checked="" type="checkbox"/> Gallery

NEW QUESTION 110

- (Exam Topic 3)

You are creating a canvas app for a company that delivers packages. The app will display one screen for each delivery attempt.

Drivers must make three attempts to deliver a package before returning the package back to a warehouse. Drivers must enter details about delivery on a second screen in the app.

You need to display a list of delivery attempts on the delivery screen.

Which two components can you add to the app to display details about the delivery attempts? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Data table
- B. Vertical gallery
- C. Display form
- D. Drop-down

Answer: AC

Explanation:

The Data table control shows a dataset.

In a canvas app, add and configure a Display form control to show all fields in a record. Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/controls/control-data-table> <https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/working-with-form-layout>

NEW QUESTION 112

- (Exam Topic 3)

A production line app maker at a manufacturing company creates a canvas app that looks for available inventory in a SQL database. The production line workers use the inventory app across all work centers.

The production line workers report the following app issues from the shop floor:

- > The app reports a delegation warning.
- > Voice command functionality is unreliable.

You have minimal information about the issues. You are not allowed to enter the production facility.

You need to troubleshoot the issues.

How should you troubleshoot the issues? To answer, select the appropriate options in the answer area.

Issue	Action
The app reports a delegation warning.	<div style="border: 1px solid black; padding: 5px;"> <div style="text-align: right; border-bottom: 1px solid black;">▼</div> <div style="border-bottom: 1px solid black; padding: 2px;">Use the LookUp function</div> <div style="border-bottom: 1px solid black; padding: 2px;">Check the number of items in the collection</div> <div style="padding: 2px;">Check the number of dataset items</div> </div>
Voice command functionality is unreliable.	<div style="border: 1px solid black; padding: 5px;"> <div style="text-align: right; border-bottom: 1px solid black;">▼</div> <div style="border-bottom: 1px solid black; padding: 2px;">Use the App checker/Runtime feature</div> <div style="border-bottom: 1px solid black; padding: 2px;">Use the Advanced Tools/Monitor feature</div> <div style="border-bottom: 1px solid black; padding: 2px;">Use the App checker/Accessibility feature</div> <div style="padding: 2px;">Use Advanced Tools/Performance feature</div> </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface Description automatically generated

Box 1: Check the number of items in the collection

If the data in your data source exceeds 500 records and a function can't be delegated, Power Apps might not be able to retrieve all of the data, and your app may have wrong results.

Note: Delegation is where the expressiveness of Power Apps formulas meets the need to minimize data moving over the network. In short, Power Apps will delegate the processing of data to the data source, rather than moving the data to the app for processing locally.

Box 2: Use the Advanced Tools/Monitor feature

Monitor is available by default for all canvas apps. Using Monitor, you can trace events as they occur in a canvas app during the authoring experience in Power Apps Studio, or you can use Monitor to debug the published version of a canvas app.

Example: Consider the scenario where an app has been deployed, and the initial version of the app experiences performance degradation. The app also intermittently generates errors with no clear pattern. Loading data in the app succeeds most of the time, but fails sometimes.

When you check Monitor, you see data operations as expected. However, you also see several responses that have HTTP status code 429, indicating that there have been too many requests in a specific timeframe.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/delegation-overview> <https://docs.microsoft.com/en-us/powerapps/maker/monitor-canvasapps>

NEW QUESTION 113

- (Exam Topic 3)

A company uses Power Apps. You embed a canvas app in a model-driven app form. You need to bind the app to a form component. Which form component should you use?

- A. Section
- B. View
- C. Column
- D. Tab

Answer: C

NEW QUESTION 116

- (Exam Topic 3)

You create a dashboard in Power BI. You share the dashboard with the sales team. Sales team members report that they can see information for the entire company. You need to ensure that the team is able to see only data for their team.

Where must you configure this restriction?

- A. Dashboard
- B. Report
- C. Dataset
- D. Settings

Answer: C

Explanation:

Restrict access to the dataset.

Note: Another way of setting access is through manage permission in the dashboard, report, or dataset. If you share a dashboard, by default the report and the dataset will also be shared as read-only for users.

Reference:

<https://radacad.com/dashboard-sharing-and-manage-permissions-in-power-bi-simple-but-useful>

NEW QUESTION 117

- (Exam Topic 3)

DRAG DROP

You are designing a new model-driven app for salespeople at a company.

The company requires that all new line-of-business apps must use a much native functionality as possible to avoid having developers maintain code.

You need to determine how to implement the app s business logic.

Which method should you use? To answer, drag the appropriate methods to the correct requirements. Each method may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
 NOTE: Each correct selection is worth one point.

Methods	Answer Area	Requirement	Method
Business rules		Validate the postal code format based on the state or province entered by a user.	
Power Automate flows		Ensure that the app can communicate with other business applications by using existing connectors.	
Business process flows			

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Methods	Answer Area	Requirement	Method
Business rules		Validate the postal code format based on the state or province entered by a user.	Business rules
Power Automate flows		Ensure that the app can communicate with other business applications by using existing connectors.	Power Automate flows
Business process flows			

NEW QUESTION 122

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You build a canvas app for a manufacturing company. The company receives parts and materials from many vendors. You create a form to collect information from packing slips.

Receivers must be able to take a picture of packing slips to receive materials instead of manually entering data in the app.

You need to ensure that users can scan packing slip information into the form. Proposed solution: Use a Category classification model.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

A Category classification model categorizes text by its meaning. Reference:
<https://knowledgefrommanish.com/powerplatform/ai-builder-entity-extraction-ai-model/>

NEW QUESTION 126

- (Exam Topic 3)

A company has 500 products. Each product is referenced by a product ID. Each product belongs to one of eight product categories.

You are creating an app to manage requests for new products.

The product categories will never change. Categories are defined in the column itself, not in a separate table. The data must be structured in a way that does not allow for misspellings.

Only two new tables should be created in Microsoft Dataverse:

- > Products: Holds the products that can be requested.
- > Requests: Holds the requests for the product ID and quantity. The products are filtered by product category.

You need to identify the data types to use when building the table columns in Dataverse.

Which data type should you use? To answer, drag the appropriate data types to the correct requirements. Each data type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Data types	Answer Area	Data types
Lookup	<p>Scenario</p> <p>Create a column in the Products table that displays the category of the product</p> <p>Create a column in the Products table for the product ID of the product</p> <p>Create a column in the Requests table that allows the user to select form a list of available products</p>	Data type
Choice		Data type
Text		Data type

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Text

Text columns can contain text characters. This column type has several format options that will change the presentation of the text.

Box 2: Lookup

When you create a new lookup column you are creating a new Many-to-One (N:1) table relationship between the table you're working with and the Target Row Type defined for the lookup.

Box 3: Choice

You can customize forms (main, quick create, and quick view) and email templates by adding multi-select columns that are called Choices. When you add a choices column, you can specify multiple values that will be available for users to select. When users fill out the form, they can select one, multiple, or all the values displayed in a drop-down list.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/data-platform/types-of-fields>

NEW QUESTION 128

- (Exam Topic 3)

A company uses two SQL Server environments and two Common Data Service environments.

The company policy states that only specific administrators can create environments. SQL Server and Common Data Service groups must be distinct.

You need to assign security access.

What should you assign? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Role	Security access
Admin users for SQL environments	<ul style="list-style-type: none"> Environment Maker Environment Admin System Administrator and Environment Security group Power Platform Administrator and Environment Security group
Admin users for Common Data Service environments	<ul style="list-style-type: none"> Environment Maker Environment Admin Global Administrator System Administrator
Users that create Common Data Service apps	<ul style="list-style-type: none"> System Customizer Environment Maker Environment Admin System Administrator
Users that create SQL apps	<ul style="list-style-type: none"> System Customizer Environment Maker Environment Admin System Administrator

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: System Administrator and Environment Security group Security model for the databases

When a database is created, the users who have environment roles assigned to them, will continue to maintain those privileges.

Users with Environment Admin role are now assigned to System Administrator role. Users with Environment Maker continue to possess the same role.

Box 2: Environment Admin

The Environment Admin role can perform all administrative actions on an environment, including the following:

> Add or remove a user from either the Environment Admin or Environment Maker role. Box 3: Environment Maker

Environment Maker: Can create new resources associated with an environment, including apps, connections, custom APIs, gateways, and flows using Microsoft Power Automate. However, this role doesn't have any privileges to access data within an environment. More information:

Box 4: System Customizer

System Customizer: Has full permission to customize the environment. However, users with this role can only view records for environment entities that they create.

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/database-security>

NEW QUESTION 130

- (Exam Topic 3)

HOTSPOT

A company uses Microsoft Teams and Microsoft 365. Employees use Microsoft Excel to create checklist and capture measurements.

The company requires a Microsoft Power Platform app to consolidate the checklists and perform the measurements- Network connectivity may not be available when measurements are taken.

You need to determine which features to use for the app

Which features should you use? To answer, select the appropriate options in the answer area NOTE: Each coned selection is worth one point.

Answer Area

Requirement	Feature
App type	<input type="checkbox"/> Model-driven app <input type="checkbox"/> Canvas app <input checked="" type="checkbox"/> Model-driven app
Data source	<input type="checkbox"/> Cloud Excel table <input type="checkbox"/> Local Excel table <input checked="" type="checkbox"/> Cloud Excel table
Offline mode	<input type="checkbox"/> Power Apps mobile <input type="checkbox"/> Field Service Mobile <input checked="" type="checkbox"/> Power Apps mobile <input type="checkbox"/> Power Apps for Windows <input type="checkbox"/> Power Apps wrap

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
 Answer Area

Requirement	Feature
App type	<input type="checkbox"/> Model-driven app <input type="checkbox"/> Canvas app <input checked="" type="checkbox"/> Model-driven app
Data source	<input type="checkbox"/> Cloud Excel table <input type="checkbox"/> Local Excel table <input checked="" type="checkbox"/> Cloud Excel table
Offline mode	<input type="checkbox"/> Power Apps mobile <input type="checkbox"/> Field Service Mobile <input checked="" type="checkbox"/> Power Apps mobile <input type="checkbox"/> Power Apps for windows <input type="checkbox"/> Power Apps wrap

NEW QUESTION 135

- (Exam Topic 3)

You are creating a model-driven app for onboarding new employees. You need to implement business logic for the app.

Which tool should you use? To answer, drag the appropriate tools to the correct requirements. Each tool may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Tools	Requirement	Tools
Business rule	Guide a user through the set of steps needed for onboarding a new employee.	<input type="text"/>
Power Automate	Make date of birth mandatory when creating a new employee record.	<input type="text"/>
Business process flow	Implement an approval flow for expense reports submitted by employees.	<input type="text"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: Business process flow

A business process flow is a visual guide meant to help users complete a business process by using a set of predefined stages. Users are not limited on how long they run a business process or how long they have a stage open.

Box 2: Business rule Box 3: Power Automate

A Power Automate flow does not have any visual components like a business process flow. Power Automate flows can be configured to work with many different data sources, and a flow can connect to many different data sources within the same flow. A flow can be configured to time out if it is not completed in a certain time and can be triggered to move between steps based on data or user interaction.

Reference:
<https://docs.microsoft.com/en-us/learn/modules/intro-business-process-flows/2-differences>

NEW QUESTION 138

- (Exam Topic 3)

You create and publish a canvas app component library to perform complex calculations.

You discover an error in one of the calculations. You correct the issue and publish the component library. A co worker uses the original version of the component library in a canvas app.

You need to ensure that the co-worker uses the updated version of the component library. What should you do?

- A. Export the updated component library and instruct the co-worker to import the updated version into the canvas app
- B. Inform the co-worker to edit the canvas app and manually add the updated version of the component library
- C. Instruct the co-worker to edit the canvas app and update the component library


Answer: C

Explanation:


You can modify an existing component library and save any changes with additional version notes. However, the updated component library version must be published for use in existing apps that use the component library.

Makers of other apps are notified of updated components being available. The notification appears when makers edit the apps in canvas app studio. They can choose to update the components:

Graphical user interface, application Description automatically generated



Select Review, and you'll see the option to update the component: Graphical user interface, application Description automatically generated



Reference:
<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/component-library>

NEW QUESTION 141

- (Exam Topic 3)

You store data about products in two Microsoft Excel worksheets. The data contains duplicate rows.

You need to consolidate data from the two worksheets into a Microsoft Dataverse custom table.

In which order should you perform the actions? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Answer Area

- Upload the worksheets to OneDrive
- Add conditional columns to perform checks on the data
- Create queries for the worksheets
- Append the output from the queries
- Create a dataflow



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Step 1: Upload the worksheets to OneDrive

A data source needs to be specified. The data needs to be available. Step 2: Create a dataflow

Step 3: Create queries for the worksheets

You can shape your data selection into a form that works best for your table using a Power Query editing experience, similar to the Power Query Editor in Power BI Desktop.

Step 4: Add conditional columns to perform checks on the data Step 5: Append the output of the queries

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/data-platform/create-and-use-dataflows> <https://docs.microsoft.com/en-us/power-query/dataflows/add-data-power-query>

NEW QUESTION 144

- (Exam Topic 3)

You receive ideas from employees in a Microsoft Teams channel. Managers are not members of the Teams channel Submissions must be reviewed by three managers who are determined by submission type. You need approval from the managers to process submissions. What should you create?

- A. approval request in the Teams channel that requires a response from all approvers
- B. approval request in a chat with the three managers that requires a response from all approvers
- C. approval template that requires responses to be completed in order
- D. approval template that requires a response from all approvers

Answer: B

NEW QUESTION 145

- (Exam Topic 3)

A company uses Microsoft Power Platform. You create a solution with components You deploy the solution in the production environment Users report issues with a process. You open the last imported solution. You need to troubleshoot the issue. What should you view?

- A. Solution dependencies
- B. Solution classic view
- C. Solution status overview
- D. History


Answer: D

NEW QUESTION 147

- (Exam Topic 3)

HOTSPOT

Users in your company vote on color choices for marketing materials by using the following canvas app:



Users enter color names into a text control and then select Add color to add the color to the Color options radio control. You must remove all the listed colors when a user selects Clear Selection

You need to implement the functionality.

Which Power Fx formulas should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Action	Power Fx formula
User selects Add color .	<input type="checkbox"/> If(txtColor.Value <> "", Collect(ColorList, txtColor.Value)) <input checked="" type="checkbox"/> If(txtColor.Value <> "", Collect(ColorList, txtColor.Value)) <input type="checkbox"/> If(Value(txtColor.Text) <> "", Collect(ColorList, txtColor.Text)) <input type="checkbox"/> If(Value(txtColor.Color) <> "", Collect(ColorList, txtColor.Color))
User selects Clear Selection	<input type="checkbox"/> Revert(radioselector); ClearCollect(ColorList, txtColor.Value) <input type="checkbox"/> Reset(radioselector); Clear(ColorList) <input type="checkbox"/> Reset(radioselector); Refresh(ColorList) <input type="checkbox"/> Revert(radioselector); Remove(ColorList) <input checked="" type="checkbox"/> Revert(radioselector); ClearCollect(ColorList, txtColor.Value)

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Answer Area

Action	Power Fx formula
User selects Add color.	<pre> If(txtColor.Value <>"", Collect(ColorList, txtColor.Value)) (((txtColor.Value <>"", Collect(ColorList, txtColor.Value)) If(Value(txtColor.Text) <>"", Collect(ColorList, txtColor.Text)) If(Value(txtColor.Color) <>"", Collect(ColorList, txtColor.Color)) </pre>
User selects Clear Selection	<pre> Revert(radioselector); ClearCollect(ColorList, txtColor.Value) Reset(radioselector); Clear(ColorList) Reset(radioselector); Refresh(ColorList) Revert(radioselector); Remove(ColorList) Revert(radioselector); ClearCollect(ColorList, txtColor.Value) </pre>

NEW QUESTION 152

- (Exam Topic 3)

An administrator plans to create and deploy dashboards for use only by sales associates. The dashboards will display the current sales pipeline, open cases, recent major wins, and key opportunities by postal code.

Sales associates must be able to act on the specific data displayed in dashboards. You need to create the dashboards.

Which type of dashboards should you create? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement

Type of dashboard

Ensure that all sales associates can view the dashboard.

	▼
User	
System	

Ensure that sales associates can interact with data from the dashboards.

	▼
Standard	
Multi-stream	
Single-stream	

A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Box 1: User

Type of dashboard: If you want your dashboards to be available across the organization and do not want to manage the access levels at a more detailed level, you might want to create an organization-owned dashboard. However, if you are concerned about the access privileges and security of your dashboard, consider creating a user-owned dashboard where you have more control on who can access it.

Box 2: Single-stream

The single-stream dashboards display real-time data over one stream based on an entity view or queue. The single-stream dashboards are typically helpful to Tier 2 service leads or managers, who monitor fewer, but more complex or escalated cases.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/model-driven-apps/create-dashboard> <https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/configure-interactive-experience-dashbo>

NEW QUESTION 155

- (Exam Topic 3)

DRAG DROP

You are creating a model-driven app.

You must create new components to ensure data from related records can be displayed on a record form. You need to select the component types.

Which component types should you use? To answer, drag the appropriate component types to the correct data. Each component type may be used once, more than once, or not at all. You may need to drag the spirit bar between panes or scroll to view/ content.

NOTE: Each correct selection is worth one point.

Component types	Answer Area	Data	Component type
Card form		Columns from a single record found in a lookup	
System view		List of related records	
Public view			
Quick view form			

A. Mastered
 B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 158

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are creating a canvas app.

You need to automatically detect bicycles in pictures taken with the camera. Proposed solution:

- > Create a Category Classification custom model in AI Builder.
- > Train the model with pictures of bicycles and then publish the trained model.
- > Add the Object Detector control to your canvas app.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead create an Object Detection custom model Reference:

<https://docs.microsoft.com/en-us/ai-builder/prediction-overview> <https://docs.microsoft.com/en-us/ai-builder/object-detector-component-in-powerapps>

NEW QUESTION 161

- (Exam Topic 3)

You are an app maker for a college. You create an app for student enrollment. The app captures the education level of the applicants.

The education level at the time of enrollment is an option set in the student entity. The entity includes three levels:

- > High school
- > College
- > Bachelor

You must split the College option into two option sets:

- > College – 1 Year
- > College – 2 years


The split must not impact existing data. You need to create the two option sets.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 162

- (Exam Topic 3)

A company has hundreds of warehouses. You are developing an app for the shipping department at the company. The app must be able to provide the warehouse address for shipments. You need to create the warehouse field on the app form. Which field type should you use?

- A. Chores
- B. Choice
- C. Text
- D. Lookup

Answer: D

NEW QUESTION 166

- (Exam Topic 3)

You create a canvas app.

You need to make the app available to other people in your company.

What are two possible ways to achieve the goal? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Grant access to individual users in your company.
- B. Share the app with a Microsoft Exchange distribution list.
- C. Grant access to a Microsoft Teams team.
- D. Share the app with a Microsoft Azure Active Directory security group.

Answer: AD

Explanation:

After you build a canvas app that addresses a business need, specify which users in your organization can run the app and which can modify and even reshare it. Specify each user by name, or specify a security group in Azure Active Directory.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/share-app>

NEW QUESTION 171

- (Exam Topic 3)

You are creating entities in a Common Data Service database to capture sales data. You create an entity named Sales that includes the following fields:

Field	Description
SalesPerson	The name of the salesperson who made the sale
Quantity	The number of units sold
Rate	The sale price per unit
GrossAmount	A value obtained by multiplying the Quantity times the Rate. This value is for display purposes only
DiscountAmount	An amount that a salesperson enters into the app to discount a sale
NetAmount	A value obtained by subtracting the DiscountAmount from the GrossAmount

You create a new entity that includes a field named TotalSales. The field is used to capture the aggregated sales for each salesperson.

You need to configure the fields for the entities.

Which field types should you use? To answer, drag the appropriate field types to the correct field names. Each field type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Field types

Rollup

Calculated

Simple

Answer Area

Field name

GrossAmount

DiscountAmount

TotalSales

Field type

Field type

Field type

Field type

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Calculated

Calculated columns are calculated in real-time when they are retrieved. Calculated columns can be composed using different data types. For example, an Integer calculated column may reference values from Decimal or Currency columns.

Box 2: Simple

A simple column isn't defined as a calculated or rollup column. Box 3: Rollup

Because rollup columns persist in the database, they can be used for filtering or sorting just like regular columns.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/data-platform/calculated-rollup-attributes>

NEW QUESTION 172

- (Exam Topic 3)

A company is building multiple Power Apps apps to support a mobile sales team. The apps must all share a common control that has custom properties.

You need to create a solution for the apps.

Which objects should you use? To answer, drag the appropriate objects to the correct requirements. Each object may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Objects

Entity

Component

Component library

Component framework

Requirement

Reuse the custom control for multiple canvas apps.

Receive input data through a custom property.

Object

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Component library

Components are reusable building blocks for canvas apps so that app makers can create custom controls to use inside an app, or across apps using a component library. Components can use advanced features such as custom properties and enable complex capabilities.

By creating a component library, app makers easily share and update one or more components with other makers.

Component libraries are containers of component definitions that make it easy to: Discover and search components.

Publish updates.

Notify app makers of available component updates. Box 2: Component

A component can receive input values and emit data if you create one or more custom properties. Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/component-library> <https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/create-component>

NEW QUESTION 176

- (Exam Topic 3)

You are designing a canvas app.

You need to select user interface controls to include in the app.

Which control should you use? To answer, drag the appropriate controls to the correct requirements. Each control may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Controls	Requirement	Control
List box	Allow users to select multiple items in a list.	<input type="checkbox"/>
Radio		<input type="checkbox"/>
Combo box	Allow users to select multiple items from a list of options by typing in a phrase.	<input type="checkbox"/>
Drop-down list		<input type="checkbox"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: List box

A List Box control always shows all available choices (unlike a Drop down control) and in which the user can choose more than one item at a time (unlike a Radio control).

Box 2: Combo box

A Combo box control allows you to search for items you will select. The search is performed server-side on the SearchField property so performance is not affected by large data sources.

Single or multi-select mode is configured via the SelectMultiple property.

When searching for items to select, for each item you can choose to show a single data value, two values, or a picture and two values (Person) by modifying the Layout settings in the Data pane.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/controls/control-list-box> <https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/controls/control-combo-box>

NEW QUESTION 178

- (Exam Topic 3)

You have a Power Platform solution that uses Common Data Service. You need to secure all fields that support field-level security. Which field can you secure?

- A. createdon
- B. accountid
- C. owninguser
- D. cr7b_accountid

Answer: D

Explanation:

Which fields can be secured?

Although most attributes can be secured, there are system attributes, such as IDs, timestamps, and record tracking attributes, that can't. Below are a few examples of attributes that can't be enabled for field security. ownerid, processid, stageid, accountid, contactid

createdby, modifiedby, OwningTeam, OwningUser

createdon, EntityImage_Timestamp, modifiedon, OnHoldTime, overriddencreatedon statecode, statuscode

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/field-level-security>

NEW QUESTION 179

- (Exam Topic 3)

You create the following apps for a company that provides financial guidance services: a model-driven app for financial advisers that work in the company's offices and a canvas app for remote financial advisers.

You need to create business rules for a custom counselling entity used by all financial advisers. Who will be affected by the business rules?

To answer, drag the appropriate financial adviser types to the correct business rules. Each financial adviser type may be used once, more than once, or not at all.

You may need to drag the split bat between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Financial adviser types

Answer Area

Office-based financial advisers only

Remote financial advisers only

Office-based and remote financial advisers

Business rule

Set a field value with the scope set to Entity

Clear a field value with the scope set to All Forms

Set visibility of a field with the scope set to Entity

Financial adviser type

Financial adviser type

Financial adviser type

Financial adviser type

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: Office-based and remote financial advisers

Model driven apps can use all actions available on business rules, however not all business rule actions are available for canvas apps at this time.

Box 2: Office-based financial advisers only

If you're building a Canvas app, you must use table as the scope (not All forms, not a specific form) Box 3: Office-based financial advisers only

The following actions are not available on Canvas apps : Show or hide columns

Enable or disable columns

Create business recommendations based on business intelligence. Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/data-platform/data-platform-create-business-rule>

NEW QUESTION 181

- (Exam Topic 3)

You are creating a Power Automate flow.

You have an array that contains items with different color attributes. You plan to filter the array by using the following filter expression within the flow:

@or(equals(item()['color'], 'red'),contains(item()['color'],'blue')) The filter returns results only when the expression resolves to true.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
The filter expression yields a result if the array contains the color orange	<input type="radio"/>	<input type="radio"/>
The filter expression yields a result if the array contains the color red	<input type="radio"/>	<input type="radio"/>
The filter expression yields a result if the array contains the color sky blue	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

A screenshot of a computer Description automatically generated with medium confidence

Box 1: No

Box 2: Yes

The item color must be red, or item color contains blue.

Box 3: Yes

NEW QUESTION 182

- (Exam Topic 3)

You create a model-driven app for a company. The app will be used to manage events that the company organizes.

The Events entity ownership type is set to User or team. Members of the marketing team are assigned the MarketingTeam security role. All privileges for the role are set to User access.

All employees must be able to view event records. Only members of the marketing team are permitted to create or edit event records. You create a role named OtherEmployees.

You need to configure the MarketingTeam and OtherEmployees security roles.

Which three actions should you perform? Each correct selection presents a part of the solution.

NOTE: Each correct selection is worth one point.

- A. Set the access level for the OtherEmployees security role to Organization for the Read permission.
- B. Set the access level for the MarketingTeam security role to Organization for the Read permission.
- C. Set the access level for the OtherEmployees security role to None Selected for the Read permission.
- D. Set the access level for the MarketingTeam security role to None Selected for the Read permission.
- E. Set the access level for the MarketingTeam security role to None Selected for the Create and White permission.
- F. Set the access level for the OtherEmployees security role to None Selected for the Create and Write permission.

Answer: ABE

NEW QUESTION 183

- (Exam Topic 3)

DRAG DROP

A company uses Microsoft Power Platform in a production environment. The company is defining new business processes in a prototyping environment. You create components in both environments.

You need to package the components you create.

Which solution types should you use? To answer, drag the appropriate solution types to the connect components. Each solution type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 185

- (Exam Topic 3)

You are creating a model-driven app that allows users to create and edit a list of existing accounts. You need to display a list of all active accounts.

Which user interface components should you use?

- A. view
- B. gallery
- C. data table
- D. form

Answer: C

Explanation:

Imagine that you have a collection of data (such as a list sales orders, a set of service tickets, or a directory of contacts), and that you want to show this data in your Microsoft PowerApps app in a tabular format, where each column represents a field and each row represents a record. In the past, you might have been able to roughly simulate this visualization, although the process required some effort. However, we've been listening to your requests and are happy to announce that you can now quickly and easily achieve this very typical visualization by using the new Data table control that has been recently added to PowerApps.

Reference:

<https://powerapps.microsoft.com/fr-fr/blog/introducing-the-data-table-control/>

NEW QUESTION 186

- (Exam Topic 3)

A company is consolidating communications processes by using Microsoft Teams and Microsoft Power Platform technologies.

A Power Automate flow monitors social media channels to identify high-impact trends.

When the Power Automate flow identifies the trends, consistently formatted and standardized feedback must be collected from the channel members within Teams.

You need to streamline the Power Automate and Teams communication process. What should you use?

- A. AI Builder
- B. Common Data Service business process flows
- C. Adaptive cards
- D. Integrated approval flows

Answer: A

Explanation:

"Microsoft Power Platform and AI Builder components allowed us to quickly deliver an innovative and well-integrated solution within our Dynamics 365 platform for our marketing and sales business partners. The platform is a game-changer in this new world of rapid app delivery."

Jim Parker: Web and Collaboration Services Manager Reference:

<https://customers.microsoft.com/en-au/story/810656-hexion-manufacturing-power-platform>

NEW QUESTION 191

- (Exam Topic 3)

You are creating a canvas app. You plan to use variables that are scoped to a screen to store values. You need to create and update the value of the variables. Which three functions can you use? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Collect
- B. Patch
- C. Navigate
- D. Set
- E. UpdateContext

Answer: BCE

Explanation:

B: Use the Patch function to modify records in complex situations. Such as, when you do updates that require no user interaction or use forms that span multiple screens.

CE: Context variables are scoped for Screen. They are great for passing values to a screen, much like parameters to a procedure in other languages. Can be referenced from only one screen.

Functions available for context variables: UpdateContext

Navigate Note:

Use the UpdateContext function to create a context variable, which temporarily holds a piece of information, such as the number of times the user has selected a button or the result of a data operation.

Context variables are also preserved when a user navigates between screens. You can use Navigate to set one or more context variables for the screen that the formula will display, which is the only way to set a context variable from outside the screen.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-patch> <https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-navigate> <https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-updatecontext>

NEW QUESTION 196

- (Exam Topic 3)

You create a canvas app.

A user is not able to determine which field currently has focus. You run App checker to identify errors. You need to verify that the focused border thickness is set to a value greater than zero.

Which section of the App checker results should you check?

- A. Rules
- B. Performance
- C. Accessibility
- D. Runtime

Answer: C

Explanation:

The Accessibility checker classifies each issue as an error, a warning, or a tip based the issue's severity.

Issues include:

> Focus isn't showing

When the FocusBorderThickness of a control is set to 0. It is good practice to ensure a proper color-contrast ratio between the focus border and the control itself so it's clearly visible.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/accessibility-checker>

NEW QUESTION 201

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are creating a canvas app that displays a list of accounts.

Users must be able to select an account and view details for the account. The app must include a feature that brings the user back to the list of accounts.

You add a blank screen named Screen_Accounts and add a gallery named Gallery_Accounts to the screen. You set the data source of Gallery_Accounts to Accounts and add another blank screen named Screen_AccountDetail.

You need to complete the app.

Solution:

- > Add an edit form to Screen_AccountDetail and set the Default Mode of the form to View.
- > Set the OnSelect property of Gallery_Accounts to Navigate(Screen_AccountDetail).
- > Set the data source of the form to Accounts.
- > Set the Item property of the form to Selected.
- > Add a back icon on Screen_AccountDetail and set its OnSelect property to Navigate(Screen_Accounts). Does the solution meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

View, edit, or create an item, save the contents, and reset the controls in an Edit form control. FormMode.View: The form is populated with an existing record but the user cannot modify the values of the fields.

This function is often invoked from the OnSelect formula of a Button or Image control. Reference: <https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-form>

NEW QUESTION 206

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are developing a model-driven app that uses a Common Data Service database. App users will have a variety of different security roles.

Development and testing must be performed using production data. Multiple testers must be used at each testing stage.

You need to provision and configure new environments for development and testing. Solution:

- > Provision production environments named P1 and P2.
- > Copy the current production environment to P1 and P2.
- > Use P1 for development and P2 for testing.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Production: This is intended to be used for permanent work in an organization. Don't use production environment for development and testing.

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/environments-overview>

NEW QUESTION 209

- (Exam Topic 3)

HOTSPOT

You are designing edit forms to display individual records selected from a list in a canvas app.

The control layout must respond to a variety of screen sizes and orientations that demonstrate the following behaviors:

- Automatically resize and arrange controls from top to bottom
- Maintain the original position of the controls.
- Require no additional property changes. You need to select the layout type.

Which layouts should you use? To answer, select the appropriate options in the answer area.

Answer Area

Behavior

Automatically resize and arrange controls from top to bottom.

Maintain the original position of the controls.

Layout

- Vertical container
- Vertical gallery
- Horizontal gallery
- Vertical container
- Horizontal container

- Container
- Container
- Blank vertical gallery
- Flexible height gallery
- Section

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Behavior

Automatically resize and arrange controls from top to bottom.

Maintain the original position of the controls.

Layout

- Vertical container
- Vertical gallery
- Horizontal gallery
- Vertical container
- Horizontal container

- Container
- Container
- Blank vertical gallery
- Flexible height gallery
- Section

NEW QUESTION 210

- (Exam Topic 3)

DRAG DROP

A company uses Power Automate. You manage two cloud flows named A and B. Users must perform the following activities:

- Manage the properties of cloud flow A.
- Manually trigger cloud flow B

You need to set up privileges for the business users by using the principle of least privilege

Which privilege types should you grant for each activity? To answer, drag the appropriate privilege types to the correct activities. Each privilege type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

Note: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 215

- (Exam Topic 3)

HOTSPOT

The customer service team of a company uses a model-driven app to log customer interactions. The app contains two tables: one to track customer interactions and one to track products.

The team requires an interactive dashboard to display the activities. The dashboard must display the products that have the most complaints. Each chart must display the associated data.

You need to create the dashboard

Which features should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 220

- (Exam Topic 3)

You create a canvas app for technicians at a computer store. You assign technicians cases to work on. The technicians update cases at the end of customer site visit.

The manager wants the technicians to sell warranties to the customers. If a customer agrees to purchase a warranty, technicians use the canvas app to immediately alert the sales team, and then the technician records details about the warranty into the app.

You need to create a flow to alert the sales team. Which type of trigger should you use?

- A. Flow button for mobile
- B. Power Apps
- C. Office 365 Outlook
- D. Common Data Service

Answer: A

Explanation:

Create a button flow to run routine tasks by simply tapping a button. Customize your flow by allowing the user to provide specific details that will be used when the flow runs.

Note: There are many repetitive tasks that we all wish we could run with just a tap of a button. For example, you may need to quickly email your team to remind them to join the daily team sync, or you may want to start a new Visual Studio Codespaces build of your code base after you've been notified that there are no more checkins planned for the day. Button flows allow you to accomplish these and many other tasks simply by tapping a button on your mobile device.

Reference:

<https://docs.microsoft.com/en-us/power-automate/button-flow-with-user-input-tokens>

NEW QUESTION 222

- (Exam Topic 3)

A company is building a canvas app.

A user needs to understand which data they can make available for the 500 contacts that are present in the Contact table. All relevant data must be shown in the app. Single fields must show one record and grids must show multiple records. Only the primary fields for each related table should be shown for a contact.

Display name	Relationship name	Related table	Relationship type	Type	Customizable
Company Name	contact_customer_contacts	Contact	Many-to-one	Managed	Yes
Connected From	contact_connections1	Connection	One-to-many	Managed	Yes
Owning Team	Team_contacts	Team	Many-to-one	Standard	Yes

Use the drop-down menus to select the answer choice that answers each question based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

How should you design a screen to display the Connection table information for each contact in the Contacts table?

Use a grid for the Contact table and a grid for the Connection table

Use a single field for the Contact table and a grid for the Connection table

Use a grid for the Contact table and a single field for the Connection table

Use a single field for the Contact table and a single field for the Connection table

How should you design a screen to display the Team table information for each contact in the Contact table?

Use a grid for the Contact table and a grid for the Team table

Use a single field for the Contact table and a grid for the Team table

Use a grid for the Contact table and a single field for the Team table

Use a single field for the Contact table and a single field for the Team table

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Table Description automatically generated

Box 1: Use a single field for Contact table and a grid for the Connection table The Contact table is on 1-side of the 1-to-many relation to the Connection table. Box

2: Use a single field for Team table and a grid for the Connect table

The Team table is on 1-side of the 1-to-many relation to Contact.

NEW QUESTION 227

- (Exam Topic 3)

DRAG DROP

You are designing several new Microsoft Power Platform apps for a company. You have the following requirements:

Department	Requirement
Sales	The app must be able to enforce consistent business processes including native workflows.
Direct marketing	The app must provide a simplistic user interface with three buttons that allow users to navigate to other pages.

All apps must be able to run from the Power Apps mobile app.

You need to determine which app type to create for each department.

Which app type should you use? To answer, drag the appropriate app types to the correct departments. Each app type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 232

- (Exam Topic 3)

You have a Power Platform solution that uses Common Data Service. You need to secure all fields that support field-level security. Which field can you secure?

- A. createdon
- B. accountid
- C. owninguser
- D. description

Answer: D

Explanation:

Which fields can be secured?

Although most attributes can be secured, there are system attributes, such as IDs, timestamps, and record tracking attributes, that can't. Below are a few examples of attributes that can't be enabled for field security.

ownerid, processid, stageid, accountid, contactid createdby, modifiedby, OwningTeam, OwningUser

createdon, EntityImage_Timestamp, modifiedon, OnHoldTime, overriddencreatedon statecode, statuscode

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/field-level-security>

NEW QUESTION 237

- (Exam Topic 3)

A company uses Microsoft platforms for all accessibility, compliance, and security auditing.

The auditing and compliance division of the company flags a newly created Power Apps canvas app due to accessibility issues. The app must be unpublished until it conforms to Microsoft accessibility requirements and recommendations.

You need to identify all accessibility issues for a solution. What should you use?

- A. Microsoft Accessibility Conformance Reports
- B. Microsoft Compliance Center
- C. Power Apps Studio
- D. Microsoft Accessibility Guides
- E. Microsoft Visual Studio

Answer: C

Explanation:

- > Find accessibility issues
- > In the upper-right corner of Power Apps Studio, select the icon for the App checker.
- > App checker icon.
- > In the menu that appears, select Accessibility.
- > A list of issues appears, sorted first by severity and then by screen.
- > Select the arrow next to an item to show details about it.
- > Accessibility checker details.
- > Select the back arrow to return to the list of items.


- > If you decide to address an issue, select it to open the affected property.
 - > After you change one or more properties, select Re-check to update the list of issues. Resolved items disappear from the list, and new items may appear.
- Reference:
<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/accessibility-checker> <https://support.microsoft.com/en-us/accessibility/enterprise-answer-desk>

NEW QUESTION 238

- (Exam Topic 3)

You create a canvas app for a service company.

Using the Tree view, you navigate to the ViewServices screen. The screen contains a form named DetailForm1 that only contains Label controls. You add the People icon to the header of the ViewServices screen as shown below:



When you select the icon a new Activity form opens. You must set the value of the Name field on the new Activity form to the value of the name field from DetailForm1.

Use the drop-down menus to select the answer choice that answers each question based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Which formula must you enter in the Name field on the Activity form to default the Name from DetailForm1?

Dropdown menu options:

- Name_DataCard1.Default
- Name_DataCardKey1.Default
- Name_DataCardValue1.Default

Which action should you perform on the People icon?

Dropdown menu options:

- In the On Select property, set the Activity form to Edit mode.
- In the On Select property, set the Activity form to View mode.
- Move the icon to the Activity form and set the On Select property to the Activity screen.
- Move the icon to the DetailForm1 and set the On Select property to open the Activity screen.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: Name_DataCardValue1.Default

Box 2: Move the icon to the Activity form and set the On Select property to the Activity screen.

The Select function simulates a select action on a control as if the user had clicked or tapped the control. As a result, the OnSelect formula on the target control is evaluated.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-select>

NEW QUESTION 242

- (Exam Topic 3)

You create a canvas app within a Power Platform environment.

You need to identify potential accessibility issues for the canvas app before making the app available to other users.

Which tool should you use?


- A. Portal Checker
- B. App Checker
- C. Solution Checker

Answer: B

Explanation:

Find accessibility issues

* 1. In the upper-right corner of Power Apps Studio, select the icon for the App checker.



* 2. In the menu that appears, select Accessibility.



A list of issues appears, sorted first by severity and then by screen. Reference:
<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/accessibility-checker>

NEW QUESTION 243

- (Exam Topic 3)

A company uses Power Apps in a single Microsoft Dataverse environment.

Users are divided into two groups about not a canvas app should work. The company decides that each group of users will try a version of the app for one week and switch to the other version of the app the following week.

You need to manage the app creation. What should you do?

- A. Create one app with two different version numbers.
- B. Create one app with two different version notes.
- C. Create two apps with the same name.
- D. Create two apps with different app names.

Answer: D

NEW QUESTION 244

- (Exam Topic 3)

You have an existing Power Apps environment.

You need to create a Common Data Service database for the environment.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions		Answer Area
Select Create my database		
Configure currency and language settings		
Configure database collation settings	➤	⬆
Set the environment type to Production	⬅	⬇
Select an existing environment		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Step 1: Select an existing environment Add a database in the admin center:

* 1. In the admin center, in the left navigation pane, select Environments.

* 2. Select the environment to which you want to add the database. Step 2: Select Create my database

- * 3. Select + Add database
- Step 3: Configure currency and language settings
- * 4. Enter the following, and then select Add.

Setting	Description
Language	The default language for this environment.
Currency	The base currency used for reporting.
Enable Dynamics 365 apps	Select Yes and make a selection to automatically deploy apps such as Dynamics 365 Sales and Dynamics 365 Customer Service.
Deploy sample apps and data	Select Yes to include sample apps and data. Sample data gives you something to experiment with as you learn. You must select No for Enable Dynamics 365 apps for this setting to appear.
Security group	Select a security group to restrict access to this environment.

Reference:
<https://docs.microsoft.com/en-us/power-platform/admin/create-database>

NEW QUESTION 249

- (Exam Topic 3)

You have the following Common Data Service entities: BusinessContracts and BusinessAccounts. You need to configure an N:N relationship between the two entities.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- Select **Add relationship** and then select the many-to-many relationship option.
- Select the BusinessAccounts entity as the related entity.
- Open the relationship tab of the BusinessContracts entity.
- Choose the Relationship Name and Relationship Entity Prefix.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Open the relationship tab of the BusinessContracts entity. View entity relationships
 From the Power Apps portal, select either Model-driven or Canvas design mode. Select Data > Entities and select the entity that has the relationships you want to view. With the Relationships tab selected, you can select the following views:

Step 2: Select Add relationship.. Create relationships

While viewing entity relationships, in the command bar, select Add relationship and choose Many-to-many. Step 3: Select the BusinessAccounts entity as the related entity.

Reference:
<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/create-edit-nn-relationships-portal>

NEW QUESTION 254

- (Exam Topic 3)

You are configuring security to enable users to analyze data by using Microsoft Excel templates. You create a security role named TemplateAdministrator and configure the role as shown below and assign the role to a user named User1.

Power Apps

File Save and Close Actions Help

Security role: TemplateAdministrator Working on solutions: Default Solution

Entity	Create	Read	Write	Delete	Append	Append To	Assign	Share
Business Unit	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Channel Property Group	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>		
Currency	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>		
Document Template	<input type="radio"/>							
Mailbox Auto Tracking Folder	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>				
Organization		<input checked="" type="radio"/>	<input type="radio"/>			<input type="radio"/>		
Personal Document Template	<input checked="" type="radio"/>							

Privacy Related Privileges
 Enabling these privileges will allow users to extract customer data from Microsoft Dynamics 365. For more information, review the corresponding user documentation.

Document Generation	<input checked="" type="radio"/>	Dynamics 365 for mobile	<input checked="" type="radio"/>
Export to Excel	<input type="radio"/>	Go Offline in Outlook	<input checked="" type="radio"/>
Mail Merge	<input checked="" type="radio"/>	Print	<input checked="" type="radio"/>
Sync to Outlook	<input checked="" type="radio"/>	Use Dynamics 365 App for Outlook	<input checked="" type="radio"/>

Miscellaneous Privileges

Act on Behalf of Another User	<input type="radio"/>	Approve Email Addresses for Users or Queues	<input type="radio"/>
Assign manager for a user	<input type="radio"/>	Assign position for a user	<input type="radio"/>
Assign Territory to User	<input type="radio"/>	Bulk Edit	<input type="radio"/>

Key

- None Selected
- User
- Business Unit
- Parent: Child Business Unit
- Organization

Use the drop-down menus to select the answer choice that answers each question based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

You need to ensure that User1 can see the pre-configured example templates.
 Which permission should you change?

▼

- Bulk Edit
- Export to Excel
- Read on Document Template
- Read on Personal Document Template

You need to ensure that User1 can download the file to create an Excel template.
 Which permission should you change?

▼

- Bulk Edit
- Export to Excel
- Read on Document Template
- Read on Personal Document Template

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

You need to ensure that User1 can see the pre-configured example templates.
 Which permission should you change?

Bulk Edit
Export to Excel
Read on Document Template
Read on Personal Document Template

You need to ensure that User1 can download the file to create an Excel template.
 Which permission should you change?

Bulk Edit
Export to Excel
Read on Document Template
Read on Personal Document Template

NEW QUESTION 257

- (Exam Topic 3)

DRAG DROP

A company is creating Power Apps apps for their customer service team.

You must create a final released solution to export to their test environment that cannot be changed in the new environment.

You need to determine the types of solutions to use.

Which type of solution should you use? To answer, drag the appropriate solution types to the correct conditions. Each solution type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Solution type	Condition	Solution type
Managed	Assign a publisher for the first time	Solution type
Unmanaged		Solution type
	Export the solution	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, application Description automatically generated

Box 1: Unmanaged

Unmanaged solutions are used in development environments while you make changes to your application. Box 2: Managed

Managed solutions are used to deploy to any environment that isn't a development environment for that solution.

Reference:

<https://docs.microsoft.com/en-us/power-platform/alm/solution-concepts-alm>

NEW QUESTION 258

- (Exam Topic 3)

You are configuring a new Common Data Service environment by using the Power Apps Maker portal. You need to create an entity that uses the prefix xyz.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Answer Area

- Create an entity in the new solution.
- Enter the entity Display Name and use the existing prefix.
- Add a new solution.
- Enter the entity Display Name and modify the prefix to **xyz**.
- Add a new publisher with the prefix **xyz**.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/data-platform-create-entity>

NEW QUESTION 263

- (Exam Topic 3)

You have a Power Apps solution that includes three model-driven apps, a business process flow, and a scheduled flow. The solution is deployed to a datacentre in the United States.

You plan to deploy the solution to Canada.

You need to identify applicable government regulations for all components of the solution. Which three actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. View results in the Service Trust portal.
- B. Check the results of the Solution checker.
- C. Identify regulations for the region where the tenant resides.
- D. Identify all regulations for the region where the Common Data Service database resides.
- E. Configure data loss prevention (DLP) policies in the Power Platform Admin center.

Answer: ADE

Explanation:

A: The Microsoft Service Trust Portal provides a variety of content, tools, and other resources about Microsoft security, privacy, and compliance practices.

D: The Service Trust Portal contains details about Microsoft's implementation of controls and processes that protect our cloud services and the customer data therein.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/get-started-with-service-trust-portal>

NEW QUESTION 264

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual PL-100 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the PL-100 Product From:

<https://www.2passeasy.com/dumps/PL-100/>

Money Back Guarantee

PL-100 Practice Exam Features:

- * PL-100 Questions and Answers Updated Frequently
- * PL-100 Practice Questions Verified by Expert Senior Certified Staff
- * PL-100 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * PL-100 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year