



Microsoft

Exam Questions MS-203

Microsoft 365 Messaging

NEW QUESTION 1

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains 1,000 users.

A user named User1 receives a non-delivery report (NDR) when attempting to send an email message to an internal group named sales@contoso.com. The NDR contains the following text: "5.7.1 Delivery not authorized."

You need to ensure that User1 can send email to sales@contoso.com successfully.

Solution: You modify the properties of a mail flow rule

A. Yes

B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/non-delivery-reports-in-exchange-online/fix>

NEW QUESTION 2

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that uses a third-party email hygiene system named Service1. Service1 blocks all encrypted email.

All external email is routed through Service1 by using a connector.

Users classify email by using sensitivity labels. Emails classified as Secret are encrypted automatically. You need to ensure that the users can send emails classified as Secret to external recipients.

Which two items should you create? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

A. a remote domain

B. a connector

C. a data loss prevention (DLP) policy

D. a mail flow rule

E. a label policy

Answer: BD

Explanation:

Use an additional Connector and a Mail Flow Rule to bypass the third-party email hygiene system for emails that have the Secret sensitivity label.

Emails with the sensitivity label will use the new connector. All other emails will use the existing connector. Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/con>

NEW QUESTION 3

- (Exam Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that all email messages in the mailbox of a user named Pradeep Gupta are retained for 90 days.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- > Go to the Microsoft 365 admin center and then click on the Users icon.
- > Select Pradeep Gupta.


>Active users.

- > On the properties flyout page, click the Mail hold.

tab, and then under the Mail hold tab, click the Mail hold.

More actions, click Manage litigation

Graphical user interface, application Description automatically generated



➤ On the Manage litigation hold flyout page, select the turn on litigation hold checkbox and then enter the following optional information:

Hold duration (days): Use this box to create a time-based hold and specify how long mailbox items are held when the mailbox is placed on Litigation hold. The duration is calculated from the date a mailbox item is received or created. When the hold duration expires for a specific item, that item will no longer be preserved. If you leave this box blank, items are preserved indefinitely or until the hold is removed. Configure 90 days.

Note visible to the user: Use this box to inform the user their mailbox is on Litigation hold. The note will appear on the Account Information page in the user's mailbox if they're using Outlook 2010 or later. To access this page, users can click File in Outlo

Web page with more information for the user: Use this box to direct the user to a website for more ok.

they are using Outlook 2010 or later. To access this page, users can click File in Outlo

Click Save changes on thLe itigation hold

flyout page to create the hold.

The system displays a banner saying it might take up to 240 minutes for the change to take effect. Reference: <https://docs.microsoft.com/en-us/microsoft-365/compliance/create-a-litigation-hold?view=o365-worldwide>

NEW QUESTION 4

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are hosted in Microsoft 365. All outbound SMTP email is routed through the on-premises Exchange organization.

A corporate security policy requires that you must prevent credit card numbers from being sent to internet recipients by using email.

You need to configure the deployment to meet the security policy requirement. Solution: From Microsoft 365, you create a data loss prevention (DLP) policy. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/data-loss-prevention-policies?view=o365-worldwid>

NEW QUESTION 5

- (Exam Topic 5)

You have a hybrid deployment that contains a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 server named Server1. All users use an email address suffix of @contoso.com.

You migrate 200 mailboxes from Server1 to Exchange Online by using Exchange PowerShell cmdlets. Users hosted on Server1 can send email messages to the migrated mailboxes.

In Microsoft 365, you create a new mailbox that uses an email address of user1@contoso.com.

When email is sent from the mailboxes hosted on Server1 to user1@contoso.com, the senders receive a non-delivery report (NDR) that contains the following text:
 "550 5.1.10 RESOLVER.ADR.RecipientNotFound; Recipient not found by SMTP address lookup."
 You verify that Microsoft 365 mailboxes can send email to user1@contoso.com successfully. You delete the user account and mailbox of User1.
 You need to ensure that when new mailboxes are created, all the users at your company can exchange email successfully.
 Which two actions should you perform? Each correct answer presents a complete solution.
 NOTE: Each correct selection is worth one point.

- A. From Azure AD Connect, modify the synchronization settings
- B. From Server1, run the New-RemoteMailbox cmdlet
- C. From Server1, run the Enable-Mailbox cmdlet
- D. From the on-premises network, create new mailboxes, and then migrate the mailboxes to Microsoft 365
- E. From the Exchange admin center, modify the properties of the Outbound connector

Answer: BD

Explanation:

The problem happens because the on-premise Exchange server is not aware of the existence of the mailbox created in Exchange Online. To prevent this happening, new mailboxes need to be created from the on-premise Exchange server.
 You can create on Exchange Online mailbox from the on-premise server by running New-RemoteMailbox cmdlet. Alternatively, you can create a local mailbox on the on-premise server and then migrate the mailbox to Exchange Online.

NEW QUESTION 6

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that contains a user named User1. User1 has a mobile device. You need to enable Exchange ActiveSync logging for User1 and retrieve the log files.
 Which two Exchange Online PowerShell cmdlets should you use? Each correct answer presents part of the solution.
 NOTE: Each correct selection is worth one point.

- A. Get-ActiveSyncDevice
- B. Set-ActiveSyncMailboxPolicy
- C. Set-ClientAccessRule
- D. Get-MobileDeviceStatistics
- E. Set-CASMailbox

Answer: E

Explanation:

Reference:
<https://docs.microsoft.com/en-us/exchange/plan-and-deploy/post-installation-tasks/change-oab-generation-sched>

NEW QUESTION 7

- (Exam Topic 5)

You are migrating mailboxes from a Microsoft Exchange Server 2016 organization to Exchange Online. The mailbox migrations are configured to suspend, and you plan to perform a coordinated cutover.
 Which PowerShell command should you run to complete all the suspended mailbox migrations? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

Get-ADUser

Get-Mailbox

Get-MigrationUser

Get-MoveRequest

-MoveStatus Suspended |

New-MoveRequest

Resume-MoveRequest

Set-MoveRequest

Start-MigrationUser

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Get-MoveRequest
 The Get-MoveRequest cmdlet gets the status of an ongoing asynchronous mailbox move that was initiated by using the New-MoveRequest cmdlet.
 Box 2: Resume-MoveRequest
 The Resume-MoveRequest cmdlet is used to resume a move request that has been suspended or has failed.
 Reference:
<https://docs.microsoft.com/en-us/powershell/module/exchange/move-and-migration/get-moverequest?view=exc> <https://docs.microsoft.com/en-us/powershell/module/exchange/move-and-migration/resume-moverequest?view=>

NEW QUESTION 8

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
 After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
 You have a Microsoft Exchange Online tenant that uses an email domain named contoso.com. You need to prevent all users from performing the following tasks:
 ➤ Sending out-of-office replies to an email domain named fabrikam.com.

➤ Sending automatic replies to an email domain named adatum.com.
The solution must ensure that all the users can send out-of-office replies and automatic replies to other email domains on the internet.
Solution: You create one mail flow rule. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/remote-domains/remote-domains>

NEW QUESTION 9

- (Exam Topic 5)

HOTSPOT

Your company named Contoso, Ltd. has a Microsoft Exchange Online subscription that uses a domain named contoso.com. Contoso works with a partner company named A.Datum Corporation. A.Datum has an Exchange Server 2016 organization that uses a domain named adatum.com.

You need to ensure that users at Contoso can share their free/busy information with the users at A.Datum. What should you do for each company? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

A.Datum:	<div><div></div><div>Configure Microsoft Azure Active Directory Connect</div><div>Create a federation trust between Exchange and Microsoft Office 365</div><div>Establish identity federation by using Active Directory Federation Services</div><div>Create a sharing policy</div></div>
Contoso:	<div><div></div><div>Establish identity federation by using Active Directory Federation Services</div><div>Configure Microsoft Azure Active Directory Connect</div><div>Create an organization relationship</div><div>Create a federation trust between Exchange and Microsoft Office 365</div></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/sharing/organization-relationships/organization-relationships>

NEW QUESTION 10

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization. You plan to migrate all mailboxes to Exchange Online. You need to provide a user with the ability to perform the mailbox migrations. The solution must use the principle of least privilege. Which role should you assign to the user?

- A. Recipient Management
- B. Server Management
- C. Help Desk
- D. Organization Management

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/permissions/feature-permissions/recipient-permissions?view=exchse>

NEW QUESTION 10

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains the following email domains:

- Adatum.com
- Contoso.com
- Fabrikam.com

When external recipients receive email messages from the users in the tenant, all the messages are delivered by using the @contoso.com email domain. You need to ensure that the users send email by using the @fabrikam.com email domain. Solution: From the Exchange Management Shell, you run Set-Mailbox cmdlet.

Does this meet the goal?

- A. Yes

B. No

Answer: B

Explanation:

Set-Mailbox -PrimarySmtpAddress <SmtpAddress> Reference:
<https://docs.microsoft.com/en-us/powershell/module/exchange/set-mailbox?view=exchange-ps>

NEW QUESTION 15

- (Exam Topic 5)

You have a Microsoft 365 E5 subscription.

A user attempts to send an email message to an external recipient and receives the following error message: "Your message couldn't be delivered because you weren't recognized as a valid sender. The most common reason for this is that your email address is suspected of sending spam and it's no longer allowed to send messages outside of your organization. Contact your mail admin for assistance. Remote Server returned '550 5.1.8 Access denied, bad outbound sender'." You need to ensure that the user send email to external recipients. What should you do?

- A. compliance management in the Exchange admin center
- B. Data loss prevention in the Security & Compliance admin center
- C. Threat management in the Security & Compliance admin center
- D. action center in the Exchange admin center

Answer: C

Explanation:

<http://automatica.com.au/2020/01/office-365-single-users-unable-to-send-email-access-denied-bad-outbound-sender-er>

NEW QUESTION 20

- (Exam Topic 5)

Your company purchases new mobile devices for each user in its sales department and marketing department. The new devices only support Exchange ActiveSync.

You need to configure mobile device access to meet the following requirements: Apply a specific password policy to all the sales department users.

Prevent all the marketing department users from using an Exchange ActiveSync-based client to access their mailbox.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

For the sales department users:

	▼
Create a mobile device access rule	
Create and assign a mobile device policy	
Create a client access rule scoped to the users	

For the marketing department users:

	▼
Run the Set-Mailbox cmdlet	
Run the Set-CasMailbox cmdlet	
Run the Set-ActiveSyncDeviceAccessRule cmdlet	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

For the sales department users:

	▼
Create a mobile device access rule	
Create and assign a mobile device policy!	
Create a client access rule scoped to the users	

For the marketing department users:

	▼
Run the Set-Mailbox cmdlet	
Run the Set-CasMailbox cmdlet	
Run the Set-ActiveSyncDeviceAccessRule cmdlet!	

NEW QUESTION 23

- (Exam Topic 5)

You have a hybrid deployment of Microsoft Exchange Server 2019.

Users in your company's sales department have on-premises mailboxes and PST files.

You need to migrate the PST files to archive mailboxes. The archive mailboxes must reside in Exchange Online.

What should you do first?

- A. From Exchange Management Shell, run the Enable-Mailbox cmdlet and specify the-Archive parameter.
- B. From Exchange Management Shell, run the New-MoveRequest cmdlet.
- C. From Exchange Online PowerShell, run the Set-Mailbox cmdlet and specify the-ArchiveStatus parameter.
- D. From Exchange Online PowerShell, run the New-Mailbox cmdlet and specify the-Archive parameter.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/enable-mailbox?view=exchange-ps>

NEW QUESTION 24

- (Exam Topic 5)

HOTSPOT

You have a Microsoft Exchange Online tenant.

The Exchange organization has the following configurations.


```
PS C:\> Get-OrganizationConfig | Format-list Name,Oauth*,Activity*,Basic*,Is*
```

```
Name: M365x643293.onmicrosoft.com
OAuth2ClientProfileEnabled           : False
ActivityBasedAuthenticationTimeoutEnabled : True
ActivityBasedAuthenticationTimeoutInterval : 06:00:00
ActivityBasedAuthenticationTimeoutWithSingleSignOnEnabled : True
BasicAuthBlockedApps                 : None
IsProcessEhaMigratedMessagesEnabled  : False
IsAgendaMailEnabled                  : True
IsMixedMode                          : True
IsAddressListPagingEnabled            : True
IsLicensingEnforced                  : True
IsTenantAccessBlocked                 : False
IsDualWriteEnabled                   : True
IsTenantInGracePeriod                 : False
IsDehydrated                          : True
IsValid                              : True
```

The Azure Active Directory (Azure AD) Sign-ins report is shown in the following table.

User	Application	Status	Client app	Conditional access	Authentication requirement
User1	Microsoft Office	Success	Mobile Apps and Desktop clients	Not Applied	Single-factor authentication
User1	Office 365 Exchange Online	Success	Offline Address Book	Not Applied	Single-factor authentication
User1	Office 365 Exchange Online	Success	MAPI Over Http	Not Applied	Single-factor authentication
User3	Microsoft Office	Success	Mobile Apps and Desktop clients	Not Applied	Single-factor authentication
User3	Office 365 Exchange Online	Success	Offline Address Book	Not Applied	Single-factor authentication
User3	Office 365 Exchange Online	Success	Autodiscover	Not Applied	Single-factor authentication
User2	Microsoft Office	Success	Mobile Apps and Desktop clients	Not Applied	Single-factor authentication

The Outlook Connection Status for User1 is shown in the following exhibit.



For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Statements	Yes	No
Microsoft Outlook connection of User1 uses Basic authentication	<input type="radio"/>	<input type="radio"/>
Modern Authentication is enabled	<input type="radio"/>	<input type="radio"/>
User3 uses the Microsoft Authenticator App to authenticate the Exchange Online	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:


Graphical user interface, text, application, email Description automatically generated
Box 1: Yes
The authentication in the Outlook Connection Status exhibit is “Clear”. This means that Basic authentication is being used.
Box 2: No
In the first exhibit, the OAuth2ClientProfileEnabled parameter is False. This means that Modern Authentication is not enabled. A value of True means that Modern Authentication is enabled.
Box 3: No
The Authentication Requirement for User3 in the second exhibit is Single-factor authentication. This means that the Microsoft Authenticator App is not being used.

NEW QUESTION 27

- (Exam Topic 5)

SIMULATION

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.
When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.
Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.
Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.
Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that a user named Lee Gu can view all the Exchange Online configurations of your organization. The solution must use the principle of least privilege.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

* 1. Open the Microsoft 365 administration centre

This can be done at: <https://admin.microsoft.com>

* 2. Create a new user Please enter a first name Last name

Display name Username

* 3. Add the necessary licence

For admin roles you sometimes need a licence. Especially in the security stack within Microsoft 365.

* 4. Add the Global Reader role via Roles

You can give multiple roles to the person you want. Reference:

<https://365tips.be/en/how-to-create-a-global-reader-account-for-your-it-supplier/>

NEW QUESTION 28

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are migrated to Exchange Online.

You need to migrate the public folders from the on-premises organizations to Exchange Online.

Which three actions should you perform in sequence before you create the migration batch? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
From Exchange Online, create the target public folder mailboxes.	
From Exchange Online, run the Set-organizationConfig -RemotePublicFoldermailboxes \$Null -PublicFoldersEnabled Local command	
From Exchange on-premises, run the SetmailPublicFolderExternalAddress.ps1 script	
From Exchange on-premises, run the Export-ModernPublicFolderStatistics.ps1 script	
From Exchange on-premises, run the Set-OrganizationConfig -RemotePublicFolderMailboxes \$Null -PublicFoldersEnabled Local command	
From Exchange on-premises, run the ModernPublicFolderToMailboxMapgenerator.ps1 script	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/Exchange/collaboration/public-folders/migrate-to-exchange-online?view=exch> <https://docs.microsoft.com/en-us/Exchange/collaboration/public-folders/migrate-to-exchange-online?view=exch> <https://docs.microsoft.com/en-us/Exchange/collaboration/public-folders/migrate-to-exchange-online?view=exch>

NEW QUESTION 30

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You need to provide a user named User1 with the ability to create and manage transport rules. To which management role group should you add User1?

- A. Compliance Management
- B. Server Management
- C. Records Management
- D. Hygiene Management

Answer: C

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/records-management-exchange-2013-help>

NEW QUESTION 34

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that has anti-spam policies configured.

You need to identify any anti-spam policy settings that were changed during the last three months and review recommendations for increase Microsoft Standard or Stria configurations for Exchange Online anti-spam policies.

What should you use?

- A. Configuration analyzer in Microsoft 365 Defender
- B. Compliance Manager
- C. Microsoft Defender for Cloud Apps
- D. the Insights dashboard in the Exchange admin center

Answer: A

NEW QUESTION 37

- (Exam Topic 5)

You have a hybrid deployment that contains a Microsoft exchange Online tenant and anon premises Exchange Server 2019 server named Server1. Alt users use an email address suffix of @contoso.com.

On Server1, you create a new mailbox that uses an email address of user1@contoso.com

Users hosted in Exchange Online report that they receive a non-delivery report (NDR) When they attempt to send email messages to user1@contoso.com. The NDR contains the following text: "User1 wasn't found at contoso.com."

You verify that the Exchange Online users can send email successfully to the other mailboxes hosted on Server1. Users hosted on Server1 can send email to user1@contoso.com successfully.

You need to identify what causes the email delivery to fail. What should you use?

- A. the Azure Active Directory admin center
- B. the Exchange admin center
- C. Azure AD Connect Health
- D. the on-premises Exchange admin center

Answer: C

Explanation:

It's likely that the new user account hasn't replicated to Azure Active Directory. Azure AD Connect is responsible for account replication between on-prem AD and Azure AD.

NEW QUESTION 42

- (Exam Topic 4)

You need to ensure that Alex Wilbur can recover deleted items when using Outlook on the web. Which two actions should you perform? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Assign Sales Policy to Alex Wilbur.
- B. Modify Marketing Policy.
- C. Remove Alex Wilbur from all groups.
- D. Assign Policy2 to Alex Wilbur.
- E. Modify Policy1

Answer: D

NEW QUESTION 46

- (Exam Topic 3)

You need to generate a report for the mobile devices that meets the technical requirements. Which PowerShell cmdlet should you use?

- A. Get-DevicePolicy
- B. Get-MobileDevice
- C. Get-MobileDeviceStatistics
- D. Get-DeviceTenantPolicy

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/get-mobiledevice?view=exchange-ps>

NEW QUESTION 48

- (Exam Topic 3)

You need to encrypt email between Fabrikam and Litware to support the planned changes. What should you configure in the Exchange admin center?

- A. a connector
- B. an organization relationship
- C. a sharing policy
- D. a remote domain

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set>

NEW QUESTION 50

- (Exam Topic 2)

You need to implement a solution to meet the technical requirements for the SCL.

How should you complete the command? To answer, select the appropriate options in the answer area.

<input type="checkbox"/> Set-ContentFilterConfig	<input type="checkbox"/> -PoisonThreshold
<input type="checkbox"/> Set-MailboxDatabase	<input type="checkbox"/> -SCLJunkThreshold
<input type="checkbox"/> Set-OrganizationConfig	<input type="checkbox"/> -SCLRejectThreshold
<input type="checkbox"/> Set-transportServer	<input type="checkbox"/> -SCLQuarantineThreshold

3

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/powershell/module/exchange/organization/set-organizationconfig?view=exchange-ps>

NEW QUESTION 55

- (Exam Topic 2)

You need to resolve the issue for the customer service department users. What should you modify?

- A. a transport rule
- B. the Send connector to the Internet
- C. the tarpit interval
- D. the global throttling policy

Answer: D

NEW QUESTION 60

- (Exam Topic 2)

Your company named Contoso, Ltd. has a Microsoft Exchange Server 2019 organization that contains the mailbox databases shown in the following table.

NAME	Description
MBX01	Contains all the mailboxes for the managers at Contoso
MBX02	Contains all the mailboxes for the finance department of Contoso

You need to assign an offline address book (OAB) named Managers to all the users in a group named Managers. How should you complete the PowerShell script? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
For User1 to share contacts with the users at Fabrikam, a federation trust is required.	<input type="radio"/>	<input type="radio"/>
User2 can share free/busy hours, subject, and location with the users at Contoso.	<input type="radio"/>	<input type="radio"/>
User3 can share calendars with the users at Litware.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
For User1 to share contacts with the users at Fabrikam, a federation trust is required.	<input type="radio"/>	<input checked="" type="radio"/>
User2 can share free/busy hours, subject, and location with the users at Contoso.	<input checked="" type="radio"/>	<input type="radio"/>
User3 can share calendars with the users at Litware.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 63

- (Exam Topic 1)

You need to recommend a solution for the public folders that supports the planned changes and meets the technical requirements. What should you recommend?

- A. Microsoft SharePoint site mailboxes
- B. Office 365 groups
- C. Resource mailboxes
- D. Public folder replicas

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/migrate-to-office-365-groups?view=exchserver-2019>

NEW QUESTION 65

- (Exam Topic 1)

You must prevent HelpDeskUser1 from repeating the same mistake.

You need to identify which management role provided HelpDeskUser1 with the necessary permissions to make the mistake identified in the problem statement.

Which two cmdlets should you run? Each correct answer presents part of the solution.

- A. Get-RoleGroup
- B. Get-ManagementRoleEntry
- C. Get-RoleGroupMember
- D. Get-ManagementRoleAssignment
- E. Get-ManagementRole

Answer: BD

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/exchange/find-exchange-cmdlet-permissions?view=exchange-ps>

NEW QUESTION 67

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that contains the users shown in the following table.

Name	Mobile device	Mail client
User1	iOS	Native mail client
User2	Android	Microsoft Outlook for Android

From the Exchange admin center, you issue a Wipe Data command for User1 and User2.

What occurs on the device of each user? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

User1: ▼

All the data in the email client is wiped.
Only email messages and calendar items are wiped.
The mobile device is wiped.

User2: ▼

All the data in the email client is wiped.
Only email messages and calendar items are wiped.
The mobile device is wiped.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/clients/exchange-activesync/remote-wipe?view=exchserver-2019>

NEW QUESTION 70

- (Exam Topic 5)

You have an on-premises Microsoft Exchange Server 2019 organization. You plan to configure the environment to support a hybrid deployment.

You need to ensure that you can migrate mailboxes from the on-premises organization to Exchange Online. Which two ports should be open between Exchange

Online and the on-premises organization? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. 25
- B. 80
- C. 143
- D. 389
- E. 443
- F. 993

Answer: AE

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/hybrid-deployment-prerequisites#hybrid-deployment-protocolsports->

NEW QUESTION 73

- (Exam Topic 5)

SIMULATION


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to create a public folder named Finance. The solution must ensure that only the members of a group named Finance Team can send email messages to the Finance folder.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

➤ In the EAC, go to Public folders

➤ In the New public folder mailbox

>Public folder mailboxes, and then click Add +. page that opens, enter the following information:

- Name: Enter the name for the public folder mailbox.

- Organizational unit: Click Browse created.

- Mailbox database: Click Browse

When you're finished, click Save.

to select the location in Active Directory where the mailbox object is to select the mailbox database where the mailbox is created.

Use the EAC to create a public folder

When using the EAC to create a public folder, you'll only be able to set the name and the path of the public folder. To configure additional settings, you'll need to edit the public folder after it's created.

➤ Navigate to Public folders

>Public folders.

> If you want to create this public folder as a child of an existing public folder, click the existing public folder in the list view. If you want to create a top-level public folder, skip this step.

> Click Add +.

> In Public Folder, type the name of the public folder.

> In the Path

box, verify the path to the public folder. If this isn't the desired path, clickCancel and follow Step 2 of this procedure.

> Click Save.

> Navigate back to Public folders

>Public folders.

> In the list view, select the public folder that you want to mail-enable or mail-disable.

> In the details pane, under Mail settings, click Enable

oDr isable.

> A warning box displays asking if you're sure you want to enable or disable email for the public folder.

Click Yes

to continue.

You can then run the Set-MailPublicFolder PowerShell cmdlet, and include the AcceptMessagesOnlyFromDLMembers parameter to specify who is allowed to send messages to this recipient.

Reference:

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/create-public-folder-mailboxes?view=ex> <https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/create-public-folders?view=exchserver-> <https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/mail-enable-or-disable?view=exchserve> <https://docs.microsoft.com/en-us/powershell/module/exchange/set-mailpublicfolder?view=exchange-ps>

NEW QUESTION 75

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that contains a user named User1. User1 has a retention policy to delete Inbox messages after 30 days.

User1 is going on extended leave and requires that the Inbox messages be retained during the user's absence. You need to temporarily suspend the processing of the Inbox messages for User1.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

▼	"User1"	▼
Set-CASMailbox		-ECPEnabled \$true
Set-Mailbox		-ElcProcessingDisabled \$true
Set-OutlookProtectionRule		-RetentionEnabled \$true
Set-RetentionPolicy		-RetentionHoldEnabled \$true

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Graphical user interface, application, Word Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/messaging-records-management/mailbox-re>

NEW QUESTION 77

- (Exam Topic 5)

Your company has a Microsoft Exchange Server 2019 organization.

The company has 10,000 mailboxes. Each department at the company has 1,000 mailboxes.

You need to ensure that when users query the global address list (GAL), they can view only the list of the users in their department.

What should you create?

- A. One GAL, 10 offline address books (OABs), 10 address lists, 10 address policies (ABPs), and one email address policy
- B. 10 GALs, 10 offline address books (OABs), 10 address lists, 10 room lists, and 10 address book policies (ABPs)
- C. One GAL, 10 offline address books (OABs), 10 address lists, 10 room lists, and one address book policy (ABP)
- D. 10 GALs, 10 offline address books (OABs), 10 address lists, and 10 email address policies

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/address-books/address-lists/create-global-address-list> <https://docs.microsoft.com/en-us/exchange/address-books/address-book-policies/address-book-policies>

NEW QUESTION 80

- (Exam Topic 5)

You have a Microsoft 365 subscription that uses a default domain named contoso.com.

Users report that email messages from a domain named fabrikam.com are identified as spam even though the messages are legitimate.

You need to prevent messages from fabrikam.com from being identified as spam. What should you do?

- A. Enable the Zero-hour auto purge (ZAP) email protection feature.
- B. Enable the safe list on a connection filter.
- C. Edit the default mail flow rule to bypass the spam filter.
- D. Modify the IP Allow list of a connection filter policy.

Answer: D

Explanation:

Reference:
<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/configure-the-connection-filter-poli>

NEW QUESTION 81

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 organization that contains 200 mailboxes.

You need to add a second email address to each mailbox. The address must have a syntax that uses the first letter of each user's last name, followed by the user's first name, and then @fabrikam.com.

Solution: You create an email address policy that uses the %1s%g@fabrikam.com email address format. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:
<https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/email-address-policies/email-add>

NEW QUESTION 83

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment.

You run the Get-HybridConfiguration cmdlet and receive the output shown in the following exhibit.

```
ClientAccessServers      : {}
EdgeTransportServers     : {}
ReceivingTransportServers : {EX01, EX02}
SendingTransportServers  : {EX01, EX02}
OnPremisesSmartHost      : mail.litware.com
Domains                  : {litware.com}
Features                  : {FreeBusy, MoveMailbox, Moiltips, MessageTracking, SecureMail, Photos}
ExternalIPAddresses      : {}
TIsCertificateName       : <I>CN=CA, O=SSLCert Inc, C=US<S>CN=mail.litware.com, OU=IT, O=User1,
                          L=Redmond, S=Washington, C=US
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

To enable users who have on-premises mailboxes to access their archive mailbox in Exchange online, you must modify the [answer choice] property.

ClientAccessServers

Domains

Features

ExternalIPAddresses

Depending on where the user mailbox is located, to enable automatic Microsoft Outlook on the web redirection to either the on-premises organization or Exchange Online, you must modify the [answer choice] property.

ClientAccessServers

Domains

Features

ExternalIPAddresses

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:
<https://docs.microsoft.com/en-us/powershell/module/exchange/federation-and-hybrid/set-hybridconfiguration?vi>

NEW QUESTION 88

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You purchase a Microsoft 365 subscription and configure Active Directory synchronization.

You use a smart host for all email communication between the organization and the Internet. The smart host performs email hygiene and alerts message headers.

You plan to run the Hybrid Configuration wizard to create an Exchange hybrid deployment and change the MX record to point to Exchange Online.

You need to decommission the smart host from the organization. What should you do first?

- A. Create a Receive connector that allows anonymous authentication.
- B. Modify the InternalSmtpServer value by running the Set-TransportConfig cmdlet.
- C. Modify the Send connector to use DNS delivery.
- D. Modify the TLSReceiveDomainSecureList value by running the Set-TransportConfig cmdlet.

Answer: D

Explanation:

References:

<https://docs.microsoft.com/en-us/powershell/module/exchange/mail-flow/set-transportconfig?view=exchange-ps>

NEW QUESTION 92

- (Exam Topic 5)

You have a Microsoft Exchange Server 2016 hybrid deployment.

You plan to migrate mailboxes from the on-premises Exchange organization to Exchange Online. You have the appropriate permissions to perform the mailbox migrations.

You need to prepare the environment for the planned migration. What should you do?

- A. Disable Microsoft Outlook for the web.
- B. Install the Hybrid Agent.
- C. Run Get-MigrationBatch -Identity "MyMigrationBatch".
- D. Enable the MRSPProxy service on an on-premises Exchange server.

Answer: D

Explanation:

Mailbox replication service (MRS) proxy is used for cross forest mailbox move and remote move migration between on premise exchange and exchange online (Office 365)

Reference:

<https://docs.microsoft.com/en-us/Exchange/hybrid-deployment/move-mailboxes>

NEW QUESTION 93

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft Exchange Server 2019 hybrid deployment that contains two Mailbox servers named MBX1 and MBX2.

The company has the departments shown in the following table.

Name	Mailbox location	Number of recipients
Sales	MBX1	300
Production	MBX2	500
Administration	MBX1	200
IT	Exchange Online	50
Managers	Exchange Online	100
Marketing	Exchange Online	350

From the on-premises organization, outbound email is sent directly to the Internet by using DNS lookups. You are informed that some sales department users send email messages that are identified as spam.

You need to automatically block the sales department users from repeatedly sending spam. Solution: You run the Install-AntispamAgents.ps1 PowerShell script on the MBX1 Mailbox server. Does this meet the goal?

- A. yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/antispam-and-antimalware/antispam-protection/antispam-on-mailbox>

NEW QUESTION 96

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft Exchange Server 2019 hybrid deployment that contains two Mailbox servers named MBX1 and MBX2.

The company has the departments shown in the following table.

Name	Mailbox location	Number of recipients
Sales	MBX1	300
Production	MBX2	500
Administration	MBX1	200
IT	Exchange Online	50
Managers	Exchange Online	100
Marketing	Exchange Online	350

From the on-premises organization, outbound email is sent directly to the Internet by using DNS lookups. You are informed that some sales department users send email messages that are identified as spam.

You need to automatically block the sales department users from repeatedly sending spam. Solution: You modify the outbound spam filter policy in Exchange Online.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

From the on-premises organization, outbound email is sent directly to the Internet by using DNS lookups. Therefore, the Exchange Online outbound spam filter will not scan the emails sent from the on-premises mailboxes.

NEW QUESTION 97

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant.

You need to configure Outlook on the web to meet the following requirements:

- Prevent users from requesting a remote wipe of their devices.
- Prevent users from accessing voice mails.

You create a new Outlook Web App mailbox policy named Policy1.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Unified Messaging

NEW QUESTION 98

- (Exam Topic 5)

All the users in your company have Microsoft 365 mailboxes.

Each user connects to Microsoft Exchange Online and OneDrive for Business from a personal computer that runs Windows 10.

You need to ensure that the users can save attachments to OneDrive for Business only when they connect to their mailbox from Outlook on the web.

What should you create?

- A. an app protection policy in Microsoft Endpoint Manager
- B. a device compliance policy in Microsoft Endpoint Manager
- C. an Outlook Web App policy in Exchange Online
- D. an Exchange ActiveSync device access rule

Answer: C

Explanation:

<https://www.pelegit.co.il/prevent-downloading-attachments-through-owa/>

NEW QUESTION 100

- (Exam Topic 5)

You have an Exchange Online tenant that has the anti-spam settings configured as shown in the following exhibit.

Standard settings On

Standard

Spam action	Move message to Junk Email folder
Mark bulk email as spam	On
Bulk threshold	7
Mark NDR backscatter as spam	Off
Safety Tips	On
Bulk email	Move message to Junk Email folder
Phishing email	Quarantine message

To change these settings or add new ones, switch to custom settings

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

Users will see safety tips when they access their mailbox from [answer choice].

▼

Outlook on the web only
Microsoft Outlook 2019 only
Microsoft Outlook 2019 and Outlook on the web

To reduce the amount of bulk email delivered to the Inbox folders of users, you must [answer choice].

▼

modify Spam action
increase the value of Bulk threshold
decrease the value of Bulk threshold

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:
<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/safety-tips-in-office-365?view=o36> <https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/bulk-complaint-level-values?view=>

NEW QUESTION 102

- (Exam Topic 5)

HOTSPOT

You have a Microsoft Exchange Online subscription. You run the following command.

Set-ActiveSyncOrganizationSettings -DefaultAccessLevel Block

You run Get-ActiveSyncDeviceAccessRule | f1 Identity, AccessLevel, Characteristic, QueryString and you receive the following output.

Identity	: Outlook-Android/2.0 (UserAgent)
AccessLevel	: allow
Characteristic	: UserAgent
QueryString	: Outlook-Android/2.0
Identity	: Outlook-iOS/2.0 (UserAgent)
AccessLevel	: Allow
Characteristic	: UserAgent
QueryString	: Outlook-iOS/2.0

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
iOS devices can use the Microsoft Outlook app to sync mailbox data.	<input type="radio"/>	<input type="radio"/>
Android devices can use the Microsoft Outlook app to sync mailbox data.	<input type="radio"/>	<input type="radio"/>
iOS devices can use the native Mail app to sync mailbox data.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
iOS devices can use the Microsoft Outlook app to sync mailbox data.	<input checked="" type="radio"/>	<input type="radio"/>
Android devices can use the Microsoft Outlook app to sync mailbox data.	<input checked="" type="radio"/>	<input type="radio"/>
iOS devices can use the native Mail app to sync mailbox data.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 104

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment. All Mailbox servers and domain controllers are in the same site. You deploy an Edge Transport server.

You need to ensure that all SMTP traffic between the on-premises organization and Exchange Online is routed through the Edge Transport server.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

On a Mailbox server, modify the accepted domains.

Copy the Edge Subscription file to a Mailbox server.

On the Edge Transport server, run `New-EdgeSubscription`.

On a Mailbox server, run `New-EdgeSubscription`.

Run the Microsoft Office 365 Hybrid Configuration wizard.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

`New-EdgeSubscription -FileName "c:\EdgeServerSubscription.xml"` This example creates the Edge Subscription file. It should be run on your Edge Transport server. `New-EdgeSubscription -FileData`

`([byte[]](Get-Content -Path "C:\EdgeServerSubscription.xml" -Encoding Byte -ReadCount 0)) -Site`

`"Default-First-Site-Name"` This example also imports the Edge Subscription file generated in Example 1 to the Active Directory site `Default-First-Site-Name`; however, the end result is accomplished using one command. You must run this command on the Mailbox server. ref.

<https://docs.microsoft.com/en-us/powershell/module/exchange/mail-flow/new-edgesubscription?view=exchange>

NEW QUESTION 108

- (Exam Topic 5)

You plan to migrate to Microsoft Exchange Online. The solution must meet the following requirements.

- Messages sent by the research & development department at your company must be routed to the internet through an on-premises data loss prevention (DLP) appliance.
- The actual source of the messages received by Exchange Online from a third-party cloud filtering service must be identified.

What features should you use to meet the requirements? To answer, drag the appropriate options to the correct requirements. Each option may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Exchange Features

Conditional mail routing

Directory Based Edge Blocking (DBEB)

Enhanced Filtering

Remote domains

Answer Area

Messages sent by the research & development department must be routed to the internet through an on-premises data loss prevention (DLP) appliance:

The actual source of the messages received by Exchange Online from a third-party cloud filtering service must be identified:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Graphical user interface, text, application, email Description automatically generated
Reference:
<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/con> <https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/enha>

NEW QUESTION 113

- (Exam Topic 5)
Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You have a Microsoft 365 E5 subscription.
You need to ensure that a user named User1 can review audit reports from the Microsoft 365 security center. User1 must be prevented from tracing messages from the Security admin center.
Solution: You assign the Reports reader role to User1. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 117

- (Exam Topic 5)
You purchase a Microsoft 365 subscription.
You create mailboxes for 10 users. Each user has a PST file stored in a network share. You need to migrate the PST files to the mailboxes.
In which order should you perform the actions? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.
NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct orders you select.

Actions

Create a PST Import mapping file

Upload the PST files to Microsoft Office 365

Install AzCopy

Start the PST Import job

Create a PST Import job

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Graphical user interface, text, application Description automatically generated

NEW QUESTION 121

- (Exam Topic 5)

Your company has a Microsoft 365 subscription for a domain named contoso.com.

The company acquires a company named Litware, Inc. that uses an IMAP-based messaging system. The SMTP domain of Litware is named litwareinc.com.

You need to migrate the mailboxes of Litware to Microsoft Office 365. The solution must ensure that users from Litware can receive email by using their current email address.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Answer Area

Add an accepted domain to Office 365.

Create a migration endpoint and a migration batch.

Create an Office 365 connector.

Start the migration batch.

Provision a mailbox in Office 365 for each Litware user.

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mailbox-migration/migrating-imap-mailboxes/migrating-imap-mailb>

NEW QUESTION 122

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that uses an email domain named contoso.com. Your company has a partnership with another company named fabrikam.com.

You need to ensure that all email messages sent to and received by the users at fabrikam.com are encrypted by using TLS.

What should you create in the Exchange admin center?

A. one connector and one remote domain

B. one remote domain and one accepted domain

C. one connector and one accepted domain

D. two connectors

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/setu>

NEW QUESTION 125

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization.

A compliance manager plans to create retention policies for the mailboxes of executive users. The policies will move specific emails to an archive mailbox.

You need to create an archive mailbox for each executive user. What should you do?

A. Run the New-Mailbox cmdlet

B. Enable mailbox journaling.

C. Enable In-Place Archiving for each mailbox.

D. Run the set-Mailbox cmdlet.

Answer: C

Explanation:

<https://docs.microsoft.com/en-us/exchange/policy-and-compliance/in-place-archiving/in-place-archiving?view=>

NEW QUESTION 129

- (Exam Topic 5)

You plan to use the Microsoft Office 365 Import service to import PST files.

You need to create a new user account to perform the import. The solution must use the principle of least privilege. Which two roles should you assign to the user account? Each correct answer presents a complete solution.
 NOTE: Each correct selection is worth one point.

- A. the Recipient Management role in Office 365
- B. the Organization Management role in Office 365
- C. the Mailbox Import Export role in Office 365
- D. the Global reader role in Azure Active Directory (Azure AD)
- E. the Global administrator role in Office 365

Answer: AC

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/use-network-upload-to-import-pst-files?view=o365>

NEW QUESTION 131

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that uses an email domain named contoso.com.

An in-caning email messages route through an third-party filtering service named Filter1 to connector named Connector'.

You discover that incoming messages contain headers that specify the source IP address as Filter1.

You to ensure that incoming email messages contain headers that specify source IP address of the original sender. The solution must prevent any charges to the service.

What should you do?

- A. From Microsoft 365 Defender portal configure enhanced filtering for Connector1.
- B. Configure Connector' to authenticate messages by using the IP address of Filter' service.
- C. Configure the MX Of contoso.com to point to contoso-can.mailgotection.outbok.com.
- D. From the Exchange admin cente
- E. create a transport rule to rewrite header for incoming messages.

Answer: C

NEW QUESTION 134

- (Exam Topic 5)

Your company named ADatum Corporation has a Microsoft Exchange Online subscription that contains the sharing policies shown in the following table.

Name	Domain	Enabled	Default
Policy1	{Anonymous:CalendarSharingFreeBusySimple, fabrikam.com:CalendarSharingFreeBusyReviewer, ContactsSharing}	True	True
Policy2	{contoso.com:CalendarSharingFreeBusyDetail}	True	False
Policy3	{litware.com:CalendarSharingFreeBusyReviewer}	True	False

The subscription contains the mailboxes shown in the following table.

Name	Sharing policy
User1	Policy1
User2	Policy2
User3	Policy3

ADatum does business with the partner companies shown in the following table.

Name	SMTP domain	Email platform
Fabrikam, Inc.	Fabrikam.com	On-premises Exchange Server 2019
Contoso, Ltd.	Contoso.com	Third-party email server
Litware, Inc.	Litware.com	Exchange Online

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
For User1 to share contacts with the users at Fabrikam, a federation trust is required.	<input type="radio"/>	<input type="radio"/>
User2 can share free/busy hours, subject, and location with the users at Contoso.	<input type="radio"/>	<input type="radio"/>
User3 can share calendars with the users at Litware.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
For User1 to share contacts with the users at Fabrikam, a federation trust is required.	<input type="radio"/>	<input checked="" type="radio"/>
User2 can share free/busy hours, subject, and location with the users at Contoso.	<input checked="" type="radio"/>	<input type="radio"/>
User3 can share calendars with the users at Litware.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 136

- (Exam Topic 5)

You have a Microsoft 365 E5 tenant that contains two Azure Active Directory (Azure AD) security groups named Finance and Marketing. The tenant contains the users and devices shown in the following table.

Name	Azure AD group membership	Device
User1	Finance	Device1
User2	Marketing	Device2
User3	Finance	Device3

The devices are configured as shown in the following table.

Device	Azure AD-joined	Microsoft Intune-enrolled
Device1	No	No
Device2	Yes	Yes
Device3	Yes	Yes

A conditional access policy is configured as shown in the following exhibit.

Name *

Outlook on the Web Policy

Assignments

Users and groups ⓘ

Specific users included >

Cloud apps or actions ⓘ

1 app included >

Conditions ⓘ

0 conditions selected >

Access controls

Grant ⓘ

0 controls selected >

Session ⓘ

Use app enforced restrictions >

Include

Exclude

None

All users

Select users and groups

All guest and external users ⓘ

Directory roles ⓘ

Users and groups

Select

1 group >

A

Finance

...

From Microsoft Exchange Online PowerShell, you run the following cmdlet. Set-OwaMailboxPolicy -Identity OwaMailboxPolicy-Default -ConditionalAccessPolicy ReadOnly

All the users connect to Exchange Online by using Outlook on the web.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
When using Outlook on the web, User1 can only view email attachments.	<input type="radio"/>	<input type="radio"/>
When using Outlook on the web, User2 can only view and print email attachments.	<input type="radio"/>	<input type="radio"/>
When using Outlook on the web, User3 can view, download, and print email attachments.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Text Description automatically generated

Reference:

https://docs.microsoft.com/en-us/powershell/module/exchange/set-owamailboxpolicy?view=exchange-ps

NEW QUESTION 138

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant. You enable hierarchical address books (HABs). You create a new distribution group named Contoso. You need to configure the Contoso group as the root of the hierarchy. The members of the group must appear in the hierarchy. How should you complete the PowerShell commands?

Cmdlets

Set-AddressList

Set-GlobalAddressList

Set-Group

Set-OrganizationConfig

Set-UnifiedGroup

Answer Area

Cmdlet

-HierarchicalAddressBookRoot "Contoso"

Cmdlet

-Identity "Contoso" -IsHierarchicalGroup \$true

- A. Mastered
- B. Not Mastered

Guaranteed success with Our exam guides

visit - https://www.certshared.com

Answer: A

Explanation:

Set-OrganizationConfig Set-Group

<https://docs.microsoft.com/en-us/exchange/address-books/hierarchical-address-books/enable-or-disable-hierarch>

NEW QUESTION 139

- (Exam Topic 5)

SIMULATION


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that the users in your tenant can only share calendar availability information with the other users in the tenant.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

➤ From the Microsoft 365 admin center dashboard, go to Admin > Exchange.

➤ Go to organization > sharing.

➤ Under Individual Sharing, select a sharing a policy. In the On column, clear the check box for the sharing policy you want to disable.

Reference:

<https://docs.microsoft.com/en-us/exchange/sharing/sharing-policies/modify-a-sharing-policy>

NEW QUESTION 143

- (Exam Topic 5)

You plan to use the Hybrid Agent to integrate your Microsoft Exchange Server 2016 organization and Exchange Online.

The installation of the Hybrid Agent fails.

You validate the following Exchange virtual directory settings.

```
Get-WebServicesVirtualDirectory | fl
```

```
ExternalAuthenticationMethods: {Ntlm, WindowsIntegrated, WSSecurity, OAuth}
InternalURL : https://mail.contoso.com/EWS/Exchange.asmx
ExternalURL: https://mail.contoso.com/EWS/Exchange.asmx
MRSPProxyEnabled: False
Server : EX01
```

```
Get-MAPIVirtualDirectory | fl
```

```
InternalURL : https://autodiscover.contoso.com/mapi
ExternalURL: https://Autodiscover.contoso.com/mapid
Server: EX01
```

```
Get-OWAVirtualDirectory | fl
```

```
InternalURL : https://mail.contoso.com/owa
ExternalURL: https://mail.contoso.com/owa
Server: EX01
```

You need to install the Hybrid Agent successfully. What should you do first?

- A. Update the server parameter of WebServicesVirtualDirectory to the FQDN of Exchange instead of the host name.
- B. Set MRSPProxyEnabled to True.
- C. Remove WindowsIntegrated from ExternalAuthenticationMethods.
- D. Change the ExternalURL parameter of MAPIVirtualDirectory to https://mail.contoso.com instead of https://autodiscover.contoso.com.

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/hybrid-deployment/hybrid-agent#running-setup>

NEW QUESTION 145

- (Exam Topic 5)

You have a Microsoft Exchange Online subscription.

You need to prevent all Android devices from using Exchange ActiveSync to sync email. Other devices must be allowed to sync email by using Exchange ActiveSync.

What should you use?

- A. data loss prevention (DLP) policies
- B. Exchange ActiveSync access settings
- C. device access rules
- D. mobile device mailbox policies

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/new-activesyncdeviceaccessrule?view=exchange>

NEW QUESTION 150

- (Exam Topic 5)

SIMULATION


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that all email sent or received by a user named Diego Siciliani is preserved in Exchange Online. The solution must prevent Diego Siciliani from permanently deleting any email messages for 180 days.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

You need configure a Retention Policy. You could also use a Litigation Hold but Retention Policies are replacing Litigation Holds in future, so a Retention Policy is the way to go.

- In the Microsoft 365 Compliance Center, go to the Policies section and click Retention.
- Click the New retention policy link.
- Enter a name for the policy (such as "Diego Siciliani Email Retention") and click Next.
- In the retention period, enter 180 days and click Next.
- Ensure that only Exchange email is selected. SharePoint sites, OneDrive accounts and Office 365 groups are also selected by default so you may need to deselect them.
- Click the Choose recipients link for Exchange email.
- Click the Choose recipients button to open a list of recipients.
- Select Admin1 and click the Choose button then click the Done button.
- Click Next.
- Click the Create this policy button.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/retention-policies>

NEW QUESTION 154

- (Exam Topic 5)

You run several PowerShell commands as shown in the following exhibit.

PS C:\> Get-AddressListPolicy | Format-Table

Name	GlobalAddressList	AddressLists	OfflineAddressBook	RoomList
Fabrikam-ABP	\Fabrikam	\Fabrikam	\Fabrikam-OAB	\All Rooms
Contoso-ABP	\Contoso	\Contoso-IT, \Contoso-Marketing	\Contoso-OAB	\All Rooms

PS C:\> Get-GlobalAddressList | Format-Table

Name	RecipientFilter
Contoso	((Company -eq 'Contoso'))
Fabrikam	((Company -eq 'Fabrikam'))

PS C:\> Get-AddressList | Format-Table

Name	DisplayName	RecipientFilter
Contoso-Marketing	Contoso-Marketing	((Company -eq 'Contoso') -and (Department -eq 'Marketing'))
Fabrikam	Fabrikam	((Company -eq 'Fabrikam'))

PS C:\> Get-ADUser | Where Name -eq "James Smith" | Select Name, UserPrincipalName, Company, Department

Name	UserPrincipalName	Company	Department
James Smith	jsmith@contoso.com	Contoso	Marketing

PS C:\> Get-Mailbox | Where Name -eq "Executive Conference Room" | Select Name, Alias, Office, Database

Name	Alias	Office	Database
Executive Conference Room	executiveconferenceroom	Contoso	DB1

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

James Smith will appear on the [answer choice] address list.

Contoso-IT

Contoso-Marketing

Fabrikam

The Executive Conference Room will appear in [answer choice].

Contoso-ABP only

Fabrikam-ABP only

Contoso-ABP and Fabrikam-ABP

none of the policies

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated
Reference:
<https://docs.microsoft.com/en-us/exchange/address-books/address-book-policies/address-book-policies>

NEW QUESTION 158

- (Exam Topic 5)
Your company has an Exchange Online tenant.
A partner company named Fourth Coffee also uses Exchange Online.
You need to ensure that the users at your company share free busy information with the users at Fourth Coffee. The solution must ensure that the meeting details included in the calendars of your company users remain hidden from the Fourth Coffee users.
How should you complete the command? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

New-SharingPolicy

New-AvailabilityConfig

New-OrganizationRelationship

-Name "Fourth Coffee" -DomainNames "fourthcoffee.com"

-FreeBusyAccessEnabled \$true -FreeBusyAccessLevel

-FreeBusyAccessScope "Executives"

None

LimitedDetails

AvailabilityOnly

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/new-organizationrelationship?view=exchange-ps>

NEW QUESTION 163

- (Exam Topic 5)

You have 1,000 user accounts that are each licensed for Microsoft 365. Each user account has a Microsoft Exchange Online mailbox. Ten of the user accounts are configured as service accounts for applications. The applications send event notifications to the mailboxes of the service accounts by using SMTP. The developers of each application have delegated access to the mailbox of their respective application. You need to ensure that all the event notifications sent by the applications are retained in the service account mailboxes so that new developers can review older notifications. The developers must be able to view only the notifications for their respective application. What should you do?


- A. Replace the service account mailboxes with a single user mailbox that contains a folder for each application.
- B. Replace the service account mailboxes with a single user mailbox that contains Power Automate rules.
- C. Convert the service account mailboxes into shared mailboxes.
- D. Convert the service account mailboxes into mail-enabled users.

Answer: C

NEW QUESTION 166

- (Exam Topic 5)

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time. When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design. Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task. Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided. Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to reduce the likelihood that malicious links contained in emails received by mailboxes in @lab.CloudCredential(1).TenantName are opened.

To complete this task, sign in to the Exchange admin center.

A. Mastered

B. Not Mastered

Answer: A

Explanation:

➤ Navigate to the Exchange Admin Center, and then choose the Advanced Threats section of the EAC.

➤ Click the Safe Links tab to examine all existing Safe Links policies:

➤ After navigating to the Safe Links policy page, choose the Add button (+) to create a new policy. The New Safe Links Policy window opens.

- In the resulting window we'll be presented with the options available for creating our new Safe Links policy.

➤ In Name enter an appropriate, unique, name that describes this policy. In the description enter some text that provides a little more detail for anyone trying to make sense of the options selected here.

➤ Next we'll choose the action to take for URLs. We can leave this Off, if for example we are creating a policy to exclude a group of users that would otherwise be affected by another Safe Links policy.

➤ The checkbox Do not track user click can be selected if you do not wish to use the reporting functionality available at a later date. This is a key feature when understanding which users clicked a link that was later found to be a threat, so be careful about choosing to disable user click tracking.

➤ Our final check box provides options for click-through is a link is found to be dangerous. In some circumstances you may trust users to click-through links, or they may request the ability to do so. In most circumstances you will not want a user to click-through the malicious link.

➤ Some URLs, such as those for internal addresses or even trusted partners, may not require re-writing. Enter these URLs here.

➤ Finally, we will select the scope for the rule under the Applied to

section.

➤ Using similar conditions to transport rules we can select who this rule applies to including:

- Individual recipients
- Recipient domains
- Members of distribution groups

➤ The same conditions can be used for exceptions. When you have configured your rule, choose Save.

After saving the new Safe Links rule it will be shown in the EAC list. Just like Transport Rules, you can use the Enabled column to enable or disable the Safe Links policy.

Reference:
<https://techgenix.com/implementing-exchange-online-advanced-threat-protection-part2/>

NEW QUESTION 171

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has an Exchange Online tenant that contains 2,000 mailboxes.

A partner company named Fabrikam, Inc. uses a third-party messaging solution. The outbound SMTP server for Fabrikam uses an IP address of 131.107.2.22.

You discover that several email messages from the fabrikam.com domain are erroneously marked as spam. You need to ensure that all the email messages sent from the fabrikam.com domain are delivered successfully to the user mailboxes of your company.

Solution: You create a remote domain. Does this meet the goal?

A. Yes
 B. No

Answer: B

NEW QUESTION 172

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that contains three users named User1, User2, and User3. Mobile device mailbox policies are configured as shown in the following exhibit.

mobile device access mobile device mailbox policies

+

✎

🗑

↺

NAME	MODIFIED
Default (default)	9/28/2020 8:06 AM
Executive policy	9/28/2020 8:07 AM
Managers policy	9/28/2020 8:07 AM

The users are configured as shown in the following table.

Name	Assigned policy
User1	Executive policy
User2	Managers policy
User3	Default

You create a new mobile device mailbox policy as shown in the following exhibit.

new mobile device mailbox policy

*Required fields

*Name:

Mobile Tablet Policy

- ☒ This is the default policy
- ☒ Allow mobile devices that don't fully support these policies to synchronize

Policies for Exchange ActiveSync and OWA for Devices

Select the policies that you want to enable for Exchange ActiveSync and OWA for Devices. [Learn more](#)

- ☒ Require a password
 - ☐ Allow simple passwords
 - ☒ Require an alphanumeric password
 - Password must include this many character sets:
2
 - ☐ Require encryption on device
 - ☒ Minimum password length:
6
 - ☐ Number of sign-in failures before device is wiped:
5
 - ☐ Require sign-in after the device has been inactive for (minutes):
 minutes
 - ☒ Enforce password lifetime (days):
30 days
 - Password recycle count:
10

Save Cancel

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Statements	Yes	No
Mobile Tablet Policy will be assigned to User3 automatically.	<input type="radio"/>	<input type="radio"/>
A new user can use a password of 135753.	<input type="radio"/>	<input type="radio"/>
Mobile Tablet Policy will be assigned to new users.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/exchange/create-or-modify-a-mobile-device-mailbox-policy-exchange-2013-he>

NEW QUESTION 176

- (Exam Topic 5)

Your company has a Microsoft Exchange Server 2019 organization that contains two servers in a database availability group (DAG).

The customer service department at the company uses public folders to receive customer communications. Only users in the customer service department can read items in the folders.

For a new customer, you create a mail-enabled public folder that has the default settings.

The customer reports that when she sends an email message to the email address of the public folder, she receives a non-delivery report (NDR).

You need to ensure that the public folder can receive email.

Which public permissions should you configure in Microsoft Outlook?

- A. Grant the Author permission to the Default group
- B. Grant the Author permission to the Anonymous group
- C. Grant the Create items permission to the Anonymous group
- D. Grant the Create items permission to the Default group

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/mail-enable-or-disable?view=exchserve>

NEW QUESTION 178

- (Exam Topic 5)

You have a hybrid deployment of Microsoft Exchange Server 2019 and Microsoft 365 that contains three servers.

All email received from the Internet is sent directly to the servers. You run the following command.

Get-MalwareFilterPolicy | FL Name,BypassInboundMessages,BypassOutboundMessages,Action,IsDefault You receive the output shown in the following exhibit.

Name	: Default
BypassInboundMessages	: False
BypassOutboundMessages	: False
Action	: DeleteAttachmentAndUseDefaultAlertText
IsDefault	: True
EnableInternalSenderNotifications	: True
EnableExternalSenderNotifications	: True

You run the Get-TransportAgent cmdlet and receive the output shown in the following exhibit.

Identity	Enabled	Priority
-----	-----	-----
Transport Rule Agent	True	1
DLP Policy Agent	True	2
Retention Policy Agent	True	3
Supervisory Review Agent	True	4
Malware Agent	False	5
Text Messaging Routing Agent	True	6
Text Messaging Delivery Agent	True	7
System Probe Drop Smtip Agent	True	8
System Probe Drop Routing Agent	True	9

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
If an email message sent from the Internet contains malware, the message will be delivered successfully to the recipient's mailbox	<input type="radio"/>	<input type="radio"/>
To prevent an email message from the Internet that contains malware from being delivered to an internal recipient, the default antimalware policy must be modified	<input type="radio"/>	<input type="radio"/>
To prevent an email message from the Internet that contains malware from being delivered to an internal recipient, the priority of the malware agent must be modified	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Text Description automatically generated

NEW QUESTION 182

- (Exam Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to prevent users in your company from sending out-of-office replies to users who use an email address suffix of @contoso.com. The solution must NOT use mail flow rules.

To complete this task, sign in to the Exchange admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- In the Exchange admin center, go to Mail flow > Remote domain. s
- Click + Add a remote domain. The Name the domain screen appears.
- In the Name text box, enter a descriptive name for the domain.
- In the Remote Domain text box, enter the full domain name. Use the wildcard character (*) for all subdomains of a specified domain, for example, *.contoso.com.
- Click Next. The Email reply types screen appears.
- In the Out of Office reply types at this domain section, specify which type of out-of-office replies should be sent to people
- In the Automatic replies forwarding, or both. section, specify whether you want to allow automatic replies, automatic
- Click Next. The Message reporting

screen appears.

- > Specify whether you want to allow delivery reports and non-delivery reports by checking the respective check boxes.
- > Click Next. The Text and character set
- > Define the following settings:

screen appears.

- In the Use Rich-text format pane, specify whether to follow each user's message settings, or whether to always or never preserve RTF formatting. Selecting Never HTML means that RTF messages are sent as plain text or

- In the Supported Character Set pane, specify which character set to use (if the message doesn't specify the character set) by choosing from the MIME character set or on-MIME character set drop-down list.

- > Click Next. The Review

screen appears.

- > Review the remote domain settings, and click Save.

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/remote-domains/manage-remote-domains> <https://docs.microsoft.com/en-us/exchange/troubleshoot/email-delivery/understand-troubleshoot-oof-replies>

NEW QUESTION 183

- (Exam Topic 5)

Your network contains an Active Directory domain and an Azure Active Directory (Azure AD) tenant in a hybrid deployment.

You implement a Microsoft Exchange Online tenant.

You plan to deploy a new on-premises app named App1 to a Windows server. The solution must meet the following requirements:

- > Use an Active Directory user account named App1service as a service account.
- > Be able to receive email requests by using an email address of app1@contoso.com.
- > Use App1service to sign in to the mailbox of App1 to view the requests.

In the domain, you create App1service.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Create a shared mailbox for App1service

In Azure AD, register an enterprise application for App1

Sync the App1service account to Azure AD

Create a user mailbox for App1service

Assign a license to App1service

Assign app1@contoso.com as an email address to App1service

Answer Area

>

<

↑

↓

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, chat or text message Description automatically generated

NEW QUESTION 185

- (Exam Topic 5)

You recently implemented a hybrid deployment that contains a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 server named Server1. The public IP address of Server1 is 131.107.1.100. The deployment is configured as shown in the following table.

Object type	Configuration	Location
Accepted domain	Contoso.com	Microsoft 365
Remote domain	*	Microsoft 365
Outbound connector	Use DNS routing	Microsoft 365
Inbound connector	Default settings	Microsoft 365
Mail exchanger (MX) record	Contoso-com.mail.protection.outlook.com	Public DNS
Send connector	Use DNS routing	Exchange Server 2019

Users hosted in Microsoft 365 report that they receive non-delivery reports (NDRs) when they attempt to send email messages to mailboxes hosted in Exchange Server 2019.

You need to ensure that the email is delivered successfully. The solution must ensure that email delivery is successful for all the users at your company. What should you do?

- A. Configure the remote domain to use a value of contoso.com.
- B. Modify the MX record to point to the internal Exchange servers.
- C. Configure the Outbound connector to use a smart host of 131.107.1.100.
- D. Configure the accepted domain to use a value of *.

Answer: C

NEW QUESTION 190

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment.

You are migrating mailboxes from the on-premises organization to Exchange Online.

From the Exchange admin center, you create a new migration batch that includes 25 mailboxes, and then you select Manual Complete the batch.

Later, you must complete the migration of a mailbox named user1@litware.com in the batch as soon as possible. You discover that the status of the migration batch is Syncing, but the status of the move request for user1@litware.com is Synced.

You need to complete the migration of the user1@litware.com mailbox to Exchange Online as soon as possible.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Set-MoveRequest

Set-MigrationBatch

Set-MigrationConfig

-Identity "user1@litware.com"

-CompleteAfter(Get-Date)

-SuspendWhenReadyToComplete \$false

-PreventCompletion \$false

Resume-MoveRequest -Identity "user1@litware.com"

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/move-and-migration/set-moverrequest?view=exc>

NEW QUESTION 191

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that contains a public folder named CustomerSupport. You need to access CustomerSupport by using Outlook on the web. Which section in Outlook on the web should you add CustomerSupport?

- A. Favorites
- B. Folders
- C. Groups

Answer: C

NEW QUESTION 195

- (Exam Topic 5)

You have a Microsoft 365 environment that contains 1,000 mailboxes.

You need to ensure that only an administrator named Admin1 can use the Exchange Management Shell to manage

What should you do?

- A. Create a conditional access policy and apply the policy to all users.
- B. For all users, run the set-user cmdlet and specify the -RemotePowershellEnabled parameter.
- C. Create a conditional access policy and apply the policy to Admin1.
- D. For Admin1, run the set-user cmdlet and specify the -RemotePowerShellEnabled parameter.

Answer: A

NEW QUESTION 197

- (Exam Topic 5)

You have a hybrid deployment that contains a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 server named Server1. Server1 uses a certificate from a third-party certification authority (CA). The certificate is enabled for the SMTP service. You replace the certificate with a new certificate. You discover that delivery fails for all email messages sent from Server1 to your Microsoft 365 tenant. You receive the following error message for all the queued email messages: “450 4.4.101 Proxy session setup failed on Frontend with 451 4.4.0 Primary target IP address responded with 451 5.7.3 STARTTLS is required to send mail.” You need to ensure that the messages are delivered successfully from Server1 to the Microsoft 365 tenant. What should you do?


- A. From the Exchange admin center, update the certificate thumbprint in the properties of a connector
- B. From Server1, regenerate the certificate and select Make private keys exportable
- C. From the firewall, disable SMTP content inspection
- D. From Server1, enable the new certificate for the IMAP4 service

Answer: C

NEW QUESTION 198

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization and a Microsoft 365 E5 subscription. From the Microsoft 365 admin center, you open Data migration as shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic. NOTE: Each correct selection is worth one point.

The Microsoft Office 365 Hybrid Configuration wizard [answer choice].

must be downloaded

was completed

was not run

The move mailboxes, the [answer choice] virtual directory must be available to Exchange Online.

Autodiscover

ecp

EWS

mapi

PowerShell

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

https://www.stellarinfo.com/blog/hybrid-migration-migrate-exchange-mailboxes-office-365/ https://www.kerneldatarecovery.com/blog/migrate-from-exchange-on-premises-to-exchange-online-in-hybrid-en

NEW QUESTION 201

- (Exam Topic 5)

Your company has a Microsoft Exchange Online tenant named contoso.com. The company acquires a company named ADatum Corporation that uses a third-party IMAP email service named adatum.com.

You plan to migrate the mailbox content of adatum.com to contoso.com. You need to connect Microsoft 365 to the IMAP email service. What should you create first?

- A. a new organization relationship
- B. a new migration endpoint
- C. a new remote domain
- D. a new staged migration batch

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mailbox-migration/migrating-imap-mailboxes/migrating-imap-mailb>

NEW QUESTION 206

- (Exam Topic 5)

You have an Exchange Online tenant.

You need to ensure that the users in your company's finance department can select email messages that will be deleted automatically one year later. The solution must apply only to the finance department users.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Publish a label to the finance department.
- B. Create a data loss prevention (DLP) policy that uses the sensitive information type.
- C. For each mailbox in the finance department, configure the retention policy settings.
- D. Create a label that has a retention setting of one year.
- E. For each mailbox in the finance department, configure Message Delivery Restrictions.

Answer: AD

Explanation:

Create a retention label and publish it to the finance department users. Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/retention?view=o365-worldwide>

NEW QUESTION 210

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that uses Microsoft Defender for Office 365.

You need to create a new Safe Attachments policy named Policy1 that meets the following requirements:

- Immediately delivers email messages that contain attachments and replaces the attachments with placeholders
- Reattaches the attachments after scanning is complete
- Quarantines malicious attachments

Which action should you select for Policy1?

- A. Monitor
- B. Block
- C. Dynamic Delivery
- D. Replace

Answer: C

NEW QUESTION 211

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant.

You discover that a virus has infected the mailboxes of several users. The users are currently spreading the virus by emailing attachments that contain the virus.

You need to temporarily prevent all users from emailing attachments while you remove the virus from all the mailboxes.

What should you configure?

- A. a connection filter
- B. a mail flow rule
- C. a connector
- D. a spam fitter

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/mail-flow-rules/common-attachmentblocki>

NEW QUESTION 214

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has an Exchange Online tenant that contains 2,000 mailboxes.

A partner company named Fabrikam, Inc. uses a third-party messaging solution. The outbound SMTP server for Fabrikam uses an IP address of 131.107.2.22.

You discover that several email messages from the fabrikam.com domain are erroneously marked as spam. You need to ensure that all the email messages sent from the fabrikam.com domain are delivered successfully to the user mailboxes of your company.

Solution: You create a connection filter. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

You can allow the server IP address in the Connection Filter. This would achieve the objective of ensuring all email from Fabrikam.com is delivered. However, it would also allow any other company that uses the thirdparty email server to bypass the spam filter.

The fact that the question specifies that Fabrikam uses a “third-party messaging solution” suggests that the answer to this question should be No although technically it would work.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/create-safe-sender-lists-in-office-365?view=o365-worldwide>

NEW QUESTION 216

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft Exchange Server 2019 hybrid deployment that contains two Mailbox servers named MBX1 and MBX2.

The company has the departments shown in the following table.

Name	Mailbox location	Number of recipients
Sales	MBX1	300
Production	MBX2	500
Administration	MBX1	200
IT	Exchange Online	50
Managers	Exchange Online	100
Marketing	Exchange Online	350

From the on-premises organization, outbound email is sent directly to the Internet by using DNS lookups. You are informed that some sales department users send email messages that are identified as spam.

You need to automatically block the sales department users from repeatedly sending spam. Solution: You migrate all the mailboxes of the sales department to Exchange Online.

Does this meet the goal?

- A. yes
- B. No

Answer: A

Explanation:

Exchange Online Protection (EOP) will scan outbound messages from Exchange Online mailboxes.

NEW QUESTION 218

- (Exam Topic 5)

You have two mailboxes named Mailbox1 and Mailbox2 that have the ProhibitSendReceiveQuota parameter set to 50 G.B

From a Microsoft Exchange Online tenant, you run the following PowerShell command.

```
PS C:\> Get-Mailbox | Select-Object Alias, RecipientTypeDetails | FT -AutoSize
```

Alias	RecipientTypeDetails
-----	-----
Mailbox1	SharedMailbox
Mailbox2	RoomMailbox

You receive the license status of each mailbox and discover the configurations shown in the following table.

Alias	SKUAssigned
Mailbox1	False
Mailbox2	False

You need to increase the quota for Mailbox1 and Mailbox2. What should you do first?

- A. Assign a license to each mailbox.
- B. Convert each mailbox into an equipment mailbox.
- C. Enable an archive for each mailbox.
- D. Place both mailboxes on retention hold.

Answer: A

Explanation:

Shared and resource mailboxes don't require a license. However, without a license, these mailboxes are limited to 50 GB. To increase the mailbox size, an E3 or E5 license must be assigned. This will increase the mailbox to 100 GB.

Reference:

<https://docs.microsoft.com/en-us/office365/servicedescriptions/exchange-online-service-description/exchange-o>

NEW QUESTION 221

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains 1,000 mailboxes.

All the users in the sales department at your company are in a group named Sales.

The company is implementing a new policy to restrict the use of email attachments for the users in the Sales group.

You need to prevent all email messages that contain attachments from being delivered to the users in the Sales group.

Solution: You create a mail flow rule. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/mail-flow-rules/common-attachment-block>

NEW QUESTION 225


- (Exam Topic 5)

have a Microsoft Exchange Online tenant. All mailboxes ug a suffix of

All email is routed to and from the tenant through a third-party email filtering service. You have the following network-connected

- > Public IP are used via NAT when connecting to the internet.
- > SMTP disabled


You to ensure that the scanners can send email to external recipients via Exchange. solution must NOT require that credentials be from the scanners



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 229

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that contains a custom role group named RGI.

You need to prevent users assigned to RGI from running a specific cmdlet. Which cmdlet should you run to modify RG1?

- A. Remove Entry
- B. Remove -ManagementRoleAssignment
- C. Set-ManagementScope
- D. Disable -Cmd1etExtensionAgent

Answer: B

NEW QUESTION 233

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You plan to implement a hybrid deployment between Exchange Online and Exchange Server.

You need to install the Exchange Online Hybrid Agent. The solution must use the principle of least privilege. To which roles should you be assigned to perform the installation? To answer, drag the appropriate roles to the correct products. Each role may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Answer Area

Global Admin

Exchange Administrator

Service Administrator

Organization Management

Server Management

Microsoft Office 365

Exchange Server 2019

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/hybrid-deployment/hybrid-agent>

NEW QUESTION 235

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization that uses a namespace of contoso.com. Email address policies for contoso.com are configured as shown in the Address Policies exhibit.

rules delivery reports accepted domains email address policies

receive connectors

+ ✎ 🗑 ⬆ ⬇ ⬆

NAME	PRIORITY	STATUS
Marketing	1	Applied
Sales	2	Applied
Default Policy	Lowest	Applied

The Marketing email address policy is shown in the Marketing Policy exhibit.

Marketing

Email Address Format

SMTP

Primary: John.Smith@contoso.com

Address 2: John.Smith@marketing.contoso.com

Includes

Users with Exchange mailboxes,
in the following departments: Marketing

This email address policy has been applied.

The Sales email address policy is shown in the Sales Policy exhibit.

Sales

Email Address Format

SMTP

Primary: %1g.%s@contoso.com

Includes

Users with Exchange mailboxes,
in the following departments: Sales

This email address policy has been applied.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Statements	Yes	No
The user mailboxes of the marketing department will have an additional email address that uses a SMTP suffix of @marketing.contoso.com.	<input type="radio"/>	<input type="radio"/>
The user mailbox of a sales department user named Ben Smith will have an email address of b.smith@contoso.com.	<input type="radio"/>	<input type="radio"/>
All user mailboxes will have an email address in the firstname.lastname@contoso.com format.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:
<https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/email-address-policies/email-add>

NEW QUESTION 236

- (Exam Topic 5)
You have a Microsoft Exchange Online tenant.
All users are assigned only an Office 365 Enterprise E3 license.
You need to ensure that the users can use only Microsoft Outlook to connect to their Microsoft 365 mailbox when they connect from an Android device.
What should you create?

- A. a conditional access policy in Azure Active Directory (Azure AD)
- B. a connection filter policy in Exchange Online Protection (EOP)

- C. an Outlook Web App policy in Exchange Online
- D. an app protection policy in Microsoft Endpoint Manager

Answer: A

Explanation:

Office 365 Enterprise E3 includes Azure Active Directory Premium P1 which is required for Azure conditional access policies.

NEW QUESTION 238

- (Exam Topic 5)

You manage a hybrid deployment between Microsoft Exchange Online and on-premises Exchange Server 2019. The deployment contains a primary SMTP domain named contoso.com.

Users have email addresses that use a syntax of firstname.lastname@contoso.com.

A user named Ben Smith receives a new client computer. You configure the computer1 to access Ben Smith's mailbox. Ben Smith reports that he cannot connect to his mailbox from the new computer.

You verify that other users can connect successfully to their mailbox and that new users can discover their mailboxes by using Autodiscover.

You need to ensure that Ben Smith can connect to his mailbox from the new computer. What should you do?

- A. Modify the primarySmtpAddress property for the mailbox of Ben Smith.
- B. Modify the email address of Ben Smith to use a syntax of firstname.lastname@contoso.onmicrosoft.com
- C. Modify the RemoteRoutingAddress parameter for the mailbox of Ben Smith.
- D. Modify the email address of Ben Smith to use a syntax of lastname.firstname@contoso.com

Answer: C

NEW QUESTION 243

- (Exam Topic 5)

You have 1,000 user accounts that are each licensed for Microsoft 365. Each user account has a Microsoft Exchange Online mailbox.

Ten of the user accounts are configured as service accounts for applications. The applications send event notifications to the mailboxes of the service accounts by using SMTP. The developers of each application have delegated access to the mailbox of their respective application. The solution must minimize licensing costs. What should you do?

- A. Replace the service account mailboxes with a Microsoft 365 group
- B. Convert the service account mailboxes into mail-enabled contacts
- C. Replace the service account mailboxes with a single user mailbox
- D. Replace the service account mailboxes with a single user mailbox that contains a folder for each application.

Answer: B

NEW QUESTION 245

- (Exam Topic 5)

Your network contains an Active Directory domain named corp.contoso.com. The domain contains client computers that have Microsoft Office 365 Apps installed. You have a hybrid deployment that contains a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 server named Server1. All recipients use an email address suffix of Contoso.com.

You migrate all the Exchange Server recipients to Exchange Online, and then decommission Server1. Users connected to the internal network report that they receive an Autodiscover error when they open Microsoft Outlook.

You need to ensure that all users can connect successfully to their mailbox by using Outlook. Which two actions should you perform? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. From the corp.contoso.com DNS zone, modify the Autodiscover host (A) record.
- B. Add an accepted domain.
- C. From the contoso.com DNS zone, modify the Autodiscover alias (CNAME) record
- D. Modify the name of the TLS certificate.
- E. From the domain, modify the Autodiscover service connection point (SCP).

Answer: CE

NEW QUESTION 247

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that contains 1,000 users.

You need to prevent 100 users in the finance department at your company from using Direct file access when using Outlook on the web. The solution must ensure that all the other users in the company can continue to use Direct file access when using Outlook on the web.

What should you do?

- A. Modify the default sharing policy.
- B. Create and assign an Outlook Web App policy.
- C. Create and assign a sharing policy.
- D. Modify the default Outlook Web App policy.

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/clients/outlook-on-the-web/mailbox-policies?view=exchserver-2019>

NEW QUESTION 251

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

MS-203 Practice Exam Features:

- * MS-203 Questions and Answers Updated Frequently
- * MS-203 Practice Questions Verified by Expert Senior Certified Staff
- * MS-203 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * MS-203 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The MS-203 Practice Test Here](#)