



VMware

Exam Questions 2V0-21.20

Professional VMware vSphere 7.x

About ExamBible

[Your Partner of IT Exam](#)

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

An administrator is investigating the reason for a powered on virtual machine failing to migrate with the following error log message:

The virtual machine requires hardware features that are unsupported or disabled on the target host.

```
CPUID details: incompatibility at level 0xx register 'xxx'
Host bits: xxxx:xxxx:xxxx:xxxx:xxxx:xxxx:xxxx:xxxx
Required: xxxx:xxxx:xxxx:xxxx:xxxx:xxxx:xxxx:xxxx
```

Which step should the administrator complete to resolve this error? (Choose the best answer.)


- A. Configure High Availability on the cluster.
- B. Configure vSAN on the cluster.
- C. Configure Distributed Resource Scheduler (DRS) on the cluster.
- D. Configure Enhanced vMotion Compatibility on the cluster.

Answer: D

NEW QUESTION 2

Refer to the exhibit.

Figure 8-1. vSphere Trust Authority Architecture



Which trusted infrastructure component is missing and represented by the area labeled “A”? (Choose the best answer.)

- A. Key Management Server
- B. vSphere Virtual Machine Encryption
- C. Key Provider Service
- D. Attestation Service

Answer: A

NEW QUESTION 3

Which two components are core to vSphere? (Choose two.)

- A. ESXi
- B. vSAN
- C. vCenter Server
- D. vRealize Network Insight
- E. vRealize Operations Manager

Answer: AC

NEW QUESTION 4

What are two pre-requisites for enabling ESXi secure boot? (Choose two.)

- A. External Key Management Service
- B. vCenter Server 7.0 or greater
- C. Trusted Platform Module version 2.0
- D. ESXi 7.0 or greater
- E. Unified Extensible Firmware Interface (UEFI)

Answer: AE

Explanation:

<https://blogs.vmware.com/vsphere/2017/05/secure-boot-esxi-6-5-hypervisor-assurance.html>

NEW QUESTION 5

An administrator is unable to manage certificates with the vSphere Client.

What is another supported option that can be used to manage certificates? (Choose the best answer.)

- A. vCenter Server Management Interface
- B. Command Line Interface
- C. vRealize Operations Manager
- D. Cloud Builder

Answer: B

NEW QUESTION 6

Which vSphere feature provides for continuous local data center availability? (Choose the best answer.)

- A. vSphere Fault Tolerance
- B. Cross vCenter Migration
- C. vSphere Storage vMotion
- D. vSphere Replication

Answer: A

NEW QUESTION 7

Which two performance tools can be used to monitor virtual machines outside the guest operating system? (Choose two.)

- A. vCenter Server performance charts
- B. Task Manager
- C. top
- D. esxtop
- E. Perfmon

Answer: AE

NEW QUESTION 8

How many vSphere Trust Authority Clusters can a Trusted Cluster reference? (Choose the best answer.)

- A. 1
- B. 4
- C. 8
- D. 2

Answer: A

NEW QUESTION 9

What is a pre-requisite for increasing datastore capacity? (Choose the best answer.)

- A. The backing device for the datastore has enough free space.
- B. The datastore is managed by Storage DRS (SDRS).
- C. The datastore is 100% full.
- D. There are NO powered-on virtual machines on the datastore.

Answer: A

NEW QUESTION 10

Refer to the exhibit.



There is a problem with this website's security certificate.

The security certificate presented by this website was not issued by a trusted certificate authority.

Security certificate problems may indicate an attempt to fool you or intercept any data you send to the server.

We recommend that you close this webpage and do not continue to this website.

 [Click here to close this webpage.](#)

 [Continue to this website \(not recommended\).](#)

 [More information](#)

An administrator repeatedly encounters this error message while attempting to connect to vCenter Server. What should the administrator do to address this error message? (Choose the best answer.)

- A. Use a different browser.
- B. Trust the VMware certificate authority (CA) root certificate.
- C. Restart the vCenter Server Appliance.
- D. Reissue a new, unexpired certificate.

Answer: D

NEW QUESTION 10

A company has one corporate datacenter (C1) and one regional datacenter (R1). There is a vCenter Server in each location. An administrator wants a central library available to C1 and R1 for all templates and ISO images.

Which two steps must the administrator take to configure the content library feature to meet this requirement? (Choose two.)

- A. Create a published content library on C1.
- B. Create a local content library on R1.
- C. Create a local content library on C1.
- D. Create a subscribed content library on C1.
- E. Create a subscribed content library on R1.

Answer: AE

NEW QUESTION 13

Which resource pool setting is used to specify the relative priority or importance as high, normal or low? (Choose the best answer.)

- A. Limits
- B. Reservation type
- C. Shares
- D. Reservations

Answer: C

NEW QUESTION 15

vCenter High Availability (HA) protects vCenter Server against host and hardware failures.

What is the minimum number of ESXi hosts required to enable this capability? (Choose the best answer.)

- A. 5
- B. 7
- C. 1
- D. 3

Answer: D

NEW QUESTION 18

Which action is supported over a VMkernel vMotion TCP/IP stack? (Choose the best answer.)

- A. Hot migrations
- B. Fault tolerance protection
- C. Virtual machine cloning
- D. Snapshot creation

Answer: B

NEW QUESTION 21

Which feature can an administrator use for site availability with minimal effort and a low recovery point objective (RPO)? (Choose the best answer.)

- A. vSphere vMotion
- B. vSphere High Availability
- C. vSphere Replication
- D. vSphere Fault Tolerance

Answer: C

NEW QUESTION 22

What is the minimum number of ESXi hosts required to support vCenter High Availability? (Choose the best answer.)

- A. 6
- B. 3
- C. 2
- D. 4

Answer: B

NEW QUESTION 25

Which local only host utility is used for primary, real-time performance monitoring in vSphere? (Choose the best answer.)

- A. resxtop
- B. top
- C. esxtop
- D. vSphere Command-Line Interface (CLI)

Answer: C

NEW QUESTION 26

Which feature is a pre-requisite for configuring admission control on a cluster? (Choose the best answer.)

- A. vSphere Enhanced vMotion Compatibility (EVC)
- B. vSphere High Availability (HA)
- C. vSphere Fault Tolerance
- D. vSphere Distributed Resource Scheduler (DRS)

Answer: B

Explanation:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.avail.doc/GUID-C4059DB9-D673-45C>

NEW QUESTION 31

Which VMware feature should an administrator configure to help manage and delegate CPU and memory resources? (Choose the best answer.)

- A. VMware Enhanced vMotion Compatibility (EVC)
- B. Resource pools
- C. vSphere Distributed Resource Scheduler (DRS)
- D. vSphere High Availability (HA)

Answer: B

NEW QUESTION 36

Which solution can be used to automatically deploy a fully configured VMware software-defined data center (SDDC)? (Choose the best answer.)

- A. vCenter Server
- B. vRealize Suite
- C. vSphere Lifecycle Manager
- D. VMware Cloud Foundation

Answer: B

NEW QUESTION 37

An administrator is investigating the reason for a virtual machine restarting. In the vmware.log file, the administrator finds the following error:


```
svga | I120: WinBSOD: ( 1) 'A problem has been detected and Windows has
been shut down to prevent damage'
svga | I120: WinBSOD: ( 2) 'to your computer.'
svga | I120: WinBSOD: ( 4) 'If this is the first time you've seen this
Stop error screen,'
svga | I120: WinBSOD: ( 5) 'restart your computer. If this screen
appears again, follow'
svga | I120: WinBSOD: ( 6) 'these steps:'
svga | I120: WinBSOD: ( 8) 'Disable or uninstall any anti-virus, disk
defragmentation'
svga | I120: WinBSOD: ( 9) 'or backup utilities. Check your hard drive
configuration,'
svga | I120: WinBSOD: (10) 'and check for any updated drivers. Run
CHKDSK /F to check'
svga | I120: WinBSOD: (11) 'for hard drive corruption, and then restart
your computer.'
svga | I120: WinBSOD: (13) 'Technical information:'
svga | I120: WinBSOD: (15) '*** STOP: 0x00000024
(0x000000000001904FB, 0xFFFFF880069B2CE8, 0xFFFFF880069B2540,0'
svga | I120: WinBSOD: (16) 'xXXXXXX880014F5FA2)
```

What is a likely cause of this virtual machine restart? (Choose the best answer.)

- A. Guest operating system fault
- B. User or API request to shut down guest operating system
- C. High Availability
- D. User or API request to restart guest operating system

Answer: A

NEW QUESTION 39

An administrator wants to create a master copy of an existing virtual machine (VM) named “TestApp” and deploy VMs from this master copy whenever a user requests one.

Which method can the administrator use to create a master copy of TestApp? (Choose the best answer.)

- A. Deploy from an Open Virtual Machine Format (OVF) template
- B. Convert a template to a VM
- C. Clone the VM to a template
- D. Create a new VM

Answer: A

NEW QUESTION 43

What is the minimum CPU core requirement for successful installation, or upgrade, or ESXi on a host? (Choose the best answer.)

- A. 8
- B. 1
- C. 32
- D. 2

Answer: D

NEW QUESTION 48

An administrator adds an additional host to a cluster and is attempting to remediate the configuration with a host profile.

Which option would the administrator select on the host before it can be remediated with an existing host profile? (Choose the best answer.)

- A. Export Host Customizations
- B. Export Host Profile
- C. Attach Host Profile
- D. Copy Settings from Host

Answer: C

Explanation:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.hostprofiles.doc/GUID-09C00374-53C>

NEW QUESTION 50

Which step can an administrator take so that vSphere can access patch information if vCenter Server does NOT have Internet access? (Choose the best answer.)

- A. Use a Web server on the vCenter Server machine to automate the transfer of files.
- B. Install VMware vSphere Update Manager Download Service on a Windows server.
- C. Use an offline ISO file to import patches to the vSphere Lifecycle Manager depot manually.
- D. Install VMware vSphere Update Manager Download Service on a Linux server.

Answer: D

NEW QUESTION 53

An administrator is tasked with upgrading an existing vSphere environment to version 7.0. There are existing VMFS3 and VMFS5 datastores in the environment. Which statement is true regarding this upgrade? (Choose the best answer.)

- A. An ESXi 7.0 host will NOT recognize a VMFS3 datastore.
- B. VMFS3 is supported with ESXi 7.0 to store boot configurations only.
- C. A VMFS5 datastore CANNOT be upgraded; a new VMFS6 datastore is required.
- D. An ESXi 7.0 host can automatically upgrade a VMFS5 datastore.

Answer: C

NEW QUESTION 57

What determines the default bandwidth share allocation for system traffic, such as vSphere Fault Tolerance and vSphere vMotion? (Choose the best answer.)

- A. Physical network adapter
- B. Network I/O Control version
- C. Virtual machine hardware version
- D. Load-balancing

Answer: B

NEW QUESTION 58

Refer to the exhibit.

```
9:04:41am up 5 min, 637 worlds, 4 VMs, 6 vCPUs; CPU load average: 0.33, 0.09, 0.00
PCPU USED (%): 89 90 95 97 AVG: 92
PCPU UTIL (%): 88 89 94 96 AVG: 92
```

ID	GID	NAME	NWLD	%USED	%RUN	%SYS	%WAIT	%VMWAIT	%RDY	%IDLE	%OVRLP	%CSTP	%MLMTD	%SWPWT
8	8	helper	294	0.00	400.00	0.00	28784.56	-	400.00	0.00	400.00	0.00	0.00	0.00
1	1	system	152	1.35	31.90	0.15	14796.04	-	373.34	0.00	0.29	0.00	0.00	41.54
14865	14865	Linux2	7	73.32	74.45	0.07	582.88	0.32	50.48	0.11	0.20	0.00	0.00	0.00
14873	14873	Win1	9	115.74	116.08	0.00	743.07	16.52	45.26	23.51	0.36	5.66	0.00	0.00
14881	14881	Win2	9	104.23	104.40	0.00	759.42	16.44	43.60	41.62	0.35	2.63	0.00	0.00
14895	14895	Linux1	7	67.84	69.86	0.00	605.51	0.00	32.46	0.00	0.08	0.00	0.00	0.00
5485	5485	hostd.66720	21	2.30	2.30	0.00	2100.00	-	2.16	0.00	0.00	0.00	0.00	0.00
5233	5233	rhhttpproxy.6668	14	0.29	0.30	0.01	1400.00	-	0.93	0.00	0.00	0.00	0.00	0.00
9	9	drivers	12	0.00	0.00	0.00	1200.00	-	0.21	0.00	0.00	0.00	0.00	0.00
10	10	ft	4	0.00	0.00	0.00	399.89	-	0.20	0.00	0.00	0.00	0.00	0.00
1012	1012	vm syslogd.65822	3	0.13	0.14	0.00	300.00	-	0.16	0.00	0.00	0.00	0.00	0.00
14857	14857	esxtop.68027	1	2.78	3.89	0.00	97.10	-	0.13	0.00	0.00	0.00	0.00	0.00
14777	14777	sshd.68017	1	0.07	0.07	0.00	100.00	-	0.07	0.00	0.00	0.00	0.00	0.00

What does the %RDY for the Win1 virtual machine indicate? (Choose the best answer.)

- A. High CPU wait time
- B. Low CPU usage
- C. High CPU contention
- D. Low CPU contention

Answer: C

NEW QUESTION 62

Which two statements are true regarding the use of firmware update packages in vSphere Lifecycle Manager? (Choose two.)

- A. A hardware support manager must be registered as a vCenter Server extension.
- B. The firmware and drivers add-on are distributed through the official VMware online depot.
- C. The firmware and drivers add-on can be used on clusters that are managed with baselines.
- D. The firmware and drivers add-on can add or remove components from the ESXi base image.
- E. The firmware and drivers add-on is provided by a third-party vendor.

Answer: AD

NEW QUESTION 65

Which two storage technologies can an administrator use to deploy the Virtual Machine File System (VMFS)? (Choose two.)

- A. Fibre Channel storage
- B. vSAN storage
- C. Virtual Volumes storage
- D. NFS storage
- E. iSCSI storage

Answer: AE

NEW QUESTION 70

An administrator is tasked with upgrading an existing VMware vSphere 6.5 environment to version 7.0. There are existing VMFS3 and VMFS5 datastores in the environment.

Which two statements are true regarding this upgrade? (Choose two.)

- A. VMFS5 is no longer supported with ESXi 7.0.

- B. VMFS3 is no longer supported with ESXi 7.0.
- C. An ESXi 7.0 host can automatically upgrade a VMFS5 datastore.
- D. An ESXi 7.0 host will automatically upgrade a VMFS3 datastore when discovered.
- E. A VMFS3 datastore cannot be upgraded; a new VMFS6 datastore is required.

Answer: BD

Explanation:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.storage.doc/GUID-DAD74662-E09E-4>

NEW QUESTION 72

An administrator wants to be able to send vCenter Server log files to a remote syslog server and analyze logs using vRealize Log Insight. Which step must the administrator take to meet this requirement? (Choose the best answer.)

- A. Configure the vCenter Server logging options using the vSphere Client.
- B. Specify the remote syslog server name at deployment using the vCenter Server GUI Installer.
- C. Specify the vRealize Log Insight system name using the vSphere Client.
- D. Configure log file forwarding using the vCenter Server Management Interface.

Answer: D

Explanation:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vcenter.configuration.doc/GUID-9633>

NEW QUESTION 77

When deploying a vCenter Server Appliance, which two single sign-on (SSO)-related options are presented to an administrator? (Choose two.)

- A. Create a vCenter Enhanced Linked Mode group
- B. Create a vCenter Single Sign-On domain
- C. Join an existing vCenter Single Sign-On domain
- D. Repoint to another domain
- E. Reset Single Sign-On password

Answer: BC

NEW QUESTION 80

What are two minimum disk requirements for a vSAN hybrid disk group configuration? (Choose two.)

- A. At least one magnetic data disk
- B. At least one SATADOM device
- C. At least two magnetic data disks
- D. At least one flash device
- E. At least two flash devices

Answer: CD

NEW QUESTION 85

An administrator is tasked with upgrading an existing vSphere environment to version 7.0. The current configuration is using an external Platform Services Controller.

Which two statements are true regarding this upgrade? (Choose two.)

- A. The external Platform Services Controller needs to be converged into an embedded vCenter Server Appliance.
- B. The external Platform Services Controller needs to be decommissioned following the deployment of the new vCenter Server Appliance.
- C. The external Platform Services Controller backup can be restored to a new embedded vCenter Server Appliance.
- D. The external Platform Services Controller needs to be upgraded after the vCenter Server Appliance.
- E. The external Platform Services Controller needs to be powered down while a new vCenter Server Appliance is deployed.

Answer: AB

Explanation:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vcenter.upgrade.doc/GUID-30485437-B107-42>

NEW QUESTION 90

What is the server virtualization product that combines the ESXi hypervisor and the vCenter Server? (Choose the best answer.)

- A. NSX
- B. vRealize Operations Manager
- C. vSphere
- D. vSAN

Answer: C

NEW QUESTION 95

.....

Relate Links

100% Pass Your 2V0-21.20 Exam with ExamBible Prep Materials

<https://www.exambible.com/2V0-21.20-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>