

Exam Questions MS-203

Microsoft 365 Messaging

<https://www.2passeasy.com/dumps/MS-203/>



NEW QUESTION 1

- (Topic 5)

Your company has a Microsoft Exchange Server 2019 hybrid deployment.

Users in the advertising department and the editorial department of the company have mailboxes in Exchange Online.

A company policy requires that the advertising department users and the editorial department users be segmented based on the following requirements:

? The advertising department users must not see the editorial department users in the global address list

? (GAL).

? The editorial department users must not see the advertising department users in the GAL.

? The editorial department users must be treated as external recipients of the advertising department users.

? The advertising department users must be treated as external recipients of the editorial department users.

You need to recommend a solution that meets the requirements and minimize costs and effort.

What should you recommend?

A. In the Exchange Online tenant, create separate address book policies (ABPs) for the advertising and editorial departments.

B. Migrate all the mailboxes of the advertising department to the on-premises organization, and then enable address book policy (ABP) routing.

C. Purchase an additional Microsoft 365 subscription, and then migrate all the mailboxes of the advertising department to the new subscription.

D. Create two address book policies (ABPs) in Exchange Online, and then enable ABP routing for the Exchange Online tenant.

Answer: D

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/address-book-policies/address-book-policies?view=exchserver-2019>

NEW QUESTION 2

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online subscription that uses a namespace of litwareinc.com.

You create a connector in Exchange Online that is configured as shown in the following exhibit.

| | |
|-------------------------------|--------------------|
| Name | : Contoso |
| Enabled | : True |
| UseMXRecord | : True |
| ConnectorType | : Partner |
| RecipientDomains | : {Contoso.com} |
| SmartHosts | : {} |
| TlsDomain | : Contoso.com |
| TlsSettings | : DomainValidation |
| IsTransportRuleScoped | : False |
| RouteAllMessagesViaOnPremises | : False |
| CloudServiceMailEnabled | : False |
| AllAcceptedDomains | : False |

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

If an email message is sent to info@contoso.com, the message [answer choice].

If a user attempts to send an email message to info@contoso.com, and the receiving server does not have a certificate that contains the name contoso.com, [answer choice].

A. Mastered

B. Not Mastered

Answer: A

Explanation:

If an email message is sent to info@contoso.com, the message [answer choice].

▼

will always be delivered by using TLS

will never be delivered by using TLS

will sometimes be delivered by using TLS

If a user attempts to send an email message to info@contoso.com, and the receiving server does not have a certificate that contains the name contoso.com, [answer choice].

▼

the message will be delivered unencrypted

the messages will not be delivered

the message will be delivered by using TLS

NEW QUESTION 3

- (Topic 5)

You have a Microsoft 365 tenant that contains a user named User1.

User1 reports that she cannot configure a mail profile in Microsoft Outlook for Windows. User1 receives the following error message: "Encrypted connection to your mail server is not available."

You verify that User1 is assigned a Microsoft Office 365 Enterprise F3 license and can send email messages from her account by using Outlook on the web. You need to ensure that User1 can connect to Outlook successfully. What should you do?

- A. Run the Microsoft Support and Recovery Assistant for Office 365.
- B. Activate the installation of Office 365 ProPlus.
- C. Modify the license assigned to User1.
- D. Install a new certificate on the computer of User1.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/troubleshoot/outlook-issues/encrypted-connection-unavailable>

NEW QUESTION 4

- (Topic 5)

You have a Microsoft 365 subscription that uses a default domain named contoso.com.

Users report that email messages from a domain named fabrikam.com are identified as spam even though the messages are legitimate.

You need to prevent messages from fabrikam.com from being identified as spam. What should you do?

- A. Enable the Zero-hour auto purge (ZAP) email protection feature.
- B. Enable the safe list on a connection filter.
- C. Edit the default mail flow rule to bypass the spam filter.
- D. Modify the IP Allow list of a connection filter policy.

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/configure-the-connection-filter-policy?view=o365-worldwide>

NEW QUESTION 5

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft Exchange Server 2019 hybrid deployment that contains two Mailbox servers named MBX1 and MBX2.

The company has the departments shown in the following table.

| Name | Mailbox location | Number of recipients |
|----------------|------------------|----------------------|
| Sales | MBX1 | 300 |
| Production | MBX2 | 500 |
| Administration | MBX1 | 200 |
| IT | Exchange Online | 50 |
| Managers | Exchange Online | 100 |
| Marketing | Exchange Online | 350 |

From the on-premises organization, outbound email is sent directly to the Internet by using DNS lookups.

You are informed that some sales department users send email messages that are identified as spam.

You need to automatically block the sales department users from repeatedly sending spam.

Solution: You modify the outbound spam filter policy in Exchange Online. Does this meet the goal?

- A. Yes

B. No

Answer: B

Explanation:

From the on-premises organization, outbound email is sent directly to the Internet by using DNS lookups. Therefore, the Exchange Online outbound spam filter will not scan the emails sent from the on-premises mailboxes.

NEW QUESTION 6

DRAG DROP - (Topic 5)

Your company has three departments name Dept1, Dept2. and Dept3 and a Microsoft Exchange Online tenant.

You need to increase security for the email messages sent from the departments. The solution must meet the following requirements:

« Users in Dept1 must be able to digitally sign and encrypt email messages as required.

+ Email messages sent from Dept2 to an external email domain must be encrypted automatically during transit only.

« Email messages sent from Dept3 to an external email domain must be encrypted until the recipient opens the message.

« Implementation costs must be minimized.

Which type of encryption should you use for each department? To answer, drag the appropriate encryption types to the correct departments. Each encryption type may be used



A. Mastered

B. Not Mastered

Answer: A

Explanation:

? Users in Dept1 should use S/MIME encryption1. S/MIME is a standard for public key encryption and signing of email messages1. It allows users to digitally sign and encrypt email messages as required using certificates1. S/MIME provides end-to-end encryption and ensures message integrity and sender authentication1.

? Email messages sent from Dept2 to an external email domain should

use TLS encryption1. TLS is a protocol that encrypts the connection or session between two servers1. It protects email messages during transit only and does not require any action from the sender or recipient1. TLS provides opportunistic encryption and ensures message confidentiality and server authentication1.

? Email messages sent from Dept3 to an external email domain should

use Microsoft Purview Message Encryption2. Microsoft Purview Message Encryption is an online service that encrypts email messages and attachments using rights management policies2. It allows users to send encrypted email messages to anyone inside or outside the organization using various email services2.

Microsoft Purview Message Encryption provides persistent encryption and ensures message confidentiality and authorization policies2.

NEW QUESTION 7

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft 365 subscription.

Several users in the finance department of the company recently accessed unsafe websites by clicking on links in email messages.

Users in the marketing department of the company report that they must be able to access all the links embedded in email messages.

You need to reduce the likelihood of the finance department users accessing unsafe websites. The solution must affect only the finance department users.

Solution: You modify the Global Settings Safe Links policy.

Does this meet the goal?

A. Yes

B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/configure-global-settings-for-safe-links?view=o365-worldwide>

NEW QUESTION 8

- (Topic 5)

You have a Microsoft Exchange Online tenant that uses Microsoft Defender for Office 365.

You need to create a new Safe Attachments policy named Policy1 that meets the following requirements:

? Immediately delivers email messages that contain attachments and replaces the attachments with placeholders

? Reattaches the attachments after scanning is complete

? Quarantines malicious attachments

Which action should you select for Policy1?

A. Monitor

B. Block

C. Dynamic Delivery

D. Replace

Answer: C

NEW QUESTION 9

SIMULATION - (Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

Two users named Christie Cline and Irvyn Sayers leave your company.

You need to ensure that all email sent to the users at your company are forwarded automatically to the mailbox of Megan Bowen. The solution must NOT use mail flow rules.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? In the EAC, go to Recipients > Mailboxes.

? In the list of user mailboxes, click or tap the mailbox that you want to configure mail forwarding for, and then click or tap Edit

? On the mailbox properties page, click Mailbox Features.

? Under Mail Flow, select View details to view or change the setting for forwarding email messages.

On this page, you can set the maximum number of recipients that the user can send a message to. For on-premises Exchange organizations, the recipient limit is unlimited. For Exchange Online organizations, the limit is 500 recipients.

? Check the Enable forwarding check box, and then click or tap Browse.

? On the Select Recipient page, select a user you want to forward all email to. Select the Deliver message to both forwarding address and mailbox check box if you want both the recipient and the forwarding email address to get copies of the emails sent. Click or tap OK, and then click or tap Save.

NEW QUESTION 10


SIMULATION - (Topic 5)

SIMULATION

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by

design.
Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.
Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided. Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:
To enter your username, place your cursor in the Sign in box and click on the username below.
To enter your password, place your cursor in the Enter password box and click on the password below.
Microsoft 365 Username: admin@abc.com
Microsoft 365 Password: xxxxxx
If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.
The following information is for technical support purposes only.
Lab Instance: XXXXXX
You need to ensure that the email messages in mailboxes and the documents in Microsoft OneDrive folders of all the users in your organization are retained for only five years.
To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? From the Microsoft 365 compliance center, select Policies > Retention.
? Select New retention policy to start the Create retention policy configuration, and name your new retention policy.
? For the Choose the type of retention policy to create page, select Static. Adaptive policies don't support the locations for Exchange public folders or Skype for Business.
? Depending on your selected scope:
- On the Choose locations page, toggle on or off any of the locations except the locations for Teams and Yammer. For each location, you can leave it at the default to apply the policy to the entire location.
? Information specific to locations:
- Exchange email and Exchange public folders
- SharePoint sites and OneDrive accounts
- Microsoft 365 Groups
- Skype for Business
? For Decide if you want to retain content, delete it, or both page, specify the configuration options for retaining and deleting content.
You can create a retention policy that just retains content without deleting, retains and then deletes after a specified period of time, or just deletes content after a specified period of time.
? Complete the configuration and save your settings.

NEW QUESTION 10

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Server 2019 organization.
You plan to implement a hybrid deployment between Exchange Online and Exchange Server.
You need to install the Exchange Online Hybrid Agent. The solution must use the principle of least privilege.
To which roles should you be assigned to perform the installation? To answer, drag the appropriate roles to the correct products. Each role may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
NOTE: Each correct selection is worth one point.

Answer Area

Global Admin

Exchange Administrator

Service Administrator

Organization Management

Server Management

Microsoft Office 365

Exchange Server 2019

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Global Admin

Exchange Administrator

Service Administrator

Organization Management

Server Management

Microsoft Office 365

Exchange Server 2019

Global Admin

Organization Management

NEW QUESTION 12
DRAG DROP - (Topic 5)
You have a Microsoft Exchange Online tenant that contains the users shown in the following table.

| Name | Type | Assigned license |
|-------|--------|------------------|
| User1 | Member | Microsoft 365 E3 |
| User2 | Member | Microsoft 365 E5 |
| User3 | Guest | None |

You need to create audit retention policies to retain the mailbox activity of all the users. What is the maximum duration that you can set for each user? To answer, drag the appropriate duration values to the correct users. Each duration value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
NOTE: Each correct selection is worth one point.

Durations

30 Days

6 Months

10 Years

90 Days

1 Year

Answer Area

User1:

User2:

User3:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

| Durations | Answer Area |
|-----------|-----------------|
| 30 Days | User1: 1 Year |
| 90 Days | User2: 10 Years |
| 6 Months | User3: 30 Days |
| 1 Year | |
| 10 Years | |

NEW QUESTION 17

- (Topic 5)

Your company has a Microsoft Exchange Server 2019 server. The company has five departments. The server contains one mailbox database for each department. Each mailbox database contains all the users in its respective department. The databases contain 1,000 users.

You create an address book policy for each department. You need to assign the address book policies to the users. Which cmdlet should you run?

- A. Set-Mailbox
- B. Set-AddressList
- C. Set-MailboxDatabase
- D. Sec-AddressBookPolicy

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/address-books/address-book-policies/assign-an-address-book-policy-to-mail-users>

NEW QUESTION 19

- (Topic 5)

You have a Microsoft Exchange Online tenant.

The tenant has the following Exchange ActiveSync configurations.

```
[PS] C:\> Get-ActiveSyncDeviceAccessRule | fl Name, QueryString, AccessLevel, Characteristic
```

```
Name           : Outlook for iOS and Android (DeviceModel)
QueryString    : Outlook for iOS and Android
AccessLevel    : Allow
Characteristic  : DeviceModel
```

```
[PS] C:\> Get-ActiveSyncOrganizationSettings | fl Name, DefaultAccessLevel, IsIntuneManaged,
HasAzurePremiumSubscription, DeviceFiltering
```

```
Name           : Mobile Mailbox Settings
DefaultAccessLevel : False
IsIntuneManaged : False
HasAzurePremiumSubscription : False
DeviceFiltering  :
```

Which mail client can Android device users use?

- A. both native Exchange ActiveSync clients and Microsoft Outlook for Android
- B. Microsoft Outlook for iOS and Android only
- C. native Exchange ActiveSync clients only
- D. neither native Exchange ActiveSync clients nor Microsoft Outlook for Android

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/new-activesyncdeviceaccessrule?view=exchange-ps>

NEW QUESTION 20

- (Topic 5)

You have a Microsoft 365 subscription that contains a user named User1.

You need to ensure that User1 can only manage eDiscovery cases that she creates and export the search results. The solution must use the principle of least privilege.

To which role should you add User1?

- A. eDiscovery Manager
- B. eDiscovery Administrator
- C. Communications Compliance
- D. Compliance Administrator

Answer: A

NEW QUESTION 25

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a user named User1. User1 must perform the following tasks:

- Manage audit logs.
- Track email messages in the Exchange organization.
- Manage transport rules for the Exchange organization.

You need to recommend to which role group to add User1. The solution must follow the principle of least privilege. What should you recommend?

- A. Security Administrator
- B. Organization Management
- C. Compliance Management
- D. Security Operator

Answer: C

NEW QUESTION 30

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Server 2019 organization.

The recovery options for a user named User1 are configured as shown in the following exhibit.

```
[PS] C:\Windows\system32>Get-Mailbox User1 | fl RetainDeletedItemsFor,
RetainDeletedItemsUntilBackup,SingleItemRecoveryEnabled,Database

RetainDeletedItemsFor      : 14.00:00:00
RetainDeletedItemsUntilBackup : False
SingleItemRecoveryEnabled  : False
Database                   : MD001

[PS] C:\Windows\system32>Get-MailboxDatabase MD001 | fl
DeletedItemRetention, RetainDeletedItemsUntilBackup

DeletedItemRetention       : 30.00:00:00
RetainDeletedItemsUntilBackup : False
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Email messages that are soft deleted by User1 will
be available for the user to recover [answer choice].

▼

for 14 days

for 30 days

until a backup occurs 14 days after the deletion

until a backup occurs 30 days after the deletion

When email messages are hard deleted by User1,
[answer choice] restoring from a backup.

▼

only an administrator can recover the messages without

an administrator or User1 can recover the messages without

the messages can be recovered only by

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Email messages that are soft deleted by User1 will
be available for the user to recover [answer choice].

▼

for 14 days

for 30 days

until a backup occurs 14 days after the deletion

until a backup occurs 30 days after the deletion

When email messages are hard deleted by User1,
[answer choice] restoring from a backup.

▼

only an administrator can recover the messages without

an administrator or User1 can recover the messages without

the messages can be recovered only by

NEW QUESTION 35

SIMULATION - (Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each

lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided. Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that all email messages in the mailbox of a user named Pradeep Gupta are retained for 90 days.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered


Answer: A

Explanation:

? Go to the Microsoft 365 admin center and then click Users > Active users.

? Select Pradeep Gupta.

? On the properties flyout page, click the Mail tab, and then under More actions, click Manage litigation hold.



Abraham McMahon

Reset password Block sign-in Delete user

Change photo

Account Devices Licenses and apps **Mail** OneDrive

Mailbox permissions

Email apps

POP blocked
OWA blocked
IMAP blocked
Other email apps allowed
[Manage email apps](#)

Show in global address list

Yes
[Manage global address list visibility](#)

Email forwarding

None
[Manage email forwarding](#)

Automatic replies

On
[Manage automatic replies](#)

More actions

[Convert to shared mailbox](#)
[Edit Exchange properties](#)
[Manage litigation hold](#)

? On the Manage litigation hold flyout page, select the Turn on litigation hold checkbox and then enter the following optional information:

_ Hold duration (days): Use this box to create a time-based hold and specify how long mailbox items are held when the mailbox is placed on Litigation hold. The duration is calculated from the date a mailbox item is received or created. When the hold duration expires for a specific item, that item will no longer be preserved. If you leave this box blank, items are preserved indefinitely or until the hold is removed. Configure 90 days.

_ Note visible to the user: Use this box to inform the user their mailbox is on Litigation hold. The note will appear on the Account Information page in the user's mailbox if they're using Outlook 2010 or later. To access this page, users can click File in Outlook.

_ Web page with more information for the user: Use this box to direct the user to a website for more information about Litigation hold. This URL appears on the Account Information page in the user's mailbox if they are using Outlook 2010 or later. To access this page, users can click File in Outlook.

Click Save changes on the Litigation hold flyout page to create the hold.

The system displays a banner saying it might take up to 240 minutes for the change to take effect.

NEW QUESTION 40

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization that uses an Edge Server.

You plan to implement a hybrid deployment between Exchange Online and Exchange Server.

You need to ensure that all the email between Exchange Online and Exchange Server 2019 is sent by using the Edge Server.

Which two hybrid configuration topologies could you deploy to meet the requirements? Each correct answer presents a complete solution.

- A. Modern Minimal
- B. Classic Minimal
- C. Classic Full
- D. Classic Express
- E. Modern Full

Answer: CE

Explanation:

Reference:

<https://www.enowsoftware.com/solutions-engine/what-are-your-exchange-hybrid-options>

NEW QUESTION 41

DRAG DROP - (Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on- premises Exchange Server 2013 organization. The deployment contains the public folders shown in following table.

| Name | Location |
|------|----------------------|
| PF1 | Exchange Server 2013 |
| PF2 | Exchange Online |

You need to configure the deployment to meet the following requirements:

? Exchange Server 2013 mailboxes must be able to access PF2.

? Exchange Online mailboxes must be able to access PF1.

Which PowerShell script should you run from an Exchange Server 2013 server to meet each requirement? To answer, drag the appropriate scripts to the correct requirements. Each script may be used once, more than once, or at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

| PowerShell Scripts | Answer Area |
|---|--|
| Import-PublicFolderMailboxes.ps1 | Enable Exchange Server 2013 mailboxes to access PF2: |
| Sync-MailPublicFolders.ps1 | |
| Sync-MailPublicFoldersCloudToOnprem.ps1 | Enable Exchange Online mailboxes to access PF1: |
| Sync-ModernMailPublicFolders.ps1 | |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

| PowerShell Scripts | Answer Area |
|---|--|
| Import-PublicFolderMailboxes.ps1 | Enable Exchange Server 2013 mailboxes to access PF2: |
| Sync-MailPublicFolders.ps1 | |
| Sync-MailPublicFoldersCloudToOnprem.ps1 | Enable Exchange Online mailboxes to access PF1: |
| Sync-ModernMailPublicFolders.ps1 | |

NEW QUESTION 45

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a user named User1. User1 has a mobile device.

You need to enable Exchange ActiveSync logging for User1 and retrieve the log files. Which two Exchange Online PowerShell cmdlets should you use? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Get-ActiveSyncDevice
- B. Set-ActiveSyncMailboxPolicy
- C. Set-ClientAccessRule
- D. Get-MobileDeviceStatistics
- E. Set-CASMailbox

Answer: E

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/plan-and-deploy/post-installation-tasks/change-oab-generation-schedule?view=exchserver-2019>

NEW QUESTION 50

- (Topic 5)

You have a hybrid deployment that contains a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 server named Server1. All users use an email address suffix of @contoso.com.

You migrate 200 mailboxes from Server1 to Exchange Online by using Exchange PowerShell cmdlets. Users hosted on Server1 can send email messages to the migrated mailboxes.

In Microsoft 365, you create a new mailbox that uses an email address of user1@contoso.com.

When email is sent from the mailboxes hosted on Server1 to user1@contoso.com, the senders receive a non-delivery report (NDR) that contains the following text: "550 5.1.10 RESOLVER.ADR.RecipientNotFound; Recipient not found by SMTP address lookup."

You verify that Microsoft 365 mailboxes can send email to user1@contoso.com successfully.

You delete the user account and mailbox of User1.

You need to ensure that when new mailboxes are created, all the users at your company can exchange email successfully.

Which two actions should you perform? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. From Azure AD Connect, modify the synchronization settings
- B. From Server1, run the New-RemoteMailbox cmdlet
- C. From Server1, run the Enable-Mailbox cmdlet
- D. From the on-premises network, create new mailboxes, and then migrate the mailboxes to Microsoft 365
- E. From the Exchange admin center, modify the properties of the Outbound connector

Answer: BD

Explanation:

The problem happens because the on-premise Exchange server is not aware of the existence of the mailbox created in Exchange Online. To prevent this

happening, new mailboxes need to be created from the on-premise Exchange server.

You can create on Exchange Online mailbox from the on-premise server by running New- RemoteMailbox cmdlet. Alternatively, you can create a local mailbox on the on-premise server and then migrate the mailbox to Exchange Online.

NEW QUESTION 52

- (Topic 5)

You have a Microsoft Exchange Online subscription.

You need to generate a CSV file containing all the email messages that failed to send from the user1@contoso.com email address during the last 30 days.

What are two possible ways to achieve the goal? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. From Exchange Online PowerShell, run the Get-MessageTrace cmdlet.
- B. From the Exchange admin center, run a message trace.
- C. From the Security & Compliance admin center, export the mailbox audit logs.
- D. From Exchange Online PowerShell, run the Get-MessagetraceDetail cmdlet.
- E. From the Security & Compliance admin center, run a message trace.

Answer: BD

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/monitoring/trace-an-email-message/run-a-message-trace-andview-results>

<https://docs.microsoft.com/en-us/powershell/module/exchange/mail-flow/get-messagetracedetail?view=exchange-ps>

NEW QUESTION 56

- (Topic 5)

You have a Microsoft Exchange Online tenant that has an email domain named contoso.com.

You collaborate with a partner company that has an email domain named adatum.com. You need to ensure that all the email messages sent to and received from adatum.com are encrypted in transit.

Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct answer is worth one point.

- A. Create a connector from adatum.com to Microsoft Office 365 and configure the connector to use SMTP relay.
- B. Create a connector from adatum.com to Microsoft Office 365 and configure the connector to require TLS.
- C. Create a connector from Microsoft Office 365 to adatum.com and configure the connector to require TLS.
- D. Issue S/MIME certificates to all the users in contoso.com.
- E. Configure Exchange Online to use direct send to adatum.com.

Answer: BC

NEW QUESTION 59

HOTSPOT - (Topic 5)

Your company has a Microsoft Exchange Server 2019 hybrid deployment.

The company has four departments that have the mailboxes shown in the following table.

| Department | Number of mailboxes | Location |
|---------------|---------------------|-----------------|
| Finance | 500 | On-premises |
| Manufacturing | 1,000 | Exchange Online |
| Sales | 5,000 | On-premises |
| Marketing | 2,000 | Exchange Online |

The mailboxes are configured as shown in the following table.

| Department | Archive | Single item recovery |
|---------------|----------|----------------------|
| Finance | Enabled | Enabled |
| Manufacturing | Disabled | Disabled |
| Sales | Disabled | Disabled |
| Marketing | Enabled | Enabled |

You have two administrators named Admin1 and Admin2 that are assigned the permissions shown in the following table.

| Administrator | Management role group | Organization | Management role |
|---------------|---|------------------------------|-----------------------|
| Admin1 | Organization Management, Discovery Management | Exchange Online, on-premises | None |
| Admin2 | Organization Management, Discovery Management | Exchange Online, on-premises | Mailbox Import Export |

For each of the following statement, select yes if the statement is true. otherwise, select No.

NOTE: Each correct selection is worth one point.

| Statements | Yes | No |
|--|-----------------------|-----------------------|
| Admin1 can search for email messages in every mailbox in the organization by running the <code>New-ComplianceSearch</code> cmdlet. | <input type="radio"/> | <input type="radio"/> |
| Admin2 can perform a search for a specific keyword in every mailbox of the manufacturing department by running the <code>Search-mailbox</code> cmdlet. | <input type="radio"/> | <input type="radio"/> |
| Admin1 can delete email message from every mailbox of the marketing department by running the <code>Search-Mailbox</code> cmdlet. | <input type="radio"/> | <input type="radio"/> |

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/discovery-management-exchange-2013-help>

<https://docs.microsoft.com/en-us/powershell/module/exchange/mailboxes/search-mailbox?view=exchange-ps>

NEW QUESTION 60

- (Topic 5)

You have a Microsoft Exchange Online tenant.

Users use Microsoft Outlook as their primary email client.

The users report that email messages received from a partner company are often delayed before being delivered.

You need to analyze the message header of one of the delayed messages to identify the cause of the delay.

What are two actions that you can perform? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. From Message trace in the Exchange admin center, create a custom query.
B. From the Exchange admin center, review the Queued messages report.
C. Run the Microsoft Remote Connectivity Analyzer.
D. From Outlook, review the properties of the message.
E. From the Exchange admin center, review the mail flow rules.

Answer: AD

NEW QUESTION 64

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a public folder named CustomerSupport. You need to access CustomerSupport by using Outlook on the web. Which section in Outlook on the web should you add CustomerSupport?

- A. Favorites
B. Folders
C. Groups

Answer: C

NEW QUESTION 69

HOTSPOT - (Topic 5)


You have a Microsoft Exchange Online tenant that contains a user named User1.

You need to ensure that User1 receives an email notification and can take corrective action when the Fix possible mail loop insight is generated

What should you use, and to which role group should you add User1? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point

Answer Area




- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 72

- (Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on- premises Exchange Server 2019 organization. The deployment contains the resources shown in the following table.

| Type | Quantity | Location |
|--------------------|----------|-------------|
| User mailbox | 500 | On-premises |
| Department mailbox | 50 | On-premises |
| Public folder | 10 | On-premises |
| Resource mailbox | 15 | On-premises |

You need to migrate the mailboxes from the on-premises Exchange Server 2019 organization to Exchange Online. The department mailboxes will be migrated to shared mailboxes.

What is the minimum number of Exchange Online licenses required?

- A. 500
- B. 515
- C. 550
- D. 575

Answer: A

NEW QUESTION 73

- (Topic 4)

Lynne Robbins and the users in the sales department plan to collaborate on a project with a partner company named Contoso, Ltd. that has an email domain named contoso.com.

You need to ensure that only the sales department users can share all their calendar free/busy information with the users in contoso.com.

How should you configure the organization relationship?

- A. Select Calendar free/busy information with time only and enter Group1B Select Calendar free/busy information with time, subject, and location and enter Groups
- C Select Calendar free/busy information with time, subject, and location and enter Group3
- B. Select Calendar free/busy information with time only and enter Group3
- C. Select Calendar free/busy information with time only and enter Group2

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/sharing/organization-relationships/create-an- organization-relationship>

NEW QUESTION 74

- (Topic 4)

You need to ensure that Allan Deyoung can create a new public folder for the sales department.

Which two actions should you perform first? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Add Allan Deyoung to the Organization Management role group
- B. Create a new public folder mailbox
- C. Add Allan Deyoung to the Recipient Management role group
- D. Create a new shared mailbox
- E. Modify Sales Policy

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/permissions-exo/feature-permissions> <https://docs.microsoft.com/en-us/exchange/collaboration-exo/public-folders/set-up-public-folders>

NEW QUESTION 76

- (Topic 4)

Allan Deyoung must perform a message trace of the email messages sent by Isaiah Langer and provide a report that contains all the messages sent during the last 30 days.

You need to ensure that Allan Deyoung can perform the message trace. What should you do?

- A. Add Allan Deyoung to the Organization Management role group
- B. Add Allan Deyoung to the Security Administrator role group
- C. For Allan Deyoun
- D. set ElcProcessingDisabled to true
- E. For Isaiah Lange
- F. set ElcProcessingDisabled to true

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/permissions-exo/feature-permissions>

NEW QUESTION 81

- (Topic 4)

Joni Sherman reports that the Microsoft Outlook client on her Windows 10 device fails to start.

You need to troubleshoot the issue.

From the device, you start the Microsoft Remote Connectivity Analyzer. What should you run next?

- A. the Exchange ActiveSync test
- B. the Outlook Connectivity test
- C. the Service Account Access test
- D. the Microsoft Support and Recovery Assistant for Office 365 client

Answer: D

Explanation:

Reference:

<https://www.sherweb.com/blog/office-365/microsoft-support-and-recovery-assistant/>

NEW QUESTION 82

- (Topic 4)

You discover that email messages sent to contoso.com are NOT delivered through Contoso Connector.

You need to ensure that all email sent to contoso.com is delivered through Contoso Connector.

Which connector setting should you modify?

- A. Routing
- B. Security restrictions
- C. Use of connector
- D. Status

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set-up-connectors-for-secure-mail-flow-with-a-partner>

NEW QUESTION 87

HOTSPOT - (Topic 3)

You need to perform a remote wipe of the devices of User2 and User3. You run the following commands.

Clear-MobileDevice -id User2-Device

-NotificationEmailAddress "admin@Fabrikam.com"

Clear-MobileDevice -id User3-Device

-NotificationEmailAddress "admin@Fabrikam.com"

What occurs on each device? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

On the device of User2:

| |
|--|
| <input checked="" type="checkbox"/> All data is deleted. |
| <input type="checkbox"/> Only email messages are deleted. |
| <input type="checkbox"/> Only email messages and calendar, contact, and file data are deleted. |

On the device of User3:

| |
|--|
| <input checked="" type="checkbox"/> All data is deleted. |
| <input checked="" type="checkbox"/> Only email messages are deleted. |
| <input type="checkbox"/> Only email messages and calendar, contact, and file data are deleted. |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

On the device of User2:

| |
|---|
| All data is deleted. |
| Only email messages are deleted. |
| Only email messages and calendar, contact, and file data are deleted. |

On the device of User3:

| |
|---|
| All data is deleted. |
| Only email messages are deleted. |
| Only email messages and calendar, contact, and file data are deleted. |

NEW QUESTION 91

- (Topic 3)

You need to generate a report for the mobile devices that meets the technical requirements.
Which PowerShell cmdlet should you use?

- A. Get-DevicePolicy
- B. Get-MobileDevice
- C. Get-MobileDeviceStatistics
- D. Get-DeviceTenantPolicy

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/get-mobiledevice?view=exchange-ps>

NEW QUESTION 96

- (Topic 3)

You need to identify the contents of the FabrikamProject public folder to meet the technical requirements.
Which PowerShell cmdlet should you run?

- A. Get-PublicFolderScaciscics
- B. Get-PublicFolderItemStatistics
- C. Get-PublicFolderMailboxDiagnoscics
- D. Get-PublicFolder

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/get-publicfolderitemstatistics?view=exchange-ps>

NEW QUESTION 97

HOTSPOT - (Topic 3)

You need to configure the new smartboard to support the planned changes.

Which three settings should you configure? To answer, select the appropriate settings in the answer area.

NOTE: Each correct selection is worth one point.

Booking options

Assign settings for the booking policy that defines when this resource can be scheduled

☐ Allow repeating meetings

☐ Allow scheduling only during work hours

☐ Auto-accepts meeting request

Set to "Off" if you want to specify users who want to accept meetings manually

Booking delegates

Search a mail or email

☐ Automatically decline meetings outside of limits below

Booking window (days)

Maximum duration (hours)

If the organizer needs a reply enter message below

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

NEW QUESTION 102

- (Topic 2)

You need to configure the required objects for the branch office administrators. What should you create for each administrator?

- A. a management role assignment policy and a management role group
- B. a management role scope and a management role assignment
- C. a management role scope and a management role group
- D. a management role and a management role assignment policy

Answer: C

Explanation:

Reference:

<https://practical365.com/exchange-server/exchange-server-role-based-access-control-in-action/>

NEW QUESTION 103

- (Topic 2)

You need to implement a solution to support the planned changes for the branch office administrators. What should you do?

- A. Assign the Mail Recipients role to the branch office administrators and use a default management scope.
- B. Assign the Mail Recipients role to the branch office administrators and create a custom management scope.
- C. Assign the Recipient Policies role to the branch office administrators and use a default management scope.
- D. Assign the Recipient Policies role to the branch office administrators and create a custom management scope.

Answer: B

Explanation:

Ensure that the branch office administrators can configure the properties of the mailboxes in their respective offices only.

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-recipients-role-exchange-2013-help>

NEW QUESTION 105

HOTSPOT - (Topic 2)
You need to implement a solution that meets the technical requirements for the retention of junk email, sent items, and deleted items.
What is the minimum number of retention policies and retention tags you should use? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Retention tags:

| | |
|----|---|
| | ▼ |
| 1 | |
| 2 | |
| 3 | |
| 14 | |
| 30 | |

Retention policies:

| | |
|----|---|
| | ▼ |
| 1 | |
| 2 | |
| 3 | |
| 14 | |
| 30 | |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Retention tags:

| | |
|----|---|
| | ▼ |
| 1 | |
| 2 | |
| 3 | |
| 14 | |
| 30 | |

Retention policies:

| | |
|----|---|
| | ▼ |
| 1 | |
| 2 | |
| 3 | |
| 14 | |
| 30 | |

NEW QUESTION 109
HOTSPOT - (Topic 2)
You need to implement a solution to meet the technical requirements for the SCL.
How should you complete the command? To answer, select the appropriate options in the answer area.

Set-ContentFilterConfig

Set-MailboxDatabase

Set-OrganizationConfig

Set-transportServer

-PoisonThreshold

-SCLJunkThreshold

-SCLRejectThreshold

-SCLQuarantineThreshold

3

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/powershell/module/exchange/organization/set-organizationconfig?view=exchange-ps>

NEW QUESTION 112

- (Topic 2)

You need to implement a solution to support the planned changes for the helpdesk users. What should you do?

- A. Assign the Recipient Policies role to the helpdesk users and a default management scope
- B. Assign the Mail Recipients role to the helpdesk users and use a default management scope
- C. Assign the Mail Recipients role to the helpdesk users and create a custom management scope
- D. Assign the Recipient Policies roles to the helpdesk users and create a custom management scope

Answer: C

NEW QUESTION 117

- (Topic 5)

You have hybrid deployment between a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 organization. The deployment uses Azure AD Connect. All incoming email is delivered to Exchange Online. You have 10 mail-enabled public folders hosted on an on-premises Mailbox server.

Customers receive an error when an email message is sent to a public folder.

You need to ensure that all the mail-enabled public folders can receive email messages from the internet. The solution must ensure that messages can be delivered only to valid recipients.

Solution: From Azure AD Connect, select Exchange Mail Public Folders. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

From Azure AD Connect, selecting Exchange Mail Public Folders will ensure that all the mail-enabled public folders can receive email messages from the internet and that messages can be delivered only to valid recipients. This is according to the Microsoft 365 Messaging documentation (<https://docs.microsoft.com/en-us/exchange/hybrid-deployment/hybrid-mail-flow>).

NEW QUESTION 120

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription.

You need to ensure that a user named User1 can review audit reports from the Microsoft 365 security center. User1 must be prevented from tracing messages from the Security admin center.

Solution: You assign the Reports reader role to User1. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 122

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a custom role group named RGI.

You need to prevent users assigned to RGI from running a specific cmdlet. Which cmdlet should you run to modify RG1?

- A. Remove Entry
- B. Remove -ManagementRoleAssignment
- C. Set-ManagementScope
- D. Disable -CmdletExtensionAgent

Answer: B

NEW QUESTION 126

- (Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 server.

Users report that the email they send to external recipients is marked as spam.

You need to validate the Reverse DNS and Sender ID data for the on-premises server. What should you use in the Microsoft Remote Connectivity Analyzer?

- A. Inbound SMTP Email
- B. Outbound SMTP Email
- C. Message Analyzer
- D. Exchange Online Custom Domains DNS Connectivity Test

Answer: B

NEW QUESTION 131

HOTSPOT - (Topic 5)

Your company named ADatum Corporation has a Microsoft Exchange Online subscription that contains the sharing policies shown in the following table.

| Name | Domain | Enabled | Default |
|---------|--|---------|---------|
| Policy1 | {Anonymous:CalendarSharingFreeBusySimple, fabrikam.com:CalendarSharingFreeBusyReviewer, ContactsSharing} | True | True |
| Policy2 | {contoso.com:CalendarSharingFreeBusyDetail} | True | False |
| Policy3 | {litware.com:CalendarSharingFreeBusyReviewer} | True | False |

The subscription contains the mailboxes shown in the following table.

| Name | Sharing policy |
|-------|----------------|
| User1 | Policy1 |
| User2 | Policy2 |
| User3 | Policy3 |

ADatum does business with the partner companies shown in the following table.

| Name | SMTP domain | Email platform |
|----------------|--------------|----------------------------------|
| Fabrikam, Inc. | Fabrikam.com | On-premises Exchange Server 2019 |
| Contoso, Ltd. | Contoso.com | Third-party email server |
| Litware, Inc. | Litware.com | Exchange Online |

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

| Statements | Yes | No |
|---|-----------------------|-----------------------|
| For User1 to share contacts with the users at Fabrikam, a federation trust is required. | <input type="radio"/> | <input type="radio"/> |
| User2 can share free/busy hours, subject, and location with the users at Contoso. | <input type="radio"/> | <input type="radio"/> |
| User3 can share calendars with the users at Litware. | <input type="radio"/> | <input type="radio"/> |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

| Statements | Yes | No |
|---|----------------------------------|----------------------------------|
| For User1 to share contacts with the users at Fabrikam, a federation trust is required. | <input type="radio"/> | <input checked="" type="radio"/> |
| User2 can share free/busy hours, subject, and location with the users at Contoso. | <input checked="" type="radio"/> | <input type="radio"/> |
| User3 can share calendars with the users at Litware. | <input checked="" type="radio"/> | <input type="radio"/> |

NEW QUESTION 132

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

You recently hired two new administrators named Admin5 and Admin6. You need to grant the following permissions to the new administrators:

- Admin5 must be able to assign licenses to users.
- Admin6 must be able to modify the email SPAM settings of all users.

- Admin5 must be able to configure the email forwarding settings of all users.
 - Admin5 and Admin6 must be able to manage the mailbox permissions of all users. The solution must use the principle of least privilege.
- Which role should you assign to each user? To answer, select the appropriate options NOTE: Each correct selection is worth one point.

Admin5: ☐ User Administrator
☐ Global Administrator
☐ Exchange Administrator

Admin6: ☐ User Administrator
☐ Global Administrator
☐ Exchange Administrator

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Admin5: ☒ User Administrator
☒ Global Administrator
☐ Exchange Administrator

Admin6: ☒ User Administrator
☒ Global Administrator
☐ Exchange Administrator

NEW QUESTION 136

SIMULATION - (Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that all emails sent from the users in your company to recipients who use a suffix of @fabnkam.com are encrypted by using Microsoft Office 365 Message Encryption (OME).

To complete this task, sign in to the Exchange admin center.

A. Mastered

B. Not Mastered

Answer: A

Explanation:

? In the Microsoft 365 admin center, choose Admin centers > Exchange.

? In the EAC, go to Mail flow > Rules and select New + > Create a new rule.

? In Name, type a name for the rule, such as Encrypt mail for DrToniRamos@hotmail.com.

? In Apply this rule if, select a condition, and enter a value if necessary. For example, to encrypt messages going to DrToniRamos@hotmail.com:

_ In Apply this rule if, select the recipient is.

_ Select an existing name from the contact list or type a new email address in the check names box.

- To select an existing name, select it from the list and then click OK.

- To enter a new name, type an email address in the check names box and then select

check names >OK.

? To add more conditions, choose More options and then choose add condition and select from the list.

For example, to apply the rule only if the recipient is outside your organization, select add condition and then select the recipient is external/internal >Outside the organization

>OK.

? To enable encryption using the new OME capabilities, from Do the following, select Modify the message security and then choose Apply Office 365 Message Encryption and rights protection. Select an RMS template from the list, choose Save, and then choose OK.

NEW QUESTION 140

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that contains a user named User1. User1 has the Department attribute set to Procurement.

You create the connector shown in the Connector exhibit. (Click the Connector tab.)

You create the transport rule shown in the Transport rule exhibit (Click the Transport rule tab.)

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

| Statements | Yes | No |
|---|-----------------------|-----------------------|
| Email messages from User1 to user2@contoso.com are sent to mail.contoso.com. | <input type="radio"/> | <input type="radio"/> |
| Email messages from User1 to user2@contoso.com are delivered only if a TLS connection is established. | <input type="radio"/> | <input type="radio"/> |
| Email messages from User1 to user3@europe.contoso.com are delivered by using the Contoso Secured Outbound Mail connector. | <input type="radio"/> | <input type="radio"/> |

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Answer Area

| Statements | Yes | No |
|---|----------------------------------|----------------------------------|
| Email messages from User1 to user2@contoso.com are sent to mail.contoso.com. | <input checked="" type="radio"/> | <input type="radio"/> |
| Email messages from User1 to user2@contoso.com are delivered only if a TLS connection is established. | <input type="radio"/> | <input checked="" type="radio"/> |
| Email messages from User1 to user3@europe.contoso.com are delivered by using the Contoso Secured Outbound Mail connector. | <input checked="" type="radio"/> | <input type="radio"/> |

NEW QUESTION 145

HOTSPOT - (Topic 5)

Your network contains an Active Directory Domain Services (AD DS) domain.

You have a Microsoft 365 subscription. All mailboxes are hosted in Microsoft Exchange Online.

You have the DNS domains shown in the following table.

| Name | Description |
|-------------------------|-------------------------------------|
| corp.contoso.com | AD DS domain |
| contoso.com | Verified custom domain for Azure AD |
| contoso.onmicrosoft.com | Default Azure AD tenant |

You need to ensure that the Autodiscover service can be used to configure Microsoft Outlook settings for devices connecting from the internet. How should you

configure the DNS record for Autodiscover? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

Answer Area

Type of DNS record: CNAME

In DNS domains: contoso.com only

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Type of DNS record: CNAME

In DNS domains: contoso.com only

NEW QUESTION 149

- (Topic 5)

You have a Microsoft Exchange Online tenant named contoso.com.

You create a partnership with two other companies named fabhkam.com and wingtiptoy.com. All the mailboxes of fabhkam.com are hosted in Microsoft 365. All the mailboxes of wingtiptoy.com are hosted in an on-premises Exchange Server 2019 organization.

You need to ensure that all the email messages sent from contoso.com to fabhkam.com and wingtiptoy.com is encrypted by using TLS.

What should you do?

- A. Configure one connector.
- B. Create an organizational relationship.
- C. Create two remote domains.
- D. Run the Office 365 Exchange Hybrid Configuration wizard.
- E. Configure two mail flow rules.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set-up-connectors-for-secure-mail-flow-with-a-partner>

NEW QUESTION 153

- (Topic 5)

You plan to use the Microsoft Office 365 Import service to import PST files.

You need to create a new user account to perform the import. The solution must use the principle of least privilege.

Which two roles should you assign to the user account? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. the Recipient Management role in Office 365
- B. the Organization Management role in Office 365
- C. the Mailbox Import Export role in Office 365
- D. the Global reader role in Azure Active Directory (Azure AD)
- E. the Global administrator role in Office 365

Answer: AC

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/use-network-upload-to-import-pst-files?view=o365-worldwide>

NEW QUESTION 158

- (Topic 5)

You have a Microsoft Exchange Online tenant that uses Microsoft Defender for Office 365. You have the policies shown in the following table.

| Name | Type |
|---------------------------------|------------------------|
| Standard Preset Security Policy | Preset security policy |
| Policy1 | Anti-malware |

You need to track any modifications made to Policy1 by the identifying following:

- The name of the user that modified the policy
 - The old and new values of settings modified in Policy1
 - How the modifications compare to the baseline settings of Standard Preset Security Policy
- What should you use in the Microsoft 365 Defender portal?

- A. Threat tracker
- B. Threat analytics
- C. Audit
- D. Configuration analyzer

Answer: D

NEW QUESTION 160

- (Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on- premises Exchange Server 2019 organization.

Several users hosted in Microsoft 365 report that when they send email messages to mailboxes hosted in Exchange Server 2019, the messages fail to be delivered.

You need to examine the non-delivery reports (NDRs) sent to the Microsoft 365 mailboxes.

Which two actions should you perform? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. From an on-premises Exchange server, use the transport logs.
- B. From an on-premises Exchange server, use the SMTP logs.
- C. From the on-premises Exchange admin center, use a message trace.
- D. From the Exchange admin center, use a message trace.
- E. From the Exchange Management Shell, run the Get-Queue cmdlet.

Answer: CD

Explanation:

Explanation/Reference: Reference:

<https://docs.microsoft.com/en-us/exchange/monitoring/trace-an-email-message/message-trace-faq>

NEW QUESTION 165

- (Topic 5)

You have a hybrid deployment of Microsoft Exchange Server 2019.

Users in your company's sales department have on-premises mailboxes and PST files. You need to migrate the PST files to archive mailboxes. The archive mailboxes must reside

in Exchange Online. What should you do first?

- A. From Exchange Management Shell, run the Enable-Mailbox cmdlet and specify the-Archive parameter.
- B. From Exchange Management Shell, run the New-MoveRequest cmdlet.
- C. From Exchange Online PowerShell, run the Set-Mailbox cmdlet and specify the-ArchiveStatus parameter.
- D. From Exchange Online PowerShell, run the New-Mailbox cmdlet and specify the-Archive parameter.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/enable-mailbox?view=exchange-ps>

NEW QUESTION 168

- (Topic 5)

You have a Microsoft Exchange Online tenant.

Users report that legitimate email messages are delivered to their Junk Email folder. You plan to use the Microsoft Remote Connectivity Analyzer to identify the cause of the issue.

Which test should you run?

- A. Outlook Connectivity
- B. Inbound SMTP Email
- C. Outbound SMTP Email
- D. Message Analyzer

Answer: D

NEW QUESTION 173

- (Topic 5)

You have a Microsoft Exchange Online tenant that uses Microsoft Defender for Office 365. You create a new anti-phishing policy named Policy1. You need to ensure that users are notified every five days about all the email messages quarantined by Policy1. Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Modify the AdminOnlyAccessPolicy quarantine policy and assign the policy to Policy1.
- B. Modify the DefaultFullAccessPolicy quarantine policy and assign the policy to Policy1.
- C. Modify the global settings for quarantine policies.
- D. Add a custom quarantine policy and assign the policy to Policy1.
- E. Configure the User reported messages settings.

Answer: CD

NEW QUESTION 174

- (Topic 5)

You have two mailboxes named Mailbox1 and Mailbox2 that have the ProhibitSendReceiveQuota parameter set to 50 GB. From a Microsoft Exchange Online tenant, you run the following PowerShell command.

```
PS C:\> Get-Mailbox | Select-Object Alias, RecipientTypeDetails | FT -AutoSize
```

| Alias | RecipientTypeDetails |
|----------|----------------------|
| ----- | ----- |
| Mailbox1 | SharedMailbox |
| Mailbox2 | RoomMailbox |

You receive the license status of each mailbox and discover the configurations shown in the following table.

| Alias | SKUAssigned |
|----------|-------------|
| Mailbox1 | False |
| Mailbox2 | False |

You need to increase the quota for Mailbox1 and Mailbox2. What should you do first?

- A. Assign a license to each mailbox.
- B. Convert each mailbox into an equipment mailbox.
- C. Enable an archive for each mailbox.
- D. Place both mailboxes on retention hold.

Answer: A

Explanation:

Shared and resource mailboxes don't require a license. However, without a license, these mailboxes are limited to 50 GB. To increase the mailbox size, an E3 or E5 license must be assigned. This will increase the mailbox to 100 GB.

Reference:

<https://docs.microsoft.com/en-us/office365/servicedescriptions/exchange-online-service-description/exchange-online-limits>

NEW QUESTION 177

- (Topic 5)

You have a Microsoft Exchange Server hybrid deployment that contains Exchange 2013, Exchange 2016, and Exchange 2019 servers. All the servers have the latest Cumulative Updates (CUs) applied.

You need to implement Hybrid Modern Authentication (HMA). The solution must minimize costs.

What should you do first?

- A. Upgrade the Exchange 2013 servers to Exchange 2016 CU7.
- B. Add the on-premises web service URLs as Azure Active Directory (Azure AD) service principal names (SPNs).
- C. Upgrade all the servers to Exchange 2019.
- D. Create an Azure Active Directory (Azure AD) conditional access policy for Exchange Online.

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/enterprise/configure-exchange-server-for-hybrid-modern-authentication?view=o365-worldwide#make-sure-you-meet-all-the-prerequisites>

<https://docs.microsoft.com/en-us/microsoft-365/enterprise/hybrid-modern-auth-overview?view=o365-worldwide#do-you-meet-modern-authentication-prerequisites>

NEW QUESTION 181

HOTSPOT - (Topic 5)

You run several PowerShell commands as shown in the following exhibit.

```
PS C:\> Get-AddressListPolicy | Format-Table

Name                GlobalAddressList      AddressLists              OfflineAddressBook      RoomList
-----                -
Fabrikam-ABP        \Fabrikam               \Fabrikam                 \Fabrikam-OAB           \All Rooms
Contoso-ABP         \Contoso                \Contoso-IT, \Contoso-Marketing \Contoso-OAB            \All Rooms

PS C:\> Get-GlobalAddressList | Format-Table

Name                RecipientFilter
-----                -
Contoso              ((Company -eq 'Contoso'))
Fabrikam              ((Company -eq 'Fabrikam'))

PS C:\> Get-AddressList | Format-Table

Name                DisplayName              RecipientFilter
-----                -
Contoso-Marketing    Contoso-Marketing        ((Company -eq 'Contoso') -and (Department -eq 'Marketing'))
Fabrikam              Fabrikam                  ((Company -eq 'Fabrikam'))

PS C:\> Get-ADUser | Where Name -eq "James Smith" | Select Name, UserPrincipalName, Company, Department

Name                UserPrincipalName      Company      Department
-----                -
James Smith          jsmith@contoso.com      Contoso      Marketing

PS C:\> Get-Mailbox | Where Name -eq "Executive Conference Room" | Select Name, Alias, Office, Database

Name                Alias                  Office      Database
-----                -
Executive Conference Room executiveconferenceroom Contoso      DB1
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

James Smith will appear on the [answer choice] address list.

▼

Contoso-IT

Contoso-Marketing

Fabrikam

The Executive Conference Room will appear in [answer choice].

▼

Contoso-ABP only

Fabrikam-ABP only

Contoso-ABP and Fabrikam-ABP

none of the policies

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

James Smith will appear on the [answer choice] address list.

▼

Contoso-IT

Contoso-Marketing

Fabrikam

The Executive Conference Room will appear in [answer choice].

▼

Contoso-ABP only

Fabrikam-ABP only

Contoso-ABP and Fabrikam-ABP

none of the policies

NEW QUESTION 183

- (Topic 5)

You have two servers named EXCH1 and EXCH2 that run Windows Server 2012 R2 and have Microsoft Exchange 2016 installed. You purchase a Microsoft 365 subscription. You plan to configure a hybrid deployment between an Exchange Online tenant and the on- premises Exchange Server Organization. You need to identify the prerequisites to installing the Microsoft Hybrid Agent on EXCH1 and EXCH2. Which two prerequisites should you identify? Each correct answer presents part of the solution.

- A. All outbound HTTPS connections to Microsoft Online Services
- B. Enable Hybrid Modern Authentication (HMA).
- C. Upgrade the operating system of EXCH1 and EXCH2 to Windows Server 2019.
- D. Enable TLS 1.2.

Answer: AD

Explanation:

To perform a hybrid deployment between an Exchange Online tenant and an on-premises Exchange Server organization, you must ensure that all outbound HTTPS connections to Microsoft Online Services are allowed. This is a prerequisite for installing the Microsoft Hybrid Agent.

* D. Enable TLS 1.2. Reference: <https://docs.microsoft.com/en-us/exchange/hybrid-deployment/prepare-for-hybrid-deployment> explanation: To perform a hybrid deployment between an Exchange Online tenant and an on-premises Exchange Server organization, you must ensure that Transport Layer Security (TLS) 1.2 is enabled on your on-premises Exchange servers. This is a prerequisite for installing the Microsoft Hybrid Agent.

NEW QUESTION 187

- (Topic 5)

Your company has an Exchange Server 2019 organization that has servers deployed in two Active Directory forests named adatum.com and contoso.com. The organization contains five Mailbox servers and two Edge Transport servers. You deploy Microsoft 365 and configure Exchange Online.

You plan to configure hybrid mail transport.

You need to identify the number of third-party CA certificates that must be used in the deployment.

What is the minimum number of certificates?

- A. 1
- B. 2
- C. 4
- D. 5

Answer: A

NEW QUESTION 190

- (Topic 5)

You have a Microsoft 365 subscription that contains a verified domain named contoso.com.

You have an app named App1 that sends meeting invitations on behalf of users. The invitations are sent from a Microsoft Exchange Online mailbox that has a sender address of app1@contoso.com and a reply-to address of the user scheduling the meeting.

You create an anti-phishing policy named Policy1 that includes all the users in contoso.com. Policy1 is configured to protect the domain against impersonation.

You discover that email messages sent from App1 are quarantined.

You need to ensure that App1 can send messages that impersonate any contoso.com user. How should you modify Policy1?

- A. Enable mailbox intelligence.
- B. Add app1@contoso.com as a trusted sender.
- C. Add app1@contoso.com as an excluded user.
- D. Enable spoof intelligence.

Answer: C

NEW QUESTION 191

- (Topic 5)

Your on-premises network contains a proxy server and a firewall. The proxy server is configured to inspect the contents of HTTP and HTTPS sessions to identify disallowed content. Only the proxy server can connect to the internet through the firewall.

You implement Microsoft Exchange Online.

Users report that they receive an error message when they attempt to connect to their mailbox by using Microsoft Outlook.

From the internal network, you connect to <https://outlook.office.com/mail> and discover a certificate error.

You discover that the certificate error contains information about a certificate issued by your company's internal certification authority (CA).

You need to ensure that all the users can connect successfully to their mailbox. What should you do?

- A. Install a new root CA certificate on the client computer of each user.
- B. Configure client computers to bypass the proxy server when they access https://*.microsoft.com.
- C. Disable HTTPS content inspection on the proxy server.
- D. Install a new root CA certificate on the proxy server.

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/outlook/troubleshoot/connectivity/error-when-outlook-uses-rpc-https-connectserver>

NEW QUESTION 192

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains the following email domains:

? Adatum.com

? Contoso.com

? Fabrikam.com

When external recipients receive email messages from the users in the tenant, all the messages are delivered by using the @contoso.com email domain.

You need to ensure that the users send email by using the @fabrikam.com email domain. Solution: From the Microsoft 365 admin center, you set fabrikam.com as the default domain.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

https://docs.microsoft.com/en-us/microsoft-365/admin/setup/domains-faq?view=o365-worldwide#how-do-i-set-or-change-the-default-domain-in-microsoft-365

NEW QUESTION 195

HOTSPOT - (Topic 5)

You need to create an address list that contains all the users who have a title of Director.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

New-AddressList
New-AddressBookPolicy
New-DistributionList
New-GlobalAddressList

-Name "Directors"

-RecipientFilter
-SearchBase
-SearchScope
-Where-Object

{{(RecipientType -eq 'UserMailbox') -and (Title -eq 'Director')}}}

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

New-AddressList
New-AddressBookPolicy
New-DistributionList
New-GlobalAddressList

-Name "Directors"

-RecipientFilter
-SearchBase
-SearchScope
-Where-Object

{{(RecipientType -eq 'UserMailbox') -and (Title -eq 'Director')}}}

NEW QUESTION 199

DRAG DROP - (Topic 5)

You have a Microsoft 365 subscription.

You need to modify the anti-spam settings to meet the following requirements:

? Quarantine spam for 30 days.

? Notify administrators if users are blocked for sending spam.

? Every three days, provide users with a report that details which email messages were identified as spam.

Which spam filter policy should you modify to meet each requirement? To answer, drag the appropriate policies to the correct requirements. Each policy may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Policies

The connection filter policy

The default spam filter policy

The outbound spam filter policy

The spoof intelligence policy

Answer Area

Quarantine spam for 30 days:

Notify administrators if users are blocked for sending spam:

Every three days, provide users with a report that details which messages were identified as spam:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Policies

The connection filter policy

The default spam filter policy

The outbound spam filter policy

The spoof intelligence policy

Answer Area

Quarantine spam for 30 days: The default spam filter policy

Notify administrators if users are blocked for sending spam: The outbound spam filter policy

Every three days, provide users with a report that details which messages were identified as spam: The default spam filter policy

NEW QUESTION 204

- (Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on- premises Exchange Server 2019 organization. Users report that email messages between the Exchange Server organization and the Exchange Online tenant are undelivered. You install and enable a new certificate from a different trusted certification authority (CA). You need to ensure that mail flow between Exchange Server and Exchange Online is restored. Which two PowerShell cmdlets should you run? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Set-SendConnector
- B. Set-IntraOrganizationConnector
- C. Update-Hybridconfiguration
- D. Set-ReceiveConnector

Answer: CD

NEW QUESTION 208

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment named contoso.com. You are preparing to migrate several user mailboxes to Microsoft 365.

You have an on-premises Mailbox server named server1.contoso.com. You need to create a migration endpoint.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

New-MigrationEndpoint -Name MEP1

| |
|---------------------|
| -Autodiscover |
| -ExchangeRemoteMove |
| -SkipVerification |
| -TestMailbox |

server1.contoso.com

| |
|------------------------|
| -DomainController |
| -RemoteServer |
| -RPCProxyServer |
| -SourceMailboxLegacyDN |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

New-MigrationEndpoint -Name MEP1

| |
|---------------------|
| -Autodiscover |
| -ExchangeRemoteMove |
| -SkipVerification |
| -TestMailbox |

server1.contoso.com

| |
|------------------------|
| -DomainController |
| -RemoteServer |
| -RPCProxyServer |
| -SourceMailboxLegacyDN |

NEW QUESTION 212

- (Topic 5)

You have 1,000 user accounts that are each licensed for Microsoft 365. Each user account has a Microsoft Exchange Online mailbox.

Ten of the user accounts are configured as service accounts for applications. The applications send event notifications to the mailboxes of the service accounts by using SMTP. The developers of each application have delegated access to the mailbox of their respective application.

You need to ensure that all the event notifications sent by the applications are retained in the service account mailboxes so that new developers can review older notifications. The developers must be able to view only the notifications for their respective application.

What should you do?

- A. Replace the service account mailboxes with a single user mailbox that contains a folder for each application.
- B. Replace the service account mailboxes with a single user mailbox that contains Power Automate rules.
- C. Convert the service account mailboxes into shared mailboxes.
- D. Convert the service account mailboxes into mail-enabled users.

Answer: C

NEW QUESTION 217

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that uses an email domain named contoso.com.

You need to prevent all users from performing the following tasks:

? Sending out-of-office replies to an email domain named fabrikam.com.

? Sending automatic replies to an email domain named adatum.com.

The solution must ensure that all the users can send out-of-office replies and automatic replies to other email domains on the internet.

Solution: You create two sharing policies. Does this meet the goal?

A. Yes

B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/remote-domains/remote-domains>

NEW QUESTION 219

HOTSPOT - (Topic 5)

You have a Microsoft 365 subscription that contains a Microsoft Exchange Online tenant.

An named App1 emails files to a group named App1support. The files are sent in a file that has the jar extension.

You have tie anti-malware policy shown in following exhibit.




A. Mastered

B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 223

HOTSPOT - (Topic 5)

You have an Exchange Online tenant that has the anti-spam settings configured as shown in the following exhibit.

Standard settings On

Standard

| | |
|------------------------------|-----------------------------------|
| Spam action | Move message to Junk Email folder |
| Mark bulk email as spam | On |
| Bulk threshold | 7 |
| Mark NDR backscatter as spam | Off |
| Safety Tips | On |
| Bulk email | Move message to Junk Email folder |
| Phishing email | Quarantine message |

To change these settings or add new ones, switch to custom settings

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

Users will see safety tips when they access their mailbox from [answer choice].

▼

Outlook on the web only
 Microsoft Outlook 2019 only
 Microsoft Outlook 2019 and Outlook on the web

To reduce the amount of bulk email delivered to the Inbox folders of users, you must [answer choice].

▼

modify Spam action
 increase the value of Bulk threshold
 decrease the value of Bulk threshold

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Users will see safety tips when they access their mailbox from [answer choice].

▼

Outlook on the web only
 Microsoft Outlook 2019 only
 Microsoft Outlook 2019 and Outlook on the web

To reduce the amount of bulk email delivered to the Inbox folders of users, you must [answer choice].

▼

modify Spam action
 increase the value of Bulk threshold
 decrease the value of Bulk threshold

NEW QUESTION 227

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Online tenant that does NOT contain any public folders.

You need to create a new public folder. The solution must ensure that users can create a post by sending an email to the folder.

Which three actions should you perform in sequence? To answer, move the appropriate cmdlets from the list of cmdlets to the answer area and arrange them in the correct order.

Actions

- Assign an Exchange Online license.
- Create a public folder mailbox.
- Create a public folder.
- Create a Microsoft 365 group.
- Create a shared mailbox.
- Mail-enable the public folder.
- Set an email address on a public folder.


Answer Area



- A. Mastered
 B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 228

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a user named User1. User1 reports that an email message marked as high priority was undelivered. You need to trace the email messages sent by User1 during the last 15 days. The solution must include the Delivery Priority property of the messages. Which report should you use?

- A. Enhanced summary
- B. Summary
- C. Extended
- D. Outbound messages

Answer: A

NEW QUESTION 229

HOTSPOT - (Topic 5)

HOTSPOT

You have a Microsoft Exchange Online tenant.

The Exchange organization has the following configurations.


```
PS C:\> Get-OrganizationConfig | Format-list Name,Oauth*,Activity*,Basic*,Is*
```

```
Name: M365x643293.onmicrosoft.com
OAuth2ClientProfileEnabled : False
ActivityBasedAuthenticationTimeoutEnabled : True
ActivityBasedAuthenticationTimeoutInterval : 06:00:00
ActivityBasedAuthenticationTimeoutWithSingleSignOnEnabled : True
BasicAuthBlockedApps : None
IsProcessEhaMigratedMessagesEnabled : False
IsAgendaMailEnabled : True
IsMixedMode : True
IsAddressListPagingEnabled : True
IsLicensingEnforced : True
IsTenantAccessBlocked : False
IsDualWriteEnabled : True
IsTenantInGracePeriod : False
IsDehydrated : True
IsValid : True
```

The Azure Active Directory (Azure AD) Sign-ins report is shown in the following table.

| User | Application | Status | Client app | Conditional access | Authentication requirement |
|-------|----------------------------|---------|---------------------------------|--------------------|------------------------------|
| User1 | Microsoft Office | Success | Mobile Apps and Desktop clients | Not Applied | Single-factor authentication |
| User1 | Office 365 Exchange Online | Success | Offline Address Book | Not Applied | Single-factor authentication |
| User1 | Office 365 Exchange Online | Success | MAPI Over Http | Not Applied | Single-factor authentication |
| User3 | Microsoft Office | Success | Mobile Apps and Desktop clients | Not Applied | Single-factor authentication |
| User3 | Office 365 Exchange Online | Success | Offline Address Book | Not Applied | Single-factor authentication |
| User3 | Office 365 Exchange Online | Success | Autodiscover | Not Applied | Single-factor authentication |
| User2 | Microsoft Office | Success | Mobile Apps and Desktop clients | Not Applied | Single-factor authentication |

The Outlook Connection Status for User1 is shown in the following exhibit.



For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

| Statements | Yes | No |
|--|-----------------------|-----------------------|
| Microsoft Outlook connection of User1 uses Basic authentication | <input type="radio"/> | <input type="radio"/> |
| Modern Authentication is enabled | <input type="radio"/> | <input type="radio"/> |
| User3 uses the Microsoft Authenticator App to authenticate the Exchange Online | <input type="radio"/> | <input type="radio"/> |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes
The authentication in the Outlook Connection Status exhibit is “Clear”. This means that Basic authentication is being used.
Box 2: No
In the first exhibit, the OAuth2ClientProfileEnabled parameter is False. This means that Modern Authentication is not enabled. A value of True means that Modern Authentication is enabled.
Box 3: No
The Authentication Requirement for User3 in the second exhibit is Single-factor authentication. This means that the Microsoft Authenticator App is not being used.

NEW QUESTION 234

- (Topic 5)
You have a Microsoft Exchange Online tenant that contains a mailbox named Mailbox1.
You need to ensure that Mailbox1 rejects all external email messages and responds with the following non-delivery report (NDR): "Mailbox1 is an automated system mailbox and does not accept incoming mail.
What should you do?

- A. Set a message delivery restriction for Mailbox1.
- B. From Mailbox1, create an inbox rule.
- C. Create a mail flow rule.
- D. Modify the permissions for Mailbox1.

Answer: C

NEW QUESTION 236

DRAG DROP - (Topic 5)
Your company has a Microsoft Exchange Online subscription for an email domain named contoso.com.
The company works with a partner company that uses an email domain named tailspintoys.com.
You need to configure the environment only to accept email from tailspintoys.com if the email is sent from an IP address of 131.107.12.85.
How should you configure the connector from the Exchange admin center? To answer, drag the appropriate options to the correct message settings. Each option may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
NOTE: Each correct selection is worth one point.

| Options | Answer Area |
|----------------------------------|----------------------------|
| Office 365 | |
| Your organization’s email server | To: <input type="text"/> |
| Partner organization | From: <input type="text"/> |
| Internet | |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set-up-connectors-for-secure-mail-flow-with-a-partner>

NEW QUESTION 240

SIMULATION - (Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that a user named Miriam Graham has the required rights to create new

recipients by using the Exchange Online admin center. Miriam must be prevented from managing recipients. The solution must use the principle of least privilege.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? From the Microsoft 365 admin center dashboard, go to Admin > Exchange.

? In the Exchange admin center, go to Roles > Admin roles, select the Recipient Management role group.

? In Assigned section, add Miriam Graham to the role group.

? When you're finished, click Save.

NEW QUESTION 242

- (Topic 5)

You plan to use the Hybrid Agent to integrate your Microsoft Exchange Server 2016 organization and Exchange Online.

The installation of the Hybrid Agent fails.

You validate the following Exchange virtual directory settings.


```
Get-WebServicesVirtualDirectory | fl
```

```
ExternalAuthenticationMethods: {Ntlm, WindowsIntegrated, WSSecurity, OAuth}
InternalURL : https://mail.contoso.com/EWS/Exchange.asmx
ExternalURL: https://mail.contoso.com/EWS/Exchange.asmx
MRSPProxyEnabled: False
Server : EX01
```

```
Get-MAPIVirtualDirectory | fl
```

```
InternalURL : https://autodiscover.contoso.com/mapi
ExternalURL: https://Autodiscover.contoso.com/mapid
Server: EX01
```

```
Get-OWAVirtualDirectory | fl
```

```
InternalURL : https://mail.contoso.com/owa
ExternalURL: https://mail.contoso.com/owa
Server: EX01
```

You need to install the Hybrid Agent successfully. What should you do first?

- A. Update the server parameter of WebServicesVirtualDirectory to the FQDN of Exchange instead of the host name.
- B. Set MRSPProxyEnabled to True.
- C. Remove WindowsIntegrated from ExternalAuthenticationMethods.
- D. Change the ExternalURL parameter of MAPIVirtualDirectory to https://mail.contoso.com instead of https://autodiscover.contoso.com.

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/hybrid-deployment/hybrid-agent#running-setup>

NEW QUESTION 246

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 organization that contains 200 mailboxes. You need to add a second email address to each mailbox. The address must have a

syntax that uses the first letter of each user's last name, followed by the user's first name, and then @fabrikam.com.

Solution: You create an email address policy that uses the %1s%g@fabrikam.com email address format.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/email-address-policies/email-address-policies?view=exchserver-2019>

NEW QUESTION 247

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a mailbox named Sales.

You need to create a copy of all the external email sent from the Sales mailbox to an alternate location.

What should you create?

- A. a data loss prevention (DLP) policy
- B. a records management file plan
- C. a journaling rule
- D. a retention policy

Answer: C

NEW QUESTION 250

- (Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on- premises Exchange Server 2019 organization. The deployment contains an Exchange Server 2019 server named Server1.

Server1 has a public certificate named Cert1 that is bound to the SMTP protocol. Cert1 will expire soon.

you replace Cert1 with a new certificate named Cert2 from a different public certification authority (CA)

After you replace the certificate, you discover that email delivery between Server1 and the Exchange Online tenant fails.

You need to ensure that messages can be delivered successfully What should you do on Server1?

- A. Return the Hybrid Configuration wizard

- B. Restart the MExchangeTransport service.
- C. Recreate the certificate and include an exportable private key.
- D. Bind a self-signed certificate to the SMTP protocol.

Answer: A

Explanation:

When replacing a certificate used in a hybrid deployment, you should run the Hybrid Configuration wizard again to update the certificate information in the hybrid configuration settings. This process updates the certificate used by the hybrid deployment and ensures that email delivery between the on-premises Exchange Server and the Exchange Online tenant is successful.

NEW QUESTION 255

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are hosted in Microsoft 365. All outbound SMTP email is routed through the on-premises Exchange organization.

A corporate security policy requires that you must prevent credit card numbers from being sent to internet recipients by using email.

You need to configure the deployment to meet the security policy requirement. Solution: From Microsoft 365, you create a data loss prevention (DLP) policy. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/data-loss-prevention-policies?view=o365-worldwide>

NEW QUESTION 259

SIMULATION - (Topic 5)

SIMULATION

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.


When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you

as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that a user named Lee Gu can view all the Exchange Online configurations of your organization. The solution must use the principle of least privilege.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

* 1. Open the Microsoft 365 administration centre This can be done at: <https://admin.microsoft.com>

* 2. Create a new user Please enter a first name Last name

Display name Username

* 3. Add the necessary licence

For admin roles you sometimes need a licence. Especially in the security stack within Microsoft 365.

* 4. Add the Global Reader role via Roles

You can give multiple roles to the person you want.

NEW QUESTION 260

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains 1,000 mailboxes.

All the users in the sales department at your company are in a group named Sales.

The company is implementing a new policy to restrict the use of email attachments for the users in the Sales group.

You need to prevent all email messages that contain attachments from being delivered to

the users in the Sales group.

Solution: You modify the Exchange Online Protection (EOP) settings. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:


You can block common attachments (attachments commonly used as malware) in EOP but not all attachments as required in this question. Instead, you should create a mail flow rule. Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/mail-flow-rules/common-attachmentblocking-scenarios>

NEW QUESTION 262

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant as shown in the following exhibit.



| STATUS | NAME | FROM | TO |
|--------|----------------------|------------|----------------------|
| On | Connector to Server1 | Office 365 | Partner organization |

Connector to Server1

Mail flow scenario
From: Office 365
To: Partner organization

Description
None

Status
On
[Turn it off](#)

Validation
[Validate this connector](#)
Last validation result: Failed
Last validation time: 4/7/2020 4:04 PM

When to use the connector
Use only for email sent to these domains: *

Routing method
Route email messages through these smart hosts:
131.107.100.200

Security restrictions
Always use Transport Layer Security (TLS) and connect only if the recipient's email server certificate is issued by a trusted certificate authority (CA) and the subject names matches this domain: server1.contoso.com

All email recipients have an email address that uses an SMTP suffix of @contoso.com.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

131.107.100.200 will route

| |
|--|
| all email messages from Exchange Online to any contoso.com recipients. |
| all email from Exchange Online to any external recipients |
| all email messages from Exchange Online to recipients hosted on Server1 only |

The Exchange Online tenant

| |
|--|
| cannot receive email messages from the internet |
| can receive email messages from server1.contoso.com only |
| can receive email messages from any email host on the internet |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1:

Under "When to use this connector", it says "Use only for email sent to these domains: *" The asterisk means all domains so any external email will use the connector.

Box 2:

With Exchange Online, you don't need to configure a receive connector as you would with on-premises Exchange. Therefore, the server by default will be able to receive emails from any email host.

NEW QUESTION 264

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains 1,000 user mailboxes and 10 main enabled users. The mail-enabled users have email addresses in two SMTP domains named fabrikam.com and contoso.com.

You need to convert the mail-enabled users into user mailboxes. What should you do first?

- A. Add the users to an Office 365 group.
- B. Assign a license to each user.
- C. Remove the remote domains of fabrikam.com and contoso.com
- D. Modify the email forwarding settings of each user.

Answer: C

Explanation:

You need to remove the remote domains first then assign a license to the user account.

NEW QUESTION 269

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant. From a computer named Client1, you run the

Network connectivity test results for your location

Please open this website on a Windows PC and use a modern browser to run the advanced tests.

Summary Details

Here are the detailed connectivity test results for your location. [Learn about the tests we run](#)

Answer Area

The Microsoft Remote Connectivity Analyzer reports an issue with traffic [answer choice].

| |
|-----------------------------------|
| from the user to Microsoft 365 |
| from Microsoft 365 to the user |
| from the user to Microsoft 365 |
| on the internal Microsoft network |

To correct the network connectivity issues, you must [answer choice] on Client1.

| | |
|--|---|
| round by the web browser | |
| Network egress location (the location where your network connects to your ISP) | Copenhagen, Capital Region, Denmark |
| ▲ Your distance from the network egress location | 4,618 miles (7,431 kilometers) |
| ▲ Customers in your metropolitan area with better performance | 58% of people in your area have a better net |
| ▲ Exchange service front door location | Staffanstorp, Sweden (119 ms). Potential 108 |
| Best Exchange service front door(s) for your location | Boydton, VA, United States Chicago, IL, United States Des Moines, IA, United States Manassas, VA, United States Phoenix, AZ, United States San Antonio, TX, United States Toronto, ON, Canada |

Microsoft Remote Connectivity Analyzer, perform a network test, and receive the results shown in the following exhibit.

Answer Area

The Microsoft Remote Connectivity Analyzer reports an issue with traffic [answer choice].

from the user to Microsoft 365
from Microsoft 365 to the user
from the user to Microsoft 365
on the internal Microsoft network

To correct the network connectivity issues, you must [answer choice] on Client1.

check the network routing configuration
check the network routing configuration
edit the Location services
validate the default gateway

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

The Microsoft Remote Connectivity Analyzer reports an issue with traffic [answer choice].

from the user to Microsoft 365
from Microsoft 365 to the user
from the user to Microsoft 365
on the internal Microsoft network

To correct the network connectivity issues, you must [answer choice] on Client1.

check the network routing configuration
check the network routing configuration
edit the Location services
validate the default gateway

NEW QUESTION 270

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has an Exchange Online tenant that contains 2,000 mailboxes.

A partner company named Fabrikam, Inc. uses a third-party messaging solution. The outbound SMTP server for Fabrikam uses an IP address of 131.107.2.22.

You discover that several email messages from the fabrikam.com domain are erroneously marked as spam.

You need to ensure that all the email messages sent from the fabrikam.com domain are delivered successfully to the user mailboxes of your company.

Solution: You create a spam filter policy. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Add Fabrikam.com to the 'Domain allow list' in a spam filter policy.

NEW QUESTION 272

- (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment that contains the public folders shown in the following table.

| Name | Structure | Mail-enabled |
|------|--------------|--------------|
| PF1 | Hierarchical | Yes |
| PF2 | Flat | No |
| PF3 | Flat | Yes |

You plan to migrate the public folders to Exchange Online to improve the collaboration options available to users.

Which public folders can be migrated to Office 365 groups without losing the folders' existing functionality?

- A. PF2 and PF3 only
- B. PF2 only
- C. PF1 and PF2 only
- D. PF1 only
- E. PF3 only

Answer: A

Explanation:

Not PF1. Office 365 groups are 'flat' so you would lose the folder hierarchy.

Reference:

https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/migrate-to-microsoft-365-groups?view=exchserver-2019

NEW QUESTION 274

- (Topic 5)

You manage a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are located both on-premises and in the cloud.

You need to configure the deployment so that the on-premises mailboxes can access the public folders. Which three commands should you run? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Sync-MailPublicFolders.ps1
- B. Set-OrganizationConfig –PublicFoldersEnabled Remote
- C. Import-PublicFolderMailboxes.ps1
- D. Sync-MailPublicFoldersCloudToOnprem.ps1
- E. Set-OrganizationConfig –PublicFoldersEnabled Local –RemotePublicFolderMailboxes PFMailbox1

Answer: BCD

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/hybrid-deployment/set-up-exo-hybrid-public-folders>

NEW QUESTION 275

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains 1,000 users.

A user named User1 receives a non-delivery report (NDR) when attempting to send an email message to an internal group named sales@contoso.com. The NDR contains the following text: "5.7.1 Delivery not authorized."

You need to ensure that User1 can send email to sales@contoso.com successfully. Solution: You instruct User1 to reduce the size of the email message.

Does this meet the goal?

- A. No
- B. Yes

Answer: B

NEW QUESTION 279

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that uses Microsoft Defender for Office 365.

Users report that a domain named contoso.com sent them phishing email messages that contain URLs.

You need to ensure that the messages are identified as phishing. The solution must ensure that contoso.com and all its subdomains and paths are matched.

How should you complete the PowerShell command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 284

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

Users report that they cannot view attachments from Outlook on the web from their home computer.

The Outlook Web App policy has the following settings.

| | |
|---|----------------------------------|
| ClassicAttachmentsEnabled | : True |
| ReferenceAttachmentsEnabled | : True |
| SaveAttachmentsToCloudEnabled | : True |
| MessagePreviewDisabled | : False |
| ForceWebReadyDocumentViewingFirstOnPublicComputers | : False |
| ForceWebReadyDocumentViewingFirstOnPrivateComputers | : False |
| ActionForUnknownFileAndMIMETypes | : Block |
| OWALightEnabled | : False |
| ForceSaveAttachmentFilteringEnabled | : False |
| ConditionalAccessPolicy | : ReadOnlyPlusAttachmentsBlocked |

You need to ensure that the users can view attachments when they access Outlook on the web from their home computer. How should you complete the command? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

| | | |
|---|--|-----------|
| Set-OWAMailboxPolicy -identity OwaMailboxPolicy-Default | | |
| -ActionForUnknownFileAndMIMETypes | | Allow |
| -ConditionalAccessPolicy | | False |
| -ForceWebReadyDocumentViewingFirstOnPublicComputers | | ForceSave |
| -MessagePreviewsDisabled | | ReadOnly |
| -OWALightEnabled | | True |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Table Description automatically generated with medium confidence

NEW QUESTION 285

- (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment.

You migrate public folders from on-premises to Exchange Online by using the batch migration process.

After the batch migration completes, additional public folders are created on-premises. You need to migrate the new on-premises public folders to Exchange Online.

What should you do?

- A. Export the contents of the folders to a PST file, and then import the PST files by using Outlook PST export.
- B. Create a new public folder migration batch that contains only the new folders.
- C. Repeat the original batch migration process and add the new folders to the migration batch.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/migrate-to-exchange-online?view=exchserver-2019>

NEW QUESTION 289

- (Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on- premises Exchange Server 2019 organization.

The tenant uses an email domain named @contoso.com.

You recently purchased an email domain named fabrikam.com.

You need to ensure that all the users in the tenant can receive email messages by using the @fabrikam.com email domain. The solution must ensure that the users can continue to receive email by using the @contoso.com email domain.

Which three actions should you perform? Each correct answer presents part of the solution. NOTE; Each correct selection is worth one point.

- A. From Azure AD Connect add a domain for fabrikam.com.
- B. From the on-premises Exchange admin center, add an accepted domain for fabrikam.com.
- C. From the Exchange Management Shell, create a script that runs the
- D. From the Microsoft 365 admin center, verify the fabrikam.com email domain
- E. From the on-premises Exchange admin center, modify the email address policy
- F. From the Microsoft 365 admin center, add the fabrikam.com email domain.

Answer: BDE

NEW QUESTION 294

DRAG DROP - (Topic 5)

You have a Microsoft 365 subscription that contains two groups named Group1 and Group 2.

The members of the groups perform the tasks shown in the following table.

| Name | Task |
|--------|---|
| Group1 | Manage mail flow rules, anti-spam policies, and quarantined messages. |
| Group2 | Manage data loss prevention (DLP) policies and quarantine. |

You need to add Group1 and Group2 to role groups. The solution must use the principle of least privilege.

To which role group should you add each group? To answer, drag the appropriate role groups to the correct groups. Each role group may be used once, more than once, or not at all You may need to drag the split bar between panes or scroll to view content.

| Role groups | Answer Area |
|-------------------------|------------------------------|
| Compliance Management | Group1: <input type="text"/> |
| Hygiene Management | Group2: <input type="text"/> |
| Organization Management | |
| Records Management | |
| Security Operator | |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Role groups

Compliance Management

Organization Management

Security Operator

Hygiene Management

Records Management

Answer Area

Group1: Organization Management

Group2: Compliance Management

NEW QUESTION 295

HOTSPOT - (Topic 5)

You have a Microsoft 365 ES subscription that contains a Microsoft Exchange Online tenant. You plan to use a mailbox named Mailbox1 to store user-reported malicious email messages. You need to configure Microsoft Defender for Office 365 to meet the following requirements:

- + Configure Mailbox1 as a SecOps mailbox.
- + Create a policy that has zero-hour auto purge (ZAP) for infected email disabled for Mailbox1.

Which two settings should you configure? To answer, select the appropriate settings in the answer area.

Policies

Anti-phishing

Anti-spam

Anti-malware

Safe Attachments

Safe Links

Rules

Tenant Allow/Block Lists

DKIM

Advanced delivery

Enhanced filtering

Quarantine policies

Others

User reported message settings


Evaluation mode

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:


Policies



Rules



Others



NEW QUESTION 296

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization. You create a retention policy. You need to ensure that all email older than one year is moved to an archive mailbox. What should you use?

- A. a data loss prevention (DLP) policy
- B. a retention policy tag
- C. a default policy tag
- D. a personal tag

Answer: C

NEW QUESTION 300

HOTSPOT - (Topic 5)

You have an on-premises Microsoft Exchange Server 2019 organization that contains a server named Server1 and uses an email address of contoso.com. You purchase a Microsoft 365 subscription.

You plan to use the Hybrid Configuration wizard to configure a hybrid deployment between Exchange Online and the on-premises Exchange organization. You need to configure a certificate request from a public certification authority (CA).

How should you configure the values of the subject name and the subject alternative name (SAN) for the certificate? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

• • • • •

Answer Area

Subject name:

- contoso.com
- server1.contoso.com
- autodiscover.contoso.com
- contoso-com.mail.protection.outlook.com

SAN:

- contoso.com
- server1.contoso.com
- autodiscover.contoso.com
- contoso-com.mail.protection.outlook.com

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

• • • • •

Answer Area

Subject name:

- contoso.com
- server1.contoso.com
- autodiscover.contoso.com
- contoso-com.mail.protection.outlook.com

SAN:

- contoso.com
- server1.contoso.com
- autodiscover.contoso.com
- contoso-com.mail.protection.outlook.com

NEW QUESTION 302

- (Topic 5)

You have a Microsoft Exchange Online subscription for an email domain named contoso.com.

A partner company has an Exchange Online subscription for an email domain named fabrikam.com.

You need to prevent out-of-office messages sent by users in contoso.com from being sent to users in fabrikam.com.

What is the best way to achieve the goal from the Exchange admin center? More than one answer choice may achieve the goal. (Choose the best answer.)

- A. Create a connector
- B. Create a mail flow rule
- C. Create a remote domain
- D. Create an accepted domain

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/remote-domains/remote-domains>

NEW QUESTION 307

- (Topic 5)

You have a Microsoft 365 E3 subscription that uses Microsoft Exchange Online and contains a global administrator named Admin1.

Admin1 plans to use Attack simulation training to simulate a Malware Attachment attack. However, when a simulation is launched, only the Credential Harvest technique is available.

You need to ensure that Admin1 can run the Malware Attachment simulation. What should you do?

- A. Assign the Attack simulation administrator role to Admin1.
- B. Create an anti-phishing policy.
- C. Create an anti-malware policy.
- D. Assign a Microsoft 365 E5 license to Admin1.

Answer: D

NEW QUESTION 308

HOTSPOT - (Topic 5)

You have a Microsoft 365 subscription that contains the mail-enabled groups shown in the following table.

| Name | Members |
|----------|---------------------|
| Managers | User1, User2, User3 |
| Finance | User4, User5, User6 |

All users have an email address with a suffix of @contoso.com.

You plan to create an anti-phishing policy named Policy1 to meet the following requirements:

- Apply to all email messages sent to current and future users in the Finance group.
- Prevent email messages from impersonating users in the Managers group.

How should you configure Policy1? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Users, groups, and domains:

Phishing threshold & protection:

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area

Users, groups, and domains:

Phishing threshold & protection:

NEW QUESTION 312

- (Topic 5)

You have a Microsoft 365 subscription that contains two users named User1 and User2.

User1 reports to have received a suspicious email message that appears to have come from User2.

You identify that the message was sent by an external user impersonating User2. You need to block email that contains the email address of an impersonated sender. What should you configure?

- A. an anti-phishing policy
B. a Tenant Allow/Block Lists rule
C. an anti-spam policy
D. an Enhanced filtering rule

Answer: B

NEW QUESTION 314

- (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment.

You need to change the free/busy data access sharing level between the on-premises organization and Exchange Online.

What should you do?

- A. Run the Hybrid Configuration wizard.
B. Modify the organization relationship.
C. Create an organization sharing policy.

D. Create an individual sharing policy.

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/shared-free-busy>

NEW QUESTION 318

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Server 2019 organization that contains the Mailbox servers shown in the following table.

| Name | Member of | Database |
|------|-----------|----------|
| EX1 | Site1 | Mail1 |
| EX2 | Site2 | Mail2 |
| EX3 | Site3 | Mail3 |

The organization contains the mailboxes shown in the following table.

| Name | Database |
|-------|----------|
| User1 | Mail1 |
| User2 | Mail2 |
| User3 | Mail3 |

You create the public folder mailboxes shown in the following table.

| Mailbox | Database | Hierarchy |
|---------|----------|-----------|
| PF1 | Mail1 | Primary |
| PF2 | Mail2 | Secondary |
| PF3 | Mail3 | Secondary |

You set the DefaultPublicFolderMailbox property of each user mailbox to the public folder mailbox closest to the user.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

| Statements | Yes | No |
|---|-----------------------|-----------------------|
| If User3 creates a public folder, the folder hierarchy will be updated first on EX3. | <input type="radio"/> | <input type="radio"/> |
| When User2 views the folder hierarchy, the user will use EX2. | <input type="radio"/> | <input type="radio"/> |
| If User3 accesses a public folder from PF1, and then EX1 goes offline, User3 can still access the content in the public folder. | <input type="radio"/> | <input type="radio"/> |

A. Mastered

B. Not Mastered

Answer: A

Explanation:

| Statements | Yes | No |
|---|----------------------------------|----------------------------------|
| If User3 creates a public folder, the folder hierarchy will be updated first on EX3. | <input type="radio"/> | <input checked="" type="radio"/> |
| When User2 views the folder hierarchy, the user will use EX2. | <input checked="" type="radio"/> | <input type="radio"/> |
| If User3 accesses a public folder from PF1, and then EX1 goes offline, User3 can still access the content in the public folder. | <input checked="" type="radio"/> | <input type="radio"/> |

NEW QUESTION 319

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Online tenant.

You need to import PST files from a legacy archiving solution to Exchange Online. You will import the PST files over the internet.

Which five actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the

correct order.

Actions

Answer Area

| | |
|---|--|
| Use Azure Storage Explorer to upload the PST files. | |
| Create a mapping file. | |
| Start the PST import job. | |
| Use AzCopy to upload the PST files. | |
| Create a PST import job. | |
| Retrieve the shared access signature (SAS) URL. | |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

Answer Area

| | |
|---|---|
| Use Azure Storage Explorer to upload the PST files. | Retrieve the shared access signature (SAS) URL. |
| Create a mapping file. | Use AzCopy to upload the PST files. |
| Start the PST import job. | Create a mapping file. |
| Use AzCopy to upload the PST files. | Create a PST import job. |
| Create a PST import job. | Start the PST import job. |
| Retrieve the shared access signature (SAS) URL. | |

NEW QUESTION 323

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You add 100 new users and create a mailbox for each user. The new users have the City attribute in Active Directory set to Seattle.

You need to create a separate global address list (GAL) that contains only users who have the City attribute set to Seattle. The solution must ensure that any new users who have the City attribute of Seattle are added automatically to the new GAL.

What should you do?

- A. From the Azure Active Directory admin center, create an Office 365 group that uses a dynamic membership rule.
- B. From the Exchange admin center, create a new GAL.
- C. Run the New-EmailAddressPolicy cmdlet to create a new email address policy that uses a recipient filter.
- D. Run the New-GlobalAddressList cmdlet to create a new address list.

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/address-books/address-lists/address-lists>

NEW QUESTION 327

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a public folder mailbox and a user named User1. You need to ensure that User1 can perform the

following actions:

- Create new top-level public folders.
- Only modify items created by User1.
- Post items to the folders created by User1.
- Read and delete items in the folders created by User1. Which role should you assign to User1?

- A. PublishingEditor
- B. Author
- C. PublishingAuthor
- D. Editor

Answer: D

NEW QUESTION 330

SIMULATION - (Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that when emails containing an attachment that uses an .ace extension is sent to your company, the email is blocked. Each time an email is blocked, a notification must be sent to security@contoso.com.

To complete this task, sign in to the Exchange admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? In the EAC, in the left navigation pane, select mail flow, and then select rules.

? Select New (+), and then select Create a new rule.

? In the New Rule window, select More options.

? In the Name box, specify a name for the new rule.

? Select the *Apply this rule if drop-down list, point to Any attachment, and then select File extension includes these words.

? In the Specify words or phrases window, type the file name extension of any attachment that you want to block, and then select the plus symbol (+) to add the file name extension to the list. When the list is completed, select OK.

? Select the Do the following drop-down list, point to Block the message, and then select Reject the message and include an explanation or select Delete the

message without notifying anyone.

If it's required, add a statement to inform users who will receive the non-delivery report (NDR) of the reason that mail delivery failed, and then select OK.

? Specify any additional options such as rule auditing and rule activation or deactivation time, and then select Save.

NEW QUESTION 333

- (Topic 5)

You have a Microsoft 365 E3 subscription that uses Microsoft Exchange Online.

You need to ensure that Safe Links and Safe Attachments protection is enabled for users. What should you do?

- A. Create an anti-malware policy and enable the common attachments filter.
- B. Assign a Microsoft 365 E5 license to each user.
- C. Enable the Strict protection preset security policy.
- D. Create an Enhanced Filtering for Connectors rule.

Answer: C

NEW QUESTION 334

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization. You run the following commands.

New-Management-Scope -Name "VIP Mailboxes" -RecipientRoot "Contoso.com/ Executives"

-RecipientRestrictionFilter (ReceipientType -eq "UserMailbox")

New-ManagementRoleAssignment -SecurityGroup "VIP Admins" -Role "Mail Recipients"

-CustomRecipientWriteScope "VIP Mailboxes"

You have a user named Admin1.

You need to ensure that Admin1 can manage the mailboxes of users in the Executives organizational unit (OU) only.

What should you do?

- A. Modify the membership of VIP Admins.
- B. Create a custom role group.
- C. Add Admin1 to the Recipient Management management role group.
- D. Move Admin1 to the Executives OU.

Answer: A

Explanation:

References:

<https://social.technet.microsoft.com/Forums/exchange/en-US/b316a841-c39d-483a-ac8e-64d5904c42e6/howto-limit-recipient-management-rights-to-users-in-a-ou-in-exchange-2010-sp1?forum=exchangesvradminlegacy>

NEW QUESTION 338

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft 365 subscription.

Several users in the finance department of the company recently accessed unsafe websites by clicking on links in email messages.

Users in the marketing department of the company report that they must be able to access all the links embedded in email messages.

You need to reduce the likelihood of the finance department users accessing unsafe websites. The solution must affect only the finance department users.

Solution: You create a new safe links policy and apply the policy to finance department users.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/set-up-safe-links-policies?view=o365-worldwide>

NEW QUESTION 342

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization. You implement hybrid connectivity to Microsoft 365.

You need to ensure that users can use the Microsoft Outlook mobile app on their device to access their onpremises mailbox.

What should you do?

- A. Run Azure AD Connect.
- B. Run Set-CASMailbox -OutlookMobileEnabled for each user.
- C. Enable Hybrid Modern Authentication (HMA).
- D. Configure Active Directory Federation Services (AD FS).

Answer: C

Explanation:

Reference:

<https://techcommunity.microsoft.com/t5/exchange-team-blog/announcing-hybrid-modern-authentication-forexchange-on-premises/ba-p/607476>

NEW QUESTION 347

- (Topic 5)

You recently implemented a hybrid deployment that contains a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 server named Server1. The public IP address of Server1 is 131.107.1.100.

The deployment is configured as shown in the following table.

| Object type | Configuration | Location |
|----------------------------|---|----------------------|
| Accepted domain | Contoso.com | Microsoft 365 |
| Remote domain | * | Microsoft 365 |
| Outbound connector | Use DNS routing | Microsoft 365 |
| Inbound connector | Default settings | Microsoft 365 |
| Mail exchanger (MX) record | Contoso-com.mail.protection.outlook.com | Public DNS |
| Send connector | Use DNS routing | Exchange Server 2019 |

Users hosted in Microsoft 365 report that they receive non-delivery reports (NDRs) when they attempt to send email messages to mailboxes hosted in Exchange Server 2019.

You need to ensure that the email is delivered successfully. The solution must ensure that email delivery is successful for all the users at your company.

What should you do?

- A. Configure the remote domain to use a value of contoso.com.
- B. Modify the MX record to point to the internal Exchange servers.
- C. Configure the Outbound connector to use a smart host of 131.107.1.100.
- D. Configure the accepted domain to use a value of *.

Answer: C

NEW QUESTION 352

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains the following email domains:

? Adatum.com

? Contoso.com

? Fabrikam.com

When external recipients receive email messages from the users in the tenant, all the messages are delivered by using the @contoso.com email domain.

You need to ensure that the users send email by using the @fabrikam.com email domain. Solution: You create an email address policy.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

This would work in Exchange on-premise but you cannot create email address policies for user mailboxes in Exchange Online.

NEW QUESTION 354

HOTSPOT - (Topic 5)

HOTSPOT

Your company named Contoso, Ltd. has a Microsoft Exchange Online subscription that uses a domain named contoso.com.

Contoso works with a partner company named A.Datum Corporation. A.Datum has an Exchange Server 2016 organization that uses a domain named adatum.com.

You need to ensure that users at Contoso can share their free/busy information with the users at A.Datum.

What should you do for each company? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

A.Datum:

▼

Configure Microsoft Azure Active Directory Connect

Create a federation trust between Exchange and Microsoft Office 365

Establish identity federation by using Active Directory Federation Services

Create a sharing policy

Contoso:

▼

Establish identity federation by using Active Directory Federation Services

Configure Microsoft Azure Active Directory Connect

Create an organization relationship

Create a federation trust between Exchange and Microsoft Office 365

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/sharing/organization-relationships/organization-relationships>

NEW QUESTION 359

SIMULATION - (Topic 5)

SIMULATION

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.


When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s)

and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that the users in your tenant can only share calendar availability information with the other users in the tenant.

To complete this task, sign in to the Microsoft 365 admin center.

A. Mastered

B. Not Mastered

Answer: A

Explanation:

? From the Microsoft 365 admin center dashboard, go to Admin > Exchange.

? Go to organization > sharing.

? Under Individual Sharing, select a sharing a policy. In the On column, clear the check box for the sharing policy you want to disable.

NEW QUESTION 363

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual MS-203 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the MS-203 Product From:

<https://www.2passeasy.com/dumps/MS-203/>

Money Back Guarantee

MS-203 Practice Exam Features:

- * MS-203 Questions and Answers Updated Frequently
- * MS-203 Practice Questions Verified by Expert Senior Certified Staff
- * MS-203 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * MS-203 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year