

Exam Questions PL-400

Microsoft Power Platform Developer

<https://www.2passeasy.com/dumps/PL-400/>



NEW QUESTION 1

- (Exam Topic 1)

You need to determine the primary cause of the issue reported by interns when they use the app. What is the primary cause?

- A. Interns have the System Customizer security role but need the Environment Maker security role.
- B. Interns have the Common Data Service User security role but need the Environment Maker security role.
- C. Interns have the Environment Maker security role but need the Common Data Service User security role.
- D. Interns have the Environment Maker security role but need the System Customizer security role.
- E. Interns have the Environment Maker security role but need the Delegate security role.

Answer: D

Explanation:

Scenario: Interns can create apps but cannot interact with their own data.

Environment Maker role: Can create new resources associated with an environment, including apps, connections, custom APIs, gateways, and flows using Microsoft Power Automate. However, this role doesn't have any privileges to access data within an environment.

System Customizer role: full permission to customize the environment. However, users with this role can only view records for environment entities that they create.

NEW QUESTION 2

- (Exam Topic 2)

You need to improve warehouse counting efficiency. What should you create?

- A. a flow that updates the warehouse counts as the worker performs the count
- B. a model-driven app that allows the user to key in inventory counts
- C. A Power BI dashboard that shows the inventory counting variances
- D. a canvas app that scans barcodes to allow a warehouse worker to select inventory counts

Answer: D

Explanation:

Scenario: Warehouse counting is performed manually by using a counting journal. All warehouse boxes and items are barcoded.

NEW QUESTION 3

- (Exam Topic 2)

You need to ensure that Adventure Works Cycle can track information from visitors to bike fairs. What should you create?

- A. A workflow in Dynamics 365 Sales Engagement for capabilities leads
- B. A flow to capture customer data from the bike fair Power Apps in SharePoint and create a lead in Microsoft Teams.
- C. A flow that connects with the bike fair Power Apps to create a lead in Dynamic 365 Sales
- D. A Microsoft flow that generates a new customer record in SharePoint

Answer: C

Explanation:

By using a Dynamics 365 connector, you can create flows that initiate when an event occurs in Dynamics 365, or some other service, which then performs an action in Dynamics 365, or some other service.

Reference:

<https://docs.microsoft.com/en-us/power-automate/connection-dynamics365>

NEW QUESTION 4

- (Exam Topic 4)

You are creating a model-driven app.

Users need to see only the entities in the app navigation that are relevant to their role and their method of accessing the app.

You need to restrict entities on the sub-areas in the SiteMap.

Which properties should you use? To answer, drag the appropriate properties to the correct requirements. Each property may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Answer Area

Properties	Requirement	Property
Client	Ensure that the entity is visible only if the user can create records.	
Offline Availability	Ensure that the entity is not visible if the user is using an on-premises deployment.	
Privileges	Ensure that the entity is visible only if the user is accessing the app with a web browser.	
SKUs		

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Box 1: Privileges
Privileges: This defines whether a subarea is displayed based on privileges available in any security roles that are assigned to the user.
Box 2: SKU
SKUs: Select the versions of Dynamics 365 that display this subarea. Box 3: Client
Client: Select the type of client that displays this subarea. Reference:
https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/create-site-map-app

NEW QUESTION 5

- (Exam Topic 4)
A company uses Dynamics 365 Sales.
Sales commission must be calculated when an order is placed. You create an Azure Function to perform the calculation. The Azure Function has an HTTP trigger. You need to configure the Plug-in Registration tool to send data to the Azure Function when an order is placed. You open the Plug-in Registration tool and connect to Dynamics 365 Sales.
Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Select Register New Web Hook.

Select Register New Service Endpoint.

Set authentication to **HttpHeader**.

Register a New Step for Create of SalesOrder.

Enter a connection string.

Enter the endpoint URL.

Answer Area

>

<

A. Mastered
B. Not Mastered


Answer: A

Explanation:

Step 1:SelectRegister New Web Hook.
Configure Dynamics 365 Sales to Call Your Webhook in Azure Functions
* 1. Open the Plug-in Registration Tool and connect to your organization.
* 2. Select Register->Register New Web Hook



Step 2: Enter the endpoint URL



The image shows a 'WebHook Registration' dialog box with the following fields:

Name	Webhook Sample Azure Function
Endpoint URL	mples.azurewebsites.net/api/WebhookSample
Authentication	WebhookKey
Value	N607PVgldtaDTgTOMiXMqcUMVgldmFvWspg

Step 3: Register a New Step for Create of SalesOrder.

Register a new webhook, and then tie that webhook to an event in Dynamics 365 Sales. Select your newly registered webhook, right-click it, and then choose "Register New Step."

Note that the webhook here is set to execute whenever a change to an account record is detected within Dynamics 365 Sales.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/tutorial-write-plugin-in>

NEW QUESTION 6

- (Exam Topic 4)

You need to complete a PowerApps component framework (PCF) control.

How should you define the order in the manifest? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

```
<resources>
  <code path="scripts/HelloWorldControlWave.js" order="1"/>
  <code path="scripts/HelloWorldControlRandom.js" order="2"/>
  <css path="style/HelloWorldControl.css" order="3"/>
  <html path="HelloWorldControlWaveRandom.htm" order="1"/>
</resources>
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

The order property specifies the order of a flexible item relative to the rest of the flexible items inside the same container.

Reference: https://www.w3schools.com/jsref/prop_style_order.asp

NEW QUESTION 7

- (Exam Topic 4)

A company imports data from files.

The following code is created to import the files. (Line numbers are included for reference only.)


```
1. var transactionrequest = new ExecuteTransactionRequest()
2. {
3.     Requests = new OrganizationRequestCollection(),
4.     ReturnResponses = true
5. };
6. ...
7. foreach (DataRow dr in Rows)
8. {
9. ...
10. var contact = new Entity("contact");
11. contact["firstname"] = firstname;
12. contact["lastname"] = lastname;
13. var createRequest = new CreateRequest() {Target = contact};
14. transactionrequest.Requests.Add(createRequest);
15. }
16. try
17. {
18. var response = (ExecuteTransactionResponse)crmSvc.Execute(transactionrequest);
19. foreach (var responseItem in response.Responses)
20. {
21. var createResponse = (CreateResponse)responseItem;
22. Console.WriteLine("Created: {0}", createResponse.id.ToString());
23. }
24. }
25. catch (FaultException<Microsoft.Xrm.Sdk.OrganizationServiceFault> ex)
26. {
27. Console.WriteLine("Error: {0}", ((ExecuteTransactionFault)(ex.Detail)).FaultedRequestIndex + 1, ex.Detail.Message);
28. }
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
If an error occurs when one of the contacts is created, processing will continue, and the remainder of the contacts will be created.	<input type="radio"/>	<input type="radio"/>
,ContinueOnError = true can be added at line 5.	<input type="radio"/>	<input type="radio"/>
The order of requests is performed in the sequence added to transactionrequest.	<input type="radio"/>	<input type="radio"/>
Lines 19-23 are required for the contacts to be created.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: No

Need to set ContinueOnError=True. ContinueOnError: When true, continue processing the next request in the collection even if a fault has been returned from processing the current request in the collection. When false, do not continue processing the next request.

Box 2: No

ContinueOnError = true must be added before Requests = new OrganizationRequestCollection() on line 3. Example:

```
// Create an ExecuteMultipleRequest object.
requestWithResults = new ExecuteMultipleRequest()
{
// Assign settings that define execution behavior: continue on error, return responses. Settings = new ExecuteMultipleSettings()
{
ContinueOnError = false, ReturnResponses = true
},
// Create an empty organization request collection. Requests = new OrganizationRequestCollection()
};
```

Box 3: Yes

You can use the ExecuteMultipleRequest message to support higher throughput bulk message passing scenarios in Common Data Service.

ExecuteMultipleRequest accepts an input collection of message Requests, executes each of the message requests in the order they appear in the input collection, and optionally returns a collection of Responses containing each message's response or the error that occurred.

Box 4: No

This is just for displaying the result. Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/org-service/execute-multiple-reque>

NEW QUESTION 8

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are designing a one-way integration from the Common Data Service to another system.

You must use an Azure Function to update the other system. The integration must send only newly created records to the other system. The solution must support scenarios where a component of the integration is unavailable for more than a few seconds to avoid data loss. You need to design the integration solution.

Solution: Configure the Azure Function with a timer trigger that runs every five minutes. The function will query the Common Data Service and process records created in the last five minutes.

Does the solution meet the goal?

A. Yes

B. No

Answer: B

Explanation:

Instead use Azure Service Bus queue solution with asynchronous communication. Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/azure-integration>

NEW QUESTION 9

- (Exam Topic 4)

A company implements Dynamics 365 Sales.

An email notification must be sent automatically to the sales manager when a business process completes. You need to ensure that emails are sent.

What should you create on the process completed trigger?

A. a workflow

B. an action step

C. a data step

D. a Power Automate flow step

Answer: A

Explanation:

When you include a workflow that you want to trigger on Stage Exit of a stage in your business process flow, and that stage is the last stage in the flow, the designer gives the impression that the workflow will be

triggered when that stage is completed. Reference:

<https://docs.microsoft.com/en-us/dynamics365/customerengagement/on-premises/customize/businessprocess-flow>

NEW QUESTION 10

- (Exam Topic 4)

A manufacturing company takes online orders.

The company requires automatic validation of order changes. Requirements are as follows:

> If validation is successful, the order is submitted.

> If exceptions are encountered, a message must be shown to the customer. You need to set up and deploy a plug-in that encapsulates the rules.

Which options should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Settings	Options
Execution stage	<div>▼</div> <div>PreValidation</div> <div>PreOperation</div> <div>PostOperation</div>
Execution mode	<div>▼</div> <div>Asynchronous</div> <div>Synchronous</div>
Image	<div>▼</div> <div>Pre image</div> <div>Post image</div>
Error message	<div>▼</div> <div>throw new InvalidPluginExecutionException("Your error message", ex);</div> <div>tracingService.Trace("Your error message: {0}", ex.ToString());</div>

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Box 1: PreValidation

PreValidation: For the initial operation, this stage will occur before the main system operation.

This provides an opportunity to include logic to cancel the operation before the database transaction. Box 2: Synchronous

Ideally, you should only cancel operations using synchronous plug-ins registered in the PreValidation stage. Box 3: Pre Image

Box 4: throw ..

When you throw an InvalidPluginExecutionException exception within a synchronous plug-in an error dialog with your message will be displayed to the user.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/event-framework> <https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/handle-exceptions>

NEW QUESTION 10

- (Exam Topic 4)

A company is building a new model-driven app.

The app must integrate with a number of on-premises and cloud solutions. No VPNs are in place. You need to determine the method for each integration.

Which methods should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Integration	Method
Outbound synchronous calls to a third-party Web API service	<div> <div></div> <div>Webhook</div> <div>Microsoft Flow</div> <div>Azure Event Hub</div> <div>Azure Service Bus</div> </div>
Calls to and from a website hosted in Azure with high peak loads	<div> <div></div> <div>Plug-in</div> <div>Webhook</div> <div>Azure Event Hub</div> <div>Azure Service Bus</div> </div>
Outbound calls to multiple on-premises and cloud systems to notify of customer address changes	<div> <div></div> <div>Plug-in</div> <div>Azure Event Hub</div> <div>Webhook</div> </div>

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Box 1: Webhook

With Dataverse, you can send data about events that occur on the service to a web app by using webhooks. A webhook is a lightweight HTTP pattern for connecting web APIs and services with a publish-and-subscribe model. Webhook senders notify receivers about events by making requests to receiver endpoints with some information about the events.

Webhooks enable developers and ISVs to integrate Dataverse data with their own custom code hosted on external services.

Box 2: Azure Service Bus

Service Bus provides a secure and reliable communication channel between Dataverse runtime data and external, cloud-based line-of-business apps. This capability is especially useful in keeping disparate Dataverse systems or other Dataverse servers synchronized with business data changes.

Box 3: Azure Event hub

Azure Event Hubs is a big data streaming platform and event ingestion service. It can receive and process millions of events per second. Data sent to an event hub can be transformed and stored by using any real-time analytics provider or batching/storage adapters.

Note: The most popular approaches in Dataverse involve webhooks, Azure messaging (Service Bus, Event Hubs), Azure Logic Apps, or Power Automate.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/why-cds-any-type-app>

NEW QUESTION 12

- (Exam Topic 4)

A company uses SharePoint for its intranet and other functions. The company has also implemented model-driven apps.

SharePoint users must be able to create contact records in the Common Data Service (CDS), without having to navigate to the model-driven apps.

You need to create a link in SharePoint to open the CDS contact from displaying data from SharePoint. How should you complete the URL? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

http://contoso.crm.dynamics.com/

	▼
default.aspx	
edit.aspx	
main.aspx	

 ?

	▼
etc	
etn	

 =contact&

	▼
appid	
id	
extraqs	
formid	

 =param_1%3DSharePoint&pagetype=

	▼
apps	
entityrecord	
entitylist	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

https://contoso.crm.dynamics.com/main.aspx?etn=contact&extraqs=param_1%3D&pagetype=entityrecord Box 1: main.aspx
Example, to open the Active Contacts view. https://myorg.crm.dynamics.com/main.aspx?etn=contact&pagetype=entitylist&viewid={00000000-0000-0000-0 Box 2: etn
Etn: The logical name of the entity. Important: Do not use the etc (entity type code) parameter that contains an integer code for the entity. This integer code varies for custom entities in different organizations.
Box 3: Extraqs
Extraqs: Optional for forms. This parameter contains encoded parameters within this parameter.
When you open a new form by using the URL address, you can include arguments in the extraqs parameter to set field values
Note: You must encode the parameters passed in the extraqs parameter. To encode the parameters, use encodeURIComponent. To use special characters like "=" or "&" in the parameter values, you must double encode (e.g. to set name to A=B&C, it would be extraqs=name%3DA%253DB%2526C).
Box 4: entityrecord Reference:
https://docs.microsoft.com/en-us/powerapps/developer/model-driven-apps/open-forms-views-dialogs-reports-url https://docs.microsoft.com/en-us/powerapps/developer/model-driven-apps/set-field-values-using-parameters-pas

NEW QUESTION 16

- (Exam Topic 4)
Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
A Common Data Service (CDS) environment has two custom entities named Building code and Work item. Building code has a code date custom field and Work item has an elapsed time custom field. Construction workers use a consolidated custom form with data from both entities to fill.in their daily work items.
A JavaScript library is used with these custom entities and fields to apply complex logic.
You need to ensure that the JavaScript library continues to function as originally designed if other developers expand the environment.
Solution: In the JavaScript library, add Building code with Code date and Work item with Elapsed time in the dependencies tab.
Does the solution meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Within a solution you can define dependencies within solution components. Up until Dynamics 365 for Customer Engagement apps version 9.0 the main purpose of these dependencies was to prevent the deletion of a solution component when another solution component depended on it.
The following image shows the dependencies tab within the web resource form. Dependencies between web resources are set in the top list.

SAVEDELETEPREVIEWSHOW DEPENDENCIESPUBLISHPUBLISH ALL CUSTOMIZ...

Solution: Default Solution

Web Resource: Example

GeneralDependencies

Select dependencies this web resource needs.

AddRemove

Name	Display Name	Language Code	Description
new_dependentScript.js	Dependent Script		

AddRemove

Entity	AttributeName
account	accountcategorycode
incident	accountid
incident	contractid

Reference:
<https://docs.microsoft.com/en-us/dynamics365/customerengagement/on-premises/developer/web-resource-depe>

NEW QUESTION 20

- (Exam Topic 4)
You have a Common Data Service entity and a model-driven app. The model-driven app integrates with an external system. You plan to run business logic each time the model-driven app creates a record. Running business logic must not negatively affect model-driven app users. You need to implement the business logic. What should you use?

- A. Synchronous plug-in registered in the PreOperation stage
- B. Synchronous workflow
- C. Asynchronous plug-in registered in the PostOperation stage

Answer: C

Explanation:
The asynchronous service executes long-running operations independent of the main Microsoft Dataverse core operation. This results in improved overall system performance and improved scalability.
Reference:
<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/asynchronous-service>

NEW QUESTION 21

- (Exam Topic 4)
You are creating a flow using the Common Data Service (CDS) connector. You need to select the appropriate triggers. Which triggers should you use? To answer, drag the appropriate triggers to the correct scenarios. Each trigger may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
NOTE: Each correct selection is worth one point.

Triggers

Record creation

Record selection

Record deletion

Record update

Answer Area

Scenario	Trigger
Choose accounts that are in the USA and send those account contacts an email.	Trigger
Contacts that have not been modified in 60 days should no longer be in the system.	Trigger
An area code has been mistyped in all records.	Trigger

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Triggers

Record creation

Record selection

Record deletion

Record update

Answer Area

Scenario	Trigger
Choose accounts that are in the USA and send those account contacts an email.	Record selection
Contacts that have not been modified in 60 days should no longer be in the system.	Record deletion
An area code has been mistyped in all records.	Record update

NEW QUESTION 24

- (Exam Topic 4)

A company updates their client contact information periodically. The contact entity has alternate keys defined. You have the following code. (Line numbers are included for reference only.)

```

1. Entity contact = new Entity()
2. {
3.   LogicalName = "contact",
4.   KeyAttributes =
5.   {
6.     {"lastname", "Smith"},
7.     {"clientnumber", "abc123"}
8.   }
9. },
10 contact["lastname"] = "Doe";
11. UpsertRequest updcontact = new UpsertRequest ();
12. {
13.   Target = contact;
14. }
15. UpsertResponse response = ( UpsertResponse )service.Execute(updcontact);

```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statement	Yes	No
If the last name is an alternate key and there are no contacts with the last name Smith, the stored value of the last name is Smith.	<input type="radio"/>	<input type="radio"/>
If the client number is an alternate key and the client number exists, the stored value of the last name is Smith.	<input type="radio"/>	<input type="radio"/>
If the last name is an alternate key and there are people who have the last name Smith, the stored value of the last name is Smith.	<input type="radio"/>	<input type="radio"/>
If the client number is an alternate key and the client number does not exist, the stored value of the last name is Smith.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/use-alternate-key-create-record>

NEW QUESTION 28

- (Exam Topic 4)

A fine arts school uses a custom canvas application based on the Common Data Service (CDS) platform.

Artists experience errors on their Artist canvas app and delays when switching pages. You need to identify the root causes of these issues.

Which troubleshooting methods should you use? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

Issue	Troubleshooting method
Artist canvas app has errors.	<div> <div>PowerApp Checker</div> <div>Solution Checker</div> <div>Site Map validation</div> </div>
Application runs slowly.	<div> <div>PowerApps Admin Center</div> <div>Service Performance in PowerApps Analytics</div> <div>Dynamics 365 Service Health</div> <div>PowerApps client session details</div> </div>

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Box 1: Site Map validation

When you validate the app, the app designer canvas shows you details about the assets that are missing. In the app designer, select Validate.

A notification bar appears and shows you whether the app has any errors or warnings. The notification bar shows warnings in cases where, for example, an entity has no forms or views, or the app doesn't contain any components. An error might appear if a site map isn't configured for the app.



Reference:

<https://docs.microsoft.com/en-us/dynamics365/customerengagement/on-premises/customize/validate-app>

<https://community.dynamics.com/crm/b/crminthefield/posts/monitoring-the-power-platform-canvas-driven-apps>

NEW QUESTION 31

- (Exam Topic 4)

A company delivers packages to businesses and consumers. A custom entity named Package captures the package details.

You need to add the following sets of fields to the entity and leverage the built-in operations of the platform:

- > A set of fields to represent the package length, width, depth, and weight. The maximum value for any dimension is 100 centimeters.
- > A set of fields for time-sensitive attributes to calculate the efficiency of a delivery based on when the delivery is entered in the system and the existing custom fields: Pickup time and Delivery time.

Which constructs should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement

Calculate the efficiency of the delivery.

Construct

DIFFINMINUTES(Created On, Modified On)
DIFFINMINUTES(Created On, Delivery Time)
DIFFINHOURS(Created On, Modified On)
DIFFINHOURS(Created On, Delivery Time)

Select the data type that has additional transformations applied before the data is displayed.

Autonumber
Phone number
Customer
Currency
Duration

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: DIFFINMINUTES(Created on, Delivery Time)

DIFFINMINUTES (date and time, date and time) returns the difference in minutes between two Date and Time columns.

Box 2: Duration Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/define-calculated-fields>

NEW QUESTION 36

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A university has implemented Dynamics 365 Customer Engagement. Several departments use opportunity records to bid for funding for projects within their own departments.

Each department's opportunities are not visible to other departments. However, there are times when two departments need to work together on an opportunity.

You need to configure the security to meet the business requirements.

Solution: Create a security role that has organization-level access to opportunities. Give this security role to all members of the two departments who need access.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use access team templates and give access to members in the two departments. Reference:

<https://community.dynamics.com/crm/b/crmdevmigrationconfigandcustomization/posts/access-teams-and-acces>

NEW QUESTION 39

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than once correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are designing a one-way integration from the Common Data Service to another system.

You must use an Azure Function to update the other system. The integration must send only newly created records to the other system. The solution must support scenarios where a component of the integration is unavailable for more than a few seconds to avoid data loss.

You need to design the integration solution.

Solution: Register a service endpoint in the Common Data Service that connects to an Azure Service Bus queue.

Register a step at the endpoint which runs asynchronously on the record's Create message and in the portoperation stage.

Configure the Azure Function to process records as they are added to the queue. Does the solution meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Microsoft Dataverse supports integration with Azure.

For the Dataverse and Azure connection to work, there must be at least one solution in an Azure Service Bus solution account, where the solution contains one or more service endpoints.

For a queue endpoint contract, a listener doesn't have to be actively listening. Reference:


https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/azure-integration

NEW QUESTION 42

- (Exam Topic 4)

You have a model-driven app that uses the Common Data Service (CDS). You create three custom entities that are in many-to-one parental relationships with the Account entity.

You run a real-time workflow that assigns an account you own to another user. You receive the error message as shown in the Error Message exhibit. (Click the Error Message tab.)



You check the security roles for the user as shown in the Manage User Roles exhibit. (Click the Manage User Roles tab.)

You also check the privileges for that role as shown in the Common Data Service User Security Role exhibit. (Click the Security Role tab.)

Details	Core Records	Service	Business Management	Customization	Missing Entities	Business Process Flows	Custom Entities	
Entity	Create	Read	Write	Delete	Append	Append To	Assign	Share
Account								

Details	Core Records	Service	Business Management	Customization	Missing Entities	Business Process Flows	Custom Entities	
Entity	Create	Read	Write	Delete	Append	Append To	Assign	Share
Asset								
Building								
Job								

You need to prevent the error from recurring.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
Changing the Append To privilege on the Account entity to Organization prevents the error from recurring.	<input type="radio"/>	<input type="radio"/>
Adding the Environment Maker role to the user prevents the error from recurring.	<input type="radio"/>	<input type="radio"/>
Adding the System Customizer role to the user prevents the error from recurring.	<input type="radio"/>	<input type="radio"/>
Setting all the privileges for the Building entity to User prevents the error from recurring.	<input type="radio"/>	<input type="radio"/>

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Box 1: No

There is a read error. Box 2: No

Note: The Environment Maker role can create resources within an environment including apps, connections, custom connectors, gateways, and flows using Power Automate.

Box 3: Yes

The System Customizer role is similar to the System Administrator role which enables non-system administrators to customize Dynamics 365. A Customizer is a user who customizes entities, attributes and relationships.

Box 4: Yes

NEW QUESTION 47

- (Exam Topic 4)

A client requires that the system send an email from a button on their customer contact form. You need to call the action from JavaScript. Which two functions achieve this result? Each correct presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Xrm.WebApi.online.createRecord()
- B. Xrm.WebApi.online.updateRecord()
- C. Xrm.WebApi.online.execute()
- D. Xrm.WebApi.online.executeMultiple()

Answer: C

Explanation:

You can execute action using Xrm.WebApi.online.execute in Dynamics 365 CRM V9.0. Reference:
<https://carldesouza.com/calling-a-dynamics-365-action-from-javascript-using-xrm-webapi-online-execute/>

NEW QUESTION 51

- (Exam Topic 4)

A developer must register a step using the Plug-in registration tool.

You need to associate the correct Event Pipeline Stage of Execution with its purpose.

Which stage should you associate with each description? To answer, drag the appropriate stages to the correct descriptions. Each stage may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Stages	Answer Area	
	Description	Stage
PreValidation	Cancel the operation before the database transaction.	Stage
PreOperation	Change any values for an entity within the database transaction.	Stage
MainOperation	Modify any properties of the message before it returns to the caller.	Stage
PostOperation		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

The event pipeline allows you to configure when in the event the plug-in code will execute. The event pipeline is divided into the following events and stages: Box 1: PreValidation

Pre-event/Pre-Validation

This stage executes before anything else, even before basic validation if the triggering action is even allowed based on security. Therefore, it would be possible to trigger the plug-in code even without actually having permission to do so and great consideration must be used when writing a pre-validation plug-in. Also, execution in this stage might not be part of the database transaction.

Examples:- security checks being performed to verify the calling or logged on user has the correct permissions to perform the intended operation.

Box 2: PreOperation Pre-event/Pre-Operation

This stage executes after validation, but before the changes has been committed to database. This is one of the most commonly used stages.

Example uses:

If and "update" plug-in should update the same record, it is best practice to use the pre-operation stage and modify the properties. That way the plug-in update is done within same DB transaction without needing additional web service update call.

Box 3: PostOperation

Plug-ins which are to execute after the main operation. Plug-ins registered in this stage are executed within the database transaction.

This stage executed after changes have been committed to database. This is one of the most used stages. Example uses:

Most of the "Create" plugins are post-event. This allows access to the created GUID and creation of relationships to newly created record.

Reference:


<https://community.dynamics.com/crm/f/microsoft-dynamics-crm-forum/216569/ms-crm-plugin-execution-pipeli>

NEW QUESTION 53

- (Exam Topic 4)

A university manages grant applications using a model-driven app.

Users report that the message on the Grant Application screen is outdated. The screen shows the following:



Use the drop-down menus to select the answer choice that answers each question based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

Which Power Platform capability does the app use to display the message?

▼

Business rule

Logic app

Flow

Plug-in

What should the app maker do to prevent the message from displaying?

▼

Update the field calculation.

Update the rollup field.

Update the automated flow.

Update the business rule.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://www.loganconsulting.com/blog/how-use-power-automate-trigger-workflows-microsoft-dynamics-crm/>

NEW QUESTION 56

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

An organization has an Azure SQL Database instance that must be synchronized daily with data from Dynamics 365 Sales. A large amount of data might need to be synchronized on some days.

You need to reduce the time required to synchronize data. Solution:

- Enable change tracking for entities that will be synchronized.
- Implement a console application that queries for changes.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use the Data Export Service to sync data between the database and Dynamics 365 Sales. References:

<https://docs.microsoft.com/en-us/power-platform/admin/enable-change-tracking-control-data-synchronization>

NEW QUESTION 57

- (Exam Topic 4)

A company uses Dynamics 365 Sales and the Microsoft Online Services portal. The multi-select OptionSet field data type is not supported in the portal.

You need to copy the selected field value to the text field.

How should you configure the Organization service request? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.


```
Entity entity = (Entity)context.InputParameters["Target"];
var attributeRequest = new RetrieveAttributeRequest
{
    EntityLogicalName = "entityname",
    LogicalName = "fieldname",

    RetrieveAsIfPublished =
};

var attributeResponse = (RetrieveAttributeResponse)
service.Execute(attributeRequest);
var attributeMetadata =
(EnumAttributeMetadata)attributeResponse.
```

☐ true
☐ false

AttributeMetadata
AttributeResponse
OptionMetadataCollection
MultiSelectPicklistAttributeMetadata

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

If you are creating an attribute editor you will need to retrieve entity data that has been saved but not published. For other scenarios you will want to only retrieve published metadata.

- > Set this value to true to include unpublished changes, as it would look if you called publish.
- > Set this value to false to include only the currently published changes, ignoring the changes that haven't yet been published.

Box 2: AttributeMetadata

AttributeMetadata class is returned in the RetrieveAttributeResponse. Reference:

<https://docs.microsoft.com/en-us/dotnet/api/microsoft.xrm.sdk.messages.retrieveattributerequest.retrieveasifpubl> <https://docs.microsoft.com/en-us/dotnet/api/microsoft.xrm.sdk.metadata.attributemetadata?view=dynamics-gene>

NEW QUESTION 58

- (Exam Topic 4)

A company has two development instances, two test instances, two staging instances, and one production instance.

The test team reports connection issues with the test and staging instances.

You need to identify which if the instances the testing team currently has access. Which two URLs can you use? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. <https://myorg.api.crm.dynamics.com/api/data/v.9.1/>
B. <https://dev.crm.dynamics.com/api/discovery/v9.1/Instances>
C. [https://dev.crm.dynamics.com/api/discovery/v9.1/Instances\(UniqueName='myorg'\)](https://dev.crm.dynamics.com/api/discovery/v9.1/Instances(UniqueName='myorg'))
D. <https://disco.crm.dynamics.com/api/discovery/v9.1/>
E. <https://globaldisco.crm.dynamics.com/api/discovery/v9.1/Instances>

Answer: CE

Explanation:

C: Organization information is stored in the Instance entity of the Discovery service. To see the kind of information contained in that entity, send an HTTP GET request to the service for one of your instances.

GET [https://dev.{servername}/api/discovery/v9.0/Instances\(UniqueName='myorg'\)](https://dev.{servername}/api/discovery/v9.0/Instances(UniqueName='myorg'))

In the above example, the discovery service is used to obtain the organization information of the instance with a unique name of "myorg".

Reference:

<https://docs.microsoft.com/en-in/dynamics365/customerengagement/on-premises/developer/webapi/discover-url> <https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/webapi/samples/global-discovery>

NEW QUESTION 63

- (Exam Topic 4)

You have the following code:

```
Xrm.WebApi.createRecord("account", data).then(
    function success(result) {
        console.log("Success");
    },
    function (error) {
        console.log(error.message);
    }
);
```


You have a contact record that uses the GUID 2CFB1599-DEAD-425F-AB4A-76E6CAB51B09.

You need to assign the contact record as the primary contact for an account when you create the account. Which two code segments can you use? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A.

```
var data =
{
    "name": "Contoso account",
    "primarycontactid@odata.context": "/contacts(2CFB1599-DEAD-425F-AB4A-76E6CAB51B09)"
};
```
- B.

```
var data =
{
    "name": "Contoso account",
    "primarycontactid":
    {
        "logicalname": "contact",
        "id": "2CFB1599-DEAD-425F-AB4A-76E6CAB51B09"
    };
};
```
- C.

```
var data =
{
    "name": "Contoso account",
    "primarycontactid@odata.bind": "/contacts(2CFB1599-DEAD-425F-AB4A-76E6CAB51B09)"
};
```
- D.

```
var data =
{
    "name": "Contoso account",
    "primarycontactid": "/contacts(2CFB1599-DEAD-425F-AB4A-76E6CAB51B09)"
};
```

- A. Option A
B. Option B
C. Option C
D. Option D

Answer: BC

NEW QUESTION 68

- (Exam Topic 4)

You are synchronizing company data from a SQL Server-based .NET application into a Common Data Service (CDS) environment. The data is entered in both the SQL Server and CDS systems. You have a program that includes the following code:

```
var account = new Entity("account", "accountnumber", "CO-555");
account["name"] = "Contoso";
account["creditlimit"] = new Money(100000);
var request = new UpsertRequest() { Target = account };
var response = (UpsertResponse)_serviceProxy.Execute(request);
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

	Yes	No
Creating a new field to store the record identifier from the database resolves the error: The specified key attributes are not a defined key for the account entity.	<input type="radio"/>	<input type="radio"/>
Creating an alternate key that uses the accountnumber field resolves the error: The specified key attributes are not a defined key for the account entity.	<input type="radio"/>	<input type="radio"/>
If an account exists with only the account name entered as Contoso and all other fields empty, a new account record is created.	<input type="radio"/>	<input type="radio"/>
If an account exists that uses the account number CO-555, a new account record is created.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: No.

An alternate key is needed, not a new field for the record identifier. Box 2: Yes

The specified key attributes are not a defined key for the account entity. Name: EntityKeyNotDefined

Message: The specified key attributes are not a defined key for the {0} entity Box 3: Yes

One way to create an entity is by using the UpsertRequest class. An upsert will create a new entity when there is no existing record that has the unique identifiers included in the entity passed with the request.

Box 4: No Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/org-service/web-service-error-cod> <https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/org-service/entity-operations-upda>

NEW QUESTION 70

- (Exam Topic 4)

You work for a multinational company that has Azure and Common Data Service environment in the United States (UTC-7) and Japan (UTC+9).

You create Azure Functions for each location to update key data.

You need to configure the functions to run at 4:00 AM on weekdays at each location.

Which schedule formats should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Location	Timer schedule
United States	<div>▼</div> <div>0 0 4 * * 1-5</div> <div>0 0 7 * * 0-4</div> <div>0 0 11 * * 1-5</div> <div>0 0 19 * * 0-4</div>
Japan	<div>▼</div> <div>0 0 19 * * 0-4</div> <div>0 0 4 * * 1-5</div> <div>0 0 7 * * 1-5</div> <div>0 0 11 * * 0-4</div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: 0 0 4 * * 1-5

Azure Functions uses the NCronTab library to interpret NCRONTAB expressions.

An NCRONTAB expression is similar to a CRON expression except that it includes an additional sixth field at the beginning to use for time precision in seconds:

{second} {minute} {hour} {day} {month} {day-of-week} NCRONTAB time zones

The numbers in a CRON expression refer to a time and date, not a time span. For example, a 5 in the hour field refers to 5:00 AM, not every 5 hours.

The default time zone used with the CRON expressions is Coordinated Universal Time (UTC).

To have your CRON expression based on another time zone, create an app setting for your function app named WEBSITE_TIME_ZONE.

1-5 is weekdays

Box 2: 0 0 4 * * 1-5 Reference:

<https://docs.microsoft.com/en-us/azure/azure-functions/functions-bindings-timer?>

NEW QUESTION 71

- (Exam Topic 4)

A client uses a model-driven app that is deployed by using a managed solution in the production environment. The app contains only entities and UI components and has no custom code or extensions to the platform.

The client needs an exact copy of the app with a different name in the production environment. You need to recreate this app in production without disrupting the end users.

What should you do?

- A. Select the original model-driven app, select Edit, and then select Save As.
- B. Create a new model-driven ap
- C. Select the Use existing solution to create the App check box, and then select the solution that contains the original app.
- D. Select the managed solution and select Clone.
- E. Create a new model-driven app, manually add each component, and then recreate its original functions.
- F. Add the original app to a solution, export it as unmanaged, import it into a test environment and rename it, and then deploy it back into production.

Answer: B

Explanation:

The option Use existing solution allow users to select a specific solution for this app. Users can create a whole new design from scratch by not checking check box of use existing solution.

Reference:

<https://www.inogic.com/blog/2019/02/create-model-driven-app-cds-environment/>

NEW QUESTION 75

- (Exam Topic 4)

A company uses five different shipping companies to deliver products to customers. Each shipping company has a separate service that quotes delivery fees for destination addresses.

You need to design a custom connector that retrieves the shipping fees from all the shipping companies by using their APIs.

Which three elements should you define for the custom connector? Each correct answer presents part of the solution.


NOTE: Each correct selection is worth one point.

- A. Authentication model
- B. Address parameter
- C. OpenAPI definition
- D. Fee parameter
- E. Fee reference

Answer: ABC

Explanation:

C: You can create a custom connector using a OpenAPI definition file or a URL to OpenAPI definition. B: On the Security page you get to choose how to authenticate to the API.



← Connector Name Trefle

1. General > 2. Security > 3. Definition > 4. Test

✓ Create connector ✕ Cancel

Security

Choose the authentication type and fill in the required fields to set the security for your custom connector.
[Learn more](#)

Authentication type

Choose what authentication is implemented by your API *

API Key

Edit

API Key

Users will be required to provide the API Key when creating a connection

Parameter label *

API Key

Parameter name *

API-nyckel

Parameter location *

Header

Edit

← General Definition →

A: If you were to create a Custom Connector from scratch, then you would have to study the API you have chosen and type in the URL manually here.

Request

+ Import from sample

Verb *

The verb describes the operations available on a single path.

GET

URL *

This is the request URL.

https://trefle.io/api/plants/{id}

Path

Path is used together with Path Templating, where the parameter value is actually part of the operation's URL.

* id ...

Query

Query parameters are appended to the URL. For example, in /items?id=####, the query parameter is id.

* token ...

Headers

These are custom headers that are part of the request.

Body

The body is the payload that's appended to the HTTP request. There can only be one body parameter.

Reference:

<https://carinaclaesson.com/2019/09/06/setting-up-a-custom-connector-from-an-openapi-file-and-utilizing-it-in-p>

NEW QUESTION 79

- (Exam Topic 4)

A company implements Dynamics 365 Customer Service. The company deploys synchronous plug-ins for the PreOperation and PostOperation stages on create and for the PostOperation stage on update for processing different case type.

Users experience errors when updating cases. The plug-in trace log files show that the PostOperation plug-in update of case times out after two minutes.

You perform basic testing and discover that this plug-in is triggered on every update of a case. You examine the code and discover that the plug-in retrieves all columns for the updated case record performing its work.

You need to reduce the number of errors. You need to achieve this goal with the test amount of changes. Solution: In the Plug-in Registration tool, set filtering attributes on the plug-in to only Case Type filed. Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 81

- (Exam Topic 4)

A financial services company uses the Common Data Service (CDS) to develop solutions. The company uses development and production instances.

You need to move solutions from the development instance to the production instance.

What are two possible ways to achieve this goal? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. In the development instance, make changes to the solutions that are deployed in the production instance, export the solutions as managed solutions, and import the managed solutions into the production instance.
- B. In the development instance, highlight the solution you want to make changes to, select Clone a Patch, make changes, export the solution, and import the solution into the production instance.
- C. Export all managed solutions from the development instance and import the solutions into the production instance.
- D. In the production instance, import solutions with the same version number or higher when updating solutions.

Answer: AB

Explanation:

A: When you import a managed solution, all component changes will be brought into the environment in a published state.

B: You can apply patches to either managed or unmanaged solutions and include only changes to entities and related entity assets. Patches do not contain any non-customized system components or relationships that it depends upon because these components already exist in the deployed-to organization. At some point in your development cycle, you can roll up all the patches into a new solution version to replace the original solution that the patches were created from.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/import-update-export-solutions> <https://docs.microsoft.com/en-us/power-platform/alm/create-patches-simplify-solution-updates>

NEW QUESTION 84

- (Exam Topic 4)

An organization plans to set up a secure connector for Power Apps. The App will capture tweets from Twitters about the organization's upcoming product for sales follow-up.

You need to configure security for the app. Which authentication method should you use?

- A. OAuth
- B. API key
- C. Windows authentication
- D. Kerberos authentication
- E. Basic authentication

Answer: A

Explanation:

Configure OAuth2 provider settings for portals.

The OAuth 2.0 based external identity providers involve registering an "application" with a third-party service to obtain a "client ID" and "client secret" pair.

The supported providers are:

- > Microsoft Account
- > Twitter
- > Facebook
- > Google
- > LinkedIn
- > Yahoo

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/portals/configure/configure-oauth2-settings>

NEW QUESTION 86

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are designing a one-way integration from the Common Data Service to another system.

You must use an Azure Function to update the other system. The integration must send only newly created records to the other system. The solution must support scenarios where a component of the integration is unavailable for more than a few seconds to avoid data loss.

You need to design the integration solution.

Solution: Register a webhook in the Common Data Service that connects to the Azure Function. Register a step on the webhook which runs synchronously on the record's Create message and in the post-operation stage.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use asynchronous communication. D18912E1457D5D1DDCBD40AB3BF70D5D

NEW QUESTION 88

- (Exam Topic 4)

A company uses Common Data Service (CDS) and manages their engineers using a model-driven app. You create a new reusable custom component using the PowerApps component framework (PCF).

You need to package the custom component to be deployed into the model-driven app.

Which three commands should you run in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
npm install	
msbuild /t:build /restore	
npm start	⏪ ⏩
npm run build	⏪ ⏩
pac solution add-reference -path <control path>	
pac solution init -publisher-name <publisher> --publisher-prefix <prefix>	
pac pcf init --namespace <namespace> --name <control name> --template field	

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Step 1: npm install Install Npm

Step 2: pac pcf init ..

Commands for working with Power Apps component framework. It has the following parameters:

- > init: Initializes the code component project. It has the following parameters
- > namespace: Namespace of the code component.
- > name: Name of the code component.
- > template: Field or dataset

Step 3: pac solution add-reference

Commands for working with Common Data Service solution projects. It has the following parameters: add-References:

Sets the reference path to the component project folder by passing the path parameter.

Syntax: pac solution add-reference --path <path to your Power Apps component framework project> Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/powerapps-cli>

NEW QUESTION 90

- (Exam Topic 4)

A company has a model-driven app that captures applications from prospective students.

You are asked to create a new re-usable custom component using the Power Apps component framework (PCF).

The custom component must allow entry of a date of birth and validate that the applicant is not a minor. You create the class AuditDatePicker in the TypeScript file Index.ts and the style sheet DatePicker.css.

You need to define the component to be available only for relevant fields and its properties when used in a form.

How should you complete the manifest? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

```
<?xml version= "1.0" encoding= "utf-8"?>
<manifest>
  <control namespace= "delegate" constructor=
    version= "1.0.0" display-name-key= "Date Picker" description-key= "Date of Birth
    Date Picker that validates if a minor" control-type= "standard">
    <property name= "value" display-name-key= "Value" description-key= "Value" of-
    type=
    usage=
    required= "true" />
    <resources>
      <code path= "Index.ts" order= "1"/>
      <css path= "css/DatePicker.css" order= "1" />
    </resources>
    </control>
  </manifest>
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: AuditDatePicker

Constructor: Constructor of the code component. Box 2:DateandTime.DateOnly

Box 3: bound

usage: Has two properties, bound and input. Bound properties are bound only to the value of the field. Input properties are either bound to a field or allow a static value.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/component-framework/manifest-schema-reference/manif> <https://docs.microsoft.com/en-us/powerapps/developer/component-framework/implementing-controls-using-typ>

NEW QUESTION 94

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual PL-400 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the PL-400 Product From:

<https://www.2passeasy.com/dumps/PL-400/>

Money Back Guarantee

PL-400 Practice Exam Features:

- * PL-400 Questions and Answers Updated Frequently
- * PL-400 Practice Questions Verified by Expert Senior Certified Staff
- * PL-400 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * PL-400 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year