



# **Paloalto-Networks**

## **Exam Questions PCNSA**

Palo Alto Networks Certified Network Security Administrator

#### NEW QUESTION 1

An administrator is troubleshooting traffic that should match the interzone-default rule. However, the administrator doesn't see this traffic in the traffic logs on the firewall. The interzone-default was never changed from its default configuration. Why doesn't the administrator see the traffic?

- A. Traffic is being denied on the interzone-default policy.
- B. The Log Forwarding profile is not configured on the policy.
- C. The interzone-default policy is disabled by default
- D. Logging on the interzone-default policy is disabled

**Answer: D**

#### NEW QUESTION 2

What are three valid ways to map an IP address to a username? (Choose three.)

- A. using the XML API
- B. DHCP Relay logs
- C. a user connecting into a GlobalProtect gateway using a GlobalProtect Agent
- D. usernames inserted inside HTTP Headers
- E. WildFire verdict reports

**Answer: ACD**

#### NEW QUESTION 3

Access to which feature requires the PAN-OS Filtering license?

- A. PAN-DB database
- B. DNS Security
- C. Custom URL categories
- D. URL external dynamic lists

**Answer: A**

#### NEW QUESTION 4

Which two statements are correct about App-ID content updates? (Choose two.)

- A. Updated application content may change how security policy rules are enforced
- B. After an application content update, new applications must be manually classified prior to use
- C. Existing security policy rules are not affected by application content updates
- D. After an application content update, new applications are automatically identified and classified

**Answer: AD**

#### NEW QUESTION 5

The firewall sends employees an application block page when they try to access Youtube. Which Security policy rule is blocking the youtube application?

			Source		Destination						
	Name	Type	Zone	Address	Zone	Address	Application	Service	URL Category	Action	Profile
1	Deny Google	Universal	Inside	Any	Outside	Any	Google-docs-base	Application-d	Any	Deny	None
2	Allowed-security serv...	Universal	Inside	Any	Outside	Any	Snmpv3 Ssh ssl	Application-d	Any	Allow	None
3	Intrazone-default	Intrazone	Any	Any	(intrazone)	Any	Any	Any	Any	Allow	None
4	Interzone-default	Interzone	Any	Any	Any	Any	Any	Any	Any	Deny	None

- A. intrazone-default
- B. Deny Google
- C. allowed-security services
- D. interzone-default

**Answer: D**

#### NEW QUESTION 6

Complete the statement. A security profile can block or allow traffic

- A. on unknown-tcp or unknown-udp traffic
- B. after it is matched by a security policy that allows traffic
- C. before it is matched by a security policy
- D. after it is matched by a security policy that allows or blocks traffic

**Answer:** B

**Explanation:**

Security profiles are objects added to policy rules that are configured with an action of allow.

**NEW QUESTION 7**

By default, which action is assigned to the interzone-default rule?

- A. Reset-client
- B. Reset-server
- C. Deny
- D. Allow

**Answer:** C

**NEW QUESTION 8**

Which component is a building block in a Security policy rule?

- A. decryption profile
- B. destination interface
- C. timeout (min)
- D. application

**Answer:** D

**NEW QUESTION 9**

An administrator is reviewing another administrator's Security policy log settings. Which log setting configuration is consistent with best practices for normal traffic?

- A. Log at Session Start and Log at Session End both enabled
- B. Log at Session Start disabled Log at Session End enabled
- C. Log at Session Start enabled Log at Session End disabled
- D. Log at Session Start and Log at Session End both disabled

**Answer:** B

**NEW QUESTION 10**

What are three valid information sources that can be used when tagging users to dynamic user groups? (Choose three.)

- A. Biometric scanning results from iOS devices
- B. Firewall logs
- C. Custom API scripts
- D. Security Information and Event Management Systems (SIEMs), such as Splunk
- E. DNS Security service

**Answer:** BCE

**NEW QUESTION 10**

To what must an interface be assigned before it can process traffic?

- A. Security Zone
- B. Security policy
- C. Security Protection
- D. Security profile

**Answer:** A

**NEW QUESTION 12**

Your company is highly concerned with their Intellectual property being accessed by unauthorized resources. There is a mature process to store and include metadata tags for all confidential documents.

Which Security profile can further ensure that these documents do not exit the corporate network?

- A. File Blocking
- B. Data Filtering
- C. Anti-Spyware
- D. URL Filtering

**Answer:** B

**Explanation:**

<https://docs.paloaltonetworks.com/pan-os/9-1/pan-os-web-interface-help/objects/objects-security-profiles-data-f>

**NEW QUESTION 17**

What is a recommended consideration when deploying content updates to the firewall from Panorama?

- A. Content updates for firewall A/P HA pairs can only be pushed to the active firewall.

- B. Content updates for firewall A/A HA pairs need a defined master device.
- C. Before deploying content updates, always check content release version compatibility.
- D. After deploying content updates, perform a commit and push to Panorama.

**Answer: C**

#### NEW QUESTION 18

Which two security profile types can be attached to a security policy? (Choose two.)

- A. antivirus
- B. DDoS protection
- C. threat
- D. vulnerability

**Answer: AD**

#### NEW QUESTION 20


A Security Profile can block or allow traffic at which point?

- A. after it is matched to a Security policy rule that allows traffic
- B. on either the data plane or the management plane
- C. after it is matched to a Security policy rule that allows or blocks traffic
- D. before it is matched to a Security policy rule

**Answer: A**

#### NEW QUESTION 25

An administrator notices that protection is needed for traffic within the network due to malicious lateral movement activity. Based on the image shown, which traffic would the administrator need to monitor and block to mitigate the malicious activity?



- A. branch office traffic
- B. north-south traffic
- C. perimeter traffic
- D. east-west traffic

**Answer: D**

#### NEW QUESTION 26

Based on the security policy rules shown, ssh will be allowed on which port?




			Source		Destination						
	Name	Type	Zone	Address	Zone	Address	Application	Service	URL Category	Action	Profile
1	Deny Google	Universal	Inside	Any	Outside	Any	Google-docs-base	Application-d	Any	Deny	None
2	Allowed-security serv...	Universal	Inside	Any	Outside	Any	Snmpv3 Ssh ssl	Application-d	Any	Allow	None
3	Intrazone-default	Intrazone	Any	Any	(intrazone)	Any	Any	Any	Any	Allow	None
4	Interzone-default	Interzone	Any	Any	Any	Any	Any	Any	Any	Deny	None

- A. 80
- B. 53
- C. 22
- D. 23

**Answer: C**

#### NEW QUESTION 28

Based on the graphic which statement accurately describes the output shown in the server monitoring panel?



The screenshot shows the 'User-ID Agents' configuration panel. The domain is 'lab.local' and the Kerberos server profile is 'lab-kerberos'. Various settings are configured, including 'Enable Security Log', 'Server Log Monitor Frequency (sec) 2', 'Enable Session', 'Server Session Read Frequency (sec) 10', 'Novell eDirectory Query Interval (sec) 30', 'Syslog Service Profile', 'Enable Probing', 'Prove Interval (min) 20', 'Enable User Identification Timeout', 'User Identification Timeout (min) 45', 'Allow matching usernames without domains', 'Enable NTLM', 'NTLM Domain', and 'User-ID Collector Name'.

Below the configuration panel is the 'Server Monitoring' table:

Name	Enabled	Type	Network Address	Status
lab-client	<input checked="" type="checkbox"/>	Microsoft Active Directory	client-a.lab.local	Connected

- A. The User-ID agent is connected to a domain controller labeled lab-client.
- B. The host lab-client has been found by the User-ID agent.
- C. The host lab-client has been found by a domain controller.
- D. The User-ID agent is connected to the firewall labeled lab-client.

**Answer: A**

#### NEW QUESTION 32

Which license must an administrator acquire prior to downloading Antivirus updates for use with the firewall?

- A. URL filtering
- B. Antivirus
- C. WildFire
- D. Threat Prevention

**Answer: D**

#### NEW QUESTION 37

Given the detailed log information above, what was the result of the firewall traffic inspection?

Detailed Log View		
General	Source	Destination
Session ID 781868	Source User	Destination User
Action drop	Source 192.168.101.25	Destination 8.8.4.4
Host ID	Source DAG	Destination DAG
Application dns	Country 192.168.0.0-192.168.255.255	Country United States
Rule Outbound DNS	Port 46282	Port 53
Rule UUID ea9f3b96-e280-467c-aca5-0b1902857791	Zone Servers	Zone Internet
Device SN 007251000156341	Interface ethernet1/4	Interface ethernet1/8
IP Protocol udp	NAT IP 67.190.64.58	NAT IP 8.8.4.4
Log Action global-logs	NAT Port 26351	NAT Port 53
Generated Time 2021/08/27 02:02:49	X-Forwarded-For IP 0.0.0.0	
Receive Time 2021/08/27 02:02:53		
Tunnel Type N/A		
	Details	Flags
		Captive Portal <input type="checkbox"/>

- A. It was blocked by the Anti-Virus Security profile action.
- B. It was blocked by the Anti-Spyware Profile action.
- C. It was blocked by the Vulnerability Protection profile action.
- D. It was blocked by the Security policy action.

**Answer: B**

#### NEW QUESTION 40


An administrator wants to prevent access to media content websites that are risky  
 Which two URL categories should be combined in a custom URL category to accomplish this goal? (Choose two)

- A. streaming-media
- B. high-risk
- C. recreation-and-hobbies
- D. known-risk

**Answer: AC**

#### NEW QUESTION 41

Based on the graphic, what is the purpose of the SSL/TLS Service profile configuration option?



The image shows a 'General Settings' dialog box with the following fields and options:

- Hostname: [Text Field]
- Domain: [Text Field]
- ☐ Accept DHCP server provided Hostname
- ☐ Accept DHCP server provided Domain
- Login Banner: [Text Field]
- ☐ Force Admins to Acknowledge Login Banner
- SSL/TLS Service Profile: [Dropdown Menu, currently 'None']
- Time Zone: [Dropdown Menu, currently 'None']
- Locale: [Dropdown Menu, currently 'English']
- Date: [Dropdown Menu]
- Time: [Dropdown Menu]
- Latitude: [Text Field]
- Longitude: [Text Field]
- ☐ Automatically Acquire Commit Lock
- ☐ Certificate Expiration Check
- ☐ Use Hypervisor Assigned MAC Addresses
- ☐ GTP Security
- ☐ SCTP Security
- ☒ Policy Rule Hit Count

Buttons: OK, Cancel

- A. It defines the SSUTLS encryption strength used to protect the management interface.
- B. It defines the CA certificate used to verify the client's browser.
- C. It defines the certificate to send to the client's browser from the management interface.
- D. It defines the firewall's global SSL/TLS timeout values.

**Answer:** C

#### NEW QUESTION 42

Which two features can be used to tag a user name so that it is included in a dynamic user group? (Choose two)

- A. XML API
- B. log forwarding auto-tagging
- C. GlobalProtect agent
- D. User-ID Windows-based agent

**Answer:** AD

#### Explanation:

<https://docs.paloaltonetworks.com/pan-os/8-1/pan-os-admin/url-filtering/url-filtering-concepts/url-filtering-profi>

#### NEW QUESTION 47

Which Security profile can you apply to protect against malware such as worms and Trojans?

- A. data filtering
- B. antivirus
- C. vulnerability protection
- D. anti-spyware

**Answer:** B

#### NEW QUESTION 51

What are three differences between security policies and security profiles? (Choose three.)

- A. Security policies are attached to security profiles
- B. Security profiles are attached to security policies
- C. Security profiles should only be used on allowed traffic
- D. Security profiles are used to block traffic by themselves
- E. Security policies can block or allow traffic

**Answer:** BCE

**NEW QUESTION 52**

If users from the Trusted zone need to allow traffic to an SFTP server in the DMZ zone, how should a Security policy with App-ID be configured?

A)

Source Zone: Trusted  
Destination Zone: DMZ  
Services: Application-Default  
Applications: SSH  
Action: Deny

B)

Source Zone: Trusted  
Destination Zone: DMZ  
Services: SSH  
Applications: Any  
Action: Allow

C)

Source Zone: Trusted  
Destination Zone: DMZ  
Services: SSH  
Applications: Any  
Action: Deny

D)

Source Zone: Trusted  
Destination Zone: DMZ  
Services: Application-Default  
Applications: SSH  
Action: Allow

- A. Option A
- B. Option B
- C. Option C
- D. Option D

**Answer:** D

**NEW QUESTION 53**

How often does WildFire release dynamic updates?

- A. every 5 minutes
- B. every 15 minutes
- C. every 60 minutes
- D. every 30 minutes

**Answer:** A

**NEW QUESTION 57**

Which Palo Alto network security operating platform component provides consolidated policy creation and centralized management?

- A. Prisma SaaS
- B. Panorama
- C. AutoFocus
- D. GlobalProtect

**Answer:** B

**NEW QUESTION 59**

The PowerBall Lottery has reached an unusually high value this week. Your company has decided to raise morale by allowing employees to access the PowerBall Lottery website ([www.powerball.com](http://www.powerball.com)) for just this week. However, the company does not want employees to access any other websites also listed in the URL filtering “gambling” category.

Which method allows the employees to access the PowerBall Lottery website but without unblocking access to the “gambling” URL category?

- A. Add just the URL [www.powerball.com](http://www.powerball.com) to a Security policy allow rule.
- B. Manually remove [powerball.com](http://www.powerball.com) from the gambling URL category.
- C. Add \*.[powerball.com](http://www.powerball.com) to the URL Filtering allow list.
- D. Create a custom URL category, add \*.[powerball.com](http://www.powerball.com) to it and allow it in the Security Profile.

**Answer:** CD

**NEW QUESTION 61**

A security administrator has configured App-ID updates to be automatically downloaded and installed. The company is currently using an application identified by App-ID as SuperApp\_base.



On a content update notice, Palo Alto Networks is adding new app signatures labeled SuperApp\_chat and SuperApp\_download, which will be deployed in 30 days. Based on the information, how is the SuperApp traffic affected after the 30 days have passed?

- A. All traffic matching the SuperApp\_chat, and SuperApp\_download is denied because it no longer matches the SuperApp-base application
- B. No impact because the apps were automatically downloaded and installed
- C. No impact because the firewall automatically adds the rules to the App-ID interface
- D. All traffic matching the SuperApp\_base, SuperApp\_chat, and SuperApp\_download is denied until the security administrator approves the applications

**Answer:** A

**Explanation:**

<https://docs.paloaltonetworks.com/pan-os/9-0/pan-os-admin/app-id/manage-new-app-ids-introduced-in-content>

**NEW QUESTION 66**

Which two firewall components enable you to configure SYN flood protection thresholds? (Choose two.)

- A. QoS profile
- B. DoS Protection profile
- C. Zone Protection profile
- D. DoS Protection policy

**Answer:** BC

**NEW QUESTION 67**

An administrator is troubleshooting traffic that should match the interzone-default rule. However, the administrator doesn't see this traffic in the traffic logs on the firewall. The interzone-default was never changed from its default configuration.

Why doesn't the administrator see the traffic?

- A. Logging on the interzone-default policy is disabled.
- B. Traffic is being denied on the interzone-default policy.
- C. The Log Forwarding profile is not configured on the policy.
- D. The interzone-default policy is disabled by default.

**Answer:** A

**NEW QUESTION 70**

An internal host wants to connect to servers of the internet through using source NAT. Which policy is required to enable source NAT on the firewall?

- A. NAT policy with source zone and destination zone specified
- B. post-NAT policy with external source and any destination address
- C. NAT policy with no source of destination zone selected
- D. pre-NAT policy with external source and any destination address

**Answer:** A

**NEW QUESTION 73**

Which type of security policy rule will match traffic that flows between the Outside zone and inside zone, but would not match traffic that flows within the zones?

- A. global
- B. intrazone
- C. interzone
- D. universal

**Answer:** C

**NEW QUESTION 78**

What is a function of application tags?

- A. creation of new zones
- B. application prioritization
- C. automated referenced applications in a policy
- D. IP address allocations in DHCP

**Answer:** C

**NEW QUESTION 80**

An administrator would like to create a URL Filtering log entry when users browse to any gambling website. What combination of Security policy and Security profile actions is correct?

- A. Security policy = drop, Gambling category in URL profile = allow
- B. Security policy = den
- C. Gambling category in URL profile = block
- D. Security policy = allow, Gambling category in URL profile = alert
- E. Security policy = allo
- F. Gambling category in URL profile = allow

**Answer:**

C

### NEW QUESTION 82

Which attribute can a dynamic address group use as a filtering condition to determine its membership?

- A. tag
- B. wildcard mask
- C. IP address
- D. subnet mask

**Answer: A**

#### Explanation:

Dynamic Address Groups: A dynamic address group populates its members dynamically using looks ups for tags and tag-based filters. Dynamic address groups are very useful if you have an extensive virtual infrastructure where changes in virtual machine location/IP address are frequent. For example, you have a sophisticated failover setup or provision new virtual machines frequently and would like to apply policy to traffic from or to the new machine without modifying the configuration/rules on the firewall.

<https://docs.paloaltonetworks.com/pan-os/8-1/pan-os-web-interface-help/objects/objects-address-groups>

### NEW QUESTION 86

Which statements is true regarding a Heatmap report?

- A. When guided by authorized sales engineer, it helps determine te areas of greatest security risk.
- B. It provides a percentage of adoption for each assessment area.
- C. It runs only on firewall.
- D. It provides a set of questionnaires that help uncover security risk prevention gaps across all areas of network and security architecture.

**Answer: B**

### NEW QUESTION 89

What does an administrator use to validate whether a session is matching an expected NAT policy?

- A. system log
- B. test command
- C. threat log
- D. config audit

**Answer: B**

### NEW QUESTION 91

You receive notification about new malware that is being used to attack hosts The malware exploits a software bug in a common application Which Security Profile detects and blocks access to this threat after you update the firewall's threat signature database?

- A. Data Filtering Profile applied to outbound Security policy rules
- B. Antivirus Profile applied to outbound Security policy rules
- C. Data Filtering Profile applied to inbound Security policy rules
- D. Vulnerability Profile applied to inbound Security policy rules

**Answer: B**

### NEW QUESTION 96

An administrator is reviewing the Security policy rules shown in the screenshot below. Which statement is correct about the information displayed?



Rule	Name	Tag	Source	Destination	Action	Log	Hit Count	Last Hit
1	Application: Web	Infrastructure*	any	any	allow	checked	1000	2022-01-01 10:00:00
2	Application: Web	Infrastructure*	any	any	allow	checked	1000	2022-01-01 10:00:00
3	Application: Web	Infrastructure*	any	any	allow	checked	1000	2022-01-01 10:00:00
4	Application: Web	Infrastructure*	any	any	allow	checked	1000	2022-01-01 10:00:00
5	Application: Web	Infrastructure*	any	any	allow	checked	1000	2022-01-01 10:00:00
6	Application: Web	Infrastructure*	any	any	allow	checked	1000	2022-01-01 10:00:00
7	Application: Web	Infrastructure*	any	any	allow	checked	1000	2022-01-01 10:00:00
8	Application: Web	Infrastructure*	any	any	allow	checked	1000	2022-01-01 10:00:00
9	Application: Web	Infrastructure*	any	any	allow	checked	1000	2022-01-01 10:00:00
10	Application: Web	Infrastructure*	any	any	allow	checked	1000	2022-01-01 10:00:00
11	Application: Web	Infrastructure*	any	any	allow	checked	1000	2022-01-01 10:00:00

- A. Eleven rules use the "Infrastructure\*" tag.
- B. The view Rulebase as Groups is checked.
- C. There are seven Security policy rules on this firewall.
- D. Highlight Unused Rules is checked.

**Answer: B**

#### NEW QUESTION 100

Your company occupies one floor in a single building you have two active directory domain controllers on a single networks the firewall s management plane is only slightly utilized.

Which user-ID agent sufficient in your network?

- A. PAN-OS integrated agent deployed on the firewall
- B. Windows-based agent deployed on the internal network a domain member
- C. Citrix terminal server agent deployed on the network
- D. Windows-based agent deployed on each domain controller

**Answer: D**

#### NEW QUESTION 102

For the firewall to use Active Directory to authenticate users, which Server Profile is required in the Authentication Profile?

- A. TACACS+
- B. RADIUS
- C. LDAP
- D. SAML

**Answer: C**

#### NEW QUESTION 107

URL categories can be used as match criteria on which two policy types? (Choose two.)

- A. authentication
- B. decryption
- C. application override
- D. NAT

**Answer: AB**

#### NEW QUESTION 111

Which firewall feature do you need to configure to query Palo Alto Networks service updates over a data-plane interface instead of the management interface?

- A. Data redistribution
- B. Dynamic updates
- C. SNMP setup
- D. Service route

**Answer: D**

#### NEW QUESTION 114

Which the app-ID application will you need to allow in your security policy to use facebook-chat?

- A. facebook-email
- B. facebook-base
- C. facebook
- D. facebook-chat

**Answer: BD**

#### NEW QUESTION 119


Which URL Filtering profile action would you set to allow users the option to access a site only if they provide a URL admin password?

- A. override
- B. authorization
- C. authentication
- D. continue

**Answer: B**

#### NEW QUESTION 123

Given the Cyber-Attack Lifecycle diagram, identify the stage in which the attacker can initiate malicious code against a targeted machine.



- A. Exploitation

- B. Installation
- C. Reconnaissance
- D. Act on Objective

**Answer:** A

#### NEW QUESTION 124

What are three Palo Alto Networks best practices when implementing the DNS Security Service? (Choose three.)

- A. Implement a threat intel program.
- B. Configure a URL Filtering profile.
- C. Train your staff to be security aware.
- D. Rely on a DNS resolver.
- E. Plan for mobile-employee risk

**Answer:** ABD

#### NEW QUESTION 127

An administrator has configured a Security policy where the matching condition includes a single application and the action is deny. If the application's default deny action is reset-both, what action does the firewall take\*?

- A. It sends a TCP reset to the client-side and server-side devices
- B. It silently drops the traffic and sends an ICMP unreachable code
- C. It silently drops the traffic
- D. It sends a TCP reset to the server-side device

**Answer:** A

#### NEW QUESTION 131

An address object of type IP Wildcard Mask can be referenced in which part of the configuration?

- A. Security policy rule
- B. ACC global filter
- C. external dynamic list
- D. NAT address pool

**Answer:** A

#### Explanation:

You can use an address object of type IP Wildcard Mask only in a Security policy rule. <https://docs.paloaltonetworks.com/pan-os/9-0/pan-os-web-interface-help/objects/objects-addresses/IP-Wildcard-Mask>  
—Enter an IP wildcard address in the format of an IPv4 address followed by a slash and a mask (which must begin with a zero); for example, 10.182.1.1/0.127.248.0. In the wildcard mask, a zero (0) bit indicates that the bit being compared must match the bit in the IP address that is covered by the 0. A one (1) bit in the mask is a wildcard bit, meaning the bit being compared need not match the bit in the IP address that is covered by the 1. Convert the IP address and the wildcard mask to binary. To illustrate the matching: on binary snippet 0011, a wildcard mask of 1010 results in four matches (0001, 0011, 1001, and 1011).

#### NEW QUESTION 134

If using group mapping with Active Directory Universal Groups, what must you do when configuring the User-ID?

- A. Create an LDAP Server profile to connect to the root domain of the Global Catalog server on port 3268 or 3269 for SSL
- B. Configure a frequency schedule to clear group mapping cache
- C. Configure a Primary Employee ID number for user-based Security policies
- D. Create a RADIUS Server profile to connect to the domain controllers using LDAPS on port 636 or 389

**Answer:** B

#### Explanation:

➤ If you have Universal Groups, create an LDAP server profile to connect to the root domain of the Global Catalog server on port 3268 or 3269 for SSL, then create another LDAP server profile to connect to the root domain controllers on port 389. This helps ensure that users and group information is available for all domains and subdomains.  
<https://docs.paloaltonetworks.com/pan-os/9-1/pan-os-admin/user-id/map-users-to-groups>

#### NEW QUESTION 138

Which path in PAN-OS 10.0 displays the list of port-based security policy rules?

- A. Policies> Security> Rule Usage> No App Specified
- B. Policies> Security> Rule Usage> Port only specified
- C. Policies> Security> Rule Usage> Port-based Rules
- D. Policies> Security> Rule Usage> Unused Apps

**Answer:** A

#### Explanation:

<https://docs.paloaltonetworks.com/pan-os/9-0/pan-os-admin/app-id/security-policy-rule-optimization/migrate-po>

#### NEW QUESTION 140



Which Palo Alto networks security operating platform service protects cloud-based application such as Dropbox and salesforce by monitoring permissions and shared and scanning files for Sensitive information?

- A. Prisma SaaS
- B. AutoFocus
- C. Panorama
- D. GlobalProtect

**Answer:** A

#### NEW QUESTION 144

Which information is included in device state other than the local configuration?

- A. uncommitted changes
- B. audit logs to provide information of administrative account changes
- C. system logs to provide information of PAN-OS changes
- D. device group and template settings pushed from Panorama

**Answer:** D

#### NEW QUESTION 149

Match each feature to the DoS Protection Policy or the DoS Protection Profile.

Threat Intelligence Cloud	Drag answer here	Identifies and inspects all traffic to block known threats.
Next-Generation Firewall	Drag answer here	Gathers, analyzes, correlates, and disseminates threats to and from the network and endpoints located within the network.
Advanced Endpoint Protection	Drag answer here	Inspects processes and files to prevent known and unknown exploits.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Threat Intelligence Cloud	Next-Generation Firewall	Identifies and inspects all traffic to block known threats.
Next-Generation Firewall	Threat Intelligence Cloud	Gathers, analyzes, correlates, and disseminates threats to and from the network and endpoints located within the network.
Advanced Endpoint Protection	Advanced Endpoint Protection	Inspects processes and files to prevent known and unknown exploits.

#### NEW QUESTION 152

Which operations are allowed when working with App-ID application tags?

- A. Predefined tags may be deleted.
- B. Predefined tags may be augmented by custom tags.
- C. Predefined tags may be modified.
- D. Predefined tags may be updated by WildFire dynamic updates.

**Answer:** B



#### NEW QUESTION 154

Which statement is true regarding NAT rules?

- A. Static NAT rules have precedence over other forms of NAT.
- B. Translation of the IP address and port occurs before security processing.
- C. NAT rules are processed in order from top to bottom.
- D. Firewall supports NAT on Layer 3 interfaces only.

**Answer:** C

#### Explanation:

<https://docs.paloaltonetworks.com/pan-os/9-1/pan-os-admin/networking/nat/nat-policy-rules/nat-policy-overview>

#### NEW QUESTION 158

Which license is required to use the Palo Alto Networks built-in IP address EDLs?

- A. DNS Security
- B. Threat Prevention
- C. WildFire
- D. SD-Wan

**Answer:** B

#### NEW QUESTION 161

An administrator needs to allow users to use their own office applications. How should the administrator configure the firewall to allow multiple applications in a dynamic environment?

- A. Create an Application Filter and name it Office Programs, the filter it on the business-systems category, office-programs subcategory
- B. Create an Application Group and add business-systems to it
- C. Create an Application Filter and name it Office Programs, then filter it on the business-systems category
- D. Create an Application Group and add Office 365, Evernote, Google Docs, and Libre Office

**Answer:** A

#### Explanation:

An application filter is an object that dynamically groups applications based on application attributes that you define, including category, subcategory, technology, risk factor, and characteristic. This is useful when you want to safely enable access to applications that you do not explicitly sanction, but that you want users to be able to access. For example, you may want to enable employees to choose their own office programs (such as Evernote, Google Docs, or Microsoft Office 365) for business use. To safely enable these types of applications, you could create an application filter that matches on the Category business-systems and the Subcategory office-programs. As new applications office programs emerge and new App-IDs get created, these new applications will automatically match the filter you defined; you will not have to make any additional changes to your policy rulebase to safely enable any application that matches the attributes you defined for the filter.

<https://docs.paloaltonetworks.com/pan-os/9-0/pan-os-admin/app-id/use-application-objects-in-policy/create-an-application-filter.html>

#### NEW QUESTION 163

What two authentication methods on the Palo Alto Networks firewalls support authentication and authorization for role-based access control? (Choose two.)

- A. SAML
- B. TACACS+
- C. LDAP
- D. Kerberos

**Answer:** AB

#### NEW QUESTION 166

What are the requirements for using Palo Alto Networks EDL Hosting Service?

- A. any supported Palo Alto Networks firewall or Prisma Access firewall
- B. an additional subscription free of charge
- C. a firewall device running with a minimum version of PAN-OS 10.1
- D. an additional paid subscription

**Answer:** A

#### NEW QUESTION 170

Match the network device with the correct User-ID technology.

Answer Area

Microsoft Exchange	Drag answer here	syslog monitoring
Linux authentication	Drag answer here	Terminal Services agent
Windows clients	Drag answer here	server monitoring
Citrix client	Drag answer here	client probing

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:  
Microsoft Exchange – Server monitoring  
Linux authentication – syslog monitoring  
Windows Client – client probing  
Citrix client – Terminal Services agent

NEW QUESTION 174  
Place the following steps in the packet processing order of operations from first to last.

content inspection		first
QOS shaping applied		second
Security policy lookup		third
DoS protection		fourth

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

	DoS protection	first
	Security policy lookup	second
	content inspection	third
	QOS shaping applied	fourth

NEW QUESTION 176  
When creating a custom URL category object, which is a valid type?

- A. domain match
- B. host names
- C. wildcard
- D. category match

Answer: D

#### NEW QUESTION 180

An administrator would like to see the traffic that matches the interzone-default rule in the traffic logs. What is the correct process to enable this logging1?

- A. Select the interzone-default rule and edit the rule on the Actions tab select Log at Session Start and click OK
- B. Select the interzone-default rule and edit the rule on the Actions tab select Log at Session End and click OK
- C. This rule has traffic logging enabled by default no further action is required
- D. Select the interzone-default rule and click Override on the Actions tab select Log at Session End and click OK

**Answer:** D

#### NEW QUESTION 183

An administrator wants to prevent users from submitting corporate credentials in a phishing attack. Which Security profile should be applied?

- A. antivirus
- B. anti-spyware
- C. URL filtering
- D. vulnerability protection

**Answer:** B

#### NEW QUESTION 188

An administrator would like to silently drop traffic from the internet to a ftp server. Which Security policy action should the administrator select?

- A. Reset-server
- B. Block
- C. Deny
- D. Drop

**Answer:** D

#### NEW QUESTION 190

Based on the screenshot what is the purpose of the group in User labelled "it"?

	Name	Type	Source			Destination		Application	Service	Action
			Zone	Address	User	Zone	Address			
1	allow-it	universal	inside	any	it	dmz	any	it-tools	application-default	Allow

- A. Allows users to access IT applications on all ports
- B. Allows users in group "DMZ" to access IT applications
- C. Allows "any" users to access servers in the DMZ zone
- D. Allows users in group "it" to access IT applications

**Answer:** D

#### NEW QUESTION 192

How does an administrator schedule an Applications and Threats dynamic update while delaying installation of the update for a certain amount of time?

- A. Disable automatic updates during weekdays
- B. Automatically "download and install" but with the "disable new applications" option used
- C. Automatically "download only" and then install Applications and Threats later, after the administrator approves the update
- D. Configure the option for "Threshold"

**Answer:** D

#### NEW QUESTION 197

Which plane on a Palo alto networks firewall provides configuration logging and reporting functions on a separate processor?

- A. data
- B. network processing
- C. management
- D. security processing

**Answer:** C

#### NEW QUESTION 200

Starting with PAN\_OS version 9.1 which new type of object is supported for use within the user field of a security policy rule?

- A. local username
- B. dynamic user group
- C. remote username
- D. static user group

**Answer:** B

#### NEW QUESTION 205

Identify the correct order to configure the PAN-OS integrated USER-ID agent.


- \* 3. add the service account to monitor the server(s)
- \* 2. define the address of the servers to be monitored on the firewall
- \* 4. commit the configuration, and verify agent connection status
- \* 1. create a service account on the Domain Controller with sufficient permissions to execute the User- ID agent

- A. 2-3-4-1
- B. 1-4-3-2
- C. 3-1-2-4
- D. 1-3-2-4

**Answer: D**

#### NEW QUESTION 209

Given the topology, which zone type should interface E1/1 be configured with?



- A. Tap
- B. Tunnel
- C. Virtual Wire
- D. Layer3

**Answer: A**

#### NEW QUESTION 214

After making multiple changes to the candidate configuration of a firewall, the administrator would like to start over with a candidate configuration that matches the running configuration.

Which command in Device > Setup > Operations would provide the most operationally efficient way to accomplish this?

- A. Import named config snapshot
- B. Load named configuration snapshot
- C. Revert to running configuration
- D. Revert to last saved configuration

**Answer: C**

#### NEW QUESTION 218

In a File Blocking profile, which two actions should be taken to allow file types that support critical apps? (Choose two.)

- A. Clone and edit the Strict profile.
- B. Use URL filtering to limit categories in which users can transfer files.
- C. Set the action to Continue.
- D. Edit the Strict profile.

**Answer: AD**

#### NEW QUESTION 222

Which action results in the firewall blocking network traffic without notifying the sender?

- A. Deny
- B. No notification
- C. Drop
- D. Reset Client

**Answer: C**

#### NEW QUESTION 225

The CFO found a malware infected USB drive in the parking lot, which when inserted infected their corporate laptop the malware contacted a known command-and-control server which exfiltrating corporate data.

Which Security profile feature could have been used to prevent the communications with the command-and-control server?

- A. Create a Data Filtering Profile and enable its DNS sinkhole feature.
- B. Create an Antivirus Profile and enable its DNS sinkhole feature.
- C. Create an Anti-Spyware Profile and enable its DNS sinkhole feature.



D. Create a URL Filtering Profile and block the DNS sinkhole URL category.

**Answer:** C

#### NEW QUESTION 227

Selecting the option to revert firewall changes will replace what settings?

- A. the running configuration with settings from the candidate configuration
- B. the device state with settings from another configuration
- C. the candidate configuration with settings from the running configuration
- D. dynamic update scheduler settings

**Answer:** C

#### NEW QUESTION 230

Which three interface deployment methods can be used to block traffic flowing through the Palo Alto Networks firewall? (Choose three.)

- A. Layer 2
- B. Virtual Wire
- C. Tap
- D. Layer 3
- E. HA

**Answer:** BDE

#### NEW QUESTION 234


Which Security profile would you apply to identify infected hosts on the protected network uwall user database?

- A. Anti-spyware
- B. Vulnerability protection
- C. URL filtering
- D. Antivirus

**Answer:** A

#### NEW QUESTION 235

Refer to the exhibit. A web server in the DMZ is being mapped to a public address through DNAT.



Which Security policy rule will allow traffic to flow to the web server?

- A. Untrust (any) to DMZ (10.1.1.100), web browsing -Allow
- B. Untrust (any) to Untrust (1.1.1.100), web browsing - Allow
- C. Untrust (any) to Untrust (10.1.1.100), web browsing -Allow
- D. Untrust (any) to DMZ (1.1.1.100), web browsing - Allow

**Answer:** D

#### NEW QUESTION 237

What allows a security administrator to preview the Security policy rules that match new application signatures?

- A. Review Release Notes
- B. Dynamic Updates-Review Policies
- C. Dynamic Updates-Review App
- D. Policy Optimizer-New App Viewer

**Answer:** B

**Explanation:**



<https://docs.paloaltonetworks.com/pan-os/9-0/pan-os-admin/app-id/manage-new-app-ids-introduced-in-content>

NEW QUESTION 239

Which user mapping method could be used to discover user IDs in an environment with multiple Windows domain controllers?

- A. Active Directory monitoring
- B. Windows session monitoring
- C. Windows client probing
- D. domain controller monitoring

Answer: A

NEW QUESTION 244

Match the cyber-attack lifecycle stage to its correct description.

reconnaissance

installation

command and control

act on the objectives

Answer Area

stage that reveals the attacker's motivation

stage where the attacker scans for network vulnerabilities to be exploited

stage where the attacker will explore methods of persistence

stage where the attacker has access to a system

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

reconnaissance

installation

command and control

act on the objectives

Answer Area

reconnaissance

installation

command and control

act on the objectives

stage that reveals the attacker's motivation

stage where the attacker scans for network vulnerabilities to be exploited

stage where the attacker will explore methods of persistence

stage where the attacker has access to a system

NEW QUESTION 247

What must be configured for the firewall to access multiple authentication profiles for external services to authenticate a non-local account?

- A. authentication sequence
- B. LDAP server profile
- C. authentication server list
- D. authentication list profile

Answer: A

NEW QUESTION 250

What do you configure if you want to set up a group of objects based on their ports alone?

- A. Application groups
- B. Service groups
- C. Address groups
- D. Custom objects

Answer: B

#### NEW QUESTION 253

Which action related to App-ID updates will enable a security administrator to view the existing security policy rule that matches new application signatures?

- A. Review Policies
- B. Review Apps
- C. Pre-analyze
- D. Review App Matches

**Answer:** A

#### Explanation:

References:

<https://docs.paloaltonetworks.com/pan-os/9-0/pan-os-admin/app-id/manage-new-app-ids-introduced-incontent-releases/review-new-app-id-impact-on-existing-policy-rules>

#### NEW QUESTION 257

A website is unexpectedly allowed due to miscategorization.

What are two ways to resolve this issue for a proper response? (Choose two.)

- A. Identify the URL category being assigned to the website. Edit the active URL Filtering profile and update that category's site access settings to block.
- B. Create a URL category and assign the affected URL. Update the active URL Filtering profile site access setting for the custom URL category to block.
- C. Review the categorization of the website on <https://urlfiltering.paloaltonetworks.com>. Submit for "request change", identifying the appropriate categorization, and wait for confirmation before testing again.
- D. Create a URL category and assign the affected URL. Add a Security policy with a URL category qualifier of the custom URL category below the original policy.
- E. Set the policy action to Deny.

**Answer:** CD

#### NEW QUESTION 260

Which URL profiling action does not generate a log entry when a user attempts to access that URL?

- A. Override
- B. Allow
- C. Block
- D. Continue

**Answer:** B

#### NEW QUESTION 265

Where within the firewall GUI can all existing tags be viewed?

- A. Network > Tags
- B. Monitor > Tags
- C. Objects > Tags
- D. Policies > Tags

**Answer:** C

#### NEW QUESTION 270

What is the purpose of the automated commit recovery feature?

- A. It reverts the Panorama configuration.
- B. It causes HA synchronization to occur automatically between the HA peers after a push from Panorama.
- C. It reverts the firewall configuration if the firewall recognizes a loss of connectivity to Panorama after the change.
- D. It generates a config log after the Panorama configuration successfully reverts to the last running configuration.

**Answer:** C

#### NEW QUESTION 272

Which two rule types allow the administrator to modify the destination zone? (Choose two )

- A. interzone
- B. intrazone
- C. universal
- D. shadowed

**Answer:** AC

#### NEW QUESTION 274

Recently changes were made to the firewall to optimize the policies and the security team wants to see if those changes are helping.


What is the quickest way to reset the hit counter to zero in all the security policy rules?

- A. At the CLI enter the command reset rules and press Enter
- B. Highlight a rule and use the Reset Rule Hit Counter > Selected Rules for each rule
- C. Reboot the firewall
- D. Use the Reset Rule Hit Counter > All Rules option

Answer: D

#### NEW QUESTION 276

At which stage of the cyber-attack lifecycle would the attacker attach an infected PDF file to an email?



- A. delivery
- B. command and control
- C. exploitation
- D. reinsurance
- E. installation

Answer: A

#### NEW QUESTION 280

What can be achieved by selecting a policy target prior to pushing policy rules from Panorama?

- A. Doing so limits the templates that receive the policy rules
- B. Doing so provides audit information prior to making changes for selected policy rules
- C. You can specify the firewalls in a device group to which to push policy rules
- D. You specify the location as pre or post-rules to push policy rules

Answer: C

#### NEW QUESTION 281

Which three types of authentication services can be used to authenticate user traffic flowing through the firewalls data plane? (Choose three )

- A. TACACS
- B. SAML2
- C. SAML10
- D. Kerberos
- E. TACACS+

Answer: ABD

#### NEW QUESTION 282

According to the best practices for mission critical devices, what is the recommended interval for antivirus updates?

- A. by minute
- B. hourly
- C. daily
- D. weekly

Answer: C

#### NEW QUESTION 286

The PowerBall Lottery has reached a high payout amount and a company has decided to help employee morale by allowing employees to check the number, but doesn't want to unblock the gambling URL category.

Which two methods will allow the employees to get to the PowerBall Lottery site without the company unlocking the gambling URL category? (Choose two.)

- A. Add all the URLs from the gambling category except powerball.com to the block list and then set the action for the gambling category to allow.
- B. Manually remove powerball.com from the gambling URL category.
- C. Add \*.powerball.com to the allow list
- D. Create a custom URL category called PowerBall and add \*.powerball.com to the category and set the action to allow.

Answer: CD

#### NEW QUESTION 289

Which two settings allow you to restrict access to the management interface? (Choose two )

- A. enabling the Content-ID filter
- B. administrative management services
- C. restricting HTTP and telnet using App-ID
- D. permitted IP addresses

**Answer:** AC

**NEW QUESTION 290**

Which two features can be used to tag a username so that it is included in a dynamic user group? (Choose two.)

- A. GlobalProtect agent
- B. XML API
- C. User-ID Windows-based agent
- D. log forwarding auto-tagging

**Answer:** BC

**NEW QUESTION 293**

Which service protects cloud-based applications such as Dropbox and Salesforce by administering permissions and scanning files for sensitive information?

- A. Aperture
- B. AutoFocus
- C. Parisma SaaS
- D. GlobalProtect

**Answer:** C

**NEW QUESTION 294**


Which Security profile must be added to Security policies to enable DNS Signatures to be checked?

- A. Anti-Spyware
- B. Antivirus
- C. Vulnerability Protection
- D. URL Filtering

**Answer:** D

**NEW QUESTION 297**

Which data-plane processor layer of the graphic shown provides uniform matching for spyware and vulnerability exploits on a Palo Alto Networks Firewall?



- A. Signature Matching
- B. Network Processing
- C. Security Processing
- D. Security Matching

**Answer:** A

**NEW QUESTION 299**

Which statement is true regarding a Prevention Posture Assessment?

- A. The Security Policy Adoption Heatmap component filters the information by device groups, serial numbers, zones, areas of architecture, and other categories
- B. It provides a set of questionnaires that help uncover security risk prevention gaps across all areas of network and security architecture
- C. It provides a percentage of adoption for each assessment area
- D. It performs over 200 security checks on Panorama/firewall for the assessment

**Answer:** B



#### NEW QUESTION 304

An administrator would like to apply a more restrictive Security profile to traffic for file sharing applications. The administrator does not want to update the Security policy or object when new applications are released.

Which object should the administrator use as a match condition in the Security policy?

- A. the Content Delivery Networks URL category
- B. the Online Storage and Backup URL category
- C. an application group containing all of the file-sharing App-IDs reported in the traffic logs
- D. an application filter for applications whose subcategory is file-sharing

**Answer:** D

#### NEW QUESTION 307

How frequently can wildfire updates be made available to firewalls?

- A. every 15 minutes
- B. every 30 minutes
- C. every 60 minutes
- D. every 5 minutes

**Answer:** D

#### NEW QUESTION 309

Which two App-ID applications will need to be allowed to use Facebook-chat? (Choose two.)

- A. facebook
- B. facebook-chat
- C. facebook-base
- D. facebook-email

**Answer:** BC

#### NEW QUESTION 311

What does an application filter help you to do?

- A. It dynamically provides application statistics based on network, threat, and blocked activity,
- B. It dynamically filters applications based on critical, high, medium, low
- C. or informational severity.
- D. It dynamically groups applications based on application attributes such as category and subcategory.
- E. It dynamically shapes defined application traffic based on active sessions and bandwidth usage.

**Answer:** C

#### NEW QUESTION 315

Which interface type can use virtual routers and routing protocols?

- A. Tap
- B. Layer3
- C. Virtual Wire
- D. Layer2

**Answer:** B

#### NEW QUESTION 317

Which Security profile would you apply to identify infected hosts on the protected network using DNS traffic?

- A. URL traffic
- B. vulnerability protection
- C. anti-spyware
- D. antivirus

**Answer:** C

#### NEW QUESTION 321

A network administrator created an intrazone Security policy rule on the firewall. The source zones were set to IT, Finance, and HR.

Which two types of traffic will the rule apply to? (Choose two)

- A. traffic between zone IT and zone Finance
- B. traffic between zone Finance and zone HR
- C. traffic within zone IT
- D. traffic within zone HR

**Answer:** CD

#### NEW QUESTION 326



Which type of profile must be applied to the Security policy rule to protect against buffer overflows illegal code execution and other attempts to exploit system flaws?

- A. anti-spyware
- B. URL filtering
- C. vulnerability protection
- D. file blocking

**Answer:** C

#### NEW QUESTION 330

A server-admin in the USERS-zone requires SSH-access to all possible servers in all current and future Public Cloud environments. All other required connections have already been enabled between the USERS- and the OUTSIDE-zone. What configuration-changes should the Firewall-admin make?

- A. Create a custom-service-object called SERVICE-SSH for destination-port-TCP-22. Create a security-rule between zone USERS and OUTSIDE to allow traffic from any source IP-address to any destination IP-address for SERVICE-SSH
- B. Create a security-rule that allows traffic from zone USERS to OUTSIDE to allow traffic from any source IP-address to any destination IP-address for application SSH
- C. In addition to option a, a custom-service-object called SERVICE-SSH-RETURN that contains source-port-TCP-22 should be create
- D. A second security-rule is required that allows traffic from zone OUTSIDE to USERS for SERVICE-SSH-RETURN for any source-IP-address to any destination-ip-address
- E. In addition to option c, an additional rule from zone OUTSIDE to USERS for application SSH from any source-IP-address to any destination-IP-address is required to allow the return-traffic from the SSH-servers to reach the server-admin

**Answer:** B

#### NEW QUESTION 334

Which URL Filtering Profile action does not generate a log entry when a user attempts to access a URL?

- A. override
- B. allow
- C. block
- D. continue

**Answer:** B

#### NEW QUESTION 337

Which definition describes the guiding principle of the zero-trust architecture?

- A. never trust, never connect
- B. always connect and verify
- C. never trust, always verify
- D. trust, but verify

**Answer:** C

#### NEW QUESTION 338

Which interface type is part of a Layer 3 zone with a Palo Alto Networks firewall?

- A. Management
- B. High Availability
- C. Aggregate
- D. Aggregation

**Answer:** C

#### NEW QUESTION 340

What is the correct process for creating a custom URL category?

- A. Objects > Security Profiles > URL Category > Add
- B. Objects > Custom Objects > URL Filtering > Add
- C. Objects > Security Profiles > URL Filtering > Add
- D. Objects > Custom Objects > URL Category > Add

**Answer:** D

#### NEW QUESTION 344

Given the screenshot, what are two correct statements about the logged traffic? (Choose two.)

	FROM ZONE	TO ZONE	INGRESS I/F	SOURCE	NAT APPLIED	EGRESS I/F	DESTINATION	TO PORT	APPLICATION	ACTION	SESSION END REASON	BYTES	ACTION SOURCE	LOG ACTION	BYTES SENT	BYTES RECEIVED	LOG TYPE
end	LANE	Internet	ethernet1/2	192.168.200.100	yes	ethernet1/5	198.54.12.97	443	web-browsing	allow	threat	5.3K	from-policy	default	2.7K	541	traffic

- A. The web session was unsuccessfully decrypted.
- B. The traffic was denied by security profile.
- C. The traffic was denied by URL filtering.

D. The web session was decrypted.

**Answer:** D

**NEW QUESTION 345**

Which type of administrative role must you assign to a firewall administrator account, if the account must include a custom set of firewall permissions?

- A. SAML
- B. Multi-Factor Authentication
- C. Role-based
- D. Dynamic

**Answer:** C

**NEW QUESTION 349**

What is a prerequisite before enabling an administrative account which relies on a local firewall user database?

- A. Configure an authentication policy
- B. Configure an authentication sequence
- C. Configure an authentication profile
- D. Isolate the management interface on a dedicated management VLAN

**Answer:** C

**NEW QUESTION 353**

An administrator wishes to follow best practices for logging traffic that traverses the firewall Which log setting is correct?

- A. Disable all logging
- B. Enable Log at Session End
- C. Enable Log at Session Start
- D. Enable Log at both Session Start and End

**Answer:** B

**NEW QUESTION 354**

Which three filter columns are available when setting up an Application Filter? (Choose three.)

- A. Parent App
- B. Category
- C. Risk
- D. Standard Ports
- E. Subcategory

**Answer:** BCE

**Explanation:**

<https://docs.paloaltonetworks.com/pan-os/9-1/pan-os-web-interface-help/objects/objects-application-filters>

**NEW QUESTION 359**

.....

## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questons and Answers in PDF Format

### PCNSA Practice Exam Features:

- \* PCNSA Questions and Answers Updated Frequently
- \* PCNSA Practice Questions Verified by Expert Senior Certified Staff
- \* PCNSA Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* PCNSA Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The PCNSA Practice Test Here](#)**