

Microsoft

Exam Questions PL-300

Microsoft Power BI Data Analyst



NEW QUESTION 1

- (Topic 1)

You need to create relationships to meet the reporting requirements of the customer service department.

What should you create?

- A. an additional date table named ShipDate, a one-to-many relationship from Sales[sales_date_id] to Date[date_id], and a one-to-many relationship from Sales[sales_ship_date_id] to ShipDate[date_id]
- B. an additional date table named ShipDate, a many-to-many relationship from Sales[sales_date_id] to Date[date_id], and a many-to-many relationship from Sales[sales_ship_date_id] to ShipDate[date_id]
- C. a one-to-many relationship from Date[date_id] to Sales[sales_date_id] and another one- to-many relationship from Date[date_id] to Weekly_Returns[week_id]
- D. a one-to-many relationship from Sales[sales_date_id] to Date[date_id] and a one-to- manyrelationship from Sales[sales_ship_date_id] to Date[date_id]
- E. a one-to-many relationship from Date[date_id] to Sales[sales_date_id] and another one- to-many relationship from Date[date_id] to Sales[sales_ship_date_id]

Answer: A

Explanation:

Scenario: The customer service department requires a visual that can be filtered by both sales month and ship month independently.

Reference:

<https://docs.microsoft.com/en-us/power-bi/transform-model/desktop-relationships- understand>

NEW QUESTION 2

- (Topic 1)

You merge data from Sales.Region, Region_Manager, Sales_Manager, and Manager into a single table named Region. What should you do next to meet the reporting requirements of the executives?

- A. Apply row-level security (RLS) to the Region table based on the sales manager username.
- B. Configure a bi-directional relationship between Region and Sales.Region.
- C. Create a DAX calculated column that retrieves the region manager from the Weekly>Returns table based on the sales.regionjd column.
- D. In the Region table, create a hierarchy that has the manager name, and then the sales manager name.

Answer: C

NEW QUESTION 3

- (Topic 1)

You need to create a relationship between the Weekly_Returns table and the Date table to meet the reporting requirements of the regional managers. What should you do?

- A. In the Weekly>Returns table, create a new calculated column named date-id in a format of yyyyymmdd and use the calculated column to create a relationship to the Date table.
- B. Add the Weekly_Returns data to the Sales table by using related DAX functions.
- C. Create a new table based on the Date table where date-id is unique, and then create a many-to-many relationship to Weekly_Return.

Answer: A

Explanation:

Scenario: Region managers require a visual to analyze weekly sales and returns. To relate the two tables we need a common column.

NEW QUESTION 4

- (Topic 1)

You need to create a calculated column to display the month based on the reporting requirements. Which DAX expression should you use?

- A. FORMAT('Date'[date], "MMM YYYY")
- B. FORMAT('Date' [date], "M YY")
- C. FORMAT('Date'[date_id], "MMM") & "" & FORMAT('Date'[year], "#")
- D. FORMAT('Date' [date_id], "MMM YYYY")

Answer: A

NEW QUESTION 5

- (Topic 1)

What should you create to meet the reporting requirements of the sales department?

- A. a measure that uses a formula of SUM (Sales [sales_id])
- B. a calculated column that use a formula of COUNTA(sales [sales_id])
- C. a measure that uses a formula of COUNTROWS (Sales)
- D. a calculated column that uses a formula of SUM (Sales [sales_id])

Answer: C

Explanation:

The sale department requires reports that contain the number of sales transactions.

The COUNTROWS function counts the number of rows in the specified table, or in a table defined by an expression.

Reference:

<https://docs.microsoft.com/en-us/dax/countrows-function-dax>

NEW QUESTION 6

- (Topic 1)
 You need to create the required relationship for the executive's visual. What should you do before you can create the relationship?

- A. Change the data type of Sales[region_id] to Whole Number.
- B. In the Sales table, add a measure for sum(sales_amount).
- C. Change the data type of sales[sales_id] to Text.
- D. Change the data type of sales [region_id] to Decimal Number.

Answer: A

Explanation:
 Scenario: Executives require a visual that shows sales by region.
 Need to change the sales_id column from Varchar to Whole Number (Integer).

NEW QUESTION 7

- (Topic 2)
 You need to ensure that the data is updated to meet the report requirements. The solution must minimize configuration effort. What should you do?

- A. From each report in powerbi.co
- B. select Refresh visuals
- C. From Power BI Desktop, download the PBIX file and refresh the data.
- D. Configure a scheduled refresh without using an on-premises data gateway.
- E. Configure a scheduled refresh by using an on-premises data gateway

Answer: C

NEW QUESTION 8

DRAG DROP - (Topic 2)
 Once the profit and loss dataset is created, which four actions should you perform in sequence to ensure that the business unit analysts see the appropriate profit and loss data? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

From powerbi.com, assign the analysts the Contributor role to the workspace.

From powerbi.com, add role members to the roles.

From Power BI Desktop, add a Table Filter DAX Expression to the roles.

From Power BI Desktop, create four roles.

From Power BI Desktop, publish the dataset to powerbi.com.

Answer Area

>

<

- A. Mastered
- B. Not Mastered

Answer: A

Then you want to go in to the Dataset Security on the Service to add the members to the roles that was just created

You want to apply the DAX rule for the 4 roles and validate the expressions

You want to go in to Manage Roles in the Modeling tab to create the RLS roles required

Because no where in the description does it say that the Dataset is available in the Workspace

Actions

From powerbi.com, assign the analysts the Contributor role to the workspace.

From powerbi.com, add role members to the roles.

From Power BI Desktop, add a Table Filter DAX Expression to the roles.

From Power BI Desktop, create four roles.

From Power BI Desktop, publish the dataset to powerbi.com.

4

3

2

1

>

<

<https://docs.microsoft.com/en-us/power-bi/admin/service-admin-rls> <https://docs.microsoft.com/en-us/power-bi/connect-data/service-datasets-build-permissions>

NEW QUESTION 9

HOTSPOT - (Topic 2)
 You need to calculate the last day of the month in the balance sheet data to ensure that you can relate the balance sheet data to the Date table. Which type of calculation and which formula should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Type of calculation:

☐ A DAX calculated column
☐ A DAX calculated measure
☐ An M custom column

Formula:

Date.EndOfMonth(#date([Year], [Month], 1))
 Date.EndOfQuarter(#date([Year], [Month], 1))
 ENDOFQUARTER(DATE('BalanceSheet'[Year],BalanceSheet[Month],1),0)

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Box 1: A DAX Calculated measure

Box 2: Date.EndOfQuarter(#date([Year],[Mont],1))

ENDOFQUARTER returns the last date of the quarter in the current context for the specified column of dates.

The following sample formula creates a measure that returns the end of the quarter, for the current context.

= ENDOFQUARTER(DateTime[DateKey])

NEW QUESTION 10

HOTSPOT - (Topic 2)

You need to grant access to the business unit analysts.

What should you configure? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Permissions required in powerbi.com:

☐ Access permissions to an app
☐ The Member role to the workspace
☐ The Viewer role to the workspace

Permissions for the profit and loss dataset:

☐ Build
☐ Delete
☐ Reshare

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Box 1: The Viewer role to the workspace

The Viewer role gives a read-only experience to its users. They can view dashboards, reports, or workbooks in the workspace, but can't browse the datasets or dataflows. Use

the Viewer role wherever you would previously use a classic workspace set to "Members can only view Power BI content".

Capability	Admin	Member	Contributor	Viewer
Update and delete the workspace.	X			
Add/remove people, including other admins.	X			
Add members or others with lower permissions.	X	X		
Publish and update an app.	X	X		
Share an item or share an app.	X	X		
Allow others to reshare items.	X	X		
Create, edit, and delete content in the workspace.	X	X	X	
Publish reports to the workspace, delete content.	X	X	X	
View an item.	X	X	X	X
Create a report in another workspace based on a dataset in this workspace.	X	X	X	X ¹
Copy a report.	X	X	X	X ¹

Box 2: Build

The analysts must be able to build new reports from the dataset that contains the profit and loss data.

Scenario: The reports must be made available to the board from powerbi.com.

The analysts responsible for each business unit must see all the data the board sees, except the profit and loss data, which must be restricted to only their business unit's data. The analysts must be able to build new reports from the dataset that contains the profit and loss data, but any reports that the analysts build must not be included in the quarterly reports for the board. The analysts must not be able to share the quarterly reports with anyone.

NEW QUESTION 10

HOTSPOT - (Topic 2)

How should you distribute the reports to the board? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Grant access by:

Sharing individual reports
Using a workspace membership
Using an app

Grant access to:

A dynamic distribution list
A mail-enabled security group
Individual user emails

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Using a workspace membership Scenario:

The company wants to provide a single package of reports to the board that contains custom navigation and links to supplementary information.

Note: Workspace is a shared environment for a group of people. You can have multiple Power BI content in a workspace. One workspace can have hundreds of dashboards, reports, and datasets in it.

Box 2: A mail-enabled security group Scenario: Security Requirements

The reports must be made available to the board from powerbi.com. A mail-enabled security group will be used to share information with the board.

NEW QUESTION 14

- (Topic 2)

Which DAX expression should you use to get the ending balances in the balance sheet reports?

- A. CALCULATE (SUM(BalanceSheet [BalanceAmount]), DATESQTD('Date'[Date]))
- B. CALCULATE (SUM(BalanceSheet [BalanceAmount]), LASTDATE('Date'[Date]))
- C. FIRSTNONBLANK ('Date' [Date]SUM(BalanceSheet[BalanceAmount]))
- D. CALCULATE (MAX(BalanceSheet[BalanceAmount]), LASTDATE('Date' [Date]))

Answer: A

Explanation:

Scenario: At least one of the balance sheet reports in the quarterly reporting package must show the ending balances for the quarter, as well as for the previous quarter.

DATESQTD returns a table that contains a column of the dates for the quarter to date, in the current context.

Reference:

<https://docs.microsoft.com/en-us/dax/datesqtd-function-dax>

NEW QUESTION 17

- (Topic 2)

Which two types of visualizations can be used in the balance sheet reports to meet the reporting goals? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. a line chart that shows balances by quarter filtered to account categories that are long- term liabilities.
- B. a clustered column chart that shows balances by date (x-axis) and account category (legend) withoutfilters.
- C. a clustered column chart that shows balances by quarter filtered to account categories that are long-term liabilities.
- D. a pie chart that shows balances by account category without filters.
- E. a ribbon chart that shows balances by quarter and accounts in the legend.

Answer: AE

Explanation:

<https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-types-for-reports-and-q-and-a>

NEW QUESTION 22

HOTSPOT - (Topic 3)

You need to create the Top Customers report.

Which type of filter should you use, and at which level should you apply the filter? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Filter type:

Top N
Basic
Advanced

Level:

Page
Visual
Report

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Top N

Scenario: The Top Customers report will show the top 20 customers based on the highest sales amounts in a selected order month or quarter, product category, and sales region.

Once you drag to SKU to Visual level filter you should get Top N option Note: The two most common filter types: automatic and manual. Then there are more advanced filters.

Box 2: Visual

Once you drag to SKU to Visual level filter you should get Top N option.

NEW QUESTION 24

- (Topic 3)

You need to design the data model to meet the report requirements. What should you do in Power BI Desktop?

- A. From Power Query, use a DAX expression to add columns to the Orders table to calculate the calendar quarter of the OrderDate column, the calendar month of the OrderDate column, the calendar quarter of the ShippedDate column, and the calendar month of the ShippedDate column.
- B. From Power Query, add columns to the Orders table to calculate the calendar quarter and the calendar month of the OrderDate column.
- C. From Power BI Desktop, use the Auto date/time option when creating the reports.
- D. From Power Query, add a date table
- E. Create an active relationship to the OrderDate column in the Orders table and an inactive relationship to the ShippedDate column in the Orders table.

Answer: B

Explanation:

Use Power Query to calculate calendar quarter and calendar month.

Scenario:

? A single dataset must support all three reports:

- The Top Customers report will show the top 20 customers based on the highest sales amounts in a selected order month or quarter, product category, and sales region.

- The Top Products report will show the top 20 products based on the highest sales amounts sold in a selected order month or quarter, sales region, and product category.

? The data model must minimize the size of the dataset as much as possible, while meeting the report requirements and the technical requirements.

NEW QUESTION 26

HOTSPOT - (Topic 3)

You need to create a relationship in the dataset for RLS.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Create a

one-to-one
one-to-many
many-to-one
many-to-many

 relationship between the Sales Employees table and the

Orders table
Suppliers table
Order Details table
Customer Details worksheet

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Description automatically generated Box 1: many-to-one

Each employee in the Sales Employees table is assigned to one sales region. Multiple employees can be assigned to each region.
The Suppliers table has a Region column. Box 2: Suppliers table

NEW QUESTION 31

HOTSPOT - (Topic 3)

You need to design the data model and the relationships for the Customer Details worksheet and the Orders table by using Power BI. The solution must meet the report requirements.

For each of the following statement, select Yes if the statement is true, Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
A relationship must be created between the CustomerID column in the Customer Details worksheet and the CustomerID column in the Orders table.	<input type="radio"/>	<input type="radio"/>
The Data Type of the columns in the relationship between the Customer Details worksheet and the Orders table must be set to Text .	<input type="radio"/>	<input type="radio"/>
The Region field used to filter the Top Customers report must come from the Orders table.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
A relationship must be created between the CustomerID column in the Customer Details worksheet and the CustomerID column in the Orders table.	<input checked="" type="radio"/>	<input type="radio"/>
The Data Type of the columns in the relationship between the Customer Details worksheet and the Orders table must be set to Text .	<input type="radio"/>	<input checked="" type="radio"/>
The Region field used to filter the Top Customers report must come from the Orders table.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 33

- (Topic 3)

You need to create the dataset. Which dataset mode should you use?

- A. DirectQuery
B. Import
C. Live connection
D. Composite

Answer: D

Explanation:

Composite Model means now you can have a model, that very large tables of that are coming from the DirectQuery connection, without the need for importing, and small tables to be imported to be accessible quickly.

NEW QUESTION 36

FILL IN THE BLANK - (Topic 4)

You have a Power BI report that contains a measure named Total Sales.

You need to create a new measure that will return the sum of Total Sales for a year up to a selected date. How should you complete the DAX expression? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer as selected.

Answer Area

```
Measure =  
TOTALYTD (  
    [Total Sales],  
    Date[Date]  
)
```

NEW QUESTION 38

- (Topic 4)

You have a Power BI report

You have a table named Dalai that contains 10 million rows. Data is used in the following visuals:

- A card that shows the number of records

- A bar chart that snows total transaction amount by territory
 - A scatter plot that shows transaction amount and profit amount on the axes and points colored by territory
- You need to modify the scatter plot to make it easier for users to identify meaningful patterns. The solution must not affect the accuracy of the other visuals-What should you do?

- A. Apply a row filter to the Dalai query in Power Query Editor.
- B. Add a trend line to the scatter plot
- C. Enable high-density sampling on the scatter plot
- D. Add a count field of the transaction amount to the size bucket of the scatter plot

Answer: B

NEW QUESTION 42

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Excel workbook that is saved to Microsoft SharePoint Online. The workbook contains several Power View sheets.

You need to recreate the Power View sheets as reports in the Power BI service.

Solution: Copy the workbook to Microsoft OneDrive for Business. From Excel, click Publish to Power BI, and then click Upload

Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 43

- (Topic 4)

You have a Power BI model that contains two tables named Population and Date.

The Population table contains two columns named Population Amount and Date Key.

DateKey contains date values that represent the first day of a year and are used to create a many-to

The Power BI model contains two measures that have the following definitions. Total Population = Sum ('Population'[Population Amount])

2023 Population = CALCULATE ([Total Population]"Date'[Year] = 2023) You create a table visual that displays Date[Year] and [2023 Population]. What will the table visual show?

- A. one row per year that contains blank values for every year except 2023
- B. one row per date that contains the population value for the corresponding year repeated in each row
- C. a single row for the year 2023 that contains the related population value
- D. one row per year that contains the same value repeated for each year

Answer: C

NEW QUESTION 48

FILL IN THE BLANK - (Topic 4)

You have the Power Bi dashboard shown in the Dashboard exhibit (Click the Dashboard tab.)

You need to ensure that when users view the dashboard on a mobile device, the dashboard appears as shown in the Mobile exhibit. (Click the Mobile tab.)

What should you do? To answer, select the appropriate options m the answer area NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer as selected



NEW QUESTION 53

- (Topic 4)

You build a Power BI report that displays 10T temperature data streaming from a refrigerator.

You publish the report to the BI service.

You need to be notified when the temperature rises above four degrees Celsius. What should you do?

- A. Pin a report page to a dashboard and set an alert on the page.
- B. Set an alert on a KPI visual in the report.
- C. Pin a card visual to a dashboard and set an alert on the tile.
- D. Pin a card visual to a dashboard and create a subscription.

Answer: A

NEW QUESTION 57

- (Topic 4)

You have more than 100 published datasets.

Ten of the datasets were verified to meet your corporate quality standards.

You need to ensure that the 10 verified datasets appear at the top of the list of published datasets whenever users search for existing datasets.

What should you do?

- A. Publish the datasets in an app.
- B. Promote the datasets.
- C. Feature the dataset on the home page.
- D. Certify the datasets.

Answer: D

NEW QUESTION 60

HOTSPOT - (Topic 4)

You are creating an analytics report that will consume data from the tables shown in the following table.

Table name	Column name	Data type
Sales	sales_id	Integer
	sales_date	Datetime
	Customer_id	Integer
	sales_amount	Floating
	employee_id	Integer
	sales_ship_date	Datetime
	store_id	Varchar(100)
Employee	employee_id	Integer
	first_name	Varchar(100)
	last_name	Varchar(100)
	employee_photo	Binary

There is a relationship between the tables.

There are no reporting requirements on employeejd and employee_photo. You need to optimize the data model

What should you configure for employeejd and employee.photo? To answer, select the appropriate options in the answer area.

Answer Area

Employee_id:

Change Type

Delete

Hide

Sort

Employee_photo:

Change Type

Delete

Hide

Sort

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Hide

Optimize data by hiding fields and sorting visualization data

Box 2: Delete

The fastest way to optimize your Power BI report is to limit the number of columns to only the ones you need in your data model. Go through your tables in Power Query and determine what fields are being used. Delete these columns if they are not being used in any of your reports or calculations.

NEW QUESTION 63

- (Topic 4)

You have a Power Bi model mat contains a table named Date. The Date table contains the following columns:

- Date
- Fiscal year
- Fiscal Quartet
- Month Name
- Calendar Year
- Week Number
- Month Number
- Calendar Quarter

You need to create a calculated table based on the Date table. The calculated table must contain only unique combinations of values for Calendar Year, Calendar Quarter, and Calendar Month. Which DAX function should you include in the table definition?

- A. DATATABLE
- B. ADDCOLUMNS
- C. SUMMARIZE
- D. CALCULATE

Answer: C

NEW QUESTION 65

DRAG DROP - (Topic 4)

You plan to create a report that will display sales data from the last year for multiple regions. You need to restrict access to individual rows of the data on a per region-basis by using roles. Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Publish the report.

Import the data to Power BI Desktop.

Add a filter to the report.

Create a role definition.

Assign users to the role.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

Publish the report.

Import the data to Power BI Desktop.

Add a filter to the report.

Create a role definition.

Assign users to the role.

Answer Area

Import the data to Power BI Desktop.

Create a role definition.

Assign users to the role.

Publish the report.

NEW QUESTION 66

- (Topic 4)

You are creating a query to be used as a Country dimension in a star schema. A snapshot of the source data is shown in the following table.

Country	City
USA	Seattle
USA	New York
USA	Denver
UK	Manchester
UK	London
Japan	Tokyo
Brazil	Rio
Brazil	Sao Paulo

You need to create the dimension. The dimension must contain a list of unique countries. Which two actions should you perform? Each correct answer presents part of the solution.

- A. Remove duplicates from the Country column.
- B. Remove duplicates from the City column.
- C. Remove duplicates from the table.
- D. Delete the City column.
- E. Delete the Country column.

Answer: AD

Explanation:

To create a dimension table for Country from your source data, you need to perform these two actions:

- 1. Delete the City column. You don't need this column for your Country dimension, as it is not a descriptive attribute of Country. You can create another dimension table for City if you want to use it in your analysis.
- 2. Remove duplicates from the Country column. You want to have a list of unique countries in your dimension table, so you need to remove any duplicate values from this column.

NEW QUESTION 67

DRAG DROP - (Topic 4)

You receive revenue data that must be included in Microsoft Power BI reports.
 You perform an initial load of the data from a Microsoft Excel source as shown in the following exhibit.

	Column1	Column2	Column3	Column4	Column5	Column6
	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%
1	Department	Product	2016	2017	2018	2019
2	Bikes	Carbon mountainbike	1002815	1006617	1007814	1007239
3	Bikes	Aluminium road bike	1007024	1001454	1005842	1007105
4	Bikes	Touring bike	1003676	1005171	1001669	1003244
5	Accessories	Bell	76713	10247	60590	25927
6	Accessories	Bottle holder	26690	29613	67955	71466
7	Accessories	Satnav	83189	40113	71684	24697
8	Accessories	Mobilephone holder	68641	80336	58099	45706

You plan to create several visuals from the data, including a visual that shows revenue split by year and product.
 You need to transform the data to ensure that you can build the visuals. The solution must ensure that the columns are named appropriately for the data that they contain.
 Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Select Use Headers as First Row.

Select Department and Product and Unpivot Other Columns.

Select Use First Rows as Headers.

Rename the third column as Year and the fourth column as Revenue.

Select Department and Product and Unpivot Columns.

Rename the third column as Revenue and the fourth column as Year.

Answer Area

>

<

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Step 1: Select Use Header as First Row.
 Step 2: Select Department and Product and Unpivot Other Columns
 Unpivot Other Columns: This command unpivots unselected columns. Use this command in a query when not all columns are known. New columns added during a refresh operation are also unpivoted.
 Step 3: Rename the Attribute column to Year and the Value column to Revenue.
 You might want to unpivot data, sometimes called flattening the data, to put it in a matrix format so that all similar values are in one column. This is necessary, for example, to create a chart or a report.




Chart Description automatically generated with medium confidence
 When you unpivot, you unpack the attribute-value pairs that represent an intersection point of the new columns and re-orient them into flattened columns:
 Values (in blue on the left) are unpivoted into a new column (in blue on the right). Attributes (in green on the left) are unpivoted into a new column (in green on the right) and
 duplicates are correspondingly mapped to the new Values column.

NEW QUESTION 69

FILL IN THE BLANK - (Topic 4)

You have a Power BI model that contains a table named Date. The table has the following columns.

Name	Sample value
Date	2022-06-01
Year	2022
Month Number	6
Month Name	June
Year Month	2022 Jun

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer is below.

Month Year Sort = [Year] / 100 + [Month Number]

NEW QUESTION 74

- (Topic 4)

You have a Power BI report that contains four pages. All the pages contain a slicer for a field named Country,

You need to ensure that when a user selects a county on page 1, the selection is retained on page 2 and page 3. The solution must prevent page 4 from being affected by

selections on the other pages, What should you do?

- A. Remove the Country slicer from page 1, page 2, and page 3. Add the Country field to the report-level filters.
- B. Remove the Country slicer from page 1, page 2, and page 3. Add the Country field to the page-level filters.
- C. Sync the Country slicer on page 1, page 2, and page 3,
- D. Move the Country slicer from page 2 and page 3 to page 1.

Answer: B

NEW QUESTION 75

- (Topic 4)

You have a large dataset that contains more than 1 million rows. The table has a datetime column named Date.

You need to reduce the size of the data model. What should you do?

- A. Round the hour of the Date column to startOfHour.
- B. Change the data type of the Date column to Text.
- C. Trim the Date column.
- D. Split the Date column into two columns, one that contains only the time and another that contains only the date.

Answer: D

Explanation:

We have to separate date & time tables. Also, we don't need to put the time into the date table, because the time is repeated every day.

Split your DateTime column into a separate date & time columns in fact table, so that you can join the date to the date table & the time to the time table. The time need to be converted to the nearest round minute or second so that every time in your data corresponds to a row in your time table.

Reference:

<https://intellipaat.com/community/6461/how-to-include-time-in-date-hierarchy-in-power-bi>

NEW QUESTION 80

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You create a parameter named DataSourceExcel that holds the file name and location of a Microsoft Excel data source.

You need to update the query to reference the parameter instead of multiple hard-coded copies of the location within each query definition.

Solution: You add a Power Apps custom visual to the report. Does this meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 83

DRAG DROP - (Topic 4)

Exhibit:

Yr	Month	Sales	Profit
9	Sep	9	552
10	Oct	10	7838
11	Nov	11	83544
12	Dec	12	32455

You need to create a report that meets the requirements:

- Visualizes the Sales value over a period of years and months
- Adds a Slicer for the month
- Adds a Slicer for the year

Which three actions Should you perform in sequence?

Actions

Rename the Attribute column as Year and the Value column as Sales.

Select the 2019, 2020, and 2021 columns.

Select **Transpose**.

Select the Month and MonthNumber columns.

Select **Unpivot other columns**.

1

2

3

(

(

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

Rename the Attribute column as Year and the Value column as Sales.

Select the 2019, 2020, and 2021 columns.

Select **Transpose**.

Select the Month and MonthNumber columns.

Select **Unpivot other columns**.

1

2

3

(

(

Answer Area

1 Select **Transpose**.

2 Select the Month and MonthNumber columns.

3 Select **Unpivot other columns**.

NEW QUESTION 86

- (Topic 4)

You have a Q&A visual that displays information from a table named Carriers as shown in the following exhibit.

what airline is B6

Showing results for what is B6

carrier

name

B6

JetBlue Airways

You need to ensure that users can ask questions by using the term airline or carrier. The solution must minimize changes to the data model. What should you do?

- A. Add a duplicate query named Airline.
- B. Add airline as a synonym of carrier.
- C. Rename the carrier column as airline in the Carriers query.
- D. Rename the query from Carriers to airlines.

Answer: B

Explanation:

Add synonyms to tables and columns: This step applies specifically to Q&A (and not to Power BI reports in general). Users often have a variety of terms they use to refer to the same thing, such as total sales, net sales, total net sales. You can add these synonyms to tables and columns in the Power BI model. This step can be important. Even with straightforward table and column names, users of Q&A ask questions using the vocabulary that first comes to them. They're not choosing from a predefined list of columns. The more sensible synonyms you add, the better your users' experience is with your report.
Reference:
<https://docs.microsoft.com/en-us/power-bi/natural-language/q-and-a-best-practices>

NEW QUESTION 91

- (Topic 4)

You need to create a visual that compares profit across 10 product categories for a selected quarter. What is the best visual to use to achieve the goal? More than one answer choice may achieve the goal Select the BEST answer.

- A. an area chart
- B. a clustered bar chart
- C. a line chart
- D. a funnel chart

Answer: B

NEW QUESTION 94

- (Topic 4)

You have a report that contains a donut chart and a clustered column chart. Interactions between the visuals use the default settings. You need to modify the report so that when you select a column in the column chart, the donut chart redraws by using the data from the selected column. What should you do?

Passing Certification Exams Made Easy

visit - <https://www.surepassexam.com>

- A. Select the column chart and set the donut chart interaction to None.
- B. Select the column chart and set the donut chart interaction to Filter.
- C. Select the donut chart and set the column chart interaction to Filter.
- D. Select the donut chart and set the column chart interaction to None.

Answer: B

NEW QUESTION 96

HOTSPOT - (Topic 4)

You are creating a Microsoft Power BI imported data model to perform basket analysis. The goal of the analysis is to identify which products are usually bought together in the same transaction across and within sales territories.

You import a fact table named Sales as shown in the exhibit. (Click the Exhibit tab.)

Column name	Data type	Description
SalesRowID	Integer	ID of the row from the source system, which represents a unique combination of SalesOrderNumber and SalesOrderLineNumber
ProductKey	Integer	Surrogate key that relates to the product dimension
OrderDateKey	Integer	Surrogate key that relates to the date dimension and is in the YYYYMMDD format
OrderDate	Datetime	Date and time an order was processed
CustomerKey	Integer	Surrogate key that relates to the customer dimension
SalesTerritoryKey	Integer	Surrogate key that relates to the sales territory dimension
SalesOrderNumber	Integer	Unique identifier of an order
SalesOrderLineNumber	Integer	Unique identifier of a line within an order
OrderQuantity	Integer	Quantity of the product ordered
LineTotal	Decimal	Total sales amount of a line before tax
TaxAmt	Decimal	Amount of tax charged for the items on a specified line within an order
Freight	Decimal	Amount of freight charged for the items on a specified line within an order
LastModified	Datetime	The date and time that a row was last modified in the source system
AuditID	Integer	The ID of the data load process that last updated a row

The related dimension tables are imported into the model.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
The SalesRowID and AuditID columns can be removed from the model without impeding the analysis goals.	<input type="radio"/>	<input type="radio"/>
Both the OrderDateKey and OrderDate columns are necessary to perform the basket analysis.	<input type="radio"/>	<input type="radio"/>
The TaxAmt column must retain the current number of decimal places to perform the basket analysis.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
The SalesRowID and AuditID columns can be removed from the model without impeding the analysis goals.	<input checked="" type="radio"/>	<input type="radio"/>
Both the OrderDateKey and OrderDate columns are necessary to perform the basket analysis.	<input checked="" type="radio"/>	<input type="radio"/>
The TaxAmt column must retain the current number of decimal places to perform the basket analysis.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 99

HOTSPOT - (Topic 4)

You need to create a Power BI report. The first page of the report must contain the following two views:

- * Sales By Postal Code
- * Sales by Month

Both views must display a slicer to select a value for a field named Chain.
 The Sales By Postal Code view must display a map visual as shown in the following exhibit.

Answer Area

Minimum number of bookmarks:

▼

1

2

3

4

Property:

▼

Data

Display

Current page

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Minimum number of bookmarks:

▼

1

2

3

4

Property:

▼

Data

Display

Current page

NEW QUESTION 101

- (Topic 4)
 You have data in a Microsoft Excel worksheet as shown in the following table.

	A	B	C
1	SKU	price	discount
2	P00001	100	0.08
3	P00002	150	0.03
4	P00003	130	#DIV/0!
5	P00004	200	0.06
6	P00005	80	#NAME?
7	P00006	350	#N/A
8	P00007	100	#NULL!
9	P00008	200	0.05
10	P00009	135	#NUM!
11	P00010	90	#REF!
12	P00011	120	#VALUE!

You need to use Power Query to clean and transform the dataset. The solution must meet the following requirements:

- If the discount column returns an error, a discount of 0.05 must be used.
- All the rows of data must be maintained.
- Administrative effort must be minimized. What should you do in Power Query Editor?

- A. Select Keep Errors
- B. Edit the query in the Query Errors group.
- C. Select Replace Errors
- D. Select Remove Errors.

Answer: C

NEW QUESTION 105

- (Topic 4)
 Your company has training videos that are published to Microsoft Stream. You need to surface the videos directly in a Microsoft Power BI dashboard. Which type of tile should you add?

- A. video
- B. custom streaming data
- C. text box

D. web content

Answer: D

Explanation:

<https://docs.microsoft.com/en-us/stream/portal-embed-video> <https://docs.microsoft.com/en-us/power-bi/create-reports/service-dashboard-add-widget#add-web-content>

NEW QUESTION 107

- (Topic 4)

You have a Power BI report that uses a dataset based on an Azure Analysis Services live connection.

You need to ensure that users can use Q&A from the Power BI service for the dataset. What should you do?

- A. From the Power BI service, add an enterprise gateway to the dataset.
- B. From Power BI Desktop, add synonyms and suggested questions.
- C. From Power BI Desktop, add a Q&A visual to the report.
- D. From the Power BI service, select Turn on Q&A for this dataset.

Answer: D

NEW QUESTION 112

- (Topic 4)

You have a Microsoft Excel file on a file server.

You create a Power BI report and import a table from the Excel file. You publish the report.

You need to ensure that the data refreshes every four hours. What should you do first?

- A. Upload the Excel file to a Power BI workspace.
- B. Create a subscription to the report.
- C. Deploy an on-premises data gateway.
- D. Edit the data source credentials.

Answer: C

NEW QUESTION 117

- (Topic 4)

You are reviewing a query that produces 10,000 rows in the Power Query Editor. You need to identify whether a column contains only unique values.

Which two Data Preview options can you use? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Column profile
- B. Column distribution
- C. Show whitespace
- D. Column quality
- E. Monospace

Answer: AB

Explanation:

B: Column distribution: This feature provides a set of visuals underneath the names of the columns that showcase the frequency and distribution of the values in each of the columns. The data in these visualizations is sorted in descending order from the value with the highest frequency.

By hovering over the distribution data in any of the columns, you get information about the overall data in the column (with distinct count and unique values).

A: Column profile: This feature provides a more in-depth look at the data in a column [compared to column distribution]. Apart from the column distribution chart, it contains a column statistics chart.

Reference:

<https://docs.microsoft.com/en-us/power-query/data-profiling-tools>

NEW QUESTION 121

- (Topic 4)

You plan to create a dashboard in the Power BI service that retrieves data from a Microsoft SQL Server database. The dashboard will be shared between the users in your organization.

You need to ensure that the users will see the current data when they view the dashboard. How should you configure the connection to the data source?

- A. Deploy an on-premises data gateway (personal mode). Import the data by using the Import Data Connectivity mode.
- B. Deploy an on-premises data gateway
- C. Import the data by using the Import Data Connectivity mode.
- D. Deploy an on-premises data gateway
- E. Import the data by using the DirectQuery Data Connectivity mode.
- F. Deploy an on-premises data gateway (personal mode). Import the data by using the DirectQuery Data Connectivity mode.

Answer: D

Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/desktop-directquery-about#power-bi-connectivity-modes>

NEW QUESTION 125

HOTSPOT - (Topic 4)

You are creating a Power BI model in Power BI Desktop

You need to create a calculated table named Numbers that will contain all the integers from

-100 to 100. How should you complete the DAX calculation? To answer, select the appropriate options in the answer area. NOTE Each correct selection is worth one point.

Answer Area

Numbers =

GENERATESERIES	(-100, 100, 1)
GENERATE	(100, 1, 200)
GENERATEALL	(-100, 100, 1)
GENERATESERIES	(-1, -100, 100)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Numbers =

GENERATESERIES	(-100, 100, 1)
GENERATE	(100, 1, 200)
GENERATEALL	(-100, 100, 1)
GENERATESERIES	(-1, -100, 100)

NEW QUESTION 128

- (Topic 4)

A business intelligence (BI) developer creates a dataflow in Power BI that uses DirectQuery to access tables from an on premises Microsoft SQL server. The Enhanced Dataflows Compute Engine is turned on for the dataflow.

You need to use the dataflow in a report. The solution must meet the following requirements:

- Minimize online processing operations.
- Minimize calculation times and render times for visuals.
- include data from the current year, up to and including the previous day. What should you do?


- A. Create a dataflows connection that has Import mode selected and schedule a dairy refresh.
- B. Create a dataflows connection that has DirectQuery mode selected.
- C. Create a dataflows connection that has DirectQuery mode selected and configure a gateway connection for the dataset
- D. Create a dataflows connection that has Import mode selected and create a Microsoft Power Automate solution to refresh the data hourly.

Answer: A

NEW QUESTION 129

HOTSPOT - (Topic 4)

You have a Power BI imported dataset that contains the data model shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

Answer Area

Changing the [answer choke] setting of the relationships will improve report query performance.

Cardinality

Cross filter direction

Assume Referential Integrity

The data model is organized into a [answer choice].

star schema

snowflake schema

denormalized table

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- cross filter direction
- star schema


NEW QUESTION 130

- (Topic 4)

You are building a data model for a Power BI report. You have data formatted as shown in the following table.

Machine-User	DownloadMB
ABC-123	75
BAC-657	125

You need to create a clustered bar chart as shown in the following exhibit.



What should you do?

- A. From Power Query Editor, split the Machine-User column by using a delimiter.
- B. In a DAX function, create two calculated columns named Machine and User by using the substitute function.
- C. From Power Query Editor, create a column that contains the last three digits of the Machine-User column.
- D. in a DAX function, create two measures named Machine and User by using the substitute function.

Answer: A

NEW QUESTION 134

- (Topic 4)

You have a custom connector that returns ID, From, To, Subject, Body, and Has Attachments for every email sent during the past year. More than 10 million records are returned.
 You build a report analyzing the internal networks of employees based on whom they send emails to.
 You need to prevent report recipients from reading the analyzed emails. The solution must minimize the model size.
 What should you do?

- A. Implement row-level security (RLS) so that the report recipients can only see results based on the emails they sent.
- B. Remove the Subject and Body columns during the import.
- C. From Model view, set the Subject and Body columns to Hidden.

Answer: B

NEW QUESTION 137

- (Topic 4)

You have the tables shown in the following table.

Table name	Column name
Campaigns	Campaign_ID
	Name
Ads	Ad_id
	Name
	Campaign_id
Impressions	Impression_id
	Ad_id
	Site_name
	Impression_time
	Impression_date

The Impressions table contains approximately 30 million records per month. You need to create an ad analytics system to meet the following requirements:
 ? Present ad impression counts for the day, campaign, and Site_name. The analytics for the last year are required.
 ? Minimize the data model size.
 Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Group the impressions by Ad_id, Site_name, and Impression_dat

- B. Aggregate by using the CountRows function.
- C. Create one-to-many relationships between the tables.
- D. Create a calculated measure that aggregates by using the COUNTROWS function.
- E. Create a calculated table that contains Ad_id, Site_name, and Impression_date.

Answer: AB

Explanation:

Grouping in power query reduces the number of rows in the impression table that is gonna be loaded in the model. Creating relationships doesn't increase the size of the model.

NEW QUESTION 142

- (Topic 4)

You are developing a sales report that will have multiple pages. Each page will answer a different business question.

You plan to have a menu page that will show all the business questions.

You need to ensure that users can click each business question and be directed to the page where the question is answered. The solution must ensure that the menu page will work when deployed to any workspace.

What should you include on the menu page?

- A. Create a text box for each business question and insert a link.
- B. Create a button for each business question and set the action type to Bookmark.
- C. Create a Power Apps visual that contains a drop-down list.
- D. The drop-down list will contain the business questions.

Answer: B

Explanation:

When you create a bookmark, the following elements are saved with the bookmark: - The current page - Filters - Slicers, including slicer type (for example, dropdown or list) and slicer state - Visual selection state (such as cross-highlight filters) - Sort order - Drill location - Visibility of an object (by using the Selection pane) - The focus or Spotlight modes of any visible object

NEW QUESTION 144

- (Topic 4)

You have a CSV file that contains user complaints. The file contains a column named Logged logged contains the date and time each complaint occurred. The data in Logged is in the following format: 2018-12-31 at 08:59.

You need to be able to analyze the complaints by the logged date and use a built-in date hierarchy.

What should you do?

- A. Create a column by example that starts with 2018-12-31.
- B. Create a column by example that starts with 2018-12-31 and set the data type of the new column to Date.
- C. Apply the parse function from the Date transformations options to the Logged column.
- D. Add a conditional column that outputs 2018 if the Logged column starts with 2018 and set the data type of the new column to Whole Number.

Answer: A

NEW QUESTION 148

- (Topic 4)

You are creating a visual to show the ranking of product categories by sales revenue.

Your company's security policy states that you cannot send data outside of your Microsoft Power BI tenant.

Which approach provides the widest variety of visuals while adhering to the security policy?

- A. Use default visuals or custom visuals uploaded from a .pbiviz file.
- B. Use only default visuals.
- C. Use default or any custom visuals from the marketplace.
- D. Use default or certified custom visuals.

Answer: C

NEW QUESTION 150

DRAG DROP - (Topic 4)

You have the Power BI data model shown in the following exhibit.


You create two row-level security (RLS) roles named Manager and CFO. You plan to publish the dataset to the Power BI service.

You need to create DAX expressions for the RLS filters. The solution must meet the following requirements:

- Each manager must see only the data in the Sales and Human Resources tables for their own country.
- The CFO must be prevented from seeing the data in the Human Resources table.
- The CFO must see the sales data of all countries.

How should you complete the DAX expressions to meet the requirements? To answer, drag the appropriate expressions to the correct targets. Each expression may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.



The Country table contains the following data.

Country	Manager	Email
USA	CFO	cfo@msn.com
France	Phillipe	phillipe@msn.com
Brazil	Juan	juan@msn.com
Singapore	Srini	srini@msn.com

You plan to publish the dataset to the Power BI service.

You need to create DAX expressions for the RLS filters. The solution must meet the following requirements:

- Each manager must see only the data in the Sales and Human Resources tables for their own country.
- The CFO must be prevented from seeing the data in the Human Resources table.
- The CFO must see the sales data of all countries.

How should you complete the DAX expressions to meet the requirements? To answer, drag the appropriate expressions to the correct targets. Each expression may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Table Filter DAX Expression

[Country]= "USA"

[Email]= userprincipalname()

[Manager]= "CFO"

False()

True()

Answer Area

Human Resources:

Country:

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Table Filter DAX Expression

[Country]= "USA"

[Email]= userprincipalname()

[Manager]= "CFO"

False()

True()

Answer Area

Human Resources:

Country:

You have a Power BI report for the marketing department. The report reports on web traffic to a blog and contains data from the following tables.

Table name	Source	Description	Column name
Posts	Blog RSS feed	An XML representation of all the blog posts from your company's website	<ul style="list-style-type: none"> Publish Date URL Title Full Text Summary
Traffic	Website logs	Activity data from your company's entire website	<ul style="list-style-type: none"> DateTime URL Visited IP Address Browser Agent Referring URL

There is a one-to-many relationship from Posts to Traffic that uses the URL and URL Visited columns. The report contains the visuals shown in the following table.

Name	Used field	Filter
Top 10 blog posts of all time	Posts[Title] Traffic[DateTime]	None
Top 10 blog posts from the last seven days	Posts[Title] Traffic[DateTime]	Traffic[DateTime] is in the last 7 days
Blog visits over time	Traffic[DateTime] Traffic[URL Visited]	Traffic[URL Visited] contains "blog"
Blog visits over time	Traffic[DateTime] Traffic[URL Visited]	Traffic[URL Visited] contains "blog"
Top 10 external referrals to the blog of all time	Traffic[Referring URL]	Traffic[URL Visited] contains "blog" AND Traffic[Referring URL] does not start with "/"

The dataset takes a long time to refresh.

You need to modify Posts and Traffic queries to reduce load times.

Which two actions will reduce the load times? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Remove the rows in Traffic in which Traffic [Referring URL] does not start with "/"
- B. Remove the rows in Posts in which Post [Publish Date] is in the last seven days.
- C. Remove Traffic [IP Address], Traffic (Browser Agent], and Traffic [Referring URL].
- D. Remove Posts [Full Text] and Posts [Summary].
- E. Remove the rows in Traffic in which Traffic [URL visited] does not contain "blog"

Answer: DE

NEW QUESTION 155

- (Topic 4)

You have an app workspace that contains a dashboard and four reports. All the reports are generated from a single dataset that contains sales data for your company.

The reports display the data configured as shown in the following table.

Report name	Data displayed	Data characteristic
Sales Data1	Sales from the start of 2013 to the end of 2015	The company was owned by another company named Contoso, Ltd. from 2013 to 2015
Sales Data2	Sales from the start of 2011 to the end of 2016	The company changed the line of products sold frequently from 2011 to 2016
Sales Data3	Sales from the start of 2016 to the end of 2017	The company hired new management that started in 2016
Sales Data4	Sales from the start of 2011 to the end of 2014	The company was being sued by a competitor from 2011 to 2014

You need to ensure that the users of the reports can locate the correct report by using natural language queries. What should you do?

- A. From the properties of the dataset, create four Featured Q&A Questions.
- B. From the Format settings of the reports, modify the Page Information.
- C. From the properties of the dataset, modify the Q&A and Cortana settings.
- D. From the properties of the workspace, modify the Language Settings.

Answer: C

Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/service-q-and-a-direct-query#limitations-during-public-preview>

NEW QUESTION 159

- (Topic 4)

You have a sales system that contains the tables shown in the following table.

Table name	Column name
Sales	sales_ID
	sales_date
	sales_amount
Date	DateID
	Month
	Week
	Year

The Date table is marked as a date table.
DateID is the date data type. You need to create an annual sales growth percentage measure.
Which DAX expression should you use?

- A. SUM(sales[sales_amount]) - CALCULATE(SUM(sales[sales_amount]), SAMEPERIODLASTYEAR('Date'[DateID]))
- B. (SUM('Sales'[sales_amount]) - CALCULATE(SUM('Sales'[sales_amount]), SAMEPERIODLASTYEAR('Date'[DateID])))/
CALCULATE(SUM('Sales'[sales_amount]), SAMEPERIODLASTYEAR('Date'[DateID]))
- C. CALCULATE(SUM(sales[sales_amount]), DATESYTD('Date'[DateID]))
- D. CALCULATE(SUM(sales[sales_amount]), SAMEPERIODLASTYEAR('Date'[DateID]))

Answer: B

Explanation:

SAMEPERIODLASTYEAR returns a table that contains a column of dates shifted one year back in time from the dates in the specified dates column, in the current context.
Reference:
<https://docs.microsoft.com/en-us/dax/sameperiodlastyear-function-dax>

NEW QUESTION 164

HOTSPOT - (Topic 4)

You have a dataset that has the permissions shown in the following exhibit.
Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

Answer Area

Users in the finance group can [answer choice] the dataset.

assign sensitivity labels to

use Analyze in Excel with

delete

Users in the corp group can [answer choice] the dataset.

grant the Build permission for

grant the Read permission for

remove a table from

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Users in the finance group can [answer choice] the dataset.

assign sensitivity labels to

use Analyze in Excel with

delete

Users in the corp group can [answer choice] the dataset.

grant the Build permission for


grant the Read permission for

remove a table from

NEW QUESTION 168

HOTSPOT - (Topic 4)

You have the Power BI data model shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

When a table visual is added to a blank report page and populated by using the StoreID field from the Sales table, a [answer choice] is displayed.

distinct count of the StoreID values

list of all the StoreID values

list of the distinct StoreID values

sum of the StoreID values

Adding a page filter of Sales[StoreID] = 1 will filter the values displayed on the page from [answer choice].

all the tables related to the Sales table

only the Sales table

only the Store table

the Sales table and the Customer table

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

When a table visual is added to a blank report page and populated by using the StoreID field from the Sales table, a [answer choice] is displayed.

▼

distinct count of the StoreID values
list of all the StoreID values
list of the distinct StoreID values
sum of the StoreID values

Adding a page filter of Sales[StoreID] = 1 will filter the values displayed on the page from [answer choice].

▼

all the tables related to the Sales table
only the Sales table
only the Store table
the Sales table and the Customer table

NEW QUESTION 173

FILL IN THE BLANK - (Topic 4)

You have two Power BI workspaces named WorkspaceA and Workspaces. WorkspaceA contains two datasets named Sales and HR. You need to provide a user named User1 with access to the workspaces. The solution must meet the following requirements:

- Create reports that use the HR dataset.
- Publish the reports to WorkspaceB.
- Prevent the ability to modify the HR dataset.
- Prevent the ability to add users to WorkspaceB.

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer is as below.

To access the HR dataset:

Grant User1 share permissions for the HR dataset.

▼

To publish reports to WorkspaceB:

Assign User1 the Contributor role for WorkspaceB.

▼

NEW QUESTION 174

DRAG DROP - (Topic 4)

In Power Query Editor, you have three queries named ProductCategory, ProductSubCategory, and Product.

Every Product has a ProductSubCategory.

Not every ProductsubCategory has a parent ProductCategory.

You need to merge the three queries into a single query. The solution must ensure the best performance in Power Query.

How should you merge the tables? To answer, drag the appropriate merge types to the correct queries. Each merge type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Join kinds

Full outer

Inner

Left anti

Left outer

Right anti

Right outer

Answer Area

Left Table	Right Table	Join Kind
Product	ProductSubCategory	Join kind
ProductSubCategory	ProductCategory	Join kind

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Join kinds

Full outer

Inner

Left anti

Left outer

Right anti

Right outer

Answer Area

Left Table	Right Table	Join Kind
Product	ProductSubCategory	Inner
ProductSubCategory	ProductCategory	Left outer

NEW QUESTION 175

- (Topic 4)

You are configuring a Microsoft Power BI data model to enable users to ask natural language questions by using Q&A. You have a table named Customer that has the following measure.

Customer Count = DISTINCTCOUNT(Customer[CustomerID])

Users frequently refer to customers as subscribers.

You need to ensure that the users can get a useful result for "subscriber count" by using Q&A. The solution must minimize the size of the model.

What should you do?

A. Add a description of "subscriber count" to the Customer Count measure.

B. Set Summarize By to None for the CustomerID column.

C. Add a description of "Subscriber" to the Customer table.

D. Add a synonym of "subscriber" to the Customer table.

Answer: B

Explanation:

You can add synonyms to tables and columns.

Note: This step applies specifically to Q&A (and not to Power BI reports in general). Users often have a variety of terms they use to refer to the same thing, such as total sales, net sales, total net sales. You can add these synonyms to tables and columns in the Power BI model.

This step applies specifically to Q&A (and not to Power BI reports in general). Users often have a variety of terms they use to refer to the same thing, such as total sales, net sales, total net sales. You can add these synonyms to tables and columns in the Power BI model.

Reference:

<https://docs.microsoft.com/en-us/power-bi/natural-language/q-and-a-best-practices>

NEW QUESTION 179

- (Topic 4)

You attempt to connect Purer 81 Desktop to a Cassandra database.

From the Get Data connector list you discover that there is no specific connector for the Cassandra database.

You need to select an alternate data connector that will connect to the database. Which of connector should you choose?

A. Microsoft SQL Server database

B. ODBC

C. OData

D. OLE DB

Answer: B

NEW QUESTION 182

HOTSPOT - (Topic 4)

You have a Power BI report.

You need to create a calculated table to return the 100 highest spending customers.

How should you complete the DAX expression? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Top 100 Customers =

▼

ASC[
DESC(
FILTER(
SUMMARIZE[
TOPN(

100,

▼

ASC
DESC
FILTER
SUMMARIZE
TOPN

(FactTransaction,
FactTransaction[Customer ID],
"Sales",
SUM(FactTransaction[Sale])),
[Sales],

▼

ASC
DESC
FILTER
SUMMARIZE
TOPN

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: TOPN

TOPN returns the top N rows of the specified table.

Box 2: SUMMARIZE

SUMMARIZE returns a summary table for the requested totals over a set of groups.

Box 3: DESC

Sort in descending order.

It is last in the TOPN command. TOPN syntax:

TOPN(<n_value>, <table>, <orderBy_expression>, [<order>[, <orderBy_expression>, [<order>]]...])

NEW QUESTION 185

- (Topic 4)

You have a Power BI report. The report contains a line chart that displays sales data for several regions.

You need to add an element to the report that will enable users to filter the sales data to include only a selected region.

Which two elements achieve the goal? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.


- A. a slicer visual
B. a drillthrough filter
C. a table visual
D. a card visual
E. a Key Performance Indicator (KPI) visual

Answer: AD

NEW QUESTION 186

- (Topic 4)

You have a Microsoft Power BI dashboard. The report used to create the dashboard uses an imported dataset from a Microsoft SQL Server data source. The dashboard is shown in the exhibit. (Click the Exhibit tab.)



What occurred at 12:03:06 PM?

- A. A user pressed F5
- B. A new transaction was added to the data source.
- C. A user added a comment to a tile.
- D. The dashboard tile cache refreshed.

Answer: A

Explanation:

Reference:
<https://docs.microsoft.com/en-us/power-bi/connect-data/refresh-data>

NEW QUESTION 189

DRAG DROP - (Topic 4)

You have a Microsoft Excel spreadsheet that contains the data shown in the following table.

Department	Stage	School1	School2	School3	School4
Mathematics	1	75	65	90	70
Mathematics	2	80	70	80	75
Geography	1	95	65	80	75
Geography	2	80	70	80	75

You plan to build a data model for a Power BI report.

You need to prepare the data so that it is available to the model in the format shown in the following table.

Department	School	Avg Score
Mathematics	School1	77.5
Geography	School1	87.5

Which three actions should you perform in sequence in Power Query Editor? To answer, move the appropriate actions from the list of actions to the answer area

and arrange them in the correct order.

Actions

Group by [Department],[School1],[School2],[School3],[School4] and create a new column named [Avg Score] that uses the average function on the [Stage] column.

Select and unpivot the [Department] and [Stage] columns.

Select the [Department] and [Stage] columns and unpivot the other columns.

Rename the [Attribute] column as [School] and the [Value] column as [Score].

Group by [Department] and [School] and create a new column named [Avg Score] that uses the average function on the [Score] column.

>

<

Answer Area

>

<

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

Group by [Department],[School1],[School2],[School3],[School4] and create a new column named [Avg Score] that uses the average function on the [Stage] column.

Select and unpivot the [Department] and [Stage] columns.

Select the [Department] and [Stage] columns and unpivot the other columns.

Rename the [Attribute] column as [School] and the [Value] column as [Score].

Group by [Department] and [School] and create a new column named [Avg Score] that uses the average function on the [Score] column.

>

<

Answer Area

Select the [Department] and [Stage] columns and unpivot the other columns.

Rename the [Attribute] column as [School] and the [Value] column as [Score].

Group by [Department] and [School] and create a new column named [Avg Score] that uses the average function on the [Score] column.

>

<

NEW QUESTION 193

HOTSPOT - (Topic 4)

You are using Power Bi Desktop to connect to an Azure SQL database The connection is configured as shown in the following exhibit.

SQL Server database

Server ⓘ

mydb.database.windows.net

Database (optional)

db1

Data Connectivity mode ⓘ

• Import

○ DirectQuery

⌵ Advanced options

Command timeout in minutes (optional)

SQL statement (optional, requires database)

☒ Include relationship columns

☐ Navigate using full hierarchy

☐ Enable SQL Server Failover support

OK

Cancel

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic NOTE: Each correct solution is worth one point

The default timeout for the connection from Power BI Desktop to the database will be [answer choice].

unlimited

one minute

10 minutes

The Navigator will display [answer choice].

all the tables

only tables that contain data

only tables that contain hierarchies

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

<https://docs.microsoft.com/en-us/power-query/connectors/azuresqldatabase>

The following table lists all of the advanced options you can set in Power Query Desktop and Power Query Online.

Advanced option Description

Command timeout in minutes

If your connection lasts longer than 10 minutes (the default timeout), you can enter another value in minutes to keep the connection open longer. This option is only available in Power Query Desktop.

SQL statement

For information, go to Import data from a database using native database query. Include relationship columns

If checked, includes columns that might have relationships to other tables. If this box is cleared, you won't see those columns.

Navigate using full hierarchy

If checked, the navigator displays the complete hierarchy of tables in the database you're connecting to. If cleared, the navigator displays only the tables whose columns and rows contain data.

Enable SQL Server Failover support

If checked, when a node in the Azure SQL failover group isn't available, Power Query moves from that node to another when failover occurs. If cleared, no failover occurs.

NEW QUESTION 195

FILL IN THE BLANK - (Topic 4)

You need to create a measure that will return the percentage of late orders.

How should you complete the DAX expression? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer as below



NEW QUESTION 197

DRAG DROP - (Topic 4)

You are using existing reports to build a dashboard that will be viewed frequently in portrait mode on mobile phones.

You need to build the dashboard.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Pin items from the reports to the dashboard.

Rearrange, resize, or remove items from the phone view.

Change the dashboard view to **Phone view**.

Open the dashboard.

Create a phone layout for the existing reports.

Answer Area

⬅

➡


⬆

⬆

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 199

- (Topic 4)

You need to create a Power BI theme that will be used in multiple reports. The theme will include corporate branding for font size, color, and bar chart formatting. What should you do?

- A. Create a theme as a PBIVIZ file and import the theme into Power BI Desktop.
- B. Create a theme as a JSON file and import the theme into Power BI Desktop.
- C. From Power BI Desktop, use a built-in report theme.
- D. From Power BI Desktop, customize the current theme.

Answer: D

NEW QUESTION 202

- (Topic 4)

What should you create to meet the reporting requirements of the sales department?

- A. a calculated column that uses the following formula: `IF(ISBLANK(Sales[sales_amount]),0, (Sales[sales_amount]))`
- B. a measure that uses the following formula: `SUM(Sales[sales_amount])`
- C. a measure that uses the following formula: `SUMX(FILTER('Sales', 'Sales'[sales_amount] > 0)),[sales_amount])`
- D. a calculated column that uses the following formula: `ABS(Sales[sales_amount])`

- A. Option A
- B. Option B
- C. option C
- D. Option D

Answer: C

NEW QUESTION 207

HOTSPOT - (Topic 4)

You have a column named UnitsInStock as shown in the following exhibit

Answer Area

```

Late Orders Percent =
VAR OrderCount =
    COUNTROWS ( 'Orders' )
VAR LateOrders =
    CALCULATE (
        COUNTROWS ( 'Orders' ),
        FILTER ( Orders, Orders[ShippedDate] > Orders[RequiredDate] )
    )
    
```

UnitsInStock has 75 non-null values, of which 51 are unique.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct

selection is worth one point.

Answer Area

When a table visual is created in a report and UnitsInStock is added to the values, there will be [answer choice] in the table.

Changing the Summarize by setting of the UnitsInStock column, and then adding the column to a table visual, will [answer choice] the number of rows in the table visual.

0 rows

1 row

51 rows

75 rows

maintain

reduce

increase

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

When a table visual is created in a report and UnitsInStock is added to the values, there will be [answer choice] in the table.

Changing the Summarize by setting of the UnitsInStock column, and then adding the column to a table visual, will [answer choice] the number of rows in the table visual.

0 rows

1 row

51 rows

75 rows

maintain

reduce

increase

NEW QUESTION 211

HOTSPOT - (Topic 4)

You have the Azure SQL databases shown in the following table.

Name	Stage	Server URL
db-powerbi-dev	Development	dev.database.windows.net
db-powerbi-uat	Test	uat.database.windows.net
db-powerbi-prod	Production	prod.database.windows.net

You plan to build a single PBIX file to meet the following requirements:

- Data must be consumed from the database that corresponds to each stage of the development lifecycle.
- Power BI deployment pipelines must NOT be used.
- The solution must minimize administrative effort.

What should you do? To answer, select the appropriate options in the answer area.

Answer Area

Create:

Parameter type:

One parameter

One parameter

Two parameters

Three parameters

Text

Text

True/False

Decimal number

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Create:

Parameter type:

One parameter

One parameter

Two parameters

Three parameters

Text

Text

True/False

Decimal number

NEW QUESTION 214

HOTSPOT - (Topic 4)

You have a dataset that contains revenue data from the past year.

You need to use anomaly detection in Power BI to show anomalies in the dataset.

What should you configure? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Chart type:
Pie
Treemap

Chart configuration:
Enable Cross-report drill-through
Populate the axis with a date field

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area

Chart type:
Pie
Treemap

Chart configuration:
Enable Cross-report drill-through
Populate the axis with a date field

NEW QUESTION 219

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this scenario, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have several reports and dashboards in a workspace.

You need to grant all organizational users read access to a dashboard and several reports. Solution: You publish an app to the entire organization.

Does this meet the goal?

- A. Yes
B. No

Answer: B

Explanation:

<https://docs.microsoft.com/es-es/power-bi/collaborate-share/service-create-distribute-apps>

NEW QUESTION 221

- (Topic 4)

You have a Power BI dataset named Finance that is hosted in a Power BI workspace.

The finance team at your company is NOT currently a member of any Power BI workspace roles.

You need to enable the finance team to use Microsoft Excel to analyze the Finance dataset.

What should you do?

- A. Create a row-level security (RLS) role and add the finance team to the role as members.
B. Provide an Excel workbook that is connected to the Finance dataset.
C. Grant the finance team write permissions to the Finance dataset.
D. Grant the finance team build permissions to the Finance dataset.

Answer: D

NEW QUESTION 226

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Excel workbook that is saved to Microsoft SharePoint Online. The workbook contains several Power View sheets.

You need to recreate the Power View sheets as reports in the Power BI service. Solution: From the Power BI service, get the data from SharePoint Online, and then click

Connect

Does this meet the goal?

- A. Yes
B. No

Answer: B

Explanation:

We need to click "Import", not "Connect".

References:

<https://docs.microsoft.com/en-us/power-bi/service-excel-workbook-files>

NEW QUESTION 228

- (Topic 4)

You have a line chart that shows the number of employees in a department over time. You need to see the total salary costs of the employees when you hover over a data point. What is possible way to achieve this goal?

- A. Add a salary to the tooltips.
- B. Add a salary to the visual filters.
- C. Add salary to the drillthrough fields.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/power-bi/create-reports/desktop-custom-tooltips> <https://technovids.com/power-bi-filters/>

NEW QUESTION 232

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this scenario, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a clustered bar chart that contains a measure named Salary as the value and a field named Employee as the axis. Salary is present in the data as numerical amount representing US dollars.

You need to create a reference line to show which employees are above the median salary.

Solution: You create a median line by using the Salary measure. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

The 50th percentile is also known as the median or middle value where 50 percent of observations fall below.

Reference:

https://dash-intel.com/powerbi/statistical_functions_median.php

NEW QUESTION 233

- (Topic 4)

You have a Microsoft Power BI report. The size of PBIX file is 550 MB. The report is accessed by using an App workspace in shared capacity of powerbi.com.

The report uses an imported dataset that contains one fact table. The fact table contains 12 million rows. The dataset is scheduled to refresh twice a day at 08:00 and 17:00.

The report is a single page that contains 15 custom visuals and 10 default visuals.

Users say that the report is slow to load the visuals when they access and interact with the report

You need to recommend a solution to improve the performance of the report. What should you recommend?

- A. Split the visuals onto multiple pages.
- B. Implement row-level security (RLS).
- C. Replace the default visuals with custom visuals.
- D. Increase the number of times that the dataset is refreshed.


Answer: A

NEW QUESTION 235

HOTSPOT - (Topic 4)

You are profiling data by using Power Query Editor.

You have a table named Reports that contains a column named State. The distribution and quality data metrics for the data m State is shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

There are [answer choice] different values in State including nulls.

4
65
69
73

There are [answer choice] non-null values that occur only once in State.

4
65
69
73

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

There are [answer choice] different values in State including nulls.

4
65
69
73

There are [answer choice] non-null values that occur only once in State.

4
65
69
73

NEW QUESTION 238

- (Topic 4)

You have a Power BI report. The report contains visualizations that have interactions. You need to identify which visualizations take the longest to complete. What should you use?

- A. SQL Server Profiler
- B. Performance Analyzer in Power BI Desktop
- C. Query Diagnostics in Power BI
- D. Microsoft Edge DevTools

Answer: B

Explanation:

Use Power BI Desktop Performance Analyzer to optimize reports.

In Power BI Desktop you can find out how each of your report elements, such as visuals and DAX formulas, are performing. Using the Performance Analyzer, you can see and record logs that measure how each of your report elements performs when users interact with them, and which aspects of their performance are most (or least) resource intensive.

Reference:

<https://docs.microsoft.com/en-us/power-bi/create-reports/desktop-performance-analyzer>

NEW QUESTION 239

- (Topic 4)

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is the same in each question in this series.

You have a Microsoft SQL Server database that contains the following tables.

Table name	Column name	Data type
Order	Order_ID	Integer
	Order_date	Integer
	Order_amount	Currency
	Customer_ID	Integer
	Order_ship_date	Integer
	Store_ID	Integer
Customer	Customer_ID	Integer
	First_name	Varchar(100)
	Last_name	Varchar(100)
	Customer_photo	Binary
Date	Date_ID	Integer
	Date_name	Datetime
	Month	Integer
	Week	Integer
	Year	Integer
Monthly_returns	Month_ID	Integer
	Total_returns	Float
	Store_ID	Varchar(100)
Store	Store_ID	Integer
	Name	Varchar(100)
	City	Varchar(100)
	Sales_target	Float

The following columns contain date information:

- Date[Month] in the mmyyyy format
 - Date[Date_ID] in the ddmmyyyy format
 - Date[Date_name] in the mm/dd/yyyy format
 - Monthly_returns[Month_ID] in the mmyyyy format
- The Order table contains more than one million rows.

The Store table has a relationship to the Monthly_returns table on the Store_ID column. This is the only relationship between the tables.

You plan to use Power BI Desktop to create an analytics solution for the data.

You need to create a relationship between the Monthly_returns table and Date[Date_ID]. What should you do before you create the relationship?

- A. In the Date table, create a new calculated column named MonthJD that uses the yyyydd format.
- B. In the Monthly_returns table, create a new calculated column named DateJD that uses the ddmmyyyy format.
- C. To the Order table, add a calculated column that uses the RELATED(Monthly_returns[Month_ID]) DAX formula.
- D. To the Date table, add a calculated column that uses the RE LATE D(Monthly_ret urns [MonthJD]) DAX formula.

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/power-bi/desktop-create-and-manage-relationships>

NEW QUESTION 241

DRAG DROP - (Topic 4)

You have a Microsoft Power BI workspace.

You need to grant the user capabilities shown in the following table.

User name	Task
User1	Create and publish apps.
User2	Publish reports to the workspace and delete dashboards.

The solution must use the principle of least privilege.

Which user role should you assign to each user? To answer, drag the appropriate roles to the correct users. Each role may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Roles

Admin

Contributor

Member

Viewer

Answer Area

User1:

Role

User2:

Role

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

User 1 = Member User 2 = Contributor

<https://docs.microsoft.com/en-us/power-bi/collaborate-share/service-new-workspaces>

NEW QUESTION 246

- (Topic 4)

You have a data model that contains many complex DAX expressions. The expressions contain frequent references to the RELATED and RELATEDTABLE functions.

You need to recommend a solution to minimize the use of the RELATED and RELATEDTABLE functions.

What should you recommend?

- A. Merge tables by using Power Query.
- B. Hide unused columns in the model.
- C. Split the model into multiple models.
- D. Transpose.

Answer: A

Explanation:

Combining data means connecting to two or more data sources, shaping them as needed, then consolidating them into a useful query.

When you have one or more columns that you'd like to add to another query, you merge the queries.

Note: The RELATEDTABLE function is a shortcut for CALCULATETABLE function with no logical expression.

CALCULATETABLE evaluates a table expression in a modified filter context and returns a table of values.

Reference:

<https://docs.microsoft.com/en-us/power-bi/connect-data/desktop-shape-and-combine-data>

NEW QUESTION 250

HOTSPOT - (Topic 4)

You have a Power BI report. You have the following tables.

Name	Description
Balances	The table contains daily records of closing balances for every active bank account. The closing balances appear for every day the account is live, including the last day.
Date	The table contains a record per day for the calendar years of 2000 to 2025. There is a hierarchy for financial year, quarter, month, and day.

You have the following DAX measure.

```
Accounts :=  
CALCULATE (
```

Answer Area

Statements

- A table visual that displays the date hierarchy at the year level and the [Accounts] measure will show the total number of accounts that were live throughout the year.
- A table visual that displays the date hierarchy at the month level and the [Accounts] measure will show the total number of accounts that were live throughout the month.
- A table visual that displays the date hierarchy at the day level and the [Accounts] measure will show the total number of accounts that were live that day.

Yes

☐

No

☐

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements

- A table visual that displays the date hierarchy at the year level and the [Accounts] measure will show the total number of accounts that were live throughout the year.
- A table visual that displays the date hierarchy at the month level and the [Accounts] measure will show the total number of accounts that were live throughout the month.
- A table visual that displays the date hierarchy at the day level and the [Accounts] measure will show the total number of accounts that were live that day.

Yes

☐

No

☒

NEW QUESTION 253

HOTSPOT - (Topic 4)

You have two Azure SQL databases that contain the same tables and columns.

For each database, you create a query that retrieves data from a table named Customers. You need to combine the Customer tables into a single table. The solution must minimize

the size of the data model and support scheduled refresh in powerbi.com.

What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Option to use to combine the Customer tables:

- ☒ Append Queries
- ☒ Append Queries as New
- ☐ Merge Queries
- ☐ Merge Queries as New

Action to perform on the original two SQL database queries:

- ☒ Delete the queries.
- ☒ Disable including the query in report refresh.
- ☒ Disable loading the query to the data model.
- ☐ Duplicate the queries.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text
Description automatically generated with medium confidence
Box 1: Append Queries as New.
There are two primary ways of combining queries: merging and appending.
? When you have one or more columns that you'd like to add to another query, you merge the queries.
? When you have additional rows of data that you'd like to add to an existing query, you append the query.
Box 2: Disable loading the query to the data model
For every query that loads into model memory will be consumed. and Memory is our asset in the Model, less memory consumption leads to better performance in most of the cases. The best approach is to disable loading.

NEW QUESTION 257

- (Topic 4)
You have a Power BI report that contains five pages. Pages 1 to 4 are visible and page 5 is hidden.
You need to create a solution that will enable users to quickly navigate from the first page to all the other visible pages. The solution must minimize development and maintenance effort as pages are added to the report.
What should you do first?

- A. Add a blank button to page 1.
- B. Add a bookmark navigation button to page 1.
- C. Create a bookmark for each page.
- D. Add a page navigation button to page 1.

Answer: A

NEW QUESTION 258

- (Topic 4)
You have a Microsoft Excel file in a Microsoft OneDrive folder. The file must be imported to a Power Bi dataset
You need to ensure that the dataset can be refreshed in powefbi.com.
Which two connectors can you use to connect to the file? Each correct answer presents a complete solution.
NOTE: Each correct selection is worth one point.

- A. Text/CSV
- B. Folder
- C. Excel Workbook
- D. SharePoint folder
- E. Web

Answer: BC

Explanation:

- Copy and edit Path of the Excel file then use "Web" Connector: Option E
- Copy and edit Path of the OneDrive folder then use "Sharepoint Folder" connector: Option D
Source: <https://www.youtube.com/watch?v=GGHbbg6yi-A>

NEW QUESTION 262

HOTSPOT - (Topic 4)
The data model must support the following analysis:
? Total sales by product by month in which the order was placed
? Quantities sold by product by day on which the order was placed
? Number Of sales transactions by quarter in Which the order was placed
For each Of the following statements, select Yes if the statement is true. Otherwise, select NO.

Statements	Yes	No
Removing the LastUpdated column from the Sales table reduces the model size while still supporting the required analysis.	<input type="radio"/>	<input type="radio"/>
Removing the ProductID column from the Sales table reduces the model size while still supporting the required analysis.	<input type="radio"/>	<input type="radio"/>
Removing the ShipDate column from the Sales table reduces the model size while still	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
Removing the LastUpdated column from the Sales table reduces the model size while still supporting the required analysis.	<input checked="" type="radio"/>	<input type="radio"/>
Removing the ProductID column from the Sales table reduces the model size while still supporting the required analysis.	<input checked="" type="radio"/>	<input type="radio"/>
Removing the ShipDate column from the Sales table reduces the model size while still	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 264

FILL IN THE BLANK - (Topic 4)

The table has the following columns.

Name	Sample value
Date	2022-06-01
Year	2022
Month Number	6
Month Name	June
Year Month	2022 Jun

You need to add a column that will be used to sort the Year Month column chronologically.

Month Year Sort = [Year] +

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer as.

Month Year Sort = [Year] * 100 + [Date]

NEW QUESTION 267

DRAG DROP - (Topic 4)

You are modifying a Power Bi model by using Power BI Desktop.

You have a table named Sales that contains the following fields.

Name	Data type
Transaction ID	Whole Number
Customer Key	Whole Number
Sales Date Key	Date
Sales Amount	Whole Number

You have a table named Transaction Size that contains the following data.

Transaction Size ID	Transaction Size	Min	Max
1	Small	0	10,000
2	Medium	10,001	100,000
3	Large	100,001	999,999,999

You need to create a calculated column to classify each transaction as small, medium, or large based on the value in Sales Amount.

How should you complete the code? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content. NOTE: Each correct selection is worth one point.

Values

ALL

AND

CALCULATE

FILTER

OR

SUM

Answer Area

Transaction Size =
VAR SalesTotal = 'Sales'[Sales]
VAR FilterSegment =

Value (

'Transaction Size',

Value (

'Transaction Size'[Min] <= SalesTotal,

'Transaction Size'[Max] >= SalesTotal

)

)

)

VAR Result =

Value (DISTINCT ('Transaction Size'[Transaction Size]), FilterSegment)

RETURN
Result

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
 FILTER | AND | CALCULATE

NEW QUESTION 268

- (Topic 4)
 You have a Microsoft Power BI data model that contains three tables named Orders, Date, and City. There is a one-to-many relationship between Date and Orders and between City and Orders.
 The model contains two row-level security (RLS) roles named Role1 and Role2. Role1 contains the following filter.
 City[State Province] = "Kentucky"
 Role2 contains the following filter. Date[Calendar Year] = 2020
 If a user is a member of both Role1 and Role2, what data will they see in a report that uses the model?

- A. The user will see data for which the State Province value is Kentucky and the Calendar Year is 2020.
- B. The user will see data for which the State Province value is Kentucky or the Calendar Year is 2020.
- C. The user will see only data for which the State Province value is Kentucky.
- D. The user will receive an error and will not be able to see the data in the report.

Answer: B

Explanation:
 When a report user is assigned to multiple roles, RLS filters become additive. It means report users can see table rows that represent the union of those filters.
 Reference:
<https://docs.microsoft.com/en-us/power-bi/guidance/rls-guidance>

NEW QUESTION 271

- (Topic 4)
 You have a Power BI data model that contains a table named Employees. The table has the following columns:
 • Employee Name
 • Email Address
 • Start Date
 • Job Title
 You are implementing dynamic row-level security (RLS).
 You need to create a table filter to meet the following requirements:
 • Users must see only their own employee data
 • The DAX expression must work in both Power BI Desktop and the Power BI service.
 Which expression should you use?

- A. `[Email Address] = USERNAME()`
- B. `[Employee Name] = USERPRINCIPALNAME()`
- C. `[Email Address] = USERPRINCIPALNAME()`
- D. `[Employee Name] = USERNAME()`

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: B

NEW QUESTION 276

- (Topic 4)

You have a project management app that is fully hosted in Microsoft Teams. The app was developed by using Microsoft Power Apps. You need to create a Power BI report that connects to the project management app. Which connector should you select?

- A. Microsoft Teams Personal Analytics
- B. SQL Server database
- C. Dataverse
- D. Dataflows

Answer: C

NEW QUESTION 280

DRAG DROP - (Topic 4)

You have a Power BI report that contains three pages. The pages are used to analyze sales across various countries.

You add a sheer named Country to each page of the report.

You need to configure the report to meet the following requirements:

- When a user selects a country on the first page, the report must filter the other pages.
- The second and third pages must display only the filtered results.

Which task should you perform for each requirement? To answer, drag the appropriate task to the correct requirement. Each task may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content. Ther

NOTE Each correct selection is worth one point.

Tasks		Answer Area
Add the Country field to the filters on all the pages		When a user selects a country on the first page, the report must filter the other pages:
Configure the Country slicer to sync across all the pages		The second and third pages must display only the filtered results:
Configure the Country slicer to sync only on the second and third pages		
Hide the Country slicer on the second and third pages		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Tasks		Answer Area
Add the Country field to the filters on all the pages		When a user selects a country on the first page, the report must filter the other pages:
Configure the Country slicer to sync across all the pages		The second and third pages must display only the filtered results:
Configure the Country slicer to sync only on the second and third pages		
Hide the Country slicer on the second and third pages		

NEW QUESTION 281

- (Topic 4)

You are creating a dashboard by using the Power BI service. You have an existing report page that contains three charts.

You need to add the charts to the dashboard while maintaining the interactivity between the charts.

What should you do?

- A. Pin each chart as a tile.
- B. Edit interactions in the report and set all interactions to Filter
- C. Edit the dashboard theme and pin each chart as a file.
- D. Pin the report page as a live tile.

Answer: D

NEW QUESTION 283

- (Topic 4)

You have a Power Bi report. The report contains a visual that snows gross sales by date The visual has anomaly detection enabled.

No anomalies ate detected

You need to increase the likelihood that anomaly detection will identify anomalies in the report.

What should you do?

- A. Add a data field to the Secondary values field weft

- B. Increase the Sensitivity setting.
- C. Increase the Expected range transparency setting,
- D. Add a data field to the Legend field well

Answer: B

Explanation:

If you increase the sensitivity, the algorithm is more sensitive to changes in your data. In that case, even a slight deviation is marked as an anomaly. If you decrease the sensitivity, the algorithm is more selective on what it considers an anomaly. reference: <https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-anomaly-detection>

NEW QUESTION 287

- (Topic 4)

You create a report by using Microsoft Power BI Desktop.

The report uses data from a Microsoft SQL Server Analysis Services (SSAS) cube located on your company's internal network.

You plan to publish the report to the Power BI Service.

What should you implement to ensure that users who consume the report from the Power BI Service have the most up-to-date data from the cube?

- A. a subscription
- B. a scheduled refresh of the dataset
- C. an OData feed
- D. an On-premises data gateway

Answer: D

Explanation:

When you've created dynamic reports in Power BI Desktop, you can share them by publishing to your Power BI site. When you publish a Power BI Desktop file with a live connection to a tabular model to your Power BI site, an on-premises data gateway must be installed and configured by an administrator.

NEW QUESTION 289


DRAG DROP - (Topic 4)

You plan to use Power BI to create a quarterly profit report that meets the following requirements:

- Emphasizes the percentage of total profits contributed by each product category in dollars and as a percentage
- Compares profit margins across sales regions

Which type of visual should you use for each requirement? To answer, drag the appropriate visuals to the correct requirements. Each visual may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.


NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 294

- (Topic 4)

You use Power BI Desktop to load data from a Microsoft SQL Server database. While waiting for the data to load, you receive the following error.

ERROR [08001] timeout expired

You need to resolve the error.

What are two ways to achieve the goal? Each correct answer presents a complete solution NOTE: Each correct selection is worth one point.

- A. Split long running queries into subsets Of columns and use power Query to the queries
- B. Disable query folding on long running queries

- C. Reduce number of rows and columns returned by each query.
- D. Use Power Query to combine long running queries into one query.

Answer: BD

NEW QUESTION 296

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this scenario, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have several reports and dashboards in a workspace.

You need to grant all organizational users read access to a dashboard and several reports. Solution: You create an Azure Active Directory group that contains all the users. You share each report and dashboard to the group. Does this meet the goal?

- A. Yes
- B. No

Answer: A


Explanation:

Statements and questions are tricky and confusing. When the access is granted for the group (all users) for ALL (each) dashboards and ALL (each) reports in the workspace, then the will have read access to the specific (A, one) Dashboard and several reports, because they are part of all dashboards and reports. There is no statement, that for the other dashboards (except the one) and the other reports (except the several) that access must be prevented. They are also accessible (maybe it is not desired but not stated here).

NEW QUESTION 297

HOTSPOT - (Topic 4)

You have a report page that contains the visuals shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic. NOTE: Each correct selection is worth one point.

Answer Area

Selecting a quarter on the line chart will [answer choice] the clustered column chart.

Selecting a data point on the Tailspin Toys line on the line chart will [answer choice] the map.

- A. Mastered
- B. Not Mastered

Answer: A


Explanation:

Box 1: cross-filter


By default, selecting a data point in one visual on a report page will cross-filter or cross-highlight the other visuals on the page.

Box 2: cross-highlight Example:

By default, selecting a data point in one visual on a report page will cross-filter or cross-highlight the other visuals on the page.



* 1. Let's see what happens when we select Moderation.



* 2. Cross-filtering removes data that doesn't apply. Selecting Moderation in the doughnut chart cross-filters the line chart. The line chart now only displays data points for the Moderation segment.

* 3. Cross-highlighting retains all the original data points but dims the portion that does not apply to your selection. Selecting Moderation in the doughnut chart cross-highlights the column chart. The column chart dims all the data that applies to the Convenience segment and highlights all the data that applies to the Moderation segment.

NEW QUESTION 299

- (Topic 4)

You build a report to analyze customer transactions from a database that contains the tables shown in the following table.

Table name	Column name
Customer	CustomerID (primary key)
	Name
	State
	Email
Transaction	TransactionID (primary key)
	CustomerID (foreign key)
	Date
	Amount

You import the tables.

Which relationship should you use to link the tables?

- A. one-to-many from Customer to Transaction
- B. one-to-one between Customer and Transaction
- C. one-to-many from Transaction to Customer
- D. many-to-many between Customer and Transaction

Answer: A

Explanation:

Each customer can have many transactions.

For each transaction there is exactly one customer.

NEW QUESTION 304

- (Topic 4)

You publish a report to a workspace named Customer Services. The report identifies customers that have potential data quality issues that must be investigated by the customer services department of your company.

You need to ensure that customer service managers can create task lists in Microsoft Excel based on the data.

Which report setting should you configure?

- A. Don't allow end user to save filters on this report.
- B. Change default visual interaction from cross highlighting to cross filtering.
- C. Enable the updated filter pane, and show filters in the visual header for this report.
- D. Allow users to add comments to this report.
- E. Choose the type of data you allow your end users to export.

Answer: E

Explanation:

<https://powerbi.microsoft.com/en-us/blog/announcing-persistent-filters-in-the-service/>

NEW QUESTION 306

- (Topic 4)

You have a Power BI report named Report1 and a dashboard named Dashboard1. Report1 contains a line chart named Sales by month.

You pin the Sales by month visual to Dashboard1.

In Report1, you change the Sales by month visual to a bar chart. You need to ensure that the bar chart displays on Dashboard1. What should you do?

- A. Refresh the dataset used by Report1 and Dashboard1.
- B. Select Refresh visuals for Dashboard1.
- C. Edit the details for the dashboard tile Of Dashboard1.
- D. Pin the Sales by month bar chart to Dashboard1.

Answer: A

NEW QUESTION 311

HOTSPOT - (Topic 4)

You have a dataset named Pens that contains the following columns:

? Item

? Unit Price

? Quantity Ordered

You need to create a visualization that shows the relationship between Unit Price and Quantity Ordered. The solution must highlight orders that have a similar unit price and ordered quantity.

Which type of visualization and which feature should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Visualization:

A column chart of Quantity Ordered and Unit Price by year

A line chart of Quantity Ordered and Unit Price by item

A scatter plot of Quantity Ordered and Unit Price by item

Feature:

Automatically find clusters

Explain the decrease

Find where the distribution is different

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: A scatter plot...

A scatter chart always has two value axes to show: one set of numerical data along a horizontal axis and another set of numerical values along a vertical axis. The chart displays points at the intersection of an x and y numerical value, combining these values into single data points. Power BI may distribute these data points evenly or unevenly across the horizontal axis. It depends on the data the chart represents.

Box 2: Automatically find clusters

Scatter charts are a great choice to show patterns in large sets of data, for example by showing linear or non-linear trends, clusters, and outliers.

NEW QUESTION 314

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a query for a table named Sales. Sales has a column named CustomerID. The Data Type of CustomerID is Whole Number.

You refresh the data and find several errors. You discover that new entries in the Sales table contain nonnumeric values.

You need to ensure that nonnumeric values in the CustomerID column are set to 0. Solution: From Query Editor, select the CustomerID column and click Remove

Errors. Does this meet the goal?


- A. Yes
- B. No

Answer: B

NEW QUESTION 315

HOTSPOT - (Topic 4)

You have a report in Power BI Desktop as shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 Note: Each correct selection is worth one point.

The goal is set by using [answer choice].

- a calculated measure
- a DAX formula
- the Format settings

To configure the visualization to display TotalPrice for the Territory of Canada always, you must add the Territory column to [answer choice].

- the Tooltips field
- the Values field
- the Visual level filters field

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

The goal is set by using [answer choice].

- a calculated measure
- a DAX formula
- the Format settings

To configure the visualization to display TotalPrice for the Territory of Canada always, you must add the Territory column to [answer choice].

- the Tooltips field
- the Values field
- the Visual level filters field

NEW QUESTION 317

- (Topic 4)

You need to create the On-Time Shipping report.

The report must include a visualization that shows the percentage of late orders. Which type of visualization should you create?

- A. scatterplot
- B. bar chart

C. piechart

Answer: B

NEW QUESTION 320

- (Topic 4)

You have a Microsoft Power BI report. The size of PBIX file is 550 MB. The report is accessed by using an App workspace in shared capacity of powerbi.com. The report uses an imported dataset that contains one fact table. The fact table contains 12 million rows. The dataset is scheduled to refresh twice a day at 08:00 and 17:00.

The report is a single page that contains 15 AppSource visuals and 10 default visuals. Users say that the report is slow to load the visuals when they access and interact with the report.

You need to recommend a solution to improve the performance of the report. What should you recommend?

- A. Change any DAX measures to use iterator functions.
- B. Replace the default visuals with AppSource visuals.
- C. Change the imported dataset to DirectQuery.
- D. Remove unused columns from tables in the data model.

Answer: D

Explanation:

DirectQuery: No data is imported or copied into Power BI Desktop.

Import: The selected tables and columns are imported into Power BI Desktop. As you create or interact with a visualization, Power BI Desktop uses the imported data.

Benefits of using DirectQuery

There are a few benefits to using DirectQuery:

? DirectQuery lets you build visualizations over very large datasets, where it would otherwise be unfeasible to first import all the data with pre-aggregation.

? Underlying data changes can require a refresh of data. For some reports, the need to display current data can require large data transfers, making reimporting data unfeasible. By contrast, DirectQuery reports always use current data.

The 1-GB dataset limitation doesn't apply to DirectQuery. Reference:

<https://docs.microsoft.com/en-us/power-bi/connect-data/desktop-use-directquery>

NEW QUESTION 325

- (Topic 4)

You create a dataset sourced from dozens of flat files in Azure Blob storage. The dataset uses incremental refresh.

From powerbi.com, you deploy the dataset and several related reports to Microsoft Power BI Premium capacity.

You discover that the dataset refresh fails after the refresh runs out of resources. What is a possible cause of the issue?

- A. Query folding is not occurring.
- B. You selected Only refresh complete periods.
- C. The data type of the column used to partition the data changed.
- D. A filter is missing on the report.

Answer: A

Explanation:

The Power BI service partitions data based on date range. This is what enables only

certain partitions to be refreshed incrementally. To make this work, the partition filter conditions are pushed down to the source system by including them in the queries. Using Power Query terminology, this is called “query folding”. It is not recommended that incremental refresh is used when the required query folding cannot take place.

Reference:

<https://powerbi.microsoft.com/en-us/blog/incremental-refresh-query-folding/>

NEW QUESTION 327

- (Topic 4)

Remove unused columns from tables in the data model. This will reduce the size of your PBIX file and make your data model more efficient. You can use Power Query Editor to remove any columns that are not used in your report or calculations.

Month	2020	2021
Valid 100%	Valid 100%	Valid 100%
Error 0%	Error 0%	Error 0%
Empty 0%	Empty 0%	Empty 0%
12 distinct, 12 unique	12 distinct, 12 unique	12 distinct, 12 unique
January	4400	4908
February	2988	3722
March	5230	4815
April	4500	5031
May	3850	4354
June	6215	6019
July	2507	3922
August	3605	3740
September	4680	4850
October	3955	4612
November	6510	6490

You need to shape the query to display the following three columns:

- * Month
- * Sales
- * Year

What should you select in Power Query Editor?

- A. Pivot column
- B. Merge columns
- C. Unpivot columns.
- D. Transpose

Answer: C

Explanation:

This will convert your column headers (Jan-20, Feb-20,...) into row values under a new column called Attribute. You can then rename this column as Month and change its data type to Date. You will also have a new column called Value that contains the sales amounts for each month. You can rename this column as Sales and change its data type to Decimal Number.

NEW QUESTION 331

DRAG DROP - (Topic 4)

You have a Power BI workspace that contains a single-page report named Sales.

You need to add all the visuals from Sales to a dashboard. The solution must ensure that additional visuals added to the page are added automatically to the dashboard.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- Pin the page.
- Open the Sales report.
- Open Power BI Desktop.
- Pin each visual.
- Open powerbi.com.
- Create a new report.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Open powerbi.com Select sales report
Pin the page

NEW QUESTION 336

- (Topic 4)

You have a Power BI model that contains a table named Sales. The Sales table contains the following columns:

- Order Line ID
- Product ID
- Unit Price
- Order ID
- Quantity

Orders are uniquely identified by using the order ID and can have multiple order lines Each order line within an order contains a different product ID.

You need to write a DAX measure that counts the number of orders. Which formula should you use?

- A. CountRows('Sales')
- B. Count ('Sales'(Order ID))

- C. CountA (Sale** (Order ID])
- D. DistinctCount (sales'[Order ID])

Answer: D

NEW QUESTION 341

- (Topic 4)

You have a collection of reports for the HR department of your company. The datasets use row-level security (RLS). The company has multiple sales regions that each has an HR manager. You need to ensure that the HR managers can interact with the data from their region only. The HR managers must be prevented from changing the layout of the reports. How should you provision access to the reports for the HR managers?

- A. Create a new workspace, copy the datasets and reports, and add the HR managers as members of the workspace.
- B. Publish the reports to a different workspace other than the one hosting the datasets.
- C. Publish the reports in an app and grant the HR managers access permission.
- D. Add the HR managers as members of the existing workspace that hosts the reports and the datasets.

Answer: C

Explanation:

Note: Row-level security (RLS) with Power BI can be used to restrict data access for given users. Filters restrict data access at the row level, and you can define filters within roles. In the Power BI service, members of a workspace have access to datasets in the workspace. RLS doesn't restrict this data access.

Reference:

<https://docs.microsoft.com/en-us/power-bi/admin/service-admin-rls>

NEW QUESTION 343

- (Topic 4)

You have multiple dashboards.

You need to ensure that when users browse the available dashboards from powerbi.com, they can see which dashboards contain Personally Identifiable Information (PII). The solution must minimize configuration effort and impact on the dashboard design.

What should you use?

- A. comments
- B. tiles
- C. Microsoft Information Protection sensitivity labels
- D. Active Directory groups

Answer: C

Explanation:

Microsoft Information Protection sensitivity labels provide a simple way for your users to classify critical content in Power BI without compromising productivity or the ability to collaborate. Sensitivity labels can be applied to datasets, reports, dashboards, and dataflows. Reference:

<https://docs.microsoft.com/en-us/power-bi/admin/service-security-sensitivity-label-overview>

NEW QUESTION 347

HOTSPOT - (Topic 4)

You have an API that returns more than 100 columns. The following is a sample of column names.

- ? client_notified_timestamp
- ? client_notified_source
- ? client_notified_sourceid
- ? client_notified_value
- ? client_responded_timestamp
- ? client_responded_source
- ? client_responded_sourceid
- ? client_responded_value

You plan to include only a subset of the returned columns.

You need to remove any columns that have a suffix of sourceid.

How should you complete the Power Query M code? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.


```
Table.ReplaceValue(  
    Table.FromRecords({  
        [a = 1, b = "hello"],  
        [a = 3, b = "wurld"]  
    }),  
    "ur",  
    "or",  
    Replacer.ReplaceText,  
    {"b"}  
)
```

a	b
1	hello
3	world

Reference:
<https://docs.microsoft.com/en-us/powerquery-m/table-replacevalue>

NEW QUESTION 352

HOTSPOT - (Topic 4)

You are enhancing a Power BI model that has DAX calculations.
You need to create a measure that returns the year-to-date total sales from the same date of the previous calendar year.
Which DAX functions should you use? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

```
Sales PYTD =  
  
VAR startyear =  
  
    STARTOFYEAR ( PREVIOUSYEAR ( 'Date' [Date] ) )  
  
VAR enddate =  
  
    LASTDATE ( Sales[Date] ) - 365  
  
RETURN  
  
    ( Sales[Sales] ),  
    CALCULATE (  
        DATESBETWEEN (  
            SAMEPERIODLASTYEAR (  
                SLIM (  
  
                ( 'Calendar' [Date], startyear, enddate )  
  
                CALCULATE  
                DATESBETWEEN  
                SAMEPERIODLASTYEAR  
                SLIM  
  
            )  
        )  
    )
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

```
Sales PYTD =  
  
VAR startyear =  
  
    STARTOFYEAR ( PREVIOUSYEAR ( 'Date' [Date] ) )  
  
VAR enddate =  
  
    LASTDATE ( Sales[Date] ) - 365  
  
RETURN  
  
    ( Sales[Sales] ),  
    CALCULATE ( |  
    DATESBETWEEN ( |  
    SAMEPERIODLASTYEAR ( |  
    SLIM ( |  
  
    ( 'Calendar'[Date], startyear, enddate )  
    CALCULATE  
    DATESBETWEEN |  
    SAMEPERIODLASTYEAR  
    SLIM  
    )  
    )
```

NEW QUESTION 354

DRAG DROP - (Topic 4)

You have a Power BI table named Customer that contains a field named Email Address. You discover that multiple records contain the same email address. You need to create a calculated column to identify which records have duplicate email addresses.

How should you complete the OAX expression for the calculated column? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content

NOTE: Each correct selection is worth one point.

Values

ALL

CALCULATE

COUNTROWS

EVALUATE

SUM

SUMX

Answer Area

Count Email =

VAR Email = [Email Address]

RETURN

(Customer),

(Customer),

Customer[Email Address] = Email

)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

You are to count the number of rows having same email address.
* 1. Declare a variable and call it any name you prefer
* 2. Calculate the row count on the table
* 3. Apply filter to ALL of the values in the table under the column name email address and equate it to the variable.
You may need to read up filter functions for a proper understanding of how it works.

NEW QUESTION 356

DRAG DROP - (Topic 4)

You have the Power BI data model shown in the following exhibit.



Table Filter DAX Expression

[Country] = "USA"

[Email] = userprincipalname()

[Manager] = "CFO"

False()

True()

Answer Area

Human Resources:

DAX Expression

Country:

DAX Expression

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Table Filter DAX Expression

[Country] = "USA"

[Email] = userprincipalname()

[Manager] = "CFO"

False()

True()

Answer Area

Human Resources:

[Manager] = "CFO"

Country:

True()

NEW QUESTION 358

- (Topic 4)
 You are building a Power BI report that uses data from an Azure SQL database named erp1.
 You Import the following tables.

Name	Description
Products	Contains the product catalog
Orders	Contains high-level information about orders
Order Line Items	Contains the product ID, quantity, and price details of an order

You need to perform the following analyses:

- Orders sold over time that include a measure of the total order value
- Orders by attributes of products sold

The solution must minimize update times when interacting with visuals in the report. What should you do first?

- A. From Power Query, merge the Orders query and the Order Line Hems query.
- B. Calculate the count of orders per product by using a DAX function.
- C. Create a calculated column that adds a list of product categories to the Orders table by using a DAX function.
- D. From Power Query, merge the Order Line Items query and the Products query.

Answer: D

Explanation:

<https://www.sqlbi.com/articles/header-detail-vs-star-schema-models-in- tabular-and-power-bi/>

NEW QUESTION 359

HOTSPOT - (Topic 4)
 You have a query named All Sales that imports sales data into a Power BI model.
 You plan to create a star schema by separating columns into separate queries and performing further transformations. The solution must meet the following requirements:

- Use All Sales as the source for three other queries named Sales Fact Product Dimension, and Customer Dimension.
- Minimize maintenance effort.

What should you do to create the Sales Fact query, and for which query should you clear Enable load? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

To create Sales Fact:

Reference the All Sales query.

Duplicate the All Sales query.

Duplicate the Customer Dimension query.

Reference the All Sales query.

Reference the Customer Dimension query.

Clear Enable data load for:

All Sales

All Sales

Customer Dimension

Product Dimension


Sales Fact

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 363

- (Topic 4)

You need to create a visualization that compares revenue and cost over time. Which type of visualization should you use?


- A. stacked area chart
- B. donut chart
- C. line chart
- D. waterfall chart

Answer: C

Explanation:

A line chart or line graph displays the evolution of one or several numeric variables. Data points are connected by straight line segments. A line chart is often used to visualize a trend in data over intervals of time – a time series – thus the line is often drawn chronologically.

Example:



Reference:

<https://www.data-to-viz.com/graph/line.html>

NEW QUESTION 368

- (Topic 4)

ion have a Power BI dataset that contains a table named Temperature Readings. Temperature Readings contains the columns shown in the following table.

Name	Data type	Value example
DateTime	DateTime	4-Aug-2020 13:30:01
Longitude	Decimal	10.049567988755534
Latitude	Decimal	53.462766759577057
TempCelsius	Decimal	12.5

The table has 12 million rows. All the columns are needed for analysis.

You need to optimize the dataset to decrease the model size. The solution must not affect the precision of the data.

What should you do?

- A. Split the DateTime column into separate date and time columns.
- B. Disable the Power Query load.
- C. Round the Longitude column two decimal places.
- D. Change the data type of the TempCelsius column to Integer

Answer: B

Explanation:

Disable Power Query load.

Power Query queries that are intended support data integration with other queries should not be loaded to the model. To avoid loading the query to the model, take care to ensure that you disable query load in these instances.

Reference:

<https://docs.microsoft.com/en-us/power-bi/guidance/import-modeling-data-reduction#disable-power-query-query-load>

NEW QUESTION 370

HOTSPOT - (Topic 4)


You need to create a Power BI report. The first page of the report must contain the following two views:

*Sales By Postal Code

*Sales by Month

Both views must display a slicer to select a value for a field named Chain.

The Sales By Postal Code view must display a map visual as shown in the following exhibit.



The Sales By Month view must display a column chart visual as shown in the following exhibit.



Users must be able to switch between the views by using buttons on the report page. The selected Chain field must be maintained when switching between views. What is the minimum number of bookmarks required, and which property should you apply to each bookmark? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Minimum number of bookmarks:

1

2

3

4

Property:

Data

Display

Current page

- A. Mastered
- B. Not Mastered


Answer: A

Explanation:

Box 1: 2
Box 2: Display

NEW QUESTION 373

- (Topic 4)
You plan to create the chart shown in the following exhibit.



How should you create the dashed horizontal line denoting the 40th percentile of daily sales for the period shown?


- A. Create a horizontal line that has a fixed value of 24,000.
- B. Add a measure to the visual that uses the following DAX expression: `Measure = PERCENTUEX.EXC (Sales, Sales[Total Sales], @.40)`
- C. Measure - PERCENTUEX.EXC (Sales, Sales[Total Sales], @.40)
- D. Add a new percentile line that uses Total Sales as the measure and 40% as the percentile.
- E. Add a measure to the visual that uses the following DAX expression: `Measure = PERCENTILEX.INC (Sales, Sales[Total Sales], 6.40)`
- F. Measure = PERCENTILEX.INC (Sales, Sales[Total Sales], 6.40)

Answer: C


Explanation:

The analytics feature enables you to show percentiles across groups specified along a specific axis.
Example:

- * 1. Click on the analytics tab
- * 2. Select Percentile
- * 3. You can choose a specific percentile along with other formatting options.
- * 4. Drag a date or non-numeric dimension into the Axis of a column chart



Add percentile lines to monitor daily revenue



NEW QUESTION 378

- (Topic 4)

You have a CSV file that contains user complaints. The file contains a column named Logged. Logged contains the date and time each complaint occurred. The data in Logged is in the following format: 2018-12-31 at 08:59. You need to be able to analyze the complaints by the logged date and use a built-in date hierarchy. What should you do?

- A. Create a column by example that starts with 2018-12-31.
- B. Apply a transformation to extract the last 11 characters of the Logged column and set the data type of the new column to Date.
- C. Apply a transformation to extract the first 11 characters of the Logged column.
- D. Split the Logged column by using at as the delimiter.

Answer: C

Explanation:

According to Microsoft Certified: Power BI Data Analyst Associate¹, Power Query Editor is a tool that lets you connect to one or many data sources, shape and transform the data to meet your needs, then load that model into Power BI Desktop².

One of the transformations you can perform in Power Query Editor is extract date from text, which creates a date value from a textual representation³. For example, given a text column like this:

Logged
 2018-12-31 at 08:59
 2019-01-01 at 09:15

You can extract the date part by using the Date.FromText function with a specific format⁴. The result will be:

Logged Date
 2018-12-31 at 08:59
 2018-12-31
 2019-01-01 at 09:15
 2019-01-01

This makes it possible to use a built-in date hierarchy for analysis.

NEW QUESTION 379

- (Topic 4)

You import two Microsoft Excel tables named Customer and Address into Power Query Customer contains the following columns:

- Customer ID
- Customer Name
- Phone
- Email Address
- Address ID

Address contains the following columns:

- Address ID
- Address Line 1
- Address Line 2
- City
- State/Region
- Country
- Postal Code

Each Customer ID represents a unique customer in the Customer table. Each Address ID represents a unique address in the Address table. You need to create a query that has one row per customer. Each row must contain City, State/Region, and Country for each customer. What should you do?

- A. Append the Customer and Address tables.
- B. Transpose the Customer and Address tables.
- C. Group the Customer and Address tables by the Address ID column.
- D. Merge the Customer and Address tables.

Answer: D


NEW QUESTION 380

DRAG DROP - (Topic 4)


Note: This question is a part of a series of questions that present the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario

You have a Microsoft SQL Server database that has the tables shown in the Database Diagram exhibit. (Click the Exhibit.)



You plan to develop a Power BI model as shown in the Power BI Model exhibit. (Click the Exhibit).



You plan to use Power BI to import data from 2013 to 2015. Product Subcategory [Subcategory] contains NULL values. End of repeated scenario. You implement the Power BI model. You need to edit the Product Category table query to match the desired Power BI model. How should you complete the advanced query? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content. NOTE: Each correct selection is worth one point.

Values

Table.Combine

Table.RemovedColumns

Table.RemoveRows

Table.RenameColumns

Table.ReorderColumns

Table.SelectColumns

Answer Area

```

let
    Source= Sql.Databases ("localhost"),
    DB1= Source {[Name= "DB1"]} [Data],
    dbo_DimProductCategory= DB1[{"Schema= "dbo, Item= "DimProductCategory"}] [Data],
    #Var1= Value
    (dbo_DimProductCategory, {"ProductCategoryAlternateKey",
    "SpanishProductCategoryName", "FrenchProductCategoryName"}),
    #Var2= Value
    (#Var1, {{ "EnglishProductCategoryName", "Category"}, {"DimProductSubcategory", "Subcategory"}})
in
    #Var2
        
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

<https://msdn.microsoft.com/en-us/library/mt260776.aspx> <https://msdn.microsoft.com/en-us/library/mt260808.aspx>

NEW QUESTION 385

- (Topic 4)
 You are building a Power BI report.
 Users will view the report by using their mobile device.
 You need to configure the report to display data based on each user s location.
 Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. For the relevant columns, set synonyms to match common geographical terms.
- B. From Power Query Editor, detect the data types of the relevant columns.
- C. Use the columns of the geography data type in all visuals.
- D. Create a hierarchy for columns of the geography data type.
- E. In Data Category, set the geographic data category for the relevant columns.

Answer: CE

NEW QUESTION 390

- (Topic 4)

You have a Power Bi report for the procurement department. The report contains data from the following tables.

Table name	Source	Description	Column name	Approximate record count
Suppliers	Microsoft Dynamics 365	A list of all the suppliers approved for use by the company.	<ul style="list-style-type: none"> ID Name Country 	100,000
LineItems	Microsoft Dynamics 365	All individual purchases made by employees across the company. An average of five line items per invoice.	<ul style="list-style-type: none"> ID Invoice ID Invoice Date Supplier ID Description Units Price per Unit Discount Price 	1,000,000,000

There is a one-to-many relationship from Suppliers to Lineitems that uses the ID and Supplier ID columns. The report contains the visuals shown in the following table.

Name	Used field	Filter
Supplier usage by count and value of invoices	Suppliers[ID] Suppliers[Name] LineItems[Invoice ID] LineItems[Price]	None
Spend by supplier location	Suppliers[Country] LineItems[Price]	None
Top 10 largest invoices last month	LineItems[Invoice ID] LineItems[Price]	LineItems[Invoice Date] in last calendar month

You need to minimize the size of the dataset without affecting the visuals. What should you do?

- A. Remove the rows from Lineitems where LineItems[invoice Date] is before the beginning of last month
- B. Merge Suppliers and Uneltems.
- C. Group Lineltems by Lineitems[invoice id) and Lineitems[invoice Date) with a sum of Lineitems(price).
- D. Remove the Lineitems[Description] column.

Answer: D

NEW QUESTION 392

- (Topic 4)

You have a Power B1 report named ReportA.

You have a Power B1 tenant that allows users to export data.

You need to ensure that consumers of ReportA cannot effort any data from visuals.

Which two actions should you perform? Each correct answer presents a complete solution. NOTE Each correct selection is worth one point.

- A. From Power B1 Desktop, modify the Data Load settings
- B. From the answer B1 service modify the Report settings.
- C. From Power B1 Desktop modify the Report settings
- D. From the Power B1 service, modify the dataset permissions.

Answer: BD

NEW QUESTION 397

- (Topic 4)

You have the following three versions of an Azure SQL database:

- ? Test
- ? Production
- ? Development

You have a dataset that uses the development database as a data source.

You need to configure the dataset so that you can easily change the data source between the development, test, and production database servers from powerbi.com.

Which should you do?

- A. Create a JSON file that contains the database server name
- B. Import the JSON file to the dataset.
- C. Create a parameter and update the queries to use the parameter.

- D. Create a query for each database server and hide the development tables.
- E. Set the data source privacy level to Organizational and use the ReplaceValue Power Query M function.

Answer: B

Explanation:

<https://docs.microsoft.com/en-us/learn/modules/create-manage-workspaces-power-bi/4-development-lifecycle-strategy>

NEW QUESTION 400

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

PL-300 Practice Exam Features:

- * PL-300 Questions and Answers Updated Frequently
- * PL-300 Practice Questions Verified by Expert Senior Certified Staff
- * PL-300 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * PL-300 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The PL-300 Practice Test Here](#)