

## DOP-C02 Dumps

### AWS Certified DevOps Engineer - Professional

<https://www.certleader.com/DOP-C02-dumps.html>



**NEW QUESTION 1**

A DevOps engineer manages a web application that runs on Amazon EC2 instances behind an Application Load Balancer (ALB). The instances run in an EC2 Auto Scaling group across multiple Availability Zones. The engineer needs to implement a deployment strategy that:

Launches a second fleet of instances with the same capacity as the original fleet. Maintains the original fleet unchanged while the second fleet is launched.

Transitions traffic to the second fleet when the second fleet is fully deployed. Terminates the original fleet automatically 1 hour after transition.

Which solution will satisfy these requirements?

- A. Use an AWS CloudFormation template with a retention policy for the ALB set to 1 hour
- B. Update the Amazon Route 53 record to reflect the new ALB.
- C. Use two AWS Elastic Beanstalk environments to perform a blue/green deployment from the original environment to the new one
- D. Create an application version lifecycle policy to terminate the original environment in 1 hour.
- E. Use AWS CodeDeploy with a deployment group configured with a blue/green deployment configuration. Select the option Terminate the original instances in the deployment group with a waiting period of 1 hour.
- F. Use AWS Elastic Beanstalk with the configuration set to Immutable
- G. Create an .ebextension using the Resources key that sets the deletion policy of the ALB to 1 hour, and deploy the application.

**Answer: C**

**Explanation:**

[https://docs.aws.amazon.com/codedeploy/latest/APIReference/API\\_BlueInstanceTerminationOption.html](https://docs.aws.amazon.com/codedeploy/latest/APIReference/API_BlueInstanceTerminationOption.html) The original revision termination settings are configured to wait 1 hour after traffic has been rerouted before

terminating the blue task set. <https://docs.aws.amazon.com/AmazonECS/latest/developerguide/deployment-type-bluegreen.html>

**NEW QUESTION 2**

A company has a legacy application. A DevOps engineer needs to automate the process of building the deployable artifact for the legacy application. The solution must store the deployable artifact in an existing Amazon S3 bucket for future deployments to reference.

Which solution will meet these requirements in the MOST operationally efficient way?

- A. Create a custom Docker image that contains all the dependencies for the legacy application. Store the custom Docker image in a new Amazon Elastic Container Registry (Amazon ECR) repository. Configure a new AWS CodeBuild project to use the custom Docker image to build the deployable artifact and to save the artifact to the S3 bucket.
- B. Launch a new Amazon EC2 instance. Install all the dependencies (or the legacy application) on the EC2 instance. Use the EC2 instance to build the deployable artifact and to save the artifact to the S3 bucket.
- C. Create a custom EC2 Image Builder image. Install all the dependencies for the legacy application on the image. Launch a new Amazon EC2 instance from the image. Use the new EC2 instance to build the deployable artifact and to save the artifact to the S3 bucket.
- D. Create an Amazon Elastic Kubernetes Service (Amazon EKS) cluster with an AWS Fargate profile that runs in multiple Availability Zones. Create a custom Docker image that contains all the dependencies for the legacy application. Store the custom Docker image in a new Amazon Elastic Container Registry (Amazon ECR) repository. Use the custom Docker image inside the EKS cluster to build the deployable artifact and to save the artifact to the S3 bucket.

**Answer: A**

**Explanation:**

This approach is the most operationally efficient because it leverages the benefits of containerization, such as isolation and reproducibility, as well as AWS managed services. AWS CodeBuild is a fully managed build service that can compile your source code, run tests, and produce deployable software packages. By using a custom Docker image that includes all dependencies, you can ensure that the environment in which your code is built is consistent. Using Amazon ECR to store Docker images lets you easily deploy the images to any environment. Also, you can directly upload the build artifacts to Amazon S3 from AWS CodeBuild, which is beneficial for version control and archival purposes.

**NEW QUESTION 3**

An application runs on Amazon EC2 instances behind an Application Load Balancer (ALB). A DevOps engineer is using AWS CodeDeploy to release a new version. The deployment fails during the AllowTraffic lifecycle event, but a cause for the failure is not indicated in the deployment logs.

What would cause this?

- A. The appspec
- B. .yml file contains an invalid script that runs in the AllowTraffic lifecycle hook.
- C. The user who initiated the deployment does not have the necessary permissions to interact with the ALB.
- D. The health checks specified for the ALB target group are misconfigured.
- E. The CodeDeploy agent was not installed in the EC2 instances that are part of the ALB target group.

**Answer: C**

**Explanation:**

This failure is typically due to incorrectly configured health checks in Elastic Load Balancing for the Classic Load Balancer, Application Load Balancer, or Network Load Balancer used to manage traffic for the deployment group. To resolve the issue, review and correct any errors in the health check configuration for the load balancer.

<https://docs.aws.amazon.com/codedeploy/latest/userguide/troubleshooting-deployments.html#troubleshooting-d>

**NEW QUESTION 4**

A company provides an application to customers. The application has an Amazon API Gateway REST API that invokes an AWS Lambda function. On initialization, the Lambda function loads a large amount of data from an Amazon DynamoDB table. The data load process results in long cold-start times of 8-10 seconds. The DynamoDB table has DynamoDB Accelerator (DAX) configured.

Customers report that the application intermittently takes a long time to respond to requests. The application receives thousands of requests throughout the day. In the middle of the day, the application experiences 10 times more requests than at any other time of the day. Near the end of the day, the application's request volume decreases to 10% of its normal total.

A DevOps engineer needs to reduce the latency of the Lambda function at all times of the day. Which solution will meet these requirements?

- A. Configure provisioned concurrency on the Lambda function with a concurrency value of 1. Delete the DAX cluster for the DynamoDB table.
- B. Configure reserved concurrency on the Lambda function with a concurrency value of 0.

- C. Configure provisioned concurrency on the Lambda function
- D. Configure AWS Application Auto Scaling on the Lambda function with provisioned concurrency values set to a minimum of 1 and a maximum of 100.
- E. Configure reserved concurrency on the Lambda function
- F. Configure AWS Application Auto Scaling on the API Gateway API with a reserved concurrency maximum value of 100.

**Answer:** C

**Explanation:**

The following are the steps that the DevOps engineer should take to reduce the latency of the Lambda function at all times of the day:

- Configure provisioned concurrency on the Lambda function.
- Configure AWS Application Auto Scaling on the Lambda function with provisioned concurrency values set to a minimum of 1 and a maximum of 100.

The provisioned concurrency setting ensures that there is always a minimum number of Lambda function instances available to handle requests. The Application Auto Scaling setting will automatically scale the number of Lambda function instances up or down based on the demand for the application.

This solution will ensure that the Lambda function is able to handle the increased load during the middle of the day, while also keeping the cold-start latency low.

The following are the reasons why the other options are not correct:

- Option A is incorrect because it will not reduce the cold-start latency of the Lambda function.
- Option B is incorrect because it will not scale the number of Lambda function instances up or down based on demand.
- Option D is incorrect because it will only configure reserved concurrency on the API Gateway API, which will not affect the Lambda function.

**NEW QUESTION 5**

A developer is maintaining a fleet of 50 Amazon EC2 Linux servers. The servers are part of an Amazon EC2 Auto Scaling group, and also use Elastic Load Balancing for load balancing.

Occasionally, some application servers are being terminated after failing ELB HTTP health checks. The developer would like to perform a root cause analysis on the issue, but before being able to access application logs, the server is terminated.

How can log collection be automated?

- A. Use Auto Scaling lifecycle hooks to put instances in a Pending:Wait state
- B. Create an Amazon CloudWatch alarm for EC2 Instance Terminate Successful and trigger an AWS Lambda function that invokes an SSM Run Command script to collect logs, push them to Amazon S3, and complete the lifecycle action once logs are collected.
- C. Use Auto Scaling lifecycle hooks to put instances in a Terminating:Wait state
- D. Create an AWS Config rule for EC2 Instance-terminate Lifecycle Action and trigger a step function that invokes a script to collect logs, push them to Amazon S3, and complete the lifecycle action once logs are collected.
- E. Use Auto Scaling lifecycle hooks to put instances in a Terminating:Wait state
- F. Create an Amazon CloudWatch subscription filter for EC2 Instance Terminate Successful and trigger a CloudWatch agent that invokes a script to collect logs, push them to Amazon S3, and complete the lifecycle action once logs are collected.
- G. Use Auto Scaling lifecycle hooks to put instances in a Terminating:Wait state
- H. Create an Amazon EventBridge rule for EC2 Instance-terminate Lifecycle Action and trigger an AWS Lambda function that invokes an SSM Run Command script to collect logs, push them to Amazon S3, and complete the lifecycle action once logs are collected.

**Answer:** D

**Explanation:**

<https://blog.fourninecloud.com/auto-scaling-lifecycle-hooks-to-export-server-logs-when-instance-terminating-58>

**NEW QUESTION 6**

A company is running an application on Amazon EC2 instances in an Auto Scaling group. Recently an issue occurred that prevented EC2 instances from launching successfully and it took several hours for the support team to discover the issue. The support team wants to be notified by email whenever an EC2 instance does not start successfully.

Which action will accomplish this?

- A. Add a health check to the Auto Scaling group to invoke an AWS Lambda function whenever an instance status is impaired.
- B. Configure the Auto Scaling group to send a notification to an Amazon SNS topic whenever a failed instance launch occurs.
- C. Create an Amazon CloudWatch alarm that invokes an AWS Lambda function when a failed AttachInstances Auto Scaling API call is made.
- D. Create a status check alarm on Amazon EC2 to send a notification to an Amazon SNS topic whenever a status check fail occurs.

**Answer:** B

**Explanation:**

<https://docs.aws.amazon.com/autoscaling/ec2/userguide/ASGettingNotifications.html#auto-scaling-sns-notificat>

**NEW QUESTION 7**

A company uses AWS CodeArtifact to centrally store Python packages. The CodeArtifact repository is configured with the following repository policy.

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Action": [
        "codeartifact:DescribePackageVersion",
        "codeartifact:DescribeRepository",
        "codeartifact:GetPackageVersionReadme",
        "codeartifact:GetRepositoryEndpoint",
        "codeartifact:ListPackageVersionAssets",
        "codeartifact:ListPackageVersionDependencies",
        "codeartifact:ListPackageVersions",
        "codeartifact:ListPackages",
        "codeartifact:ReadFromRepository"
      ],
      "Effect": "Allow",
      "Resource": "*",
      "Principal": "*",
      "Condition": {
        "StringEquals": {
          "aws:PrincipalOrgID": [
            "o-xxxxxxxxxxxx"
          ]
        }
      }
    }
  ]
}
```

A development team is building a new project in an account that is in an organization in AWS Organizations. The development team wants to use a Python library that has already been stored in the CodeArtifact repository in the organization. The development team uses AWS CodePipeline and AWS CodeBuild to build the new application. The CodeBuild job that the development team uses to build the application is configured to run in a VPC. Because of compliance requirements the VPC has no internet connectivity.

The development team creates the VPC endpoints for CodeArtifact and updates the CodeBuild buildspec yaml file. However, the development team cannot download the Python library from the repository.

Which combination of steps should a DevOps engineer take so that the development team can use Code Artifact? (Select TWO.)

- A. Create an Amazon S3 gateway endpoint. Update the route tables for the subnets that are running the CodeBuild job.
- B. Update the repository policy's Principal statement to include the ARN of the role that the CodeBuild project uses.
- C. Share the CodeArtifact repository with the organization by using AWS Resource Access Manager (AWS RAM).
- D. Update the role that the CodeBuild project uses so that the role has sufficient permissions to use the CodeArtifact repository.
- E. Specify the account that hosts the repository as the delegated administrator for CodeArtifact in the organization.

**Answer: AD**

**Explanation:**

"AWS CodeArtifact operates in multiple Availability Zones and stores artifact data and metadata in Amazon S3 and Amazon DynamoDB. Your encrypted data is redundantly stored across multiple facilities and multiple devices in each facility, making it highly available and highly durable."

<https://aws.amazon.com/codeartifact/features/> With no internet connectivity, a gateway endpoint becomes necessary to access S3.

**NEW QUESTION 8**

A rapidly growing company wants to scale for developer demand for AWS development environments. Development environments are created manually in the AWS Management Console. The networking team uses AWS CloudFormation to manage the networking infrastructure, exporting stack output values for the Amazon VPC and all subnets. The development environments have common standards, such as Application Load Balancers, Amazon EC2 Auto Scaling groups, security groups, and Amazon DynamoDB tables.

To keep up with demand, the DevOps engineer wants to automate the creation of development environments. Because the infrastructure required to support the application is expected to grow, there must be a way to easily update the deployed infrastructure. CloudFormation will be used to create a template for the development environments.

Which approach will meet these requirements and quickly provide consistent AWS environments for developers?

- A. Use Fn::ImportValue intrinsic functions in the Resources section of the template to retrieve Virtual Private Cloud (VPC) and subnet value
- B. Use CloudFormation StackSets for the development environments, using the Count input parameter to indicate the number of environments needed
- C. Use the UpdateStackSet command to update existing development environments.
- D. Use nested stacks to define common infrastructure component
- E. To access the exported values, use TemplateURL to reference the networking team's template
- F. To retrieve Virtual Private Cloud (VPC) and subnet values, use Fn::ImportValue intrinsic functions in the Parameters section of the root template
- G. Use the CreateChangeSet and ExecuteChangeSet commands to update existing development environments.
- H. Use nested stacks to define common infrastructure component
- I. Use Fn::ImportValue intrinsic functions with the resources of the nested stack to retrieve Virtual Private Cloud (VPC) and subnet value
- J. Use the CreateChangeSet and ExecuteChangeSet commands to update existing development environments.
- K. Use Fn::ImportValue intrinsic functions in the Parameters section of the root template to retrieve Virtual Private Cloud (VPC) and subnet value
- L. Define the development resources in the order they need to be created in the CloudFormation nested stack
- M. Use the CreateChangeSet
- N. and ExecuteChangeSet commands to update existing development environments.

**Answer: C**

**Explanation:**

[https://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/intrinsic-function-reference-importvalue.h](https://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/intrinsic-function-reference-importvalue.html)



[https://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/intrinsic-function-reference-importvalue.h](https://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/intrinsic-function-reference-importvalue.html)

CF of network exports the VPC, subnet or needed information CF of application imports the above information to its stack and UpdateChangeSet/ExecuteChangeSet

#### NEW QUESTION 9

A company wants to set up a continuous delivery pipeline. The company stores application code in a private GitHub repository. The company needs to deploy the application components to Amazon Elastic Container Service (Amazon ECS), Amazon EC2, and AWS Lambda. The pipeline must support manual approval actions.

Which solution will meet these requirements?

- A. Use AWS CodePipeline with Amazon EC
- B. Amazon EC2, and Lambda as deploy providers.
- C. Use AWS CodePipeline with AWS CodeDeploy as the deploy provider.
- D. Use AWS CodePipeline with AWS Elastic Beanstalk as the deploy provider.
- E. Use AWS CodeDeploy with GitHub integration to deploy the application.

**Answer:** B

#### Explanation:

<https://docs.aws.amazon.com/codedeploy/latest/userguide/deployment-steps.html>

#### NEW QUESTION 10

A company runs an application on one Amazon EC2 instance. Application metadata is stored in Amazon S3 and must be retrieved if the instance is restarted. The instance must restart or relaunch automatically if the instance becomes unresponsive.

Which solution will meet these requirements?

- A. Create an Amazon CloudWatch alarm for the StatusCheckFailed metri
- B. Use the recover action to stop and start the instanc
- C. Use an S3 event notification to push the metadata to the instance when the instance is back up and running.
- D. Configure AWS OpsWorks, and use the auto healing feature to stop and start the instanc
- E. Use a lifecycle event in OpsWorks to pull the metadata from Amazon S3 and update it on the instance.
- F. Use EC2 Auto Recovery to automatically stop and start the instance in case of a failur
- G. Use an S3 event notification to push the metadata to the instance when the instance is back up and running.
- H. Use AWS CloudFormation to create an EC2 instance that includes the UserData property for the EC2 resourc
- I. Add a command in UserData to retrieve the application metadata from Amazon S3.

**Answer:** B

#### Explanation:

<https://aws.amazon.com/blogs/mt/how-to-set-up-aws-opsworks-stacks-auto-healing-notifications-in-amazon-clo>

#### NEW QUESTION 10

A company is adopting AWS CodeDeploy to automate its application deployments for a Java-Apache Tomcat application with an Apache Webserver. The development team started with a proof of concept, created a deployment group for a developer environment, and performed functional tests within the application. After completion, the team will create additional deployment groups for staging and production.

The current log level is configured within the Apache settings, but the team wants to change this configuration dynamically when the deployment occurs, so that they can set different log level configurations depending on the deployment group without having a different application revision for each group.

How can these requirements be met with the LEAST management overhead and without requiring different script versions for each deployment group?

- A. Tag the Amazon EC2 instances depending on the deployment grou
- B. Then place a script into the application revision that calls the metadata service and the EC2 API to identify which deployment group the instance is part o
- C. Use this information to configure the log level setting
- D. Reference the script as part of the AfterInstall lifecycle hook in the appspec.yml file.
- E. Create a script that uses the CodeDeploy environment variable DEPLOYMENT\_GROUP\_NAME to identify which deployment group the instance is part o
- F. Use this information to configure the log level setting
- G. Reference this script as part of the BeforeInstall lifecycle hook in the appspec.yml file.
- H. Create a CodeDeploy custom environment variable for each environmen
- I. Then place a script into the application revision that checks this environment variable to identify which deployment group the instance is part o
- J. Use this information to configure the log level setting
- K. Reference this script as part of the ValidateService lifecycle hook in the appspec.yml file.
- L. Create a script that uses the CodeDeploy environment variable DEPLOYMENT\_GROUP\_ID to identify which deployment group the instance is part of to configure the log level setting
- M. Reference this script as part of the Install lifecycle hook in the appspec.yml file.

**Answer:** B

#### Explanation:

The following are the steps that the company can take to change the log level dynamically when the deployment occurs:

- Create a script that uses the CodeDeploy environment variable DEPLOYMENT\_GROUP\_NAME to identify which deployment group the instance is part of.
- Use this information to configure the log level settings.
- Reference this script as part of the BeforeInstall lifecycle hook in the appspec.yml file.

The DEPLOYMENT\_GROUP\_NAME environment variable is automatically set by CodeDeploy when the deployment is triggered. This means that the script does not need to call the metadata service or the EC2 API to identify the deployment group.

This solution is the least complex and requires the least management overhead. It also does not require different script versions for each deployment group.

The following are the reasons why the other options are not correct:

- Option A is incorrect because it would require tagging the Amazon EC2 instances, which would be a manual and time-consuming process.
- Option C is incorrect because it would require creating a custom environment variable for each environment. This would be a complex and error-prone process.
- Option D is incorrect because it would use the DEPLOYMENT\_GROUP\_ID environment variable.

However, this variable is not automatically set by CodeDeploy, so the script would need to call the metadata service or the EC2 API to get the deployment group ID. This would add complexity and overhead to the solution.

**NEW QUESTION 12**

A company uses Amazon S3 to store proprietary information. The development team creates buckets for new projects on a daily basis. The security team wants to ensure that all existing and future buckets have encryption logging and versioning enabled. Additionally, no buckets should ever be publicly read or write accessible.

What should a DevOps engineer do to meet these requirements?

- A. Enable AWS CloudTrail and configure automatic remediation using AWS Lambda.
- B. Enable AWS Config rules and configure automatic remediation using AWS Systems Manager documents.
- C. Enable AWS Trusted Advisor and configure automatic remediation using Amazon EventBridge.
- D. Enable AWS Systems Manager and configure automatic remediation using Systems Manager documents.

**Answer:** B

**Explanation:**

<https://aws.amazon.com/blogs/mt/aws-config-auto-remediation-s3-compliance/> <https://aws.amazon.com/blogs/aws/aws-config-rules-dynamic-compliance-checking-for-cloud-resources/>

**NEW QUESTION 13**

A company's application is currently deployed to a single AWS Region. Recently, the company opened a new office on a different continent. The users in the new office are experiencing high latency. The company's application runs on Amazon EC2 instances behind an Application Load Balancer (ALB) and uses Amazon DynamoDB as the database layer. The instances run in an EC2 Auto Scaling group across multiple Availability Zones. A DevOps engineer is tasked with minimizing application response times and improving availability for users in both Regions.

Which combination of actions should be taken to address the latency issues? (Choose three.)

- A. Create a new DynamoDB table in the new Region with cross-Region replication enabled.
- B. Create new ALB and Auto Scaling group global resources and configure the new ALB to direct traffic to the new Auto Scaling group.
- C. Create new ALB and Auto Scaling group resources in the new Region and configure the new ALB to direct traffic to the new Auto Scaling group.
- D. Create Amazon Route 53 records, health checks, and latency-based routing policies to route to the ALB.
- E. Create Amazon Route 53 aliases, health checks, and failover routing policies to route to the ALB.
- F. Convert the DynamoDB table to a global table.

**Answer:** CDE

**Explanation:**

- \* C. Create new ALB and Auto Scaling group resources in the new Region and configure the new ALB to direct traffic to the new Auto Scaling group. This will allow users in the new Region to access the application with lower latency by reducing the network hops between the user and the application servers.
- \* D. Create Amazon Route 53 records, health checks, and latency-based routing policies to route to the ALB. This will enable Route 53 to route user traffic to the nearest healthy ALB, based on the latency between the user and the ALBs.
- \* F. Convert the DynamoDB table to a global table. This will enable reads and writes to the table in both Regions with low latency, improving the overall response time of the application

**NEW QUESTION 16**

A company is divided into teams Each team has an AWS account and all the accounts are in an organization in AWS Organizations. Each team must retain full administrative rights to its AWS account. Each team also must be allowed to access only AWS services that the company approves for use AWS services must gain approval through a request and approval process.

How should a DevOps engineer configure the accounts to meet these requirements?

- A. Use AWS CloudFormation StackSets to provision IAM policies in each account to deny access to restricted AWS service
- B. In each account configure AWS Config rules that ensure that the policies are attached to IAM principals in the account.
- C. Use AWS Control Tower to provision the accounts into OUs within the organization Configure AWS Control Tower to enable AWS IAM identity Center (AWS Single Sign-On). Configure IAM Identity Center to provide administrative access Include deny policies on user roles for restricted AWS services.
- D. Place all the accounts under a new top-level OU within the organization Create an SCP that denies access to restricted AWS services Attach the SCP to the OU.
- E. Create an SCP that allows access to only approved AWS service
- F. Attach the SCP to the root OU of the organization
- G. Remove the FullAWSAccess SCP from the root OU of the organization.

**Answer:** C

**Explanation:**

<https://docs.aws.amazon.com/vpc/latest/userguide/managed-prefix-lists.html> A managed prefix list is a set of one or more CIDR blocks. You can use prefix lists to make it easier to configure and maintain your security groups and route tables. <https://docs.aws.amazon.com/vpc/latest/userguide/sharing-managed-prefix-lists.html> With AWS Resource Access Manager (AWS RAM), the owner of a prefix list can share a prefix list with the following: Specific AWS accounts inside or outside of its organization in AWS Organizations An organizational unit inside its organization in AWS Organizations An entire organization in AWS Organizations

**NEW QUESTION 17**

A DevOps engineer at a company is supporting an AWS environment in which all users use AWS IAM Identity Center (AWS Single Sign-On). The company wants to immediately disable credentials of any new IAM user and wants the security team to receive a notification.

Which combination of steps should the DevOps engineer take to meet these requirements? (Choose three.)

- A. Create an Amazon EventBridge rule that reacts to an IAM CreateUser API call in AWS CloudTrail.
- B. Create an Amazon EventBridge rule that reacts to an IAM GetLoginProfile API call in AWS CloudTrail.
- C. Create an AWS Lambda function that is a target of the EventBridge rule
- D. Configure the Lambda function to disable any access keys and delete the login profiles that are associated with the IAM user.
- E. Create an AWS Lambda function that is a target of the EventBridge rule
- F. Configure the Lambda function to delete the login profiles that are associated with the IAM user.

- G. Create an Amazon Simple Notification Service (Amazon SNS) topic that is a target of the EventBridge rule.
- H. Subscribe the security team's group email address to the topic.
- I. Create an Amazon Simple Queue Service (Amazon SQS) queue that is a target of the Lambda function. Subscribe the security team's group email address to the queue.

**Answer:** ACE

#### NEW QUESTION 19

A company uses AWS Storage Gateway in file gateway mode in front of an Amazon S3 bucket that is used by multiple resources. In the morning when business begins, users do not see the objects processed by a third party the previous evening. When a DevOps engineer looks directly at the S3 bucket, the data is there, but it is missing in Storage Gateway.

Which solution ensures that all the updated third-party files are available in the morning?

- A. Configure a nightly Amazon EventBridge event to invoke an AWS Lambda function to run the RefreshCache command for Storage Gateway.
- B. Instruct the third party to put data into the S3 bucket using AWS Transfer for SFTP.
- C. Modify Storage Gateway to run in volume gateway mode.
- D. Use S3 Same-Region Replication to replicate any changes made directly in the S3 bucket to Storage Gateway.

**Answer:** A

#### Explanation:

[https://docs.aws.amazon.com/storagegateway/latest/APIReference/API\\_RefreshCache.html](https://docs.aws.amazon.com/storagegateway/latest/APIReference/API_RefreshCache.html) " It only updates the cached inventory to reflect changes in the inventory of the objects in the S3 bucket. This operation is only supported in the S3 File Gateway types."

#### NEW QUESTION 22

A DevOps engineer needs to apply a core set of security controls to an existing set of AWS accounts. The accounts are in an organization in AWS Organizations. Individual teams will administer individual accounts by using the AdministratorAccess AWS managed policy. For all accounts, AWS CloudTrail and AWS Config must be turned on in all available AWS Regions. Individual account administrators must not be able to edit or delete any of the baseline resources. However, individual account administrators must be able to edit or delete their own CloudTrail trails and AWS Config rules.

Which solution will meet these requirements in the MOST operationally efficient way?

- A. Create an AWS CloudFormation template that defines the standard account resource
- B. Deploy the template to all accounts from the organization's management account by using CloudFormation StackSet
- C. Set the stack policy to deny Update/Delete actions.
- D. Enable AWS Control Tower
- E. Enroll the existing accounts in AWS Control Tower
- F. Grant the individual account administrators access to CloudTrail and AWS Config.
- G. Designate an AWS Config management account
- H. Create AWS Config recorders in all accounts by using AWS CloudFormation StackSet
- I. Deploy AWS Config rules to the organization by using the AWS Config management account
- J. Create a CloudTrail organization trail in the organization's management account
- K. Deny modification or deletion of the AWS Config recorders by using an SCP.
- L. Create an AWS CloudFormation template that defines the standard account resource
- M. Deploy the template to all accounts from the organization's management account by using CloudFormation StackSets. Create an SCP that prevents updates or deletions to CloudTrail resources or AWS Config resources unless the principal is an administrator of the organization's management account.

**Answer:** D

#### NEW QUESTION 23

A DevOps engineer is creating an AWS CloudFormation template to deploy a web service. The web service will run on Amazon EC2 instances in a private subnet behind an Application Load Balancer (ALB). The DevOps engineer must ensure that the service can accept requests from clients that have IPv6 addresses.

What should the DevOps engineer do with the CloudFormation template so that IPv6 clients can access the web service?

- A. Add an IPv6 CIDR block to the VPC and the private subnet for the EC2 instance
- B. Create route table entries for the IPv6 network, use EC2 instance types that support IPv6, and assign IPv6 addresses to each EC2 instance.
- C. Assign each EC2 instance an IPv6 Elastic IP address
- D. Create a target group, and add the EC2 instances as target
- E. Create a listener on port 443 of the ALB, and associate the target group with the ALB.
- F. Replace the ALB with a Network Load Balancer (NLB). Add an IPv6 CIDR block to the VPC and subnets for the NLB, and assign the NLB an IPv6 Elastic IP address.
- G. Add an IPv6 CIDR block to the VPC and subnets for the ALB
- H. Create a listener on port 443. and specify the dualstack IP address type on the ALB
- I. Create a target group, and add the EC2 instances as target
- J. Associate the target group with the ALB.

**Answer:** D

#### Explanation:

it involves adding an IPv6 CIDR block to the VPC and subnets for the ALB and specifying the dualstack IP address type on the ALB listener. This allows the ALB to listen on both IPv4 and IPv6 addresses, and forward requests to the EC2 instances that are added as targets to the target group associated with the ALB.

#### NEW QUESTION 27

A development team manually builds an artifact locally and then places it in an Amazon S3 bucket. The application has a local cache that must be cleared when a deployment occurs. The team runs a command to do this, downloads the artifact from Amazon S3 and unzips the artifact to complete the deployment.

A DevOps team wants to migrate to a CI/CD process and build in checks to stop and roll back the deployment when a failure occurs. This requires the team to track the progression of the deployment.

Which combination of actions will accomplish this? (Select THREE)



- A. Allow developers to check the code into a code repository Using Amazon EventBridge on every pull into the main branch invoke an AWS Lambda function to build the artifact and store it in Amazon S3.
- B. Create a custom script to clear the cache Specify the script in the BeforeInstall lifecycle hook in the AppSpec file.
- C. Create user data for each Amazon EC2 instance that contains the clear cache script Once deployed test the application If it is not successful deploy it again.
- D. Set up AWS CodePipeline to deploy the application Allow developers to check the code into a code repository as a source for the pipeline.
- E. Use AWS CodeBuild to build the artifact and place it in Amazon S3 Use AWS CodeDeploy to deploy the artifact to Amazon EC2 instances.
- F. Use AWS Systems Manager to fetch the artifact from Amazon S3 and deploy it to all the instances.

**Answer:** BDE

#### NEW QUESTION 28

A company's DevOps engineer is working in a multi-account environment. The company uses AWS Transit Gateway to route all outbound traffic through a network operations account. In the network operations account all account traffic passes through a firewall appliance for inspection before the traffic goes to an internet gateway.

The firewall appliance sends logs to Amazon CloudWatch Logs and includes event severities of CRITICAL, HIGH, MEDIUM, LOW, and INFO. The security team wants to receive an alert if any CRITICAL events occur.

What should the DevOps engineer do to meet these requirements?

- A. Create an Amazon CloudWatch Synthetics canary to monitor the firewall status
- B. If the firewall reaches a CRITICAL state or logs a CRITICAL event use a CloudWatch alarm to publish a notification to an Amazon Simple Notification Service (Amazon SNS) topic Subscribe the security team's email address to the topic.
- C. Create an Amazon CloudWatch metric filter by using a search for CRITICAL events Publish a custom metric for the findings
- D. Use a CloudWatch alarm based on the custom metric to publish a notification to an Amazon Simple Notification Service (Amazon SNS) topic
- E. Subscribe the security team's email address to the topic.
- F. Enable Amazon GuardDuty in the network operations account
- G. Configure GuardDuty to monitor flow logs Create an Amazon EventBridge event rule that is invoked by GuardDuty events that are CRITICAL Define an Amazon Simple Notification Service (Amazon SNS) topic as a target Subscribe the security team's email address to the topic.
- H. Use AWS Firewall Manager to apply consistent policies across all accounts
- I. Create an Amazon EventBridge event rule that is invoked by Firewall Manager events that are CRITICAL Define an Amazon Simple Notification Service (Amazon SNS) topic as a target Subscribe the security team's email address to the topic.

**Answer:** B

#### Explanation:

"The firewall appliance sends logs to Amazon CloudWatch Logs and includes event severities of CRITICAL, HIGH, MEDIUM, LOW, and INFO"

#### NEW QUESTION 29

A company has migrated its container-based applications to Amazon EKS and wants to establish automated email notifications. The notifications sent to each email address are for specific activities related to EKS components. The solution will include Amazon SNS topics and an AWS Lambda function to evaluate incoming log events and publish messages to the correct SNS topic.

Which logging solution will support these requirements?

- A. Enable Amazon CloudWatch Logs to log the EKS component
- B. Create a CloudWatch subscription filter for each component with Lambda as the subscription feed destination.
- C. Enable Amazon CloudWatch Logs to log the EKS component
- D. Create CloudWatch Logs Insights queries linked to Amazon EventBridge events that invoke Lambda.
- E. Enable Amazon S3 logging for the EKS component
- F. Configure an Amazon CloudWatch subscription filter for each component with Lambda as the subscription feed destination.
- G. Enable Amazon S3 logging for the EKS component
- H. Configure S3 PUT Object event notifications with AWS Lambda as the destination.

**Answer:** A

#### Explanation:

<https://docs.aws.amazon.com/AmazonCloudWatch/latest/logs/SubscriptionFilters.html#LambdaFunctionExample>

<https://docs.aws.amazon.com/AmazonCloudWatch/latest/logs/SubscriptionFilters.html>

#### NEW QUESTION 33

A company has an organization in AWS Organizations. The organization includes workload accounts that contain enterprise applications. The company centrally manages users from an operations account. No users can be created in the workload accounts. The company recently added an operations team and must provide the operations team members with administrator access to each workload account.

Which combination of actions will provide this access? (Choose three.)

- A. Create a SysAdmin role in the operations account
- B. Attach the AdministratorAccess policy to the role. Modify the trust relationship to allow the sts:AssumeRole action from the workload accounts.
- C. Create a SysAdmin role in each workload account
- D. Attach the AdministratorAccess policy to the role. Modify the trust relationship to allow the sts:AssumeRole action from the operations account.
- E. Create an Amazon Cognito identity pool in the operations account
- F. Attach the SysAdmin role as an authenticated role.
- G. In the operations account, create an IAM user for each operations team member.
- H. In the operations account, create an IAM user group that is named SysAdmin
- I. Add an IAM policy that allows the sts:AssumeRole action for the SysAdmin role in each workload account
- J. Add all operations team members to the group.
- K. Create an Amazon Cognito user pool in the operations account
- L. Create an Amazon Cognito user for each operations team member.

**Answer:** BDE

#### Explanation:

[https://docs.aws.amazon.com/IAM/latest/UserGuide/tutorial\\_cross-account-with-roles.html](https://docs.aws.amazon.com/IAM/latest/UserGuide/tutorial_cross-account-with-roles.html)



**NEW QUESTION 37**

A company that uses electronic health records is running a fleet of Amazon EC2 instances with an Amazon Linux operating system. As part of patient privacy requirements, the company must ensure continuous compliance for patches for operating system and applications running on the EC2 instances. How can the deployments of the operating system and application patches be automated using a default and custom repository?

- A. Use AWS Systems Manager to create a new patch baseline including the custom repository
- B. Run the AWS-RunPatchBaseline document using the run command to verify and install patches.
- C. Use AWS Direct Connect to integrate the corporate repository and deploy the patches using Amazon CloudWatch scheduled events, then use the CloudWatch dashboard to create reports.
- D. Use yum-config-manager to add the custom repository under /etc/yum.repos.d and run yum-config-manager-enable to activate the repository.
- E. Use AWS Systems Manager to create a new patch baseline including the corporate repository
- F. Run the AWS-AmazonLinuxDefaultPatchBaseline document using the run command to verify and install patches.

**Answer:** A

**Explanation:**

<https://docs.aws.amazon.com/systems-manager/latest/userguide/patch-manager-how-it-works-alt-source-reposit>

**NEW QUESTION 41**

A company has developed an AWS Lambda function that handles orders received through an API. The company is using AWS CodeDeploy to deploy the Lambda function as the final stage of a CI/CD pipeline.

A DevOps engineer has noticed there are intermittent failures of the ordering API for a few seconds after deployment. After some investigation the DevOps engineer believes the failures are due to database changes not having fully propagated before the Lambda function is invoked

How should the DevOps engineer overcome this?

- A. Add a BeforeAllowTraffic hook to the AppSpec file that tests and waits for any necessary database changes before traffic can flow to the new version of the Lambda function.
- B. Add an AfterAllowTraffic hook to the AppSpec file that forces traffic to wait for any pending database changes before allowing the new version of the Lambda function to respond.
- C. Add a BeforeAllowTraffic hook to the AppSpec file that tests and waits for any necessary database changes before deploying the new version of the Lambda function.
- D. Add a validateService hook to the AppSpec file that inspects incoming traffic and rejects the payload if dependent services such as the database are not yet ready.

**Answer:** A

**Explanation:**

<https://docs.aws.amazon.com/codedeploy/latest/userguide/reference-appspec-file-structure-hooks.html#appspec>

**NEW QUESTION 44**

A company uses AWS Organizations to manage multiple accounts. Information security policies require that all unencrypted Amazon EBS volumes be marked as non-compliant. A DevOps engineer needs to automatically deploy the solution and ensure that this compliance check is always present.

Which solution will accomplish this?

- A. Create an AWS CloudFormation template that defines an AWS Inspector rule to check whether EBS encryption is enable
- B. Save the template to an Amazon S3 bucket that has been shared with all accounts within the compan
- C. Update the account creation script pointing to the CloudFormation template in Amazon S3.
- D. Create an AWS Config organizational rule to check whether EBS encryption is enabled and deploy the rule using the AWS CL
- E. Create and apply an SCP to prohibit stopping and deleting AWS Config across the organization.
- F. Create an SCP in Organization
- G. Set the policy to prevent the launch of Amazon EC2 instances without encryption on the EBS volumes using a conditional expressio
- H. Apply the SCP to all AWS accounts. Use Amazon Athena to analyze the AWS CloudTrail output, looking for events that deny an ec2:RunInstances action.
- I. Deploy an IAM role to all accounts from a single trusted accoun
- J. Build a pipeline with AWS CodePipeline with a stage in AWS Lambda to assume the IAM role, and list all EBS volumes in the accoun
- K. Publish a report to Amazon S3.

**Answer:** B

**Explanation:**

<https://docs.aws.amazon.com/config/latest/developerguide/ec2-ebs-encryption-by-default.html>

**NEW QUESTION 46**

A company's production environment uses an AWS CodeDeploy blue/green deployment to deploy an application. The deployment includes Amazon EC2 Auto Scaling groups that launch instances that run Amazon Linux 2.

A working appspec. yml file exists in the code repository and contains the following text.

```
version: 0.0
os: linux
files:
- source: /
  destination: /var/www/html/application
```

A DevOps engineer needs to ensure that a script downloads and installs a license file onto the instances before the replacement instances start to handle request traffic. The DevOps engineer adds a hooks section to the appspec. yml file.

Which hook should the DevOps engineer use to run the script that downloads and installs the license file?

- A. AfterBlockTraffic
- B. BeforeBlockTraffic

- C. BeforeInstall
- D. Down load Bundle

**Answer:** C

**Explanation:**

This hook runs before the new application version is installed on the replacement instances. This is the best place to run the script because it ensures that the license file is downloaded and installed before the replacement instances start to handle request traffic. If you use any other hook, you may encounter errors or inconsistencies in your application.

**NEW QUESTION 48**

An application running on a set of Amazon EC2 instances in an Auto Scaling group requires a configuration file to operate. The instances are created and maintained with AWS CloudFormation. A DevOps engineer wants the instances to have the latest configuration file when launched and wants changes to the configuration file to be reflected on all the instances with a minimal delay when the CloudFormation template is updated. Company policy requires that application configuration files be maintained along with AWS infrastructure configuration files in source control.

Which solution will accomplish this?

- A. In the CloudFormation template add an AWS Config rule
- B. Place the configuration file content in the resource's InputParameters property and set the Scope property to the EC2 Auto Scaling group
- C. Add an AWS Systems Manager Resource Data Sync resource to the template to poll for updates to the configuration.
- D. In the CloudFormation template add an EC2 launch template resource
- E. Place the configuration file content in the launch template
- F. Configure the cfn-init script to run when the instance is launched and configure the cfn-hup script to poll for updates to the configuration.
- G. In the CloudFormation template add an EC2 launch template resource
- H. Place the configuration file content in the launch template
- I. Add an AWS Systems Manager Resource Data Sync resource to the template to poll for updates to the configuration.
- J. In the CloudFormation template add CloudFormation intrinsic metadata
- K. Place the configuration file content in the metadata
- L. Configure the cfn-init script to run when the instance is launched and configure the cfn-hup script to poll for updates to the configuration.

**Answer:** D

**Explanation:**

Use the `AWS::CloudFormation::Init` type to include metadata on an Amazon EC2 instance for the cfn-init helper script. If your template calls the cfn-init script, the script looks for resource metadata rooted in the `AWS::CloudFormation::Init` metadata key. Reference:

<https://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/aws-resource-init.html>

**NEW QUESTION 52**

A company has a data ingestion application that runs across multiple AWS accounts. The accounts are in an organization in AWS Organizations. The company needs to monitor the application and consolidate access to the application. Currently the company is running the application on Amazon EC2 instances from several Auto Scaling groups. The EC2 instances have no access to the internet because the data is sensitive. Engineers have deployed the necessary VPC endpoints. The EC2 instances run a custom AMI that is built specifically for the application.

To maintain and troubleshoot the application, system administrators need the ability to log in to the EC2 instances. This access must be automated and controlled centrally. The company's security team must receive a notification whenever the instances are accessed.

Which solution will meet these requirements?

- A. Create an Amazon EventBridge rule to send notifications to the security team whenever a user logs in to an EC2 instance. Use EC2 Instance Connect to log in to the instance.
- B. Deploy Auto Scaling groups by using AWS CloudFormation. Use the cfn-init helper script to deploy appropriate VPC routes for external access. Rebuild the custom AMI so that the custom AMI includes AWS Systems Manager Agent.
- C. Deploy a NAT gateway and a bastion host that has internet access. Create a security group that allows incoming traffic on all the EC2 instances from the bastion host. Install AWS Systems Manager Agent on all the EC2 instances. Use Auto Scaling group lifecycle hooks for monitoring and auditing access. Use Systems Manager Session Manager to log in to the instances. Send logs to a log group in Amazon CloudWatch Log.
- D. Export data to Amazon S3 for auditing. Send notifications to the security team by using S3 event notifications.
- E. Use EC2 Image Builder to rebuild the custom AMI. Include the most recent version of AWS Systems Manager Agent in the image. Configure the Auto Scaling group to attach the `AmazonSSMManagedInstanceCore` role to all the EC2 instances. Use Systems Manager Session Manager to log in to the instances. Enable logging of session details to Amazon S3. Create an S3 event notification for new file uploads to send a message to the security team through an Amazon Simple Notification Service (Amazon SNS) topic.
- F. Use AWS Systems Manager Automation to build Systems Manager Agent into the custom AMI. Configure AWS Config to attach an SCP to the root organization account to allow the EC2 instances to connect to Systems Manager. Use Systems Manager Session Manager to log in to the instances. Enable logging of session details to Amazon S3. Create an S3 event notification for new file uploads to send a message to the security team through an Amazon Simple Notification Service (Amazon SNS) topic.

**Answer:** C

**Explanation:**

Even if `AmazonSSMManagedInstanceCore` is a managed policy and not an IAM role, I will go with C because this policy is to be attached to an IAM role for EC2 to access Systems Manager.

**NEW QUESTION 53**

A company requires its developers to tag all Amazon Elastic Block Store (Amazon EBS) volumes in an account to indicate a desired backup frequency. This requirement includes EBS volumes that do not require backups. The company uses custom tags named `Backup_Frequency` that have values of `none`, `daily`, or `weekly` that correspond to the desired backup frequency. An audit finds that developers are occasionally not tagging the EBS volumes.

A DevOps engineer needs to ensure that all EBS volumes always have the `Backup_Frequency` tag so that the company can perform backups at least weekly unless a different value is specified.

Which solution will meet these requirements?

- A. Set up AWS Config in the account
- B. Create a custom rule that returns a compliance failure for all Amazon EC2 resources that do not have a `Backup_Frequency` tag applied
- C. Configure a remediation action that uses a custom AWS Systems Manager Automation runbook to apply the `Backup_Frequency` tag with a value of `weekly`.

- D. Set up AWS Config in the account
- E. Use a managed rule that returns a compliance failure for EC2::Volume resources that do not have a Backup Frequency tag applied
- F. Configure a remediation action that uses a custom AWS Systems Manager Automation runbook to apply the Backup\_Frequency tag with a value of weekly.
- G. Turn on AWS CloudTrail in the account
- H. Create an Amazon EventBridge rule that reacts to EBS CreateVolume event
- I. Configure a custom AWS Systems Manager Automation runbook to apply the Backup\_Frequency tag with a value of weekly
- J. Specify the runbook as the target of the rule.
- K. Turn on AWS CloudTrail in the account
- L. Create an Amazon EventBridge rule that reacts to EBS CreateVolume events or EBS ModifyVolume event
- M. Configure a custom AWS Systems Manager Automation runbook to apply the Backup\_Frequency tag with a value of weekly
- N. Specify the runbook as the target of the rule.

**Answer: B**

**Explanation:**

The following are the steps that the DevOps engineer should take to ensure that all EBS volumes always have the Backup\_Frequency tag so that the company can perform backups at least weekly unless a different value is specified:

- > Set up AWS Config in the account.
- > Use a managed rule that returns a compliance failure for EC2::Volume resources that do not have a Backup Frequency tag applied.
- > Configure a remediation action that uses a custom AWS Systems Manager Automation runbook to apply the Backup\_Frequency tag with a value of weekly.

The managed rule AWS::Config::EBSVolumesWithoutBackupTag will return a compliance failure for any EBS volume that does not have the Backup\_Frequency tag applied. The remediation action will then use the Systems Manager Automation runbook to apply the Backup\_Frequency tag with a value of weekly to the EBS volume.

**NEW QUESTION 54**

A company manages AWS accounts for application teams in AWS Control Tower. Individual application teams are responsible for securing their respective AWS accounts.

A DevOps engineer needs to enable Amazon GuardDuty for all AWS accounts in which the application teams have not already enabled GuardDuty. The DevOps engineer is using AWS CloudFormation StackSets from the AWS Control Tower management account.

How should the DevOps engineer configure the CloudFormation template to prevent failure during the StackSets deployment?

- A. Create a CloudFormation custom resource that invokes an AWS Lambda function
- B. Configure the Lambda function to conditionally enable GuardDuty if GuardDuty is not already enabled in the accounts.
- C. Use the Conditions section of the CloudFormation template to enable GuardDuty in accounts where GuardDuty is not already enabled.
- D. Use the CloudFormation Fn::GetAtt intrinsic function to check whether GuardDuty is already enabled. If GuardDuty is not already enabled, use the Resources section of the CloudFormation template to enable GuardDuty.
- E. Manually discover the list of AWS account IDs where GuardDuty is not enabled. Use the CloudFormation Fn::ImportValue intrinsic function to import the list of account IDs into the CloudFormation template to skip deployment for the listed AWS accounts.

**Answer: A**

**Explanation:**

This solution will meet the requirements because it will use a CloudFormation custom resource to execute custom logic during the stack set operation. A custom resource is a resource that you define in your template and that is associated with an AWS Lambda function. The Lambda function runs whenever the custom resource is created, updated, or deleted, and can perform any actions that are supported by the AWS SDK. In this case, the Lambda function can use the GuardDuty API to check whether GuardDuty is already enabled in each target account, and if not, enable it. This way, the DevOps engineer can avoid deploying the stack set to accounts that already have GuardDuty enabled, and prevent failure during the deployment.

**NEW QUESTION 57**

A company has an on-premises application that is written in Go. A DevOps engineer must move the application to AWS. The company's development team wants to enable blue/green deployments and perform A/B testing.

Which solution will meet these requirements?

- A. Deploy the application on an Amazon EC2 instance, and create an AMI of the instance
- B. Use the AMI to create an automatic scaling launch configuration that is used in an Auto Scaling group
- C. Use Elastic Load Balancing to distribute traffic
- D. When changes are made to the application, a new AMI will be created, which will initiate an EC2 instance refresh.
- E. Use Amazon Lightsail to deploy the application
- F. Store the application in a zipped format in an Amazon S3 bucket
- G. Use this zipped version to deploy new versions of the application to Lightsail
- H. Use Lightsail deployment options to manage the deployment.
- I. Use AWS CodeArtifact to store the application code
- J. Use AWS CodeDeploy to deploy the application to a fleet of Amazon EC2 instances
- K. Use Elastic Load Balancing to distribute the traffic to the EC2 instance
- L. When making changes to the application, upload a new version to CodeArtifact and create a new CodeDeploy deployment.
- M. Use AWS Elastic Beanstalk to host the application
- N. Store a zipped version of the application in Amazon S3. Use that location to deploy new versions of the application
- O. Use Elastic Beanstalk to manage the deployment options.

**Answer: D**

**Explanation:**

<https://aws.amazon.com/quickstart/architecture/blue-green-deployment/>

**NEW QUESTION 58**

To run an application, a DevOps engineer launches an Amazon EC2 instance with public IP addresses in a public subnet. A user data script obtains the application artifacts and installs them on the instances upon launch. A change to the security classification of the application now requires the instances to run with no access to the internet. While the instances launch successfully and show as healthy, the application does not seem to be installed.



Which of the following should successfully install the application while complying with the new rule?

- A. Launch the instances in a public subnet with Elastic IP addresses attached
- B. Once the application is installed and running, run a script to disassociate the Elastic IP addresses afterwards.
- C. Set up a NAT gateway
- D. Deploy the EC2 instances to a private subnet
- E. Update the private subnet's route table to use the NAT gateway as the default route.
- F. Publish the application artifacts to an Amazon S3 bucket and create a VPC endpoint for S3. Assign an IAM instance profile to the EC2 instances so they can read the application artifacts from the S3 bucket.
- G. Create a security group for the application instances and allow only outbound traffic to the artifact repository
- H. Remove the security group rule once the install is complete.

**Answer: C**

**Explanation:**

EC2 instances running in private subnets of a VPC can now have controlled access to S3 buckets, objects, and API functions that are in the same region as the VPC. You can use an S3 bucket policy to indicate which VPCs and which VPC Endpoints have access to your S3 buckets 1-  
<https://aws.amazon.com/pt/blogs/aws/new-vpc-endpoint-for-amazon-s3/>

**NEW QUESTION 60**

A company is implementing AWS CodePipeline to automate its testing process. The company wants to be notified when the execution state fails and used the following custom event pattern in Amazon EventBridge:

```
{
  "source": [
    "aws.codepipeline"
  ],
  "detail-type": [
    "CodePipeline Action Execution State Change"
  ],
  "detail": {
    "state": [
      "FAILED"
    ],
    "type": {
      "category": ["Approval"]
    }
  }
}
```

Which type of events will match this event pattern?

- A. Failed deploy and build actions across all the pipelines
- B. All rejected or failed approval actions across all the pipelines
- C. All the events across all pipelines
- D. Approval actions across all the pipelines

**Answer: B**

**Explanation:**

Action-level states in events Action state Description

STARTED The action is currently running. SUCCEEDED The action was completed successfully.

FAILED For Approval actions, the FAILED state means the action was either rejected by the reviewer or failed due to an incorrect action configuration.

CANCELED The action was canceled because the pipeline structure was updated.

**NEW QUESTION 65**

A company wants to use a grid system for a proprietary enterprise in-memory data store on top of AWS. This system can run in multiple server nodes in any Linux-based distribution. The system must be able to reconfigure the entire cluster every time a node is added or removed. When adding or removing nodes an /etc/cluster/nodes config file must be updated listing the IP addresses of the current node members of that cluster.

The company wants to automate the task of adding new nodes to a cluster. What can a DevOps engineer do to meet these requirements?

- A. Use AWS OpsWorks Stacks to layer the server nodes of that cluster
- B. Create a Chef recipe that populates the content of the /etc/cluster/nodes config file and restarts the service by using the current members of the layer
- C. Assign that recipe to the Configure lifecycle event.
- D. Put the file nodes config in version control
- E. Create an AWS CodeDeploy deployment configuration and deployment group based on an Amazon EC2 tag value for the cluster node
- F. When adding a new node to the cluster update the file with all tagged instances and make a commit in version control
- G. Deploy the new file and restart the services.
- H. Create an Amazon S3 bucket and upload a version of the /etc/cluster/nodes config file. Create a crontab script that will poll for that S3 file and download it frequently
- I. Use a process manager such as Monit or systemd, to restart the cluster services when it detects that the new file was modified
- J. When adding a node to the cluster edit the file's most recent members. Upload the new file to the S3 bucket.
- K. Create a user data script that lists all members of the current security group of the cluster and automatically updates the /etc/cluster/. nodes config
- L. Trigger whenever a new instance is added to the cluster.

**Answer: A**

**Explanation:**

You can run custom recipes manually, but the best approach is usually to have AWS OpsWorks Stacks run them automatically. Every layer has a set of built-in recipes assigned each of five lifecycle events—Setup, Configure, Deploy, Undeploy, and Shutdown. Each time an event occurs for an instance, AWS OpsWorks Stacks runs the associated recipes for each of the instance's layers, which handle the corresponding tasks. For example, when an instance finishes booting, AWS

OpsWorks Stacks triggers a Setup event. This event runs the associated layer's Setup recipes, which typically handle tasks such as installing and configuring packages

**NEW QUESTION 69**

A development team wants to use AWS CloudFormation stacks to deploy an application. However, the developer IAM role does not have the required permissions to provision the resources that are specified in the AWS CloudFormation template. A DevOps engineer needs to implement a solution that allows the developers to deploy the stacks. The solution must follow the principle of least privilege.

Which solution will meet these requirements?

- A. Create an IAM policy that allows the developers to provision the required resource
- B. Attach the policy to the developer IAM role.
- C. Create an IAM policy that allows full access to AWS CloudFormatio
- D. Attach the policy to the developer IAM role.
- E. Create an AWS CloudFormation service role that has the required permission
- F. Grant the developer IAM role a cloudformation:\* actio
- G. Use the new service role during stack deployments.
- H. Create an AWS CloudFormation service role that has the required permission
- I. Grant the developer IAM role the iam:PassRole permissio
- J. Use the new service role during stack deployments.

**Answer:** D

**Explanation:**

<https://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/using-iam-servicerole.html>

**NEW QUESTION 71**

A company is using AWS CodePipeline to automate its release pipeline. AWS CodeDeploy is being used in the pipeline to deploy an application to Amazon Elastic Container Service (Amazon ECS) using the blue/green deployment model. The company wants to implement scripts to test the green version of the application before shifting traffic. These scripts will complete in 5 minutes or less. If errors are discovered during these tests, the application must be rolled back.

Which strategy will meet these requirements?

- A. Add a stage to the CodePipeline pipeline between the source and deploy stage
- B. Use AWS CodeBuild to create a runtime environment and build commands in the buildspec file to invoke test script
- C. If errors are found, use the aws deploy stop-deployment command to stop the deployment.
- D. Add a stage to the CodePipeline pipeline between the source and deploy stage
- E. Use this stage to invoke an AWS Lambda function that will run the test script
- F. If errors are found, use the aws deploystop-deployment command to stop the deployment.
- G. Add a hooks section to the CodeDeploy AppSpec fil
- H. Use the AfterAllowTestTraffic lifecycle event to invoke an AWS Lambda function to run the test script
- I. If errors are found, exit the Lambda function with an error to initiate rollback.
- J. Add a hooks section to the CodeDeploy AppSpec fil
- K. Use the AfterAllowTraffic lifecycle event to invoke the test script
- L. If errors are found, use the aws deploy stop-deployment CLI command to stop the deployment.

**Answer:** C

**Explanation:**

<https://docs.aws.amazon.com/codedeploy/latest/userguide/reference-appspec-file-structure-hooks.html>

**NEW QUESTION 74**

A company's DevOps engineer uses AWS Systems Manager to perform maintenance tasks during maintenance windows. The company has a few Amazon EC2 instances that require a restart after notifications from AWS Health. The DevOps engineer needs to implement an automated solution to remediate these notifications. The DevOps engineer creates an Amazon EventBridge rule.

How should the DevOps engineer configure the EventBridge rule to meet these requirements?

- A. Configure an event source of AWS Health, a service of EC2. and an event type that indicates instance maintenanc
- B. Target a Systems Manager document to restart the EC2 instance.
- C. Configure an event source of Systems Manager and an event type that indicates a maintenance window.Target a Systems Manager document to restart the EC2 instance.
- D. Configure an event source of AWS Health, a service of EC2, and an event type that indicates instance maintenanc
- E. Target a newly created AWS Lambda function that registers an automation task to restart the EC2 instance during a maintenance window.
- F. Configure an event source of EC2 and an event type that indicates instance maintenanc
- G. Target a newly created AWS Lambda function that registers an automation task to restart the EC2 instance during a maintenance window.

**Answer:** C

**Explanation:**

AWS Health provides real-time events and information related to your AWS infrastructure. It can be integrated with Amazon EventBridge to act upon the health events automatically. If the maintenance notification from AWS Health indicates that an EC2 instance requires a restart, you can set up an EventBridge rule to respond to such events. In this case, the target of this rule would be a Lambda function that would trigger a Systems Manager automation to restart the EC2 instance during a maintenance window. Remember, AWS Health is the source of the events (not EC2 or Systems Manager), and AWS Lambda can be used to execute complex remediation tasks, such as scheduling maintenance tasks via Systems Manager.

The following are the steps involved in configuring the EventBridge rule to meet these requirements:

- Configure an event source of AWS Health, a service of EC2, and an event type that indicates instance maintenance.
- Target a newly created AWS Lambda function that registers an automation task to restart the EC2 instance during a maintenance window.

The AWS Lambda function will be triggered by the event from AWS Health. The function will then register an automation task to restart the EC2 instance during the next maintenance window.

**NEW QUESTION 79**

A company manages multiple AWS accounts in AWS Organizations. The company's security policy states that AWS account root user credentials for member accounts must not be used. The company monitors access to the root user credentials.

A recent alert shows that the root user in a member account launched an Amazon EC2 instance. A DevOps engineer must create an SCP at the organization's root level that will prevent the root user in member accounts from making any AWS service API calls.

Which SCP will meet these requirements?

A)

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Action": "*",
      "Resource": "*",
      "Condition": {
        "StringNotLike": { "aws:PrincipalArn": "arn:aws:iam::*:root" }
      }
    }
  ]
}
```

B)

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Deny",
      "Action": "*",
      "Resource": "*",
      "Principal": { "AWS": "arn:aws:iam::*:root" }
    }
  ]
}
```

C)

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Deny",
      "Action": "*",
      "Resource": "*",
      "Condition": {
        "StringLike": { "aws:PrincipalArn": "arn:aws:iam::*:root" }
      }
    }
  ]
}
```

D)

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Action": "*",
      "Resource": "*",
      "Principal": "root"
    }
  ]
}
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

**Answer: D**

**NEW QUESTION 82**

A production account has a requirement that any Amazon EC2 instance that has been logged in to manually must be terminated within 24 hours. All applications in



the production account are using Auto Scaling groups with the Amazon CloudWatch Logs agent configured. How can this process be automated?

- A. Create a CloudWatch Logs subscription to an AWS Step Functions applicatio
- B. Configure an AWS Lambda function to add a tag to the EC2 instance that produced the login event and mark the instance to be decommissioned
- C. Create an Amazon EventBridge rule to invoke a second Lambda function once a day that will terminate all instances with this tag.
- D. Create an Amazon CloudWatch alarm that will be invoked by the login even
- E. Send the notification to an Amazon Simple Notification Service (Amazon SNS) topic that the operations team is subscribed to, and have them terminate the EC2 instance within 24 hours.
- F. Create an Amazon CloudWatch alarm that will be invoked by the login even
- G. Configure the alarm to send to an Amazon Simple Queue Service (Amazon SQS) queue
- H. Use a group of worker instances to process messages from the queue, which then schedules an Amazon EventBridge rule to be invoked.
- I. Create a CloudWatch Logs subscription to an AWS Lambda function
- J. Configure the function to add a tag to the EC2 instance that produced the login event and mark the instance to be decommissioned. Create an Amazon EventBridge rule to invoke a daily Lambda function that terminates all instances with this tag.

**Answer:** D

**Explanation:**

"You can use subscriptions to get access to a real-time feed of log events from CloudWatch Logs and have it delivered to other services such as an Amazon Kinesis stream, an Amazon Kinesis Data Firehose stream, or AWS Lambda for custom processing, analysis, or loading to other systems. When log events are sent to the receiving service, they are Base64 encoded and compressed with the gzip format." See <https://docs.aws.amazon.com/AmazonCloudWatch/latest/logs/Subscriptions.html>

**NEW QUESTION 84**

A company has a guideline that every Amazon EC2 instance must be launched from an AMI that the company's security team produces. Every month the security team sends an email message with the latest approved AMIs to all the development teams.

The development teams use AWS CloudFormation to deploy their applications. When developers launch a new service they have to search their email for the latest AMIs that the security department sent. A DevOps engineer wants to automate the process that the security team uses to provide the AMI IDs to the development teams.

What is the MOST scalable solution that meets these requirements?

- A. Direct the security team to use CloudFormation to create new versions of the AMIs and to list the AMI ARNs in an encrypted Amazon S3 object as part of the stack's Outputs Section. Instruct the developers to use a cross-stack reference to load the encrypted S3 object and obtain the most recent AMI ARNs.
- B. Direct the security team to use a CloudFormation stack to create an AWS CodePipeline pipeline that builds new AMIs and places the latest AMI ARNs in an encrypted Amazon S3 object as part of the pipeline output. Instruct the developers to use a cross-stack reference within their own CloudFormation template to obtain the S3 object location and the most recent AMI ARNs.
- C. Direct the security team to use Amazon EC2 Image Builder to create new AMIs and to place the AMI ARNs as parameters in AWS Systems Manager Parameter Store. Instruct the developers to specify a parameter of type SSM in their CloudFormation stack to obtain the most recent AMI ARNs from Parameter Store.
- D. Direct the security team to use Amazon EC2 Image Builder to create new AMIs and to create an Amazon Simple Notification Service (Amazon SNS) topic so that every development team can receive notification.
- E. When the development teams receive a notification, instruct them to write an AWS Lambda function that will update their CloudFormation stack with the most recent AMI ARNs.

**Answer:** C

**Explanation:**

<https://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/dynamic-references.html>

**NEW QUESTION 89**

A DevOps engineer is working on a data archival project that requires the migration of on-premises data to an Amazon S3 bucket. The DevOps engineer develops a script that incrementally archives on-premises data that is older than 1 month to Amazon S3. Data that is transferred to Amazon S3 is deleted from the on-premises location. The script uses the S3 PutObject operation.

During a code review, the DevOps engineer notices that the script does not verify whether the data was successfully copied to Amazon S3. The DevOps engineer must update the script to ensure that data is not corrupted during transmission. The script must use MD5 checksums to verify data integrity before the on-premises data is deleted.

Which solutions for the script will meet these requirements? (Select TWO.)

- A. Check the returned response for the VersionedCompare operation against the MD5 checksum.
- B. Include the MD5 checksum within the Content-MD5 parameter.
- C. Check the operation call's return status to find out if an error was returned.
- D. Include the checksum digest within the tagging parameter as a URL query parameter.
- E. Check the returned response for the ETag.
- F. Compare the returned ETag against the MD5 checksum.
- G. Include the checksum digest within the Metadata parameter as a name-value pair. After upload, use the S3 HeadObject operation to retrieve metadata from the object.

**Answer:** BD

**Explanation:**

<https://docs.aws.amazon.com/AmazonS3/latest/userguide/checking-object-integrity.html>

**NEW QUESTION 92**

A DevOps engineer is researching the least expensive way to implement an image batch processing cluster on AWS. The application cannot run in Docker containers and must run on Amazon EC2. The batch job stores checkpoint data on an NFS volume and can tolerate interruptions. Configuring the cluster software from a generic EC2 Linux image takes 30 minutes.

What is the MOST cost-effective solution?

- A. Use Amazon EFS (or checkpoint data)

- B. To complete the job, use an EC2 Auto Scaling group and an On-Demand pricing model to provision EC2 instances temporally.
- C. Use GlusterFS on EC2 instances for checkpoint data
- D. To run the batch job configure EC2 instances manually When the job completes shut down the instances manually.
- E. Use Amazon EFS for checkpoint data Use EC2 Fleet to launch EC2 Spot Instances and utilize user data to configure the EC2 Linux instance on startup.
- F. Use Amazon EFS for checkpoint data Use EC2 Fleet to launch EC2 Spot Instances Create a customAMI for the cluster and use the latest AMI when creating instances.

**Answer:** D

#### NEW QUESTION 93

A company is hosting a web application in an AWS Region. For disaster recovery purposes, a second region is being used as a standby. Disaster recovery requirements state that session data must be replicated between regions in near-real time and 1% of requests should route to the secondary region to continuously verify system functionality. Additionally, if there is a disruption in service in the main region, traffic should be automatically routed to the secondary region, and the secondary region must be able to scale up to handle all traffic.

How should a DevOps engineer meet these requirements?

- A. In both regions, deploy the application on AWS Elastic Beanstalk and use Amazon DynamoDB global tables for session data
- B. Use an Amazon Route 53 weighted routing policy with health checks to distribute the traffic across the regions.
- C. In both regions, launch the application in Auto Scaling groups and use DynamoDB for session data
- D. Use a Route 53 failover routing policy with health checks to distribute the traffic across the regions.
- E. In both regions, deploy the application in AWS Lambda, exposed by Amazon API Gateway, and use Amazon RDS for PostgreSQL with cross-region replication for session data
- F. Deploy the web application with client-side logic to call the API Gateway directly.
- G. In both regions, launch the application in Auto Scaling groups and use DynamoDB global tables for session data
- H. Enable an Amazon CloudFront weighted distribution across region
- I. Point the Amazon Route 53 DNS record at the CloudFront distribution.

**Answer:** A

#### NEW QUESTION 94

A company runs an application with an Amazon EC2 and on-premises configuration. A DevOps engineer needs to standardize patching across both environments. Company policy dictates that patching only happens during non-business hours.

Which combination of actions will meet these requirements? (Choose three.)

- A. Add the physical machines into AWS Systems Manager using Systems Manager Hybrid Activations.
- B. Attach an IAM role to the EC2 instances, allowing them to be managed by AWS Systems Manager.
- C. Create IAM access keys for the on-premises machines to interact with AWS Systems Manager.
- D. Run an AWS Systems Manager Automation document to patch the systems every hour.
- E. Use Amazon EventBridge scheduled events to schedule a patch window.
- F. Use AWS Systems Manager Maintenance Windows to schedule a patch window.

**Answer:** ABF

#### Explanation:

<https://docs.aws.amazon.com/systems-manager/latest/userguide/sysman-managed-instance-activation.html>

#### NEW QUESTION 98

A media company has several thousand Amazon EC2 instances in an AWS account. The company is using Slack and a shared email inbox for team communications and important updates. A DevOps engineer needs to send all AWS-scheduled EC2 maintenance notifications to the Slack channel and the shared inbox. The solution must include the instances' Name and Owner tags.

Which solution will meet these requirements?

- A. Integrate AWS Trusted Advisor with AWS Config Configure a custom AWS Config rule to invoke an AWS Lambda function to publish notifications to an Amazon Simple Notification Service (Amazon SNS) topic Subscribe a Slack channel endpoint and the shared inbox to the topic.
- B. Use Amazon EventBridge to monitor for AWS Health Events Configure the maintenance events to target an Amazon Simple Notification Service (Amazon SNS) topic Subscribe an AWS Lambda function to the SNS topic to send notifications to the Slack channel and the shared inbox.
- C. Create an AWS Lambda function that sends EC2 maintenance notifications to the Slack channel and the shared inbox Monitor EC2 health events by using Amazon CloudWatch metrics Configure a CloudWatch alarm that invokes the Lambda function when a maintenance notification is received.
- D. Configure AWS Support integration with AWS CloudTrail Create a CloudTrail lookup event to invoke an AWS Lambda function to pass EC2 maintenance notifications to Amazon Simple Notification Service (Amazon SNS) Configure Amazon SNS to target the Slack channel and the shared inbox.

**Answer:** B

#### Explanation:

<https://docs.aws.amazon.com/health/latest/ug/cloudwatch-events-health.html>

#### NEW QUESTION 100

A company is building a new pipeline by using AWS CodePipeline and AWS CodeBuild in a build account. The pipeline consists of two stages. The first stage is a CodeBuild job to build and package an AWS Lambda function. The second stage consists of deployment actions that operate on two different AWS accounts a development environment account and a production environment account. The deployment stages use the AWS CloudFormation action that CodePipeline invokes to deploy the infrastructure that the Lambda function requires.

A DevOps engineer creates the CodePipeline pipeline and configures the pipeline to encrypt build artifacts by using the AWS Key Management Service (AWS KMS) AWS managed key for Amazon S3 (the aws/s3 key). The artifacts are stored in an S3 bucket When the pipeline runs, the CloudFormation actions fail with an access denied error.

Which combination of actions must the DevOps engineer perform to resolve this error? (Select TWO.)

- A. Create an S3 bucket in each AWS account for the artifacts Allow the pipeline to write to the S3 buckets.Create a CodePipeline S3 action to copy the artifacts to the S3 bucket in each AWS account Update the CloudFormation actions to reference the artifacts S3 bucket in the production account.
- B. Create a customer managed KMS key Configure the KMS key policy to allow the IAM roles used by the CloudFormation action to perform decrypt operations

Modify the pipeline to use the customer managed KMS key to encrypt artifacts.

- C. Create an AWS managed KMS key Configure the KMS key policy to allow the development account and the production account to perform decrypt operation
- D. Modify the pipeline to use the KMS key to encrypt artifacts.
- E. In the development account and in the production account create an IAM role for CodePipeline. Configure the roles with permissions to perform CloudFormation operations and with permissions to retrieve and decrypt objects from the artifacts S3 bucket
- F. In the CodePipeline account configure the CodePipeline CloudFormation action to use the roles.
- G. In the development account and in the production account create an IAM role for CodePipeline Configure the roles with permissions to perform CloudFormation operations and with permissions to retrieve and decrypt objects from the artifacts S3 bucket
- H. In the CodePipeline account modify the artifacts S3 bucket policy to allow the roles access Configure the CodePipeline CloudFormation action to use the roles.

**Answer:** BE

#### NEW QUESTION 104

The security team depends on AWS CloudTrail to detect sensitive security issues in the company's AWS account. The DevOps engineer needs a solution to auto-remediate CloudTrail being turned off in an AWS account.

What solution ensures the LEAST amount of downtime for the CloudTrail log deliveries?

- A. Create an Amazon EventBridge rule for the CloudTrail StopLogging event
- B. Create an AWS Lambda function that uses the AWS SDK to call StartLogging on the ARN of the resource in which StopLogging was called
- C. Add the Lambda function ARN as a target to the EventBridge rule.
- D. Deploy the AWS-managed CloudTrail-enabled AWS Config rule set with a periodic interval to 1 hour. Create an Amazon EventBridge rule for AWS Config rules compliance change
- E. Create an AWS Lambda function that uses the AWS SDK to call StartLogging on the ARN of the resource in which StopLogging was called
- F. Add the Lambda function ARN as a target to the EventBridge rule.
- G. Create an Amazon EventBridge rule for a scheduled event every 5 minutes
- H. Create an AWS Lambda function that uses the AWS SDK to call StartLogging on a CloudTrail trail in the AWS account
- I. Add the Lambda function ARN as a target to the EventBridge rule.
- J. Launch a t2 nano instance with a script running every 5 minutes that uses the AWS SDK to query CloudTrail in the current account
- K. If the CloudTrail trail is disabled have the script re-enable the trail.

**Answer:** A

#### Explanation:

<https://aws.amazon.com/blogs/mt/monitor-changes-and-auto-enable-logging-in-aws-cloudtrail/>

#### NEW QUESTION 108

A company is implementing a well-architected design for its globally accessible API stack. The design needs to ensure both high reliability and fast response times for users located in North America and Europe.

The API stack contains the following three tiers: Amazon API Gateway

AWS Lambda Amazon DynamoDB

Which solution will meet the requirements?

- A. Configure Amazon Route 53 to point to API Gateway APIs in North America and Europe using health check
- B. Configure the APIs to forward requests to a Lambda function in that Region
- C. Configure the Lambda functions to retrieve and update the data in a DynamoDB table in the same Region as the Lambda function.
- D. Configure Amazon Route 53 to point to API Gateway APIs in North America and Europe using latency-based routing and health check
- E. Configure the APIs to forward requests to a Lambda function in that Region
- F. Configure the Lambda functions to retrieve and update the data in a DynamoDB global table.
- G. Configure Amazon Route 53 to point to API Gateway in North America, create a disaster recovery API in Europe, and configure both APIs to forward requests to the Lambda functions in that Region
- H. Retrieve the data from a DynamoDB global table
- I. Deploy a Lambda function to check the North America API health every 5 minutes
- J. In the event of a failure, update Route 53 to point to the disaster recovery API.
- K. Configure Amazon Route 53 to point to API Gateway API in North America using latency-based routing
- L. Configure the API to forward requests to the Lambda function in the Region nearest to the user
- M. Configure the Lambda function to retrieve and update the data in a DynamoDB table.

**Answer:** B

#### NEW QUESTION 111

A company has a single AWS account that runs hundreds of Amazon EC2 instances in a single AWS Region. New EC2 instances are launched and terminated each hour in the account. The account also includes existing EC2 instances that have been running for longer than a week.

The company's security policy requires all running EC2 instances to use an EC2 instance profile. If an EC2 instance does not have an instance profile attached, the EC2 instance must use a default instance profile that has no IAM permissions assigned.

A DevOps engineer reviews the account and discovers EC2 instances that are running without an instance

profile. During the review, the DevOps engineer also observes that new EC2 instances are being launched without an instance profile.

Which solution will ensure that an instance profile is attached to all existing and future EC2 instances in the Region?

- A. Configure an Amazon EventBridge rule that reacts to EC2 RunInstances API call
- B. Configure the rule to invoke an AWS Lambda function to attach the default instance profile to the EC2 instances.
- C. Configure the ec2-instance-profile-attached AWS Config managed rule with a trigger type of configuration change
- D. Configure an automatic remediation action that invokes an AWS Systems Manager Automation runbook to attach the default instance profile to the EC2 instances.
- E. Configure an Amazon EventBridge rule that reacts to EC2 StartInstances API call
- F. Configure the rule to invoke an AWS Systems Manager Automation runbook to attach the default instance profile to the EC2 instances.
- G. Configure the iam-role-managed-policy-check AWS Config managed rule with a trigger type of configuration change
- H. Configure an automatic remediation action that invokes an AWS Lambda function to attach the default instance profile to the EC2 instances.

**Answer:** B



**Explanation:**

<https://docs.aws.amazon.com/config/latest/developerguide/ec2-instance-profile-attached.html>

**NEW QUESTION 113**

A company builds a container image in an AWS CodeBuild project by running Docker commands. After the container image is built, the CodeBuild project uploads the container image to an Amazon S3 bucket. The CodeBuild project has an IAM service role that has permissions to access the S3 bucket.

A DevOps engineer needs to replace the S3 bucket with an Amazon Elastic Container Registry (Amazon ECR) repository to store the container images. The DevOps engineer creates an ECR private image repository in the same AWS Region of the CodeBuild project. The DevOps engineer adjusts the IAM service role with the permissions that are necessary to work with the new ECR repository. The DevOps engineer also places new repository information into the docker build command and the docker push command that are used in the buildspec.yml file.

When the CodeBuild project runs a build job, the job fails when the job tries to access the ECR repository. Which solution will resolve the issue of failed access to the ECR repository?

- A. Update the buildspec.yml file to log in to the ECR repository by using the `aws ecr get-login-password` AWS CLI command to obtain an authentication token.
- B. Update the docker login command to use the authentication token to access the ECR repository.
- C. Add an environment variable of type `SECRETS_MANAGER` to the CodeBuild project.
- D. In the environment variable, include the ARN of the CodeBuild project's IAM service role.
- E. Update the buildspec.yml file to use the new environment variable to log in with the docker login command to access the ECR repository.
- F. Update the ECR repository to be a public image repository.
- G. Add an ECR repository policy that allows the IAM service role to have access.
- H. Update the buildspec.yml file to use the AWS CLI to assume the IAM service role for ECR operations. Add an ECR repository policy that allows the IAM service role to have access.

**Answer:** A

**Explanation:**

(A) When Docker communicates with an Amazon Elastic Container Registry (ECR) repository, it requires authentication. You can authenticate your Docker client to the Amazon ECR registry with the help of the AWS CLI (Command Line Interface). Specifically, you can use the `"aws ecr get-login-password"` command to get an authorization token and then use Docker's `"docker login"` command with that token to authenticate to the registry. You would need to perform these steps in your buildspec.yml file before attempting to push or pull images from/to the ECR repository.

**NEW QUESTION 116**

A company is storing 100 GB of log data in csv format in an Amazon S3 bucket. SQL developers want to query this data and generate graphs to visualize it. The SQL developers also need an efficient automated way to store metadata from the csv file.

Which combination of steps will meet these requirements with the LEAST amount of effort? (Select THREE.)

- A. Filter the data through AWS X-Ray to visualize the data.
- B. Filter the data through Amazon QuickSight to visualize the data.
- C. Query the data with Amazon Athena.
- D. Query the data with Amazon Redshift.
- E. Use the AWS Glue Data Catalog as the persistent metadata store.
- F. Use Amazon DynamoDB as the persistent metadata store.

**Answer:** BCE

**Explanation:**

<https://docs.aws.amazon.com/glue/latest/dg/components-overview.html>

**NEW QUESTION 120**

A company updated the AWS CloudFormation template for a critical business application. The stack update process failed due to an error in the updated template and AWS CloudFormation automatically began the stack rollback process. Later a DevOps engineer discovered that the application was still unavailable and that the stack was in the `UPDATE_ROLLBACK_FAILED` state.

Which combination of actions should the DevOps engineer perform so that the stack rollback can complete successfully? (Select TWO.)

- A. Attach the AWS CloudFormation FullAccess IAM policy to the AWS CloudFormation role.
- B. Automatically recover the stack resources by using AWS CloudFormation drift detection.
- C. Issue a `ContinueUpdateRollback` command from the AWS CloudFormation console or the AWS CLI.
- D. Manually adjust the resources to match the expectations of the stack.
- E. Update the existing AWS CloudFormation stack by using the original template.

**Answer:** CD

**Explanation:**

<https://docs.aws.amazon.com/cli/latest/reference/cloudformation/continue-update-rollback.html> For a specified stack that is in the `UPDATE_ROLLBACK_FAILED` state, continues rolling it back to the `UPDATE_ROLLBACK_COMPLETE` state. Depending on the cause of the failure, you can manually fix the error and continue the rollback. By continuing the rollback, you can return your stack to a working state (the `UPDATE_ROLLBACK_COMPLETE` state), and then try to update the stack again.

**NEW QUESTION 125**

A highly regulated company has a policy that DevOps engineers should not log in to their Amazon EC2 instances except in emergencies. If a DevOps engineer does log in, the security team must be notified within 15 minutes of the occurrence.

Which solution will meet these requirements?

- A. Install the Amazon Inspector agent on each EC2 instance. Subscribe to Amazon EventBridge notifications. Invoke an AWS Lambda function to check if a message is about user logins. If it is, send a notification to the security team using Amazon SNS.
- B. Install the Amazon CloudWatch agent on each EC2 instance. Configure the agent to push all logs to Amazon CloudWatch Logs and set up a CloudWatch metric filter that searches for user login.
- C. If a login is found, send a notification to the security team using Amazon SNS.
- D. Set up AWS CloudTrail with Amazon CloudWatch Log.

- E. Subscribe CloudWatch Logs to Amazon Kinesis Attach AWS Lambda to Kinesis to parse and determine if a log contains a user login If it does, send a notification to the security team using Amazon SNS.
- F. Set up a script on each Amazon EC2 instance to push all logs to Amazon S3 Set up an S3 event to invoke an AWS Lambda function which invokes an Amazon Athena query to ru
- G. The Athena query checks for logins and sends the output to the security team using Amazon SNS.

**Answer:** B

**Explanation:**

<https://aws.amazon.com/blogs/security/how-to-monitor-and-visualize-failed-ssh-access-attempts-to-amazon-ec2>

**NEW QUESTION 126**

A company has many AWS accounts. During AWS account creation the company uses automation to create an Amazon CloudWatch Logs log group in every AWS Region that the company operates in. The automaton configures new resources in the accounts to publish logs to the provisioned log groups in their Region. The company has created a logging account to centralize the logging from all the other accounts. A DevOps engineer needs to aggregate the log groups from all the accounts to an existing Amazon S3 bucket in the logging account. Which solution will meet these requirements in the MOST operationally efficient manner?

- A. In the logging account create a CloudWatch Logs destination with a destination policy
- B. For each new account subscribe the CloudWatch Logs log groups to th
- C. Destination Configure a single Amazon Kinesis data stream and a single Amazon Kinesis Data Firehose delivery stream to deliver the logs from the CloudWatch Logs destination to the S3 bucket.
- D. In the logging account create a CloudWatch Logs destination with a destination policy for each Region. For each new account subscribe the CloudWatch Logs log groups to the destination
- E. Configure a single Amazon Kinesis data stream and a single Amazon Kinesis Data Firehose delivery stream to deliver the logs from all the CloudWatch Logs destinations to the S3 bucket.
- F. In the logging account create a CloudWatch Logs destination with a destination policy for each Region. For each new account subscribe the CloudWatch Logs log groups to the destination Configure an Amazon Kinesis data stream and an Amazon Kinesis Data Firehose delivery stream for each Region to deliver the logs from the CloudWatch Logs destinations to the S3 bucket.
- G. In the logging account create a CloudWatch Logs destination with a destination policy
- H. For each new account subscribe the CloudWatch Logs log groups to the destination
- I. Configure a single Amazon Kinesis data stream to deliver the logs from the CloudWatch Logs destination to the S3 bucket.

**Answer:** C

**Explanation:**

This solution will meet the requirements in the most operationally efficient manner because it will use CloudWatch Logs destination to aggregate the log groups from all the accounts to a single S3 bucket in the logging account. However, unlike option A, this solution will create a CloudWatch Logs destination for each region, instead of a single destination for all regions. This will improve the performance and reliability of the log delivery, as it will avoid cross-region data transfer and latency issues. Moreover, this solution will use an Amazon Kinesis data stream and an Amazon Kinesis Data Firehose delivery stream for each region, instead of a single stream for all regions. This will also improve the scalability and throughput of the log delivery, as it will avoid bottlenecks and throttling issues that may occur with a single stream.

**NEW QUESTION 129**

A company deploys its corporate infrastructure on AWS across multiple AWS Regions and Availability Zones. The infrastructure is deployed on Amazon EC2 instances and connects with AWS IoT Greengrass devices. The company deploys additional resources on on-premises servers that are located in the corporate headquarters.

The company wants to reduce the overhead involved in maintaining and updating its resources. The company's DevOps team plans to use AWS Systems Manager to implement automated management and application of patches. The DevOps team confirms that Systems Manager is available in the Regions that the resources are deployed in. Systems Manager also is available in a Region near the corporate headquarters.

Which combination of steps must the DevOps team take to implement automated patch and configuration management across the company's EC2 instances IoT devices and on-premises infrastructure? (Select THREE.)

- A. Apply tags to all the EC2 instances
- B. AWS IoT Greengrass devices, and on-premises server
- C. Use Systems Manager Session Manager to push patches to all the tagged devices.
- D. Use Systems Manager Run Command to schedule patching for the EC2 instances AWS IoT Greengrass devices and on-premises servers.
- E. Use Systems Manager Patch Manager to schedule patching for the EC2 instances AWS IoT Greengrass devices and on-premises servers as a Systems Manager maintenance window task.
- F. Configure Amazon EventBridge to monitor Systems Manager Patch Manager for updates to patch baseline
- G. Associate Systems Manager Run Command with the event to initiate a patch action for all EC2 instances AWS IoT Greengrass devices and on-premises servers.
- H. Create an IAM instance profile for Systems Manager Attach the instance profile to all the EC2 instances in the AWS account
- I. For the AWS IoT Greengrass devices and on-premises servers create an IAM service role for Systems Manager.
- J. Generate a managed-instance activation Use the Activation Code and Activation ID to install Systems Manager Agent (SSM Agent) on each server in the on-premises environment Update the AWS IoT Greengrass IAM token exchange role Use the role to deploy SSM Agent on all the IoT devices.

**Answer:** CEF

**Explanation:**

<https://aws.amazon.com/blogs/mt/how-to-centrally-manage-aws-iot-greengrass-devices-using-aws-systems-man>

**NEW QUESTION 131**

A company's application development team uses Linux-based Amazon EC2 instances as bastion hosts. Inbound SSH access to the bastion hosts is restricted to specific IP addresses, as defined in the associated security groups. The company's security team wants to receive a notification if the security group rules are modified to allow SSH access from any IP address.

What should a DevOps engineer do to meet this requirement?

- A. Create an Amazon EventBridge rule with a source of aws.cloudtrail and the event name AuthorizeSecurityGroupIngress
- B. Define an Amazon Simple Notification Service (Amazon SNS) topic as the target.

- C. Enable Amazon GuardDuty and check the findings for security groups in AWS Security Hu
- D. Configure an Amazon EventBridge rule with a custom pattern that matches GuardDuty events with an output of NON\_COMPLIAN
- E. Define an Amazon Simple Notification Service (Amazon SNS) topic as the target.
- F. Create an AWS Config rule by using the restricted-ssh managed rule to check whether security groups disallow unrestricted incoming SSH traffic
- G. Configure automatic remediation to publish a message to an Amazon Simple Notification Service (Amazon SNS) topic.
- H. Enable Amazon Inspector
- I. Include the Common Vulnerabilities and Exposures-1.1 rules package to check the security groups that are associated with the bastion host
- J. Configure Amazon Inspector to publish a message to an Amazon Simple Notification Service (Amazon SNS) topic.

**Answer:** A

**Explanation:**

<https://aws.amazon.com/premiumsupport/knowledge-center/monitor-security-group-changes-ec2/>

**NEW QUESTION 135**

A company uses AWS Key Management Service (AWS KMS) keys and manual key rotation to meet regulatory compliance requirements. The security team wants to be notified when any keys have not been rotated after 90 days.

Which solution will accomplish this?

- A. Configure AWS KMS to publish to an Amazon Simple Notification Service (Amazon SNS) topic when keys are more than 90 days old.
- B. Configure an Amazon EventBridge event to launch an AWS Lambda function to call the AWS Trusted Advisor API and publish to an Amazon Simple Notification Service (Amazon SNS) topic.
- C. Develop an AWS Config custom rule that publishes to an Amazon Simple Notification Service (Amazon SNS) topic when keys are more than 90 days old.
- D. Configure AWS Security Hub to publish to an Amazon Simple Notification Service (Amazon SNS) topic when keys are more than 90 days old.

**Answer:** C

**Explanation:**

<https://aws.amazon.com/blogs/security/how-to-use-aws-config-to-determine-compliance-of-aws-kms-key-policies/>

**NEW QUESTION 139**

A company wants to use AWS development tools to replace its current bash deployment scripts. The company currently deploys a LAMP application to a group of Amazon EC2 instances behind an Application Load Balancer (ALB). During the deployments, the company unit tests the committed application, stops and starts services, unregisters and re-registers instances with the load balancer, and updates file permissions. The company wants to maintain the same deployment functionality through the shift to using AWS services.

Which solution will meet these requirements?

- A. Use AWS CodeBuild to test the application
- B. Use bash scripts invoked by AWS CodeDeploy's appspec.yml file to restart services, and deregister and register instances with the ALB
- C. Use the appspec.yml file to update file permissions without a custom script.
- D. Use AWS CodePipeline to move the application from the AWS CodeCommit repository to AWS CodeDeploy
- E. Use CodeDeploy's deployment group to test the application, unregister and re-register instances with the ALB
- F. and restart service
- G. Use the appspec.yml file to update file permissions without a custom script.
- H. Use AWS CodePipeline to move the application source code from the AWS CodeCommit repository to AWS CodeDeploy
- I. Use CodeDeploy to test the application
- J. Use CodeDeploy's appspec.yml file to restart services and update permissions without a custom script
- K. Use AWS CodeBuild to unregister and re-register instances with the ALB.
- L. Use AWS CodePipeline to trigger AWS CodeBuild to test the application
- M. Use bash scripts invoked by AWS CodeDeploy's appspec.yml file to restart service
- N. Unregister and re-register the instances in the AWS CodeDeploy deployment group with the ALB
- O. Update the appspec.yml file to update file permissions without a custom script.

**Answer:** D

**Explanation:**

<https://aws.amazon.com/blogs/devops/how-to-test-and-debug-aws-codedeploy-locally-before-you-ship-your-code/>

**NEW QUESTION 143**

.....



## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your DOP-C02 Exam with Our Prep Materials Via below:**

<https://www.certleader.com/DOP-C02-dumps.html>