

CyberArk

Exam Questions PAM-SEN

CyberArk Sentry PAM



NEW QUESTION 1

Which components can connect to a satellite Vault in a distributed Vault architecture?

- A. CPM, EPM, PTA
- B. PVWA, PSM
- C. CPM, PVWA, PSM
- D. CPM, PSM

Answer: B

NEW QUESTION 2

You are successfully managing passwords in the alpha cyberark com domain; however, when you attempt to manage a password in the beta cyberark com domain, you receive the 'network path not found' error. What should you check first?

- A. That the username and password are correct
- B. That the CPM can successfully resolve addresses in the beta cyberark com domain
- C. That the end user has the correct permissions on the safe.
- D. That an appropriate trust relationship exists between alpha.cyberark com and betacyberark.com

Answer: B

NEW QUESTION 3

You are designing the number of PVWAs a customer must deploy. The customer has three data centers with a distributed Vault in each, requires high availability, and wants to use all Vaults at all times. How many PVWAs does the customer need?

- A. six or more
- B. four
- C. two or less
- D. three

Answer: A

NEW QUESTION 4

Your customer upgraded recently to version 12.2 to allow the Linux team to use the new MFA caching feature. The PSM for SSH was installed with default configuration settings. After setting the Authentication to SSH key and enabling MFA Caching from the PVWA interface, the Linux Team cannot connect successfully using the new MFA caching feature. What is the most probable cause?

- A. OpenSSH 7.8 or above is not installed.
- B. The MFACaching parameter in the psmpparms file is not set to True.
- C. A passphrase policy must be added.
- D. MFA caching is not supported when the PSM for SSH is deployed with default settings.

Answer: D

NEW QUESTION 5

DRAG DROP

Arrange the steps to install the Password Vault Web Access (PVWA) in the correct sequence.

Answer Area

Unordered Options	Ordered Response
<div style="border: 1px solid gray; padding: 5px; margin-bottom: 5px;">Run the PVWAInstallation.ps1 script in PowerShell as Administrator.</div> <div style="border: 1px solid gray; padding: 5px; margin-bottom: 5px;">Run the PVWA_Prerequisites.ps1 script in Powershell as Administrator.</div> <div style="border: 1px solid gray; padding: 5px;">Run the PVWARegisterComponent.ps1 script with the Vault password and run the PVWA_Hardening.ps1 script in PowerShell as Administrator.</div>	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Ordered Response
 Run the PVWA_Prerequisites.ps1 script in Powershell as Administrator.
 Run the PVWAInstallation.ps1 script in PowerShell as Administrator.
 Run the PVWARegisterComponent.ps1 script with the Vault password and run the PVWA_Hardening.ps1 script in PowerShell as Administrator.

Suggested Answer: The steps needed to install the Password Vault Web Access (PVWA) should be completed in the following order: PVWA_Prerequisites.ps1, PVWAInstallation.ps1, and PVWARegisterComponent.ps1 with the Vault password followed by PVWA_Hardening.ps1. This will ensure that all prerequisites are met before attempting to install and configure PVWA properly. By ensuring these steps are taken in this specific order, it allows for a successful installation of the software on the desired machine or server. After taking these necessary steps in sequence, users can then enjoy their newly installed Password Vault Web Access.

NEW QUESTION 6

Which user is enabled when replicating data between active and stand-by Vaults?

- A. DR
- B. Backup
- C. Operator
- D. Auditor

Answer: A

NEW QUESTION 7

By default, the vault secure protocol uses which IP port and protocol.

- A. TCP/1858
- B. TCP/443
- C. UDP/1858
- D. TCP/80

Answer: A

Explanation:

Reference: <http://docplayer.net/53689072-The-cyberark-digital-vault-built-for-security.html>

NEW QUESTION 8

What must you do to synchronize a new Vault server with an organization's NTP server?

- A. Configure an AllowNonStandardFWAddresses rule for the organization's NTP server in DBParm.ini on the Vault server.
- B. Use the Windows Firewall console to configure a rule on the Vault server which allows communication with the organization's NTP server.
- C. Ensure the organization's NTP server is installed in the same location as the Vault server requiring synchronization.
- D. Update the AutoSyncExternalObjects configuration in DBParm.ini on the Vault server to schedule regular synchronization.

Answer: A

NEW QUESTION 9

DRAG DROP

Arrange the steps to complete CPM Hardening for Out-of-Domain Deployment in the correct sequence.

Answer Area

Unordered Options	Ordered Response
<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">Open Powershell as Administrator and run the script.</div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">Review these script logs: HardeningScript.log and CYBRHardeningseccedit.log.</div> <div style="border: 1px solid black; padding: 5px;">Locate the CPM_Hardening.ps1 script in the installation media.</div>	<div style="border: 1px solid black; width: 100%; height: 100%;"></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Ordered Response

- 1) Locate the CPM_Hardening.ps1 script in the installation media.
- 2) Open Powershell as Administrator and run the script.
- 3) Review these script logs: HardeningScript.log and CYBRHardeningseccedit.log.

Suggested Answer:

The correct sequence for completing CPM Hardening for Out-of-Domain Deployment is to first locate the CPM_Hardening.ps1 script in the installation media, then open Powershell as Administrator and run the script, followed by reviewing the HardeningScript.log and CYBRHardeningseccedit.log script logs. This ensures that all the necessary steps are taken in order to properly secure an out-of-domain deployment of CPM.

NEW QUESTION 10

You want to change the name of the PVWAappuser of the second PVWA server. Which steps are part of the process? (Choose two.)

- A. Update PVWA.ini with new user name
- B. Update Vault.ini with new user name
- C. Create new user in PrivateArk
- D. Rename user in PrivateArk
- E. Create new cred file for user

Answer: DE

NEW QUESTION 10

Which statement is correct about a post-install hardening?

- A. The Vault must be hardened during the Vault installation process
- B. Most Voted
- C. After the Vault server is installed, you must join the server to the Enterprise Domain and reboot the host.
- D. It is executed after Vault installation by running CAVaultHarden.exe and hardening options can be edited by changing the Hardening.ini file
- E. Most Voted
- F. If it is mandated by an organization's IT governance, you do not have to execute Vault hardening; however, server hardening cannot be reversed.

Answer: C

NEW QUESTION 15

What must you do to prepare a Windows server for PVWA installation?

- A. In the InstallationAutomation folder, run the PVWA_Prerequisites.ps1 file as an administrator in Powershell
- B. Most Voted
- C. Install the PrivateArk client.
- D. Verify the user performing the installation is Domain Administrator and has logon access to the Vault server.
- E. Enable IPv6.

Answer: A

NEW QUESTION 18

Which utility should be used to register the Vault in Amazon Web Services?

- A. CAVaultManager Most Voted
- B. StorageManager
- C. CloudVaultManager
- D. CACert

Answer: A

NEW QUESTION 19

In which configuration file do you add LoadBalancerClientAddressHeader when you enable x-forwarding on the PVWA loadbalancer?

- A. PVconfiguration.xml
- B. web.config
- C. apigw.ini
- D. CyberArkScheduledTasks.exe.config

Answer: B

NEW QUESTION 22

Before the hardening process, your customer identified a PSM Universal Connector executable that will be required to run on the PSM. Which file should you update to allow this to run?

- A. PSMConfigureAppLocker.xml
- B. PSMHardening.xml
- C. PSMAppConfig.xml
- D. PSMConfigureHardening.xml

Answer: A

NEW QUESTION 25

You are setting up a Linux host to act as an HTML 5 gateway for PSM sessions.
Which servers need to be trusted by the Linux host to secure communications through the gateway?

- A. PSM and PVWA
- B. PSM and CPM
- C. PVWA and Vault
- D. Vault and PSM

Answer: A

NEW QUESTION 26

Which CyberArk component changes passwords on Target Devices?

- A. Vault
- B. CPM
- C. PVWA
- D. PSM
- E. PrivateArk
- F. OPM
- G. AIM

Answer: BCD

NEW QUESTION 28

To apply a new license file you must:

- A. Upload the license.xml file to the System Safe
- B. Upload the license.xml file to the VaultInternal Safe.
- C. Upload the license.xml file to the System Safe and restart the PrivateArk Server service.
- D. Upload the license.xml file to the VaultInternal Safe and restart the PrivateArk Server service.

Answer: A

Explanation:

Reference: https://www.reddit.com/r/CyberArk/comments/9bjkvd/unable_to_retrieve_licensexml_from_system_safe/

NEW QUESTION 32

What is a prerequisite step before installing the Vault on Windows 2019?

- A. Configure the Kerberos authentication method on the default IIS Application pool
- B. Check that the server IP address is correctly configured and that it is static
- C. In the Network Connection properties, configure Preferred DNS Servers
- D. Install Microsoft Windows patch KB4014998

Answer: B

NEW QUESTION 36

Which keys are required to be present in order to start the PrivateArk Server Service? Select all that apply.

- A. Server Key
- B. Recovery Public Key
- C. Recovery Private Key
- D. Safe Key

Answer: A

Explanation:

Reference: https://www.reddit.com/r/CyberArk/comments/8s96n8/certificat_problem_with_my_vault/

NEW QUESTION 37

A vault admin received an email notification that a password verification process has failed Which service sent the message?

- A. The PrivateArk Server Service on the Vault.
- B. The CyberArk Password Manager service on the Components Server.
- C. The CyberArk Event Notification Engine Service on the Vault
- D. The CyberArk Privileged Session Manager service on the Vault.

Answer: C

NEW QUESTION 40

Which file would you modify to configure the vault to send SNMP traps to your monitoring solution?

- A. dbparm.ini
- B. paragent.ini

- C. ENEConf.ini I
- D. padr ini

Answer: B

NEW QUESTION 43

The vault server uses a modified version of the Microsoft Windows firewall.

- A. TRUE
- B. FALSE

Answer: B

NEW QUESTION 46

The security of the Vault Server is entirely dependent on the security of the network.

- A. TRUE
- B. FALSE

Answer: B

NEW QUESTION 50

You have been asked to limit a platform called "Windows_Servers" to safes called "WindowsDC1" and "WindowsDC2". The platform must not be assigned to any other safe.

What is the correct way to accomplish this?

- A. Edit the "Windows_Servers" platform, expand "Automatic Password Management", then select General and modify "AllowedSafes" to be (WindowsDC1)|(WindowsDC2).
- B. Edit the "Windows_Servers" platform, expand "Automatic Password Management", then select Options and modify "AllowedSafes" to be (Win*).
- C. Edit the "WindowsDC1" and "WindowsDC2" safes through Safe Management, Add "Windows_Servers" to the "AllowedPlatforms".
- D. Log in to PrivateArk using an Administrative user, Select File, Server File Categories, Locate the category "WindowsServersAllowedSafes" and specify "WindowsDC1,WindowsDC2".

Answer: A

NEW QUESTION 51

Which of the following are supported authentication methods for CyberArk? Check all that apply

- A. CyberArk Password (SRP)
- B. LDAP
- C. SAML
- D. PKI
- E. RADIUS
- F. OracleSSO
- G. Biometric

Answer: BDE

Explanation:

Reference: <https://training.cyberark.com/instructor-led-training/cyberark-privileged-account-security-pas-install-and-configure>

NEW QUESTION 53

Which statements are correct about the PSM HTML5 gateway? (Choose two.)

- A. Smart card redirection is supported
- B. It does not support connections to target system where NLA is enabled on the PSM server
- C. SSH sessions cannot be established
- D. Printer redirection cannot be enabled
- E. It does not support session recording capabilities for applications that run outside a web browser

Answer: BD

NEW QUESTION 54

You are configuring SNMP remote monitoring for your organization's Vault servers.

In the PARAgent.ini, which parameter specifies the destination of the Vault SNMP traps?

- A. SNMPHostIP Most Voted
- B. SNMPTrapPort
- C. SNMPCommunity
- D. SNMPVersion

Answer: A

NEW QUESTION 59

What would be a good use case for a High Availability vault?

- A. Recovery Time Objectives or Recovery Point Objectives are at or near zero.
- B. Integration with an Enterprise Backup Solution is required.
- C. Off site replication is required
- D. PSM is used.

Answer: A

NEW QUESTION 64

Which configuration file and Vault utility are used to migrate the server key to an HSM?

- A. DBparm.ini and CAVaultManager.exe
- B. VaultKeys.ini and CAVaultManager.exe
- C. DBparm.ini and ChangeServerKeys.exe
- D. VaultKeys.ini and ChangeServerKeys.exe

Answer: D

NEW QUESTION 65

Which of the following are secure options for storing the contents of the Operator CD, while still allowing the contents to be accessible upon a planned Vault restart? Choose all that apply

- A. Store the CD in a physical safe and mount the CD every time vault maintenance is performed.
- B. Copy the contents of the CD to the System Safe on the vault
- C. Copy the contents of the CD to a folder on the vault server and secure it with NTFS permissions.
- D. Store the server key in a Hardware Security Module.
- E. Store the server key in the Provider cache

Answer: CD

NEW QUESTION 66

A first PSM server has been installed.

What should you confirm before installing any additional PSM servers?

- A. The PSM ID of the first installed PSM server was changed and the additional PSM server can use the same PSM ID.
- B. The user performing the installation is a direct owner in the PSMUnmanagedSessionAccounts Safe, PSM safe and member of PVWAMonitor group.
- C. The user performing the installation is not a direct owner in the PSMUnmanagedSessionAccounts Saf
- D. Most Voted
- E. The path of the Recordings Folder must be different on all PSM installations.

Answer: C

NEW QUESTION 67

DRAG DROP

The installCyberArkSSHD parameter on the PSM for SSH can be set to multiple values. Match each value to the correct condition.

The installCyberArkSSHD parameter on the PSM for SSH can be set to multiple values. Match each value to the correct condition.	Drag answer here	Yes
Do not install the CyberArk SSHD service. Significant functional limitations apply.	Drag answer here	No
The local SSHD service is configured to work thorough the PAM (Pluggable Authentication Module), which is deployed as part of the PSM for SSH installation. This is the default value.	Drag answer here	Integrated

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Suggested Answer:	Override the local SSHD service with a CyberArk customized SSHD service to benefit from full PSM for SSH functionality.	Yes
	Do not install the CyberArk SSHD service. Significant functional limitations apply.	No
	The local SSHD service is configured to work through the PAM (Pluggable Authentication Module), which is deployed as part of the PSM for SSH installation. This is the default value.	Integrated

NEW QUESTION 68

Which service must be set to Automatic (delayed start) after the Vault is installed and configured?

- A. Windows Time service
- B. PrivateArk Database
- C. Windows Update service
- D. PrivateArk Server

Answer: A

NEW QUESTION 70

When creating a distributed Vault environment architecture, what is the maximum number of Vault servers that can be deployed?

- A. 5 - number of primary and satellite Vaults can be specified during installation
- B. 3 - all primary
- C. 6 - 1 primary and 5 satellite
- D. 10 - 2 primary and 8 satellite

Answer: C

NEW QUESTION 72

What is the name of the account used to establish the initial RDP session from the end user client machine to the PSM server?

- A. PSMConnect
- B. PSMAdminConnect
- C. PSM
- D. The credentials the end user retrieved from the vault

Answer: A

NEW QUESTION 77

What would be a good use case for the Disaster Recovery module?

- A. Recovery Time Objectives or Recovery Point Objectives are at or near zero.
- B. Integration with an Enterprise Backup Solution is required.
- C. Off site replication is required.
- D. PSM is used.

Answer: C

NEW QUESTION 82

In order to avoid conflicts with the hardening process, third party applications like Antivirus and Backup Agents should be installed on the Vault server before installing the Vault.

- A. TRUE
- B. FALSE

Answer: B

NEW QUESTION 84

If a customer has one data center and requires fault tolerance, how many PVWAs should be deployed?

- A. two or more
- B. one PVWA cluster
- C. one
- D. two PVWA clusters

Answer: A

NEW QUESTION 85

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

PAM-SEN Practice Exam Features:

- * PAM-SEN Questions and Answers Updated Frequently
- * PAM-SEN Practice Questions Verified by Expert Senior Certified Staff
- * PAM-SEN Most Realistic Questions that Guarantee you a Pass on Your First Try
- * PAM-SEN Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The PAM-SEN Practice Test Here](#)