

## 300-835 Dumps

# Automating Cisco Collaboration Solutions (CLAUTO)

<https://www.certleader.com/300-835-dumps.html>



#### NEW QUESTION 1

```
#!/usr/bin/env python
import os
import requests

token = os.environ.get('ACCESS_TOKEN')
url = "https://api.ciscospark.com/v1/messages"
roomId = "abcde12345"

mentionName = " "

markdownTxt = mentionName + ", your registration is confirmed"

payload = { "roomId": roomId, "markdown": markdownTxt }

headers = {
    "Authorization": "Bearer " + token,
    "Content-type": "application/json"
}

response = requests.request("POST", url, data=payload, headers = headers)
```

Refer to the exhibit. Which code snippet is used to mention the bot CiscoDevNet@webex.bot?

- A. <@personEmail.CiscoDevNet@webex.bot>
- B. @CiscoDevNet@webex.bot
- C. @personEmail.CiscoDevNet@webex.bot
- D. (@personEmail.CiscoDevNet@webex.bot)

**Answer: B**

#### NEW QUESTION 2

Using the Finesse REST APIs coupled with the Finesse notifications, which two use cases can be accomplished? (Choose two.)

- A. Add video calling capabilities to an existing application such as a CRM.
- B. Add outbound call capabilities to an existing application such as a CRM.
- C. Develop a secure monitoring application that captures the agent's states and dialog information of every agent in the contact center system.
- D. Develop a fully functioning custom agent desktop that has call control, workflows, and client logging.
- E. Develop a fully functioning custom agent desktop for chat, email, and SMS interactions including the content of the chat, email, and SMS.

**Answer: BE**

#### NEW QUESTION 3

Which two characteristics of REST APIs? (Choose two.)

- A. Resources are accessed using Uniform Resource Identifiers.
- B. API operations for Create/Read/Update/Delete are mapped to standard HTTP methods.
- C. Cookies are used for the duration of the session.
- D. REST API extends Remote Procedure Call.
- E. The server manages the session state.

**Answer: AB**

#### NEW QUESTION 4

```
def my_function(listOfNumbers, b):
    total1 = b
    total2 = 0

    for num in listOfNumbers:
        if num < 5:
            total1 += num
        else:
            total2 += num

    return total1

listOfNums = [4, 3, 9, 1, 7, 2, 9, 0, 6, 8, 5]
a = my_function(listOfNums, 3)
print(a)
```

Refer to the exhibit. Which value of "a" is displayed when the Python code is executed?

- A. 10
- B. 13

- C. 18
- D. 21

**Answer:** B

#### NEW QUESTION 5

What are two keys features of Cisco Unified Communications Manager Serviceability APIs? (Choose two.)

- A. save alarms and events for troubleshooting
- B. connect to serial console on phone hardware
- C. configure firewall rules on phone hardware
- D. scan servers and devices for malware
- E. real-time monitoring of components

**Answer:** AE

#### NEW QUESTION 6

DRAG DROP

Drag and drop the code snippets to create a valid AXL API <addUCService> request. Not all options are used.  
Select and Place:

Answer Area

Content-Type: text.xml

Content-Length: 726  
Host: cucm.cisco.com:8443

Authorization:

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"  
xmlns:ns=" 

<soapenv:Body>  
 <ns:addUcService sequence="1">  
 <ucService>  
 <serviceType>Video Conference Scheduling Portal</serviceType>  
 <productType>Telepresence Management System</productType>  
 <name>testConferenceSchedulingPortal1</name>  
 <hostnameorip>10.10.10.12</hostnameorip>  
 <port>8443</port>  
 <protocol>https</protocol>  
 <ucServiceXml>  
 <TmsPortalUrl>http://10.10.10.12/</TmsPortalUrl>  
 </ucServiceXml>  
 </ucService>  
 </ns:addUcService>  
 </soapenv:Body>  
 </soapenv:Envelope>

GET https://cucm.cisco.com:8443/axl/HTTP/1.1

Basic YWRtaW46cGFzc3dvcmQ=

POST https://cucm.cisco.com:8443/axl/HTTP/1.1

http://www.cisco.com/AXL/API/12.5

AXL-Version: "CUCM:DB ver=11.5 addUcService"

Bearer YWRtaW46cGFzc3dvcmQ=

SOAPAction: "CUCM:DB ver=12.5 addUcService"

http://www.cisco.com/AXL/API/11.5

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

The Leader of IT Certification

visit - <https://www.certleader.com>

Answer Area

```
POST https://cucm.cisco.com:8443/axl/HTTP/1.1
Content-Type: text.xml
SOAPAction: "CUCM:DB ver=12.5 addUcService"
Content-Length: 726
Host: cucm.cisco.com:8443

Authorization: Basic YWRtaW46cGFzc3dvcmQ=

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ns="http://www.cisco.com/AXL/API/12.5">
  <soapenv:Body>
    <ns:addUcService sequence="1">
      <ucService>
        <serviceType>Video Conference Scheduling Portal</serviceType>
        <productType>Telepresence Management System</productType>
        <name>testConferenceSchedulingPortall</name>
        <hostnameorip>10.10.10.12</hostnameorip>
        <port>8443</port>
        <protocol>https</protocol>
        <ucServiceXml>
          <TmsPortalUrl>http://10.10.10.12</TmsPortalUrl>
        </ucServiceXml>
      </ucService>
    </ns:addUcService>
  </soapenv:Body>
</soapenv:Envelope>
```

GET https://cucm.cisco.com:8443/axl/HTTP/1.1

AXL-Version: "CUCM:DB ver=11.5 addUcService"

Basic YWRtaW46cGFzc3dvcmQ=

Bearer YWRtaW46cGFzc3dvcmQ=

POST https://cucm.cisco.com:8443/axl/HTTP/1.1

SOAPAction: "CUCM:DB ver=12.5 addUcService"

http://www.cisco.com/AXL/API/12.5

http://www.cisco.com/AXL/API/11.5

### NEW QUESTION 7

After the AXL query ns:updatePhone is used to upgrade a phone configuration successfully, the phone does not reflect the change. Which other method must be performed for the change to take effect?

- A. ns:getPhone
- B. ns:restartPhone
- C. ns:rebootPhone
- D. ns:savePhone

Answer: B

### NEW QUESTION 8

Which two use cases can be accomplished using the Finesse JavaScript library? (Choose two.)

- A. Integrate customer relationship management capabilities into the Finesse agent desktop.
- B. Build a custom browser-based agent desktop.
- C. Build a Finesse gadget to add quick dial to the Finesse agent desktop.
- D. Build a Finesse gadget to create new agents on the Finesse system.
- E. Build a Finesse gadget to configure Finesse log levels for the Finesse administrator console.

Answer: AB

### NEW QUESTION 9

```
import requests

def createUser(apiKey, email, firstName, lastName, displayName):
    url = "https://api.ciscospark.com/v1/people"
    headers = {
        'Authorization': "Bearer " + apiKey,
        'Content-Type': "application/json"
    }
    body = {
        
    }
    response = requests.post(url = url, headers = headers, json=body)
    return response
```

Refer to the exhibit. Which snippet of code does a user with the administrator role use in the missing "body" section to create a new user in a Webex Teams organization?

- A. "displayName": displayName,  
"firstName": firstName,  
"lastName": lastName



- B. `"emails": {  
 email  
},  
"displayName": displayName,  
"firstName": firstName,  
"lastName": lastName`
- C. `"email": email,  
"displayName": displayName,  
"firstName": firstName,  
"lastName": lastName`
- D. `"emails": [  
 email  
],  
"displayName": displayName,  
"firstName": firstName,  
"lastName": lastName`

**Answer:** C

#### NEW QUESTION 10

Which two Webex technologies can be used to embed voice and video collaboration into a company web page? (Choose two.)

- A. Webex Teams Widgets
- B. Webex Teams Browser SDK
- C. Webex Meetings XML API
- D. Webex Teams REST API
- E. Webex Teams Java SDK

**Answer:** AC

#### NEW QUESTION 10

Refer to the exhibit. This Python script uses the websocket-based, xAPI library “pyxows” to monitor and print event details to the console when users interact with UI Extension/In-Room Control ‘Action Buttons’ deployed to the Touch-10 interface of a Webex room device. Which two code snippets successfully capture such events? (Choose two.)

- A. `await client.xEvent(['Event', '**'], callback)`
- B. `await client.subscribe(['Event', 'ActionButton', 'Clicked'], callback)`
- C. `await client.subscribe(['Event', '**'], callback)`
- D. `await client.xEvent(['Event', 'UserInterface', 'Extensions', 'Panel', 'Clicked'], callback)`
- E. `await client.subscribe(['Event', 'UserInterface', 'Extensions', 'Panel', 'Clicked'], callback)`

**Answer:** DE

#### NEW QUESTION 12

Refer to the exhibit. This exhibit is based on the simple Python script to update a Webex registered room device (local IP = 10.10.20.153) with a new custom half-wake message. What is the URL to complete the `requests.post()` method?

- A. `http://10.10.20.153:22/`
- B. `http://10.10.20.153/jsxapi`
- C. `http://api.webex.com/v1/ui`
- D. `http://10.10.20.153/putxml`

**Answer:** D

#### NEW QUESTION 17

An In-Room Control Panel can be configured as “global” (always available). Which order panel type is supported?

- A. Background
- B. Do Not Disturb
- C. Never
- D. Out-of-Call

**Answer:** D

#### NEW QUESTION 20

```
from pyxows import xows
import asyncio

async def main():

    async with xows.XoWSClient( '10.10.20.153', 'integrator', 'integrator' ) as client:

        async def callback( data, id ):
            print( f'Call status event: { data }' )

        

        await client.wait_until_closed()

asyncio.run( main() )
```

Refer to the exhibit. This exhibit is a simple Python scrip to monitor call activity for a local Webex room device. Which code snippet listens for call events and completes the script?

- A. await client.xfeedback( ['Status', 'Call', 'Status'], callback, False)
- B. await client.subscribe( ['Feedback', 'Call', 'Status'], callback, False)
- C. await client.subscribe( ['Status', 'Call', 'Status'], callback, False)
- D. await client.xfeedback( ['Feedback', 'Call', 'Status'], callback, False)

**Answer:** C

#### NEW QUESTION 23

What is the expiration time for a Cisco Webex Meeting API key to access the Webex API as an anonymous user?

- A. 3 months
- B. 12 hours
- C. one week
- D. 6 months

**Answer:** D

#### NEW QUESTION 27

Which URI for XML APIs is used in Cisco Webex Meetings to manage users, meetings, events, and trainings?

- A. <https://api.webex.com/v1/>
- B. <https://api.webex.com/WBXService/XMLService>
- C. <https://api.webex.com/v1/meetings>
- D. <https://api.webex.com/MeetingsService/XMLService>

**Answer:** B

#### NEW QUESTION 29

Which Cisco Meeting Server REST API object resource is used to retrieve active call information?

- A. /activecalls
- B. /calls
- C. /getactivecalls
- D. /callProfiles

**Answer:** B

#### NEW QUESTION 34

Refer to the exhibit. Based on this Webex Meetings XML API schema snippet, which XML object is a valid <metaData> element?

- A. 

```
<metaData>
  <confName>Sample Meeting</confName>
  <meetingType>Event Center</meetingType>
  <agenda>Coding 101</agenda>
  <isInternal>Internal</isInternal>
</metaData>
```
- B. 

```
<metaData>
  <confName>Sample Meeting</confName>
  <meetingType>105</meetingType>
  <agenda>Coding 101</agenda>
  <isInternal>true</isInternal>
</metaData>
```
- C.

```
<metaData>
  <confname>Sample Meeting</confname>
  <meetingType>105</meetingType>
  <agenda>Coding 101</agenda>
  <isInternal>true</isInternal>
</metaData>
```

D. <metaData>  
 <confName>Sample Meeting</confName>  
 <meetingType>Event Center</meetingType>  
 <agenda>Coding 101</agenda>  
 <isInternal>no</isInternal>  
 </metaData>

Answer: C

#### NEW QUESTION 35

```
<?xml version="1.0"?>
<inboundDialPlanRules total="3">
  <inboundDialPlanRule id="eedeeca5-c73b-441e-bc5a-71d9b256180b">
    <domain>cms.heleus.lab</domain>
    <priority>100</priority>
  </inboundDialPlanRule>
  <inboundDialPlanRule id="647511a0-0c7d-484f-8796-ee52dd3128f1">
    <domain>space.heleus.lab</domain>
    <priority>2</priority>
  </inboundDialPlanRule>
  <inboundDialPlanRule id="2c5662ab-7e5a-45a8-a133-5f4d6c6cb509">
    <domain>cms.lab</domain>
    <priority>1</priority>
  </inboundDialPlanRule>
</inboundDialPlanRules>
```

Refer to the exhibit. Which API call made to Cisco Meeting Server removes the inbound dial plan rule matching cms.lab domain?

- A. DELETE to /api/v1/inboundDialPalnRules/ with body attribute id="2c5662ab-7e5a-45a8-a133-5f4d6c6cb509".
- B. DELETE to /api/v1/inboundDialPalnRules/2c5662ab-7e5a-45a8-a133-5f4d6c6cb509.
- C. PUT to /api/v1/inboundDialPalnRules/2c5662ab-7e5a-45a8-a133-5f4d6c6cb509 with body attribute delete="True".
- D. PUT to /api/v1/inboundDialPalnRules/2c5662ab-7e5a-45a8-a133-5f4d6c6cb509.

Answer: A

#### NEW QUESTION 39

```
1 POST /WBXService/XMLService/LstsummaryUser HTTP/1.1
2 Content-Type: application/xml
3 Host: api.webex.com
4 Content-Length: 974
5
6 <?xml version="1.0" encoding="UTF-8"?>2 <serv:message xmlns:serv="http://www.webex.com/schemas/2002/06/service"
7   xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
8   <header>
9     <securityContext>
10       <siteName>apidemoeu</siteName>
11       <webExID>janedoe@example.com</webExID>
12       <sessionTicket>AAABb5LTcGcAABUYA0gAKEgyU</sessionTicket>
13     </securityContext>
14     <action>java:com.webex.service.binding.meeting.LstsummaryUser</action>
15   </header>
16   <body>
17     <method>java:com.webex.service.binding.meeting.LstsummaryUser</method>
18     <bodyContent xsi:type="java:com.webex.service.binding.meeting.LstsummaryUser">
19       <webExId>{WEBEXID}</webExId>
20     </bodyContent>
21   </body>
22 </serv:message>
```

Refer to the exhibit. A Webex Meetings XML API HTTP request message with several invalid portions is shown. Which reference points to a line in the exhibit that correctly indicates that this is a LstsummaryUser request?

- A. line 17
- B. line 1
- C. line 18
- D. line 14

Answer: B

#### NEW QUESTION 43

Which two methods can be used to add a custom UI panel to a Webex room device? (Choose two.)

- A. Import an existing panel configuration file by connecting a USB storage drive to the device.
- B. Use xAPI to push a JSON panel configuration to the device.
- C. Create a panel using the device UI Extensions Editor (previously In-Room Controls).
- D. Restore a device backup file present on a PC that contains a panel configuration.
- E. From a T-shell session, use the git command to merge the XML configuration of a panel.

Answer: AE

**NEW QUESTION 46**

.....



## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your 300-835 Exam with Our Prep Materials Via below:**

<https://www.certleader.com/300-835-dumps.html>