

Exam Questions PL-300

Microsoft Power BI Data Analyst

<https://www.2passeasy.com/dumps/PL-300/>



NEW QUESTION 1

- (Exam Topic 1)

You need to create the required relationship for the executive's visual. What should you do before you can create the relationship?

- A. Change the data type of Sales[region_id] to Whole Number.
- B. In the Sales table, add a measure for sum(sales_amount).
- C. Change the data type of sales[sales_id] to Text.
- D. Change the data type of sales [region_id] to Decimal Number.

Answer: A

Explanation:

Scenario: Executives require a visual that shows sales by region.
Need to change the sales_id column from Varchar to Whole Number (Integer).

NEW QUESTION 2

- (Exam Topic 1)

You publish the dataset to powerbi.com.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area			
Statements		Yes	No
You need an on-premises data gateway to refresh the dataset.		<input type="radio"/>	<input checked="" type="radio"/>
You need to configure a scheduled refresh of the dataset.		<input type="radio"/>	<input type="radio"/>
You can use Basic authentication on the dataset to connect to the data.		<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

NEW QUESTION 3

- (Exam Topic 1)

You need to address the data concerns before creating the data model. What should you do in Power Query Editor?

- A. Select Column distribution.
- B. Select the sales_amount column and apply a number filter.
- C. Select Column profile, and then select the sales_amount column.
- D. Transform the sales_amount column to replace negative values with 0.

Answer: C

NEW QUESTION 4

- (Exam Topic 1)

What should you create to meet the reporting requirements of the sales department?

- A. a measure that uses a formula of SUM (Sales [sales_id])
- B. a calculated column that use a formula of COUNTA(sales [sales_id])
- C. a measure that uses a formula of COUNTROWS (Sales)
- D. a calculated column that uses a formula of SUM (Sales [sales_id])

Answer: C

Explanation:

The sale department requires reports that contain the number of sales transactions.
The COUNTROWS function counts the number of rows in the specified table, or in a table defined by an expression.
Reference:
<https://docs.microsoft.com/en-us/dax/countrows-function-dax>

NEW QUESTION 5

- (Exam Topic 2)

What is the minimum number of datasets and storage modes required to support the reports?

- A. two imported datasets

- B. a single DirectQuery dataset
- C. two DirectQuery datasets
- D. a single imported dataset

Answer: D

Explanation:

"The analysts responsible for each business unit must see all the data the board sees, except the profit and loss data, which must be restricted to only their business unit's data. The analysts must be able to build new reports from the dataset that contains the profit and loss data" => one dataset and two separate workspaces Reason: All data can be imported into one dataset also if these are two logical models. Shared dimensions can be reconsumed in both models. Reports and additional materials can be shared to the board with an app. The "profit and loss" data model needs RLS for the analysts and the analysts must have just read access to the original workspace. In a separate workspace with contributor (or more rights) they can create new reports (with live connection to the dataset). It is also stated that the new reports mustn't be shared so therefore no need to include them into the app. Import vs. DirectQuery: Due to RLS requirements an imported dataset is needed. It is not possible with file sources and Sharepoint lists.

NEW QUESTION 6

- (Exam Topic 2)

How should you distribute the reports to the board? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Grant access by:

Sharing individual reports

Using a workspace membership

Using an app

Grant access to:

A dynamic distribution list

A mail-enabled security group

Individual user emails

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Using a workspace membership Scenario:

The company wants to provide a single package of reports to the board that contains custom navigation and links to supplementary information.

Note: Workspace is a shared environment for a group of people. You can have multiple Power BI content in a workspace. One workspace can have hundreds of dashboards, reports, and datasets in it.

Box 2: A mail-enabled security group Scenario: Security Requirements

The reports must be made available to the board from powerbi.com. A mail-enabled security group will be used to share information with the board.

NEW QUESTION 7

- (Exam Topic 3)

You need to create a relationship in the dataset for RLS.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Create a

one-to-one

one-to-many

many-to-one

many-to-many

relationship between the Sales Employees table and the

Orders table

Suppliers table

Order Details table

Customer Details worksheet

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Text Description automatically generated

Box 1: many-to-one

Each employee in the Sales Employees table is assigned to one sales region. Multiple employees can be assigned to each region.

The Suppliers table has a Region column. Box 2: Suppliers table

NEW QUESTION 8

- (Exam Topic 3)

You need to design the data model to meet the report requirements. What should you do in Power BI Desktop?

- A. From Power Query, use a DAX expression to add columns to the Orders table to calculate the calendar quarter of the OrderDate column, the calendar month of the OrderDate column, the calendar quarter of the ShippedDate column, and the calendar month of the ShippedDate column.
- B. From Power Query, add columns to the Orders table to calculate the calendar quarter and the calendar month of the OrderDate column.
- C. From Power BI Desktop, use the Auto date/time option when creating the reports.
- D. From Power Query, add a date table.
- E. Create an active relationship to the OrderDate column in the Orders table and an inactive relationship to the ShippedDate column in the Orders table.

Answer: B

Explanation:

Use Power Query to calculate calendar quarter and calendar month. Scenario:

- > A single dataset must support all three reports:
 - The Top Customers report will show the top 20 customers based on the highest sales amounts in a selected order month or quarter, product category, and sales region.
 - The Top Products report will show the top 20 products based on the highest sales amounts sold in a selected order month or quarter, sales region, and product category.
- > The data model must minimize the size of the dataset as much as possible, while meeting the report requirements and the technical requirements.

NEW QUESTION 9

- (Exam Topic 3)

You need to create a measure that will return the percentage of late orders.

How should you complete the DAX expression? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Late Orders Percent =

VAR OrderCount =

COUNTROWS ('Orders')

VAR LateOrders =

COUNTROWS ('Orders'),

)

RETURN

DIVIDE (LateOrders, OrderCount)

(Order,

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, application Description automatically generated

Box 1: CALCULATE

CALCULATE evaluates an expression in a modified filter context. Syntax: CALCULATE(<expression>[, <filter1> [, <filter2> [, ...]]]) Expression - The expression to be evaluated.

filter1, filter2,... (Optional) Boolean expressions or table expressions that defines filters, or filter modifier functions.

Box 2: FILTER

FILTER returns a table that represents a subset of another table or expression. Syntax: FILTER(<table>,<filter>)

Table- The table to be filtered. The table can also be an expression that results in a table.

Filter - A Boolean expression that is to be evaluated for each row of the table. For example, [Amount] > 0 or [Region] = "France"

Box 3: Orders[ShippedDate]> Orders[RequiredDate]

Northwind Traders defines late orders as those shipped after the required shipping date. Reference:

https://docs.microsoft.com/en-us/dax/calculate-function-dax https://docs.microsoft.com/en-us/dax/filter-function-dax

NEW QUESTION 10

- (Exam Topic 3)

You need to create the Top Customers report.

Which type of filter should you use, and at which level should you apply the filter? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Filter type:

▼

Top N

Basic

Advanced

Level:

▼

Page

Visual

Report

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Filter type:

▼

Top N

Basic

Advanced

Level:

▼

Page

Visual

Report

Graphical user interface Description automatically generated with low confidence

Box 1: Top N

Scenario: The Top Customers report will show the top 20 customers based on the highest sales amounts in a selected order month or quarter, product category, and sales region.

Once you drag to SKU to Visual level filter you should get Top N option Note: The two most common filter types: automatic and manual.

Then there are more advanced filters. Box 2: Visual

Once you drag to SKU to Visual level filter you should get Top N option. Reference:

<https://powerbidocs.com/2020/01/21/power-bi-top-n-filters/>

NEW QUESTION 10

- (Exam Topic 3)

You need to design the data model and the relationships for the Customer Details worksheet and the Orders table by using Power BI. The solution must meet the report requirements.

For each of the following statement, select Yes if the statement is true, Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
A relationship must be created between the CustomerID column in the Customer Details worksheet and the CustomerID column in the Orders table.	<input type="radio"/>	<input type="radio"/>
The Data Type of the columns in the relationship between the Customer Details worksheet and the Orders table must be set to Text .	<input type="radio"/>	<input type="radio"/>
The Region field used to filter the Top Customers report must come from the Orders table.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements

Yes No

A relationship must be created between the CustomerID column in the Customer Details worksheet and the CustomerID column in the Orders table.

☒
☐

The Data Type of the columns in the relationship between the Customer Details worksheet and the Orders table must be set to **Text**.

☐
☒

The Region field used to filter the Top Customers report must come from the Orders table.

☒
☐

NEW QUESTION 12

- (Exam Topic 4)

You build a Power BI report that displays 10T temperature data streaming from a refrigerator. You publish the report to the BI service. You need to be notified when the temperature rises above four degrees Celsius. What should you do?

- A. Pin a report page to a dashboard and set an alert on the page.
- B. Set an alert on a KPI visual in the report.
- C. Pin a card visual to a dashboard and set an alert on the tile.
- D. Pin a card visual to a dashboard and create a subscription.

Answer: A

NEW QUESTION 14

- (Exam Topic 4)

You have a power BI tenant that hosts the datasets shown in the following table.

Name	Contents	Used to generate
Sales	Sales targets Sales data Employee salary data	Daily performance reports Quarterly reports used to calculate bonuses
Operations	Environmental sensor data	Reports that show average sensor readings over time
Finance	Financial transaction data	Budget planning reports Monthly board reports

You have the following requirements:

- The export of reports that contain Personally Identifiable Information (PII) must be prevented.
- Data used for financial decisions must be reviewed and approved before use.

For each of the following statements, select Yes if the statement is true. Otherwise select No. NOTE: Each correct selection is worth one point

Answer Area

Statements

Yes No

The Sales dataset requires a sensitivity label.

☐
☐

The Operations dataset requires a sensitivity label and must be certified.

☐
☐

The Finance dataset requires a sensitivity label and must be certified.

☐
☐

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements

Yes No

The Sales dataset requires a sensitivity label.

☒
☐

The Operations dataset requires a sensitivity label and must be certified.

☐
☒

The Finance dataset requires a sensitivity label and must be certified.

☒
☐

NEW QUESTION 18

- (Exam Topic 4)

You have a Power BI query named Sates that imports the columns shown in the following table.

Name	Description	Sample value
ID	A unique value that represents a sale	10253
Sale_Date	Sales date A column to extract the date of the sale	2021-11-23T09:53:00
Customer_ID	Represents a unique customer ID number	13158
Delivery_Time	Elapsed delivery time in hours Can contain null values	51.52
Status	Sales status Contains only the following two values: Finished and Canceled	Finished
Canceled_Date	Cancellation date and time Can contain null values	2021-11-24T14:11:23

Uses only use the dale part of the Sales.Date field. Only rows with a Status of Finished are used in analysis. You need to reduce the load times of the query without affecting the analysis.

Which two actions achieve this goal? Each correct answer presents a complete solution.

NOTL Each correct selection is worth one pant.

- A. Remove the rows in which sales [status] has a value of Canceled.
- B. Change the data type of sale [Delivery_Time] to Integer
- C. Removes (Canceled Date).
- D. Split Sales [Sale_Date] into separate date and time columns.
- E. Remove sales [Sales_Date].

Answer: AD

NEW QUESTION 22

- (Exam Topic 4)

Simon	101	100
Wenanta	102	100
Conrad	103	101
Priyish	104	103
Sunil	105	103
Pavel	106	102

Each employee has one manager as shown in the ParentEmployeeID column, All reporting paths lead to the CEO at the top of the organizational hierarchy. You need to create a calculated column that returns the count of levels from each employee to the CEO. Which DAX expression should you use?

A. `PATHITEM(PATH(Employee[EmployeeID],Employee[ParentEmployeeID]),1,INTEGER)`

B. `PATHCONTAINS(PATH(Employee[EmployeeID],Employee[ParentEmployeeID]),1)`

C. `PATH(Employee[EmployeeID],Employee[ParentEmployeeID])`

D. `PATHLENGTH(PATH(Employee[EmployeeID],Employee[ParentEmployeeID]))`

- A. Option A
- B. Option B
- C. option C
- D. Option D

Answer: B

NEW QUESTION 24

- (Exam Topic 4)

A manager can represent only a single country.

You need to use row-level security (RLS) to meet the following requirements: The managers must only see the data of their respective country.

The number of RLS roles must be minimized.

Which two actions should you perform? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Create a single role that filters Country[Manager_Email] by using the USERNAME DAX function.
- B. Create a single role that filters Country[Manager_Email] by using the USEROBJECTID DAX function.
- C. For the relationship between Purchase Detail and Purchase, select Apply security filter in both directions.
- D. Create one role for each country.
- E. For the relationship between Purchase and Purchase Detail, change the Cross filter direction to Single.

Answer: AC

Explanation:

In Power BI Service the username and userprincipalname both return the email address, it's only in Power BI Desktop that username is domain/username rather than the email address. So I agree that userprincipalname is better generally as you always get the same value, the answer is correct and you can use username as your RLS since the role will be applied in the Service. See <https://community.powerbi.com/t5/Community-Blog/USERNAME-v-s-USERPRINCIPALNAME-in-RLS-for-P> for more information.

NEW QUESTION 25

- (Exam Topic 4)

You have a Power BI report named Report1 and a dashboard named Dashboard1, Report1 contains a line chart named Sales by month.

You pin the Sales by month visual to Dashboard1.

In Report1, you change the Sales by month visual to a bar chart. You need to ensure that bar chart displays on Dashboard1. What should you do?

- A. Edit the details for the dashboard tile of Dashboard1.
- B. Select Refresh visuals for Dashboard1.
- C. the Sales by month bar chart to Dashboard1
- D. Refresh the dataset used by Report1 and Dashboard1.

Answer: D

NEW QUESTION 28

- (Exam Topic 4)


Note: This question is a part of a series of questions that present the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario

You have a Microsoft SQL Server database that has the tables shown in the Database Diagram exhibit. (Click the Exhibit.)

<div>dimGeography</div> <div>[GeographyKey] [City] [StateProvinceCode] [StateProvinceName] [CountryRegionCode] [EnglishCountryRegionName] [PostalCode] [SalesTerritoryKey] [IpAddressLocator]</div>	<div>Sales</div> <div>[ProductKey] [OrderDateKey] [DueDateKey] [ShipDateKey] [CustomerKey] [PromotionKey] [CurrencyKey] [SalesTerritoryKey] [SalesOrderNumber] [SalesOrderLineNumber] [OrderQuantity] [UnitPrice] [ExtendedAmount] [UnitPriceDiscountPct] [DiscountAmount] ProductStandardCost] [TotalProductCost] [SalesAmount] [TaxAmt] [Freight] [OrderDate] [DueDate] [ShipDate]</div>	<div>dimProduct</div> <div>[ProductKey] [ProductSubcategoryKey] [EnglishProductName] [Color] [ListPrice] [Size] [StartDate] [EndDate] [Status]</div>
<div>dimCustomer</div> <div>[CustomerKey] [GeographyKey] [DisplayName] [MaritalStatus] [Gender] [YearlyIncome]</div>		<div>dimProductSubcategory</div> <div>[ProductSubcategoryKey] [ProductSubcategoryAlternateKey] [EnglishProductSubcategoryName] [SpanishProductSubcategoryName] [FrenchProductSubcategoryName] [ProductCategoryKey]</div>
		<div>dimProductCategory</div> <div>[ProductCategoryKey] [ProductCategoryAlternateKey] [EnglishProductCategoryName] [SpanishProductCategoryName] [FrenchProductCategoryName]</div>

You plan to develop a Power BI model as shown in the Power BI Model exhibit. (Click the Exhibit).



You plan to use Power BI to import data from 2013 to 2015. Product Subcategory [Subcategory] contains NULL values. End of repeated scenario.

You implement the Power BI model.

You need to edit the Product Category table query to match the desired Power BI model.

How should you complete the advanced query? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content. NOTE: Each correct selection is worth one point.

Values

- Table.Combine
- Table.RemovedColumns
- Table.RemoveRows
- Table.RenameColumns
- Table.ReorderColumns
- Table.SelectColumns

Answer Area

```

let
    Source= Sql.Databases ("localhost"),
    DB1= Source {[Name= "DB1"]} [Data],
    dbo_DimProductCategory= DB1{[Schema= "dbo, Item= "DimProductCategory"]} [Data],
    #"Var1" = Value
    (dbo_DimProductCategory, {"ProductCategoryAlternateKey",
    "SpanishProductCategoryName", "FrenchProductCategoryName"}),
    #"Var2" = Value
    (#"Var1", {{ "EnglishProductCategoryName", "Category"}, {"DimProductSubcategory", "Subcategory"}})
in
    #"Var2"
                    
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, application Description automatically generated

References:

https://msdn.microsoft.com/en-us/library/mt260776.aspx https://msdn.microsoft.com/en-us/library/mt260808.aspx

NEW QUESTION 29

- (Exam Topic 4)

You plan to develop a Power BI report that has a bar chart to display the number of customers by location. You have a table named Customer that has the following columns:

- Customer ID

- CustomerName
- Address
- City
- ProvState
- Country

You need to allow users to drill down by location. The report will display the number of each customer by Country, and drill down to ProvState, and then to City. How should you configure the drill down in the bar chart?

- A. In the Value field, add Countr
- B. In the Legend field, add ProvState at the top, followed by City.
- C. In the Legend field, add Countr
- D. In the Axis field, add ProvState at the top, followed by City.
- E. In the Axis field, add Country at the top, followed by ProvState, and then City.
- F. In the Value field, add Country at the top, followed by ProvState, and then City.

Answer: C

Explanation:

References:

<https://docs.microsoft.com/en-us/power-bi/guided-learning/visualizations#step-18> <https://docs.microsoft.com/en-us/power-bi/power-bi-visualization-drill-down>

NEW QUESTION 32

- (Exam Topic 4)

You need to create a visualization that compares revenue and cost over time. Which type of visualization should you use?


- A. stacked area chart
- B. donut chart
- C. line chart
- D. waterfall chart

Answer: C

Explanation:

A line chart or line graph displays the evolution of one or several numeric variables. Data points are connected by straight line segments. A line chart is often used to visualize a trend in data over intervals of time – a time series – thus the line is often drawn chronologically.

Example:



Reference:

<https://www.data-to-viz.com/graph/line.html>

NEW QUESTION 33

- (Exam Topic 4)

You are profiling data by using Power Query Editor.

You have a table named Reports that contains a column named State. The distribution and quality data metrics for the data in State is shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

There are [answer choice] different values in State including nulls.

4
65
69
73

There are [answer choice] non-null values that occur only once in State.

4
65
69
73

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

There are [answer choice] different values in State including nulls.

4
65
69
73

There are [answer choice] non-null values that occur only once in State.

4
65
69
73

NEW QUESTION 34

- (Exam Topic 4)

You publish a dataset that contains data from an on-premises Microsoft SQL Server database. The dataset must be refreshed daily.

You need to ensure that the Power BI service can connect to the database and refresh the dataset.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct

Actions

Add a data source.

Configure an on-premises data gateway.

Configure a virtual network data gateway.

Configure a scheduled refresh.

Add the dataset owner to the data source.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Answer Area

Configure an on-premises data gateway.

Configure a scheduled refresh.

Add a data source.

Add the dataset owner to the data source.

NEW QUESTION 39

- (Exam Topic 4)
You are configuring a Microsoft Power BI data model to enable users to ask natural language questions by using Q&A. You have a table named Customer that has the following measure.
Customer Count = DISTINCTCOUNT(Customer[CustomerID]) Users frequently refer to customers as subscribers.
You need to ensure that the users can get a useful result for "subscriber count" by using Q&A. The solution must minimize the size of the model.
What should you do?

- A. Add a description of "subscriber count" to the Customer Count measure.
- B. Set Summarize By to None for the CustomerID column.
- C. Add a description of "Subscriber" to the Customer table.
- D. Add a synonym of "subscriber" to the Customer table.

Answer: B

Explanation:
You can add synonyms to tables and columns.
Note: This step applies specifically to Q&A (and not to Power BI reports in general). Users often have a variety of terms they use to refer to the same thing, such as total sales, net sales, total net sales. You can add these synonyms to tables and columns in the Power BI model.
This step applies specifically to Q&A (and not to Power BI reports in general). Users often have a variety of terms they use to refer to the same thing, such as total sales, net sales, total net sales. You can add these synonyms to tables and columns in the Power BI model.
Reference:
<https://docs.microsoft.com/en-us/power-bi/natural-language/q-and-a-best-practices>

NEW QUESTION 44

- (Exam Topic 4)
You have a Power BI workspace named BI Data that contains a dataset named BI Finance.
You have the Build permission for the 81 Finance dataset but you do NOT have permissions for the workspace,
You need to connect to BI Finance and create a report.
Which actions should you perform? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. From the Power BI service, create a dataflow to the dataset by using DirectQuery.
- B. From Power BI Desktop, connect to a Dataverse data source.
- C. From the Power BI service, create a new report and select a published dataset
- D. From Power BI Desktop, connect to a shared dataset

Answer: BC

NEW QUESTION 48

- (Exam Topic 4)
You have a dataset that has the permissions shown in the following exhibit.
Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

Answer Area

Users in the finance group can [answer choice] the dataset.

assign sensitivity labels to
use Analyze in Excel with
delete

Users in the corp group can [answer choice] the dataset.

grant the Build permission for
grant the Read permission for
remove a table from

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Users in the finance group can [answer choice] the dataset.

assign sensitivity labels to

use Analyze in Excel with

delete

Users in the corp group can [answer choice] the dataset.

grant the Build permission for

grant the Read permission for

remove a table from

NEW QUESTION 53

- (Exam Topic 4)
You are creating a column chart visualization.
You configure groups as shown in the Groups exhibit. {Click the Groups tab.)

Groups

Name

Sepal.Width (bins)

Field

Sepal.Width

Group type

Bin

Min value

2

Bin Type

Number of bins

Max value

4.4

Binning splits numeric or date/time data by an amount you specify. The default bin count is calculated based on your data.

Bin count

10

Bin size


0.24000000000000005

Reset to default

OK

Cancel

The visualization appears as shown in the Chart exhibit. (Click the Chart tab.)



For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
The data is segmented into 10 groups.	<input type="radio"/>	<input type="radio"/>
The data was split into deciles.	<input type="radio"/>	<input type="radio"/>
To increase the bin size, you must decrease the bin count.	<input type="radio"/>	<input type="radio"/>

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
The data is segmented into 10 groups.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
The data was split into deciles.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
To increase the bin size, you must decrease the bin count.	<input type="checkbox"/>	<input checked="" type="checkbox"/>

NEW QUESTION 56

- (Exam Topic 4)

You have a report that contains three pages. One of the pages contains a KPI visualization. You need to filter all the visualizations in the report except for the KPI visualization. Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Add the same slicer to each page and configure Sync slicers.
- B. Edit the interactions of the KPI visualization.
- C. Configure a page-level filter.
- D. Edit the interactions of the slicer that is on the same page as the KPI visualization.
- E. Configure a report-level filter.

Answer: AD

Explanation:

Slicers are another way of filtering. They narrow the portion of the dataset that is shown in the other report visualizations. By default, slicers on report pages affect all the other visualizations on that page, including each other. Use visual interactions to exclude some page visualizations from being affected by others.
Reference:
<https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-slicers>

NEW QUESTION 58

- (Exam Topic 4)

You are using the key influencers visual to identify which factors affect the quantity of items sold in an order. You add the following fields to the Explain By field:

- * Customer Country
- * Product Category
- * Supplier Country
- * Sales Employee
- * Supplier Name
- * Product Name
- * Customer City

The key influencers visual returns the results shown in the following exhibit.

Key influencers Top segments

What influences Quantity Per Order to Increase

When...

...the average of Quantity Per Order increases by

Customer City is Cunewalde

22.39

Customer City is Graz

22.21


Customer City is Boise

20.37

Customer Country is Austria

18.8

← Quantity Per Order is more likely to increase when Customer City is Cunewalde than otherwise (on average).



Only show values that are influencers

What can you identify from the visual?

- A. Customers in Austria order 18.8 more units than the average order quantity.
- B. Customers in Boise order 20.37 percent more than the average order quantity.
- C. Product Category positively influences the quantity per order.
- D. Customers in Cork order lower quantities than average.

Answer: A

NEW QUESTION 59

- (Exam Topic 4)

You have a Power BI report named Report1 and a dashboard named Dashboard1. Report1 contains a line chart named Sales by month.

You pin the Sales by month visual to Dashboard1.

In Report1, you change the Sales by month visual to a bar chart. You need to ensure that the bar chart displays on Dashboard1. What should you do?

- A. Refresh the dataset used by Report1 and Dashboard1.
- B. Select Refresh visuals for Dashboard1.
- C. Edit the details for the dashboard tile Of Dashboard1.
- D. Pin the Sales by month bar chart to Dashboard1.

Answer: A

NEW QUESTION 61

- (Exam Topic 4)

You have an API that returns more than 100 columns. The following is a sample of column names.

- > client_notified_timestamp
- > client_notified_source
- > client_notified_sourceid
- > client_notified_value
- > client_responded_timestamp
- > client_responded_source
- > client_responded_sourceid
- > client_responded_value

You plan to include only a subset of the returned columns.

You need to remove any columns that have a suffix of sourceid.

How should you complete the Power Query M code? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

```
let
Source = ...,
rawData = Source{[tableId= "clientData"]}[Data],
removeSources = 
    Table.CombineColumn
    Table.FindText
    Table.FromList
    Table.RemoveColumns
    (rawData,
    Table.ColumnNames(rawData),
    List.Contains
    List.Select
    Table.FindText
    Table.FromList
    each
    Text.Contains
    Text.EndsWith
    Text.From
    Text.StartsWith
    (_, "sourceid")))
in
removeSources
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Table.RemoveColumns

When you do "Remove Columns" Power Query uses the Table.RemoveColumns function

Box 2: List.Select
Get a list of columns. Box 3: Text.EndsWith

NEW QUESTION 64

- (Exam Topic 4)

You have a Power BI workspace that contains several reports.

You need to provide a user with the ability to create a dashboard that will use the visuals from the reports. What should you do?

- A. Grant the Read permission for the datasets to the user.
- B. Add the user as a Viewer of the workspace.
- C. Share the reports with the user.
- D. Create a row-level security (RLS) role and add the user to the role.
- E. Add the user as a member of the workspace.

Answer: B

NEW QUESTION 68

- (Exam Topic 4)

You have a PBIX file that imports several tables from an Azure SQL database. The data will be migrated to another Azure SQL database.

You need to change the connections in the PBIX file. The solution must minimize administrative effort. What should you do?

- A. From Power Query Editor, modify the source of each query.
- B. Create a PBIT file, open the file, and change the data sources when prompted
- C. From Power Query Editor, create new queries.
- D. Modify the Data source settings.

Answer: D

NEW QUESTION 73

- (Exam Topic 4)

You have a Microsoft Excel file in a Microsoft OneDrive folder. The file must be imported to a Power BI dataset

You need to ensure that the dataset can be refreshed in powerbi.com.

Which two connectors can you use to connect to the file? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Text/CSV
- B. Folder
- C. Excel Workbook
- D. SharePoint folder
- E. Web

Answer: DE

Explanation:

- Copy and edit Path of the Excel file then use "Web" Connector: Option E
- Copy and edit Path of the OneDrive folder then use "Sharepoint Folder" connector: Option D Source: <https://www.youtube.com/watch?v=GGHbbg6yi-A>

NEW QUESTION 77

- (Exam Topic 4)

You have an app workspace that contains a dashboard and four reports. All the reports are generated from a single dataset that contains sales data for your company.

The reports display the data configured as shown in the following table.

Report name	Data displayed	Data characteristic
Sales Data1	Sales from the start of 2013 to the end of 2015	The company was owned by another company named Contoso, Ltd. from 2013 to 2015
Sales Data2	Sales from the start of 2011 to the end of 2016	The company changed the line of products sold frequently from 2011 to 2016
Sales Data3	Sales from the start of 2016 to the end of 2017	The company hired new management that started in 2016
Sales Data4	Sales from the start of 2011 to the end of 2014	The company was being sued by a competitor from 2011 to 2014

You need to ensure that the users of the reports can locate the correct report by using natural language queries. What should you do?

- A. From the properties of the dataset, create four Featured Q&A Questions.
- B. From the Format settings of the reports, modify the Page Information.
- C. From the properties of the dataset, modify the Q&A and Cortana settings.
- D. From the properties of the workspace, modify the Language Settings.

Answer: C

Explanation:

References:

<https://docs.microsoft.com/en-us/power-bi/service-q-and-a-direct-query#limitations-during-public-preview>

NEW QUESTION 80

- (Exam Topic 4)

You have a Microsoft SharePoint Online site that contains several document libraries. One of the document libraries contains manufacturing reports saved as Microsoft Excel files. All the manufacturing reports have the same data structure.

You need to load only the manufacturing reports to a table for analysis. What should you do in Microsoft Power BI Desktop?

- A. Get data from a SharePoint Online folder, enter the site URL, and then select Combine & Load.
- B. Get data from a SharePoint Online list and enter the site UR
- C. Edit the query and filter by the path to the manufacturing reports library.
- D. Get data from a SharePoint Online folder and enter the site UR
- E. Edit the query and filter by the path to the manufacturing reports library.
- F. Get data from a SharePoint Online list, enter the site URL, and then select Combine & Load.

Answer: B

Explanation:

We have to import Excel files from SharePoint, so we need the connector SharePoint folder which is used to get access to the files stored in the library. SharePoint list is a collection of content that has rows and columns (like a table) and is used for task lists, calendars, etc. Since we have to filter only on manufacturing reports, we have to select Transform and then filter by the corresponding folder path.

<https://docs.microsoft.com/en-us/power-query/connectors/sharepointlist>

NEW QUESTION 81

- (Exam Topic 4)

You have the Power BI model shown in the following exhibit.



There are four departments in the Departments table.

You need to ensure that users can see the data of their respective department only. What should you do?

- A. Create a row-level security (RLS) role for each department, and then define the membership of the role.
- B. Create a DepartmentID parameter to filter the Departments table.
- C. To the ConfidentialData table, add a calculated measure that uses the currentgroup DAX function.
- D. Create a slicer that filters Departments based on DepartmentID.

Answer: A

Actions

From Power BI Desktop, get the Word Cloud visual from Microsoft AppSource.

From a web browser, download the PBIVIZ file for the Word Cloud visual from Microsoft AppSource.

Format the data colors and title.

Populate the drillthrough fields.

Populate the Category, Value, and Excludes fields.

Answer Area

From a web browser, download the PBIVIZ file for the Word Cloud visual from Microsoft AppSource.

Populate the drillthrough fields.

Format the data colors and title.

NEW QUESTION 87

- (Exam Topic 4)

You have a CSV file that contains user complaints. The file contains a column named Logged logged contains the date and time each complaint occurred. The data in Logged is m the following format: 2018-12-31 at 08:59.

You need to be able to analyze the complaints by the logged date and use a built-in date hierarchy. What should you do?

- A. Create a column by example that starts with 2018-12-31.
- B. Create a column by example that starts with 2018-12-31 and set the data type of the new column to Date
- C. Apply the parse function from the Date transformations options to the Logged column.
- D. Add a conditional column that outputs 2018 if the Logged column starts with 2018 and set the data type of the new column to Whole Number.

Answer: B

NEW QUESTION 90

- (Exam Topic 4)

You have a Microsoft Excel workbook that contains two tables.
From Power BI, you create a dashboard that displays data from the tables.
You update the tables each day.
You need to ensure that the virtualizations in the dashboard are updated daily.
Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to answer area and arrange them in the correct order.

Actions

For each dataset, modify the Schedule Refresh settings.

Download and install an on-premises data gateway (personal).

For each dataset, modify the Gateway Connection settings.

Add subscriptions for the reports.

Download and install Power BI Desktop.

Answer Area

>

<

>

<

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated
References: <https://docs.microsoft.com/en-us/power-bi/refresh-scheduled-refresh>

NEW QUESTION 95

- (Exam Topic 4)

You have an on-premises Power BI Report Server.
You plan to create a report in Power BI Desktop and publish the report to the report server. Which data source should the report use?

- A. Microsoft Azure SQL Database
- B. a Microsoft SQL Server database
- C. a Microsoft SQL Server Analysis Services (SSAS) database
- D. Microsoft Excel

Answer: C

Explanation:

References:

<https://docs.microsoft.com/en-us/power-bi/report-server/quickstart-create-powerbi-report> <https://docs.microsoft.com/en-us/power-bi/report-server/connect-data-sources>

NEW QUESTION 97

- (Exam Topic 4)

You create a report by using Microsoft Power BI Desktop.

The report uses data from a Microsoft SQL Server Analysis Services (SSAS) cube located on your company's internal network.

You plan to publish the report to the Power BI Service.

What should you implement to ensure that users who consume the report from the Power BI Service have the most up-to-date data from the cube?

- A. a subscription
- B. a scheduled refresh of the dataset
- C. an OData feed
- D. an On-premises data gateway

Answer: D

Explanation:

When you've created dynamic reports in Power BI Desktop, you can share them by publishing to your Power BI site. When you publish a Power BI Desktop file with a live connection to a tabular model to your Power BI site, an on-premises data gateway must be installed and configured by an administrator.

NEW QUESTION 98

- (Exam Topic 4)

You create a dashboard by using the Microsoft Power BI Service. The dashboard contains a card visual that shows total sales from the current year. You grant users access to the dashboard by using the viewer role on the workspace. A user wants to receive daily notifications of the number shown on the card visual. You need to automate the notifications. What should you do?

- A. Share the dashboard to the user.
- B. Create a subscription.
- C. Create a data alert.
- D. Tag the user in a comment.

Answer: C

Explanation:

You can subscribe yourself and your colleagues to the report pages, dashboards, and paginated reports that matter most to you. Power BI e-mail subscriptions allow you to:

- Decide how often you want to receive the emails: daily, weekly, hourly, monthly, or once a day after the initial data refresh.
- Choose the time you want to receive the email, if you choose daily, weekly, hourly, or monthly. Note: Email subscriptions don't support most custom visuals.

The one exception is those custom visuals that have been certified.

Email subscriptions don't support R-powered custom visuals at this time. Reference:

<https://docs.microsoft.com/en-us/power-bi/collaborate-share/service-report-subscribe> <https://docs.microsoft.com/en-us/power-bi/create-reports/service-set-data-alerts>

NEW QUESTION 102

- (Exam Topic 4)

You have a Microsoft Power BI report. The size of PBIX file is 550 MB. The report is accessed by using an App workspace in shared capacity of powerbi.com.

The report uses an imported dataset that contains one fact table. The fact table contains 12 million rows. The dataset is scheduled to refresh twice a day at 08:00 and 17:00.

The report is a single page that contains 15 custom visuals and 10 default visuals.

Users say that the report is slow to load the visuals when they access and interact with the report. You need to recommend a solution to improve the performance of the report.

What should you recommend?

- A. Replace the default visuals with AppSource visuals.
- B. Change any DAX measures to use iterator functions.
- C. Remove unused columns from tables in the data model.
- D. Increase the number of times that the dataset is refreshed

Answer: D

NEW QUESTION 107

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this scenario, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have several reports and dashboards in a workspace.

You need to grant all organizational users read access to a dashboard and several reports. Solution: You assign all the users the Viewer role to the workspace.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

The Viewer role gives a read-only experience to its users. They can view dashboards, reports, or workbooks in the workspace, but can't browse the datasets or dataflows. Use the Viewer role wherever you would previously use a classic workspace set to "Members can only view Power BI content".

Reference:

<https://powerbi.microsoft.com/en-us/blog/announcing-the-new-viewer-role-for-power-bi-workspaces/>

NEW QUESTION 108

- (Exam Topic 4)

You have a Power BI app named App1. The privacy for the App1 workspace is set to Private.

A user named User1 reports that App1 does not appear in the My organization AppSource. App1 appears in the My organization AppSource for your account.

You need to ensure that User sees App1 from the My organization AppSource. What should you do?

- A. From the app workspace, click Update app, configure the Content settings, and then click Update app.
- B. From the app workspace settings, add a member.
- C. From the app workspace, click Update app, configure the Access setting, and then click Update app.
- D. From the app workspace, share the dashboard.

Answer: C

Explanation:

References:

<https://docs.microsoft.com/en-us/power-bi/service-organizational-content-pack-introduction#what-is-appsource>

NEW QUESTION 112

- (Exam Topic 4)

You need to create a relationship in the dataset for RLS.

What should you do? To answer select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Create a relationship between the Sales Employees table and the

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area


Create a relationship between the Sales Employees table and the

NEW QUESTION 113

- (Exam Topic 4)

You plan to create the chart shown in the following exhibit.

Sales including Percentile



How should you create the dashed horizontal line denoting the 40th percentile of daily sales for the period shown?

- A. Create a horizontal line that has a fixed value of 24,000.
- B. Add a measure to the visual that uses the following DAX expression: `Measures - PERCENTUEX.EXC (Sales, Sales[Total Sales], @.40)`


- C. Add a new percentile line that uses Total Sales as the measure and 40% as the percentile.
 D. Add a measure to the visual that uses the following DAX expression. $\text{Heasure1} = \text{PERCENTILEX.INC}(\text{Sales}, \text{Sales}[\text{Total Sales}], 6.40)$

Answer: C


Explanation:

The analytics feature enables you to show percentiles across groups specified along a specific axis. Example:

- * 1. Click on the analytics tab
- * 2. Select Percentile
- * 3. You can choose a specific percentile along with other formatting options.
- * 4. Drag a date or non-numeric dimension into the Axis of a column chart



Add percentile lines to monitor daily revenue



NEW QUESTION 117

- (Exam Topic 4)

You are building a dataset from a JSON file that contains an array of documents.

You need to import attributes as columns from all the documents in the JSON file. The solution must ensure that date attributes can be used as date hierarchies in Microsoft Power BI reports.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Expand the columns.

Expand the records.

Add columns that use data type conversions.

Set the data types.

Convert the list to a table.

Answer Area

⬅

➡

⬆

⬆

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

- * 1- Convert list to table
- * 2- Expand Column
- * 3- Set Date type

Here is an example: <https://youtu.be/B4kzyxnhQfl> The definition of the function which expand columns:
<https://docs.microsoft.com/en-us/powerquery-m/table-expandrecordcolumn>

NEW QUESTION 121

- (Exam Topic 4)

What should you do to address the existing environment data concerns?

- A. a calculated column that uses the following formula: `ABS(Sales[sales_amount])`
B. a measure that uses the following formula: `SUMX(FILTER('Sales', 'Sales'[sales_amount] > 0)),[sales_amount])`
C. a measure that uses the following formula: `SUM(Sales[sales_amount])`
D. a calculated column that uses the following formula: `IF(ISBLANK(Sales[sales_amount]),0, (Sales[sales_amount]))`

Answer: B

NEW QUESTION 126

- (Exam Topic 4)

You have the Power Bi dashboard shown in the Dashboard exhibit (Click the Dashboard tab.)

You need to ensure that when users view the dashboard on a mobile device, the dashboard appears as shown in the Mobile exhibit. (Click the Mobile tab.)

What should you do? To answer, select the appropriate options m the answer area NOTE: Each correct selection is worth one point.

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer as selected

Answer Area

Update the layout in the: Report mobile layout

Resize and move: The Total Sales by Parent Category tile

NEW QUESTION 131

- (Exam Topic 4)

You are creating a Power Bi model and report.

You have a single table in a data mode) named Product Product contains the following fields:

- ID
- Name
- Color
- Category
- Total Sales

You need to create a calculated table that shows only the top eight products based on the highest value in Total Sales.

How should you complete the DAX expression? To answer, drag the appropriate values to the coned targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

Values

ASC

CALCULATETABLE

DESC

MAXX

RELATEDTABLE

TOPN

Answer Area

Top 8 Products = (8,"Product","Product"[Total Sales],)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Values

ASC

CALCULATETABLE

DESC

MAXX

RELATEDTABLE

TOPN

Answer Area

Top 8 Products =

TOPN

 (8,"Product","Product"[Total Sales],

DESC

)

NEW QUESTION 136

- (Exam Topic 4)

You are creating a Microsoft Power BI data model that has the tables shown in the following table.

Table name	Column name
Sales	SalesID
	ProductID
	DateKey
	SalesAmount
Products	ProductID
	ProductName
	ProductCategoryID
ProductCategory	ProductCategoryID
	CategoryName

The Products table is related to the ProductCategory table through the ProductCategoryID column. You need to ensure that you can analyze sales by product category. How should you configure the relationships from Products to ProductCategory? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Cardinality:

▼

One-to-many

One-to-one

Many-to-many

Cross-filter direction:

▼

Single

Both

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: One-to-many

Box 2: Both

For One-to-many relationships, the cross filter direction is always from the "one" side, and optionally from the "many" side (bi-directional). Note:

Cardinality type	Cross filter options
One-to-many (or Many-to-one)	Single Both
One-to-one	Both
Many-to-many	Single (Table1 to Table2) Single (Table2 to Table1) Both

Reference:

<https://docs.microsoft.com/en-us/power-bi/transform-model/desktop-relationships-understand>

NEW QUESTION 140

- (Exam Topic 4)

You have the tables shown in the following table.

Table name	Column name
Campaigns	Campaign_ID
	Name
Ads	Ad_id
	Name
	Campaign_id
Impressions	Impression_id
	Ad_id
	Site_name
	Impression_time
	Impression_date

The Impressions table contains approximately 30 million records per month. You need to create an ad analytics system to meet the following requirements:

- Present ad impression counts for the day, campaign, and Site_name. The analytics for the last year are required.
- Minimize the data model size.

Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Group the impressions by Ad_id, Site_name, and Impression_date. Aggregate by using the CountRows function.
- B. Create one-to-many relationships between the tables.
- C. Create a calculated measure that aggregates by using the COUNTROWS function.
- D. Create a calculated table that contains Ad_id, Site_name, and Impression_date.

Answer: AB

Explanation:

Grouping in power query reduces the number of rows in the impression table that is gonna be loaded in the model. Creating relationships doesn't increase the size of the model.

NEW QUESTION 145

- (Exam Topic 4)

What should you create to meet the reporting requirements of the sales department?

- A. a calculated column that uses the following formula: `IF(ISBLANK(Sales[sales_amount]),0, (Sales[sales_amount]))`
- B. a measure that uses the following formula: `SUM(Sales[sales_amount])`
- C. a measure that uses the following formula: `SUMX(FILTER('Sales', 'Sales'[sales_amount] > 0)),[sales_amount])`
- D. a calculated column that uses the following formula: `ABS(Sales[sales_amount])`

- A. Option A
- B. Option B
- C. option C
- D. Option D

Answer: C

NEW QUESTION 147

- (Exam Topic 4)

You build a report to help the sales team understand its performance and the drivers of sales. The team needs to have a single visualization to identify which factors affect success. Which type of visualization should you use?

- A. Key influences
- B. Funnel chart
- C. Q&A
- D. Line and clustered column chart

Answer: A

Explanation:

The key influencers visual helps you understand the factors that drive a metric you're interested in. It analyzes your data, ranks the factors that matter, and displays them as key influencers. The key influencers visual is a great choice if you want to:

- See which factors affect the metric being analyzed.

➤ Contrast the relative importance of these factors. For example, do short-term contracts have more impact on churn than long-term contracts?

Reference:

<https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-influencers>

NEW QUESTION 148

- (Exam Topic 4)

You have an app workspace named Retail Analysis in the Power BI service. You need manage the members that have access to the app workspace. What should you do?

- A. From the Power BI Admin portal, click Usage metrics.
- B. From the Office 365 Admin center, click Users.
- C. From the Office 365 Admin center, click Groups.
- D. From the Power BI Admin portal, click Tenant settings.

Answer: C

Explanation:

References:

<https://docs.microsoft.com/en-us/power-bi/service-manage-app-workspace-in-power-bi-and-office-365>

NEW QUESTION 152

- (Exam Topic 4)

You are using Power Bi Desktop to connect to an Azure SQL database The connection is configured as shown in the following exhibit.

SQL Server database

Server ⓘ
 mydb.database.windows.net

Database (optional)
 db1

Data Connectivity mode ⓘ
☒ Import
☐ DirectQuery

Advanced options
 Command timeout in minutes (optional)

SQL statement (optional, requires database)

☒ Include relationship columns
☐ Navigate using full hierarchy
☐ Enable SQL Server Failover support

OK Cancel

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic NOTE: Each correct solution is worth one point

The default timeout for the connection from Power BI Desktop to the database will be [answer choice].

The Navigator will display [answer choice].

unlimited
 one minute
 10 minutes

all the tables
 only tables that contain data
 only tables that contain hierarchies

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

<https://docs.microsoft.com/en-us/power-query/connectors/azuresqldatabase>

The following table lists all of the advanced options you can set in Power Query Desktop and Power Query Online.

Advanced option Description

Command timeout in minutes

If your connection lasts longer than 10 minutes (the default timeout), you can enter another value in minutes to keep the connection open longer. This option is only available in Power Query Desktop.

SQL statement

For information, go to Import data from a database using native database query. Include relationship columns

If checked, includes columns that might have relationships to other tables. If this box is cleared, you won't see those columns.

Navigate using full hierarchy

If checked, the navigator displays the complete hierarchy of tables in the database you're connecting to. If cleared, the navigator displays only the tables whose columns and rows contain data.

Enable SQL Server Failover support

If checked, when a node in the Azure SQL failover group isn't available, Power Query moves from that node to another when failover occurs. If cleared, no failover occurs.

NEW QUESTION 156

- (Exam Topic 4)

You have a Microsoft Power BI data model that contains three tables named Orders, Date, and City. There is a one-to-many relationship between Date and Orders and between City and Orders.

The model contains two row-level security (RLS) roles named Role1 and Role2. Role1 contains the following filter.

City[State Province] = "Kentucky"

Role2 contains the following filter. Date[Calendar Year] = 2020

If a user is a member of both Role1 and Role2, what data will they see in a report that uses the model?

- A. The user will see data for which the State Province value is Kentucky and the Calendar Year is 2020.
- B. The user will see data for which the State Province value is Kentucky or the Calendar Year is 2020.
- C. The user will see only data for which the State Province value is Kentucky.
- D. The user will receive an error and will not be able to see the data in the report.

Answer: B

Explanation:

When a report user is assigned to multiple roles, RLS filters become additive. It means report users can see table rows that represent the union of those filters.

Reference:

<https://docs.microsoft.com/en-us/power-bi/guidance/rls-guidance>

NEW QUESTION 161

- (Exam Topic 4)

You need to create a Power BI theme that will be used in multiple reports. The theme will include corporate branding for font size, color, and bar chart formatting.

What should you do?

- A. Create a theme as a PBIVIZ file and import the theme into Power BI Desktop.
- B. Create a theme as a JSON file and import the theme into Power BI Desktop.
- C. From Power BI Desktop, use a built-in report theme.
- D. From Power BI Desktop, customize the current theme.

Answer: D

NEW QUESTION 163

- (Exam Topic 4)

You have a CSV file that contains user complaints. The file contains a column named Logged. Logged contains the date and time each complaint occurred. The data in Logged is in the following format:

at 08:59.

You need to be able to analyze the complaints by the logged date and use a built-in date hierarchy. D18912E1457D5D1DDCBD40AB3BF70D5D

What should you do?

- A. Change the data type of the Logged column to Date.
- B. Apply a transform to extract the last 11 characters of the Logged column and set the data type of the new column to Date.
- C. Create a column by example that starts with 2018-12-31 and set the data type of the new column to Date.
- D. Apply a transform to extract the first 11 characters of the Logged column.

Answer: C

NEW QUESTION 164

- (Exam Topic 4)

You have a CSV file that contains user complaints. The file contains a column named Logged. Logged contains the date and time each complaint occurred. The data in Logged is in the following format: 2018-12-31 at 08:59.

You need to be able to analyze the complaints by the logged date and use a built-in date hierarchy. What should you do?

- A. Apply a transformation to extract the last 11 characters of the Logged column and set the data type of the new column to Date.
- B. Change the data type of the Logged column to Date.
- C. Split the Logged column by using at as the delimiter.
- D. Apply a transformation to extract the first 11 characters of the Logged column.

Answer: C

NEW QUESTION 167

- (Exam Topic 4)

You are creating a report in Power BI Desktop.

You load a data extract that includes a free text field named coll.

You need to analyze the frequency distribution of the string lengths in col1. The solution must not affect the size of the model.

What should you do?

- A. In the report, add a DAX calculated column that calculates the length of col1
- B. In the report, add a DAX function that calculates the average length of col1
- C. From Power Query Editor, add a column that calculates the length of col1
- D. From Power Query Editor, change the distribution for the Column profile to group by length for col1

Answer: D

Explanation:

From Power Query.. highlight the column.. from the tab view select Column Profile Option.. in the Value distribution section that appears below, from the 3dots.. you can change to group by text length distribution

NEW QUESTION 170

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Excel workbook that is saved to Microsoft SharePoint Online. The workbook contains several Power View sheets.

You need to recreate the Power View sheets as reports in the Power BI service.

Solution: From the Power BI service, get the data from SharePoint Online, and then click Connect Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:


We need to click "Import", not "Connect". References:

<https://docs.microsoft.com/en-us/power-bi/service-excel-workbook-files>

NEW QUESTION 174

- (Exam Topic 4)

You have a report in Power BI Desktop as shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

Note: Each correct selection is worth one point.

The goal is set by using [answer choice].

- a calculated measure
- a DAX formula
- the Format settings

To configure the visualization to display TotalPrice for the Territory of Canada always, you must add the Territory column to [answer choice].

- the Tooltips field
- the Values field
- the Visual level filters field

- A. Mastered
- B. Not Mastered

Answer: A


Explanation:

Graphical user interface, text Description automatically generated with medium confidence

NEW QUESTION 179

- (Exam Topic 4)

You have the data lineage shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

The CONTOSO dataset is consumed directly by the

CONTOSO BIKES report

CONTOSO dashboard

Realtime dashboard

The Realtime dashboard depends on

one dataset

two datasets

three datasets

four datasets

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Text, table Description automatically generated with medium confidence

Box 1: CONTOSO BIKES report Box 2: three datasets

Images, tweets and the Contoso datasets.

NEW QUESTION 183

- (Exam Topic 4)


You need to create a Power BI report. The first page of the report must contain the following two views:

*Sales By Postal Code

*Sales by Month

Both views must display a slicer to select a value for a field named Chain.

The Sales By Postal Code view must display a map visual as shown in the following exhibit.



The Sales By Month view must display a column chart visual as shown in the following exhibit.



Users must be able to switch between the views by using buttons on the report page. The selected Chain field must be maintained when switching between views. What is the minimum number of bookmarks required, and which property should you apply to each bookmark? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Answer Area

Minimum number of bookmarks:

1
2
3
4

Property:

Data
Display
Current page

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: 2
Box 2: Display

NEW QUESTION 186

- (Exam Topic 4)
You have two Power BI workspaces named WorkspaceA and Workspaces. WorkspaceA contains two datasets named Sales and HR. You need to provide a user named User1 with access to the workspaces. The solution must meet the following requirements:

- Create reports that use the HR dataset.
- Publish the reports to WorkspaceB.
- Prevent the ability to modify the HR dataset.
- Prevent the ability to add users to WorkspaceB.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer is as below.

To access the HR dataset: Grant User1 share permissions for the HR dataset.

To publish reports to WorkspaceB: Assign User1 the Contributor role for WorkspaceB.

NEW QUESTION 188

- (Exam Topic 4)
You plan to create the Power BI model shown in the exhibit. (Click the Exhibit tab.) The data has the following refresh requirements:

- Customer must be refreshed daily.
- Date must be refreshed once every three years.
- Sales must be refreshed in near real time.
- SalesAggregate must be refreshed once per week.

You need to select the storage modes for the tables. The solution must meet the following requirements:

Answer Area

Customer:

Date:

Sales:

SalesAggregate:

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area

Customer:
 DirectQuery
 Dual
 Import

Date:
 DirectQuery
 Dual
 Import

Sales:
 DirectQuery
 Dual
 Import

SalesAggregate:
 DirectQuery
 Dual
 Import

NEW QUESTION 191

- (Exam Topic 4)

You have a Microsoft Power BI data model that contains three tables named Sales, Product, and Date. The Sales table has an existing measure named [Total Sales] that sums the total sales from the Sales table.

You need to write a calculation that returns the percentage of total sales that a selected ProductCategoryName value represents. The calculation must respect any slicers on ProductCategoryName and must show the percentage of visible total sales. For example, if there are four ProductCategoryName values, and a user filters one out, a table showing ProductCategoryName and the calculation must sum up to 100 percent.

How should you complete the calculation? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Values

Answer Area

ALL
ALLSELECTED
CALCULATE
CALCULATETABLE
CURRENTGROUP
DIVIDE
SUMMARIZE
TOPN

Product Category % of Total 2 =

```

[ ] ([Total Sales],

```

```
[ ] ( [Total Sales] ,
```

100

```
Product[ProductCategoryName] ) ) )
```

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Divide, Calculate, AllSelected. Reference:

<https://docs.microsoft.com/en-us/dax/allselected-function-dax>

NEW QUESTION 195

- (Exam Topic 4)

Your company plans to completely separate development and production assets such as datasets, reports, and dashboards in Microsoft Power BI.

You need to recommend an application lifecycle strategy. The solution must minimize maintenance to update access and prevent end users from viewing the development assets.

What should you recommend?

- A. Create production reports in a separate workspace that uses a shared dataset from the development workspac
- B. Grant the end users access to the production workspace.
- C. In the same workspace, create separate copies of the assets and append DEV to the names of the copied asset
- D. Grant the end users access to the workspace.
- E. Create separate workspaces for development and productio
- F. Grant the end users access to the production workspace.
- G. Create one workspace for developmen
- H. From the workspace, publish an app for production.

Answer: C

NEW QUESTION 199

- (Exam Topic 4)

You publish a report to a workspace named Customer Services. The report identifies customers that have potential data quality issues that must be investigated by the customer services department of your company.

You need to ensure that customer service managers can create task lists in Microsoft Excel based on the data. Which report setting should you configure?

- A. Don't allow end user to save filters on this report.
- B. Change default visual interaction from cross highlighting to cross filtering.
- C. Enable the updated filter pane, and show filters in the visual header for this report.
- D. Allow users to add comments to this report.
- E. Choose the type of data you allow your end users to export.

Answer: E

Explanation:

<https://powerbi.microsoft.com/en-us/blog/announcing-persistent-filters-in-the-service/>

NEW QUESTION 203

- (Exam Topic 4)

You have a Power BI report that contains three pages named Page1, Page2, and Page3. All the pages have the same slicers. You need to ensure that all the filters applied to Page1 apply to Page1 and Page3 only. What should you do?

- A. Sync the slicers on Page1 and Page3
- B. On each page, modify the interactions of the slicer.
- C. Enable visibility of the slicers on Page1 and Page3. Disable visibility of the slicer on Page2.

Answer: B

NEW QUESTION 206

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Power BI model that contains two tables named Sales and Date. Sales contains four columns named TotalCost, DueDate, ShipDate, and OrderDate.

Date contains one column named Date.

The tables have the following relationships:

- Sales[DueDate] and Date[Date]
- Sales[ShipDate] and Date[Date]
- Sales[OrderDate] and Date[Date]

The active relationship is on Sales[DueDate].

You need to create measures to count the number of orders by [ShipDate] and the orders by [OrderDate]. You must meet the goal without duplicating data or loading additional data.

Solution: You create measures that use the CALCULATE, COUNT, and USERELATIONSHIP DAX functions.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/dax/calculate-function-dax> <https://docs.microsoft.com/en-us/dax/count-function-dax> <https://docs.microsoft.com/en-us/dax/userelationship-function-dax>

NEW QUESTION 211

- (Exam Topic 4)

You are creating a line chart in a Power BI report as shown in the following exhibit.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.



NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer as selected

Answer Area

The dashed line representing the Year Average Employee Count was created by using [answer choice] an average reference line

To enable users to drill down to weeks or days, add the Weeks and Days field to the [answer choice] bucket. Values

NEW QUESTION 215

- (Exam Topic 4)

You create a data model in Power BI.

Report developers and users provide feedback that the data model is too complex. The model contains the following tables.

Table name	Column name	Data type
Sales_Region	region_id	Integer
	name	Varchar
Region_Manager	region_id	Integer
	manager_id	Integer
Sales_Manager	sales_manager_id	Integer
	name	Varchar
	region_id	Integer
Manager	manager_id	Integer
	name	Varchar

The model has the following relationships:

*There is a one-to-one relationship between Sales_Region and Region_Manager.

*There are more records in Manager than in Region_Manager, but every record in Region_Manager has a corresponding record in Manager.

*There are more records in Sales_Manager than in Sales_Region, but every record in Sales_Region has a corresponding record in Sales_Manager.

You need to denormalize the model into a single table. Only managers who are associated to a sales region must be included in the reports.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct orders you select.

Actions

- Merge [Region_Manager] and [Manager] by using an inner join.
- Merge [Sales_Manager] and [Sales_Region] by using a left join.
- Merge [Sales_Region] and [Sales_Manager] by using an inner join.
- Merge [Sales_Region] and [Sales_Manager] by using an inner join as a new query named [Sales_Region_and_Manager].
- Merge [Sales_Region] and [Region_Manager] by using a right join as a new query named [Sales_Region_and_Region_Manager].
- Merge [Sales_Region] and [Region_Manager] by using an inner join.



Answer Area

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

* 1. Merge [Region_Manager] and [Manager] by using an inner join. 3.Merge [Sales_Region] and [Sales_Manager] by using an inner join. 6.Merge [Sales_Region] and [Region_Manager] by using an inner join.

NEW QUESTION 220

- (Exam Topic 4)

In Power Bi Desktop, you are creating visualizations in a report based on an imported dataset
You need to allow Power Bi users to export the summarized data used to create the visualizations but prevent the users from exporting the underlying data
What should you do?

- A. From Power BI Desktop, configure the Data Load settings for the current file.
B. From the Power BI service, configure the dataset permissions.
C. From Power BI Desktop, configure the Report settings for the current file.
D. From Power BI Desktop, modify the data source permissions.

Answer: B

NEW QUESTION 223

- (Exam Topic 4)

You have the visual shown in the Original exhibit. (Click the Original tab.)



You need to configure the visual as shown in the Modified exhibit. (Click the Modified tab.)



What should you add to the visual?

- A. a measure
- B. a trendline
- C. a forecast
- D. an Average line

Answer: C

Explanation:

Explore forecast results by adjusting the desired confidence interval or by adjusting outlier data to see how they affect results.

Timeline Description automatically generated with low confidence

Reference:

<https://powerbi.microsoft.com/fr-fr/blog/introducing-new-forecasting-capabilities-in-power-view-for-office-365>

NEW QUESTION 225

- (Exam Topic 4)

You have an Azure SQL database that contains sales transactions. The database is updated frequently.

You need to generate reports from the data to detect fraudulent transactions. The data must be visible within five minutes of an update.

How should you configure the data connection?

- A. Add a SQL statement.
- B. Set Data Connectivity mode to DirectQuery.
- C. Set the Command timeout in minutes setting.
- D. Set Data Connectivity mode to Import.

Answer: B

Explanation:

With Power BI Desktop, when you connect to your data source, it's always possible to import a copy of the data into the Power BI Desktop. For some data sources, an alternative approach is available: connect directly to the data source using DirectQuery.

DirectQuery: No data is imported or copied into Power BI Desktop. For relational sources, the selected tables and columns appear in the Fields list. For multi-dimensional sources like SAP Business Warehouse, the dimensions and measures of the selected cube appear in the Fields list. As you create or interact with a visualization, Power BI Desktop queries the underlying data source, so you're always viewing current data.

Reference:

<https://docs.microsoft.com/en-us/power-bi/connect-data/desktop-use-directquery>

NEW QUESTION 227

- (Exam Topic 4)

A business intelligence (BI) developer creates a dataflow in Power BI that uses DirectQuery to access tables from an on premises Microsoft SQL server. The Enhanced Dataflows Compute Engine is turned on for the dataflow.

You need to use the dataflow in a report. The solution must meet the following requirements:

- Minimize online processing operations.
- Minimize calculation times and render times for visuals.
- include data from the current year, up to and including the previous day. What should you do?

- A. Create a dataflows connection that has Import mode selected and schedule a dairy refresh.
- B. Create a dataflows connection that has DirectQuery mode selected.
- C. Create a dataflows connection that has DirectQuery mode selected and configure a gateway connection for the dataset
- D. Create a dataflows connection that has Import mode selected and create a Microsoft Power Automate solution to refresh the data hourly.

Answer: A

NEW QUESTION 232

- (Exam Topic 4)

You are enhancing a Power BI model that has DAX calculations.

You need to create a measure that returns the year-to-date total sales from the same date of the previous calendar year.

Which DAX functions should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.


```
Sales PYTD =  
  
VAR startyear =  
  
    STARTOFYEAR ( PREVIOUSYEAR ( 'Date' [Date] ) )  
  
VAR enddate =  
  
    LASTDATE ( Sales[Date] ) - 365  
  
RETURN  
  
    ( Sales[Sales] ),  
    CALCULATE (  
        DATESBETWEEN (  
            SAMEPERIODLASTYEAR (  
                SLIM (  
                    ( 'Calendar' [Date], startyear, enddate )  
                )  
            )  
        )  
    )
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Reference:
<https://www.kasperonbi.com/get-the-ytd-of-the-same-period-last-year/>

NEW QUESTION 237

- (Exam Topic 4)
The data model must support the following analysis:
➤ Total sales by product by month in which the order was placed
➤ Quantities sold by product by day on which the order was placed
➤ Number Of sales transactions by quarter in Which the order was placed
For each Of the following statements, select Yes if the statement is true. Otherwise, select NO.

Statements	Yes	No
Removing the LastUpdated column from the Sales table reduces the model size while still supporting the required analysis.	<input type="radio"/>	<input type="radio"/>
Removing the ProductID column from the Sales table reduces the model size while still supporting the required analysis.	<input type="radio"/>	<input type="radio"/>
Removing the ShipDate column from the Sales table reduces the model size while still	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Statements	Yes	No
Removing the LastUpdated column from the Sales table reduces the model size while still supporting the required analysis.	<input checked="" type="radio"/>	<input type="radio"/>
Removing the ProductID column from the Sales table reduces the model size while still supporting the required analysis.	<input checked="" type="radio"/>	<input type="radio"/>
Removing the ShipDate column from the Sales table reduces the model size while still	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 239

- (Exam Topic 4)

You are creating a Power BI report by using Power Bi Desktop.
 You need to include a visual that shows trends and other useful information automatically. The visual must update based on selections in other visuals.
 Which type of visual should you use?


- A. key influencers
- B. decomposition tree
- C. Q&A
- D. smart narrative

Answer: A

NEW QUESTION 244

- (Exam Topic 4)

You have the visual shown in the exhibit. (Click the Exhibit tab.)



You need to show the relationship between Total Cost and Total Sales over time. What should you do?

- A. Add a play axis.
- B. Add a slicer for the year.
- C. From the Analytics pane, add an Average line.
- D. Create a DAX measure that calculates year-over-year growth.

Answer: A

Explanation:

You can set up a date field in play axis, and then scatter chart will animate how measure values are compared to each other in each point of a time.

Reference:

<https://radacad.com/storytelling-with-power-bi-scatter-chart>

NEW QUESTION 246

- (Exam Topic 4)

You have a dataset that contains revenue data from the past year.

You need to use anomaly detection in Power BI to show anomalies in the dataset.

What should you configure? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Chart type:


Chart configuration:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 249

- (Exam Topic 4)

From Power BI Desktop, you publish a new dataset and report to a Power BI workspace. The dataset has a row-level security (RLS) role named HR. You need to ensure that the HR team members have RLS applied when they view reports based on the dataset. What should you do?

- A. From Power BI Desktop, change the Row-Level Security settings.
- B. From Power BI Desktop, import a table that contains the HR team members
- C. From powerbi.com, add users to the HR role for the dataset.
- D. From powerbi.com, share the dataset to the HR team members.

Answer: C

NEW QUESTION 254

- (Exam Topic 4)

You plan to create a Power BI dataset to analyze attendance at a school. Data will come from two separate views named View1 and View2 in an Azure SQL database. View1 contains the columns shown in the following table.

Name	Data type
Attendance Date	Date
Student ID	Bigint
Period Number	Tinyint
Class ID	Int

View2 contains the columns shown in the following table.

Name	Data type
Class ID	Bigint
Class Name	Varchar(200)
Class Subject	Varchar(100)
Teacher ID	Int
Teacher First Name	Varchar(100)
Teacher Last Name	Varchar(100)
Period Number	Tinyint
School Year	Varchar(50)
Period Start Time	Time
Period End Time	Time

The views can be related based on the Class ID column.

Class ID is the unique identifier for the specified class, period, teacher, and school year. For example, the same class can be taught by the same teacher during two different periods, but the class will have a different class ID.

You need to design a star schema data model by using the data in both views. The solution must facilitate the following analysis:

- > The count of classes that occur by period
- > The count of students in attendance by period by day
- > The average number of students attending a class each month

In which table should you include the Teacher First Name and Period Number fields? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Teacher First Name:

Attendance fact

Class dimension

Teacher dimension

Teacher fact

Period Number:

Attendance fact

Class dimension

Period dimension

Period fact

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Teacher dimension Class dimension

NEW QUESTION 256

- (Exam Topic 4)
Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You have a query for a table named Sales. Sales has a column named CustomerID. The Data Type of CustomerID is Whole Number.
You refresh the data and find several errors. You discover that new entries in the Sales table contain nonnumeric values.
You need to ensure that nonnumeric values in the CustomerID column are set to 0. Solution: From Query Editor, select the CustomerID column and click Remove Errors. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 260

- (Exam Topic 4)
You have a Power BI report that uses row-level security (RLS).
You need to transfer RLS membership maintenance to an Azure network security team. The solution must NOT provide the Azure network security team with the ability to manage reports, datasets. or dashboards.
What should you do?

- A. Add the Azure network security team as members of the RLS role.
- B. Instruct the Azure network security team to create security group
- C. Configure RLS to use the groups.
- D. Configure custom instructions for the Request access feature that instructs users to contact the Azure network security team.
- E. Grant the Read and Build permissions for the Power BI datasets to the Azure network security team.

Answer: B

NEW QUESTION 264

- (Exam Topic 4)
You have a Power B1 data model that contains two tables named Products and Sales. A one-to-many relationship exists between the tables.
You have a report that contains a report-level filter for Products.
You need to create a measure that will return the percent of total sales for each product. The measure must respect the report-level filter when calculating the total.
How should you complete the DAX measure? To answer drag the appropriate DAX functions to the correct targets- Each function may be used once, more than once, or not at all the spirt bar between panes or scroll to view content
NOTE: Each correct selection is worth one point

DAX Function

ALL

ALLSELECTED

CALCULATE

FILTER

SELECTEDVALUE

Answer Area

Percent of Product Sales =

VAR ProductSales = SUM ('Sales'[Sales])

VAR AllSales =

Function (SUM ('Sales'[Sales]), Function ('Products'[Product]))

RETURN

DIVIDE (ProductSales, AllSales)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

DAX Function

ALL

ALLSELECTED

CALCULATE

FILTER

SELECTEDVALUE

Answer Area

Percent of Product Sales =
VAR ProductSales = SUM ('Sales'[Sales])

VAR AllSales =
CALCULATE (SUM ('Sales'[Sales]), FILTER ('Products'[Product]))
RETURN
DIVIDE (ProductSales, AllSales)

NEW QUESTION 269

- (Exam Topic 4)
You have a Power BI report named Orders that supports the following analysis:

- Total sales over time
- The count of orders over time
- New and repeat customer counts

The data model size is nearing the limit for a dataset in shared capacity. The model view for the dataset is shown in the following exhibit.

Customers

Date

Answer Area

Statements	Yes	No
Summarizing Orders by the CustomerID, OrderID, and OrderDate columns will reduce the model size while still supporting the current analysis.	<input type="radio"/>	<input type="radio"/>
Removing the CustomerID column from Orders will reduce the model size while still supporting the current analysis.	<input type="radio"/>	<input type="radio"/>
Removing the UnitPrice and Discount columns from Orders will reduce the model size while still supporting the current analysis.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
Summarizing Orders by the CustomerID, OrderID, and OrderDate columns will reduce the model size while still supporting the current analysis.	<input type="radio"/>	<input checked="" type="radio"/>
Removing the CustomerID column from Orders will reduce the model size while still supporting the current analysis.	<input type="radio"/>	<input checked="" type="radio"/>
Removing the UnitPrice and Discount columns from Orders will reduce the model size while still supporting the current analysis.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 271

- (Exam Topic 4)
You have a report that includes a card visualization.
You need to apply the following conditional formatting to the card while minimizing design effort. For values that are greater than or equal to 100, the font of the data label must be dark red.
For values that are less than 100, the font of the data label must be dark gray. Which type of format should you use?

- A. Color scale
- B. Rules
- C. Field value

Answer: B

NEW QUESTION 275

- (Exam Topic 4)
Your company plans to use Power BI for 20 users in the sales department. The users will perform the following tasks:

- > Access a published Power BI app
- > Modify reports in an app workspace
- >

Share dashboards created in My Workspace
You need to identify which Power BI licenses are required for the tasks. The solution must use the Power BI (free) licenses, whenever possible.
Which license should you identify for each task? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Access a published Power BI app:

☐ Power BI (free)

☐ Power BI PRO

Modify report in an app workspace:

☐ Power BI (free)

☐ Power BI PRO

Share dashboards created in My Workspace:

☐ Power BI (free)

☐ Power BI PRO

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

References:

<https://docs.microsoft.com/en-us/power-bi/service-create-distribute-apps> <https://docs.microsoft.com/en-us/power-bi/service-collaborate-power-bi-workspace>

NEW QUESTION 280

- (Exam Topic 4)

You have a Microsoft Power BI workspace.

You need to grant the user capabilities shown in the following table.

User name	Task
User1	Create and publish apps.
User2	Publish reports to the workspace and delete dashboards

The solution must use the principle of least privilege.

Which user role should you assign to each user? To answer, drag the appropriate roles to the correct users. Each role may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Roles

Answer Area

Admin

Contributor

Member

Viewer

User1:

User2:

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

User 1 = Member User 2 = Contributor

<https://docs.microsoft.com/en-us/power-bi/collaborate-share/service-new-workspaces>

NEW QUESTION 281

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

From Power Query Editor, you profile the data shown in the following exhibit.

	IoT GUID	IoT DateTime	IoT ID
	<div> <div>Valid 100%</div> <div>Error 0%</div> <div>Empty 0%</div> </div>	<div> <div>Valid 100%</div> <div>Error 0%</div> <div>Empty 0%</div> </div>	<div> <div>Valid 100%</div> <div>Error 0%</div> <div>Empty 0%</div> </div>
1	48196321-38D9-EC11-8B3D-0022489A2...	21/05/2022 18:59:25	100001000
2	49196321-38D9-EC11-8B3D-0022489A2...	21/05/2022 18:59:26	100001001
3	0300C742-38D9-EC11-8B3D-0022489A2...	21/05/2022 19:00:21	100001002
4	0400C742-38D9-EC11-8B3D-0022489A2...	21/05/2022 19:00:21	100001003
5	0500C742-38D9-EC11-8B3D-0022489A2...	21/05/2022 19:00:21	100001004
6	0600C742-38D9-EC11-8B3D-0022489A2...	21/05/2022 19:00:21	100001005

The IoT GUID and IoT ID columns are unique to each row in query.

You need to analyze IoT events by the hour and day of the year. The solution must improve dataset performance.

Solution: You split the IoT DateTime column into a column named Date and a column named Time. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 286

- (Exam Topic 4)

You use an R visual to produce a map of 500,000 customers. You include the values of CustomerID, Latitude, and Longitude in the fields sent to the visual. Each customer ID is unique.

In powerbi.com, when users load the visual, they only see some of the customers. What is the cause of the issue?

- A. The visual was built by using a different version of R.
- B. The data comes from a Microsoft SQL Server source.
- C. The data is deduplicated.
- D. Too many records were sent to the visual.

Answer: D

Explanation:

R visuals in the Power BI service have a few limitations including:

➤ Data size limitations – data used by the R visual for plotting is limited to 150,000 rows. If more than 150,000 rows are selected, only the top 150,000 rows are used and a message is displayed on the image. Additionally, the input data has a limit of 250 MB.

Reference:

<https://docs.microsoft.com/en-us/power-bi/visuals/service-r-visuals>

NEW QUESTION 290

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You create a parameter named DataSourceExcel that holds the file name and location of a Microsoft Excel data source.

You need to update the query to reference the parameter instead of multiple hard-coded copies of the location within each query definition.

Solution: You modify the source step of the queries to use DataSourceExcel as the file path. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Parameterising a Data Source could be used in many different use cases. From connecting to different data sources defined in Query Parameters to load different combinations of columns.

Reference:

<https://www.biinsight.com/power-bi-desktop-query-parameters-part-1/>

NEW QUESTION 291

- (Exam Topic 4)

You have a custom connector that returns ID, From, To, Subject, Body, and Has Attachments for every email sent during the past year. More than 10 million records are returned.

You build a report analyzing the internal networks of employees based on whom they send emails to.

You need to prevent report recipients from reading the analyzed emails. The solution must minimize the model size.

What should you do?

- A. Implement row-level security (RLS) so that the report recipients can only see results based on the emails they sent.
- B. Remove the Subject and Body columns during the import.
- C. From Model view, set the Subject and Body columns to Hidden.

Answer: B

NEW QUESTION 296
.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual PL-300 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the PL-300 Product From:

<https://www.2passeasy.com/dumps/PL-300/>

Money Back Guarantee

PL-300 Practice Exam Features:

- * PL-300 Questions and Answers Updated Frequently
- * PL-300 Practice Questions Verified by Expert Senior Certified Staff
- * PL-300 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * PL-300 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year