

Microsoft

Exam Questions PL-300

Microsoft Power BI Data Analyst



NEW QUESTION 1

- (Exam Topic 1)

You need to create a calculated column to display the month based on the reporting requirements. Which DAX expression should you use?

- A. `FORMAT('Date'[date], "MMM YYYY")`
- B. `FORMAT('Date' [date], "M YY")`
- C. `FORMAT('Date'[date_id], "MMM") & "" & FORMAT('Date'[year], "#")`
- D. `FORMAT('Date' [date_id], "MMM YYYY")`

Answer: A

NEW QUESTION 2

- (Exam Topic 1)

You need to create a visualization to meet the reporting requirements of the sales managers.

How should you create the visualization? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Visualization type:

Indicator:

Trend axis:

Target goals:

These are the selections for Indicator

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Scenario: The sales managers require a visual to analyze sales performance versus sales targets.

Box 1: KPI

A Key Performance Indicator (KPI) is a visual cue that communicates the amount of progress made toward a measurable goal.

Box 2: Sales[sales_amount]

Box 3: Date[month]

Time > FiscalMonth. This value will represent the trend. Box 4: Targets[sales_target]

Reference:

<https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-kpi>

NEW QUESTION 3

- (Exam Topic 1)

You need to address the data concerns before creating the data model. What should you do in Power Query Editor?

- A. Select Column distribution.
- B. Select the sales_amount column and apply a number filter.
- C. Select Column profile, and then select the sales_amount column.
- D. Transform the sales_amount column to replace negative values with 0.

Answer: C

NEW QUESTION 4

- (Exam Topic 1)

You need to create relationships to meet the reporting requirements of the customer service department. What should you create?

- A. an additional date table named ShipDate, a one-to-many relationship from Sales[sales_date_id] to Date[date_id], and a one-to-many relationship from Sales[sales_ship_date_id] to ShipDate[date_id]
- B. an additional date table named ShipDate, a many-to-many relationship from Sales[sales_date_id] to Date[date_id], and a many-to-many relationship from Sales[sales_ship_date_id] to ShipDate[date_id]
- C. a one-to-many relationship from Date[date_id] to Sales[sales_date_id] and another one-to-many relationship from Date[date_id] to Weekly_Returns[week_id]

- D. a one-to-many relationship from Sales[sales_date_id] to Date[date_id] and a one-to-many relationship from Sales[sales_ship_date_id] to Date[date_id]
E. a one-to-many relationship from Date[date_id] to Sales[sales_date_id] and another one-to-many relationship from Date[date_id] to Sales[sales_ship_date_id]

Answer: A

Explanation:

Scenario: The customer service department requires a visual that can be filtered by both sales month and ship month independently.

Reference:

<https://docs.microsoft.com/en-us/power-bi/transform-model/desktop-relationships-understand>

NEW QUESTION 5

- (Exam Topic 1)

You need to create a relationship between the Weekly_Returns table and the Date table to meet the reporting requirements of the regional managers. What should you do?

- A. In the Weekly_Returns table, create a new calculated column named date-id in a format of yyyyymmdd and use the calculated column to create a relationship to the Date table.
B. Add the Weekly_Returns data to the Sales table by using related DAX functions.
C. Create a new table based on the Date table where date-id is unique, and then create a many-to-many relationship to Weekly_Return.

Answer: A

Explanation:

Scenario: Region managers require a visual to analyze weekly sales and returns. To relate the two tables we need a common column.

NEW QUESTION 6

- (Exam Topic 2)

Which two types of visualizations can be used in the balance sheet reports to meet the reporting goals? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. a line chart that shows balances by quarter filtered to account categories that are long-term liabilities.
B. a clustered column chart that shows balances by date (x-axis) and account category (legend) without filters.
C. a clustered column chart that shows balances by quarter filtered to account categories that are long-term liabilities.
D. a pie chart that shows balances by account category without filters.
E. a ribbon chart that shows balances by quarter and accounts in the legend.

Answer: AE

Explanation:

<https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-types-for-reports-and-q-and-a>

NEW QUESTION 7

- (Exam Topic 2)

You need to grant access to the business unit analysts.

What should you configure? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Permissions required in powerbi.com:

Access permissions to an app
The Member role to the workspace
The Viewer role to the workspace

Permissions for the profit and loss dataset:

Build
Delete
Reshare

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: The Viewer role to the workspace

The Viewer role gives a read-only experience to its users. They can view dashboards, reports, or workbooks in the workspace, but can't browse the datasets or dataflows. Use the Viewer role wherever you would previously use a classic workspace set to "Members can only view Power BI content".

Capability	Admin	Member	Contributor	Viewer
Update and delete the workspace.	X			
Add/remove people, including other admins.	X			
Add members or others with lower permissions.	X	X		
Publish and update an app.	X	X		
Share an item or share an app.	X	X		
Allow others to reshare items.	X	X		
Create, edit, and delete content in the workspace.	X	X	X	
Publish reports to the workspace, delete content.	X	X	X	
View an item.	X	X	X	X
Create a report in another workspace based on a dataset in this workspace.	X	X	X	X ¹
Copy a report.	X	X	X	X ¹

Box 2: Build
 The analysts must be able to build new reports from the dataset that contains the profit and loss data. Scenario: The reports must be made available to the board from powerbi.com.
 The analysts responsible for each business unit must see all the data the board sees, except the profit and loss data, which must be restricted to only their business unit's data. The analysts must be able to build new reports from the dataset that contains the profit and loss data, but any reports that the analysts build must not be included in the quarterly reports for the board. The analysts must not be able to share the quarterly reports with anyone.
 Reference:
<https://www.nickyvv.com/2019/08/the-new-power-bi-workspace-viewer-role-explained.html>

NEW QUESTION 8

- (Exam Topic 2)
 You need to recommend a strategy to consistently define the business unit, department, and product category data and make the data usable across reports. What should you recommend?
- A. Create a shared dataset for each standardized entity.
 - B. Create dataflows for the standardized data and make the dataflows available for use in all imported datasets.
 - C. For every report, create and use a single shared dataset that contains the standardized data.
 - D. For the three entities, create exports of the data from the Power BI model to Excel and store the data in Microsoft OneDrive for others to use as a source.

Answer: B

NEW QUESTION 9

- (Exam Topic 2)
 You need to create a DAX measure in the data model that only allows users to see projections at the appropriate levels of granularity. How should you complete the measure? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
 NOTE: Each correct selection is worth one point.

Values

AND

IF

ISFILTERED

KEEPFILTERS

SUM

SUMX

Answer Area

Total Projected Revenue =

Value

(

NOT

(

Value

(

'Date'[Date]

)

,

Value

(

Projection[Revenue Projection]

)

)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
 Scenario: Revenue projections are set at the monthly level and summed to show projections for the quarter. Box 1: IF
 Box 2: ISFILTERED
 ISFILTERED returns TRUE when columnName is being filtered directly. If there is no filter on the column or if the filtering happens because a different column in the same table or in a related table is being filtered then the function returns FALSE.

Passing Certification Exams Made Easy

visit - <https://www.surepassexam.com>

Box 3: SUM
Reference:
<https://docs.microsoft.com/en-us/dax/isfiltered-function-dax>

NEW QUESTION 10

- (Exam Topic 3)

You need to create a relationship in the dataset for RLS.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Create a

one-to-one
one-to-many
many-to-one
many-to-many

 relationship between the Sales Employees table and the

Orders table
Suppliers table
Order Details table
Customer Details worksheet

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Text Description automatically generated

Box 1: many-to-one

Each employee in the Sales Employees table is assigned to one sales region. Multiple employees can be assigned to each region.

The Suppliers table has a Region column. Box 2: Suppliers table

NEW QUESTION 10

- (Exam Topic 3)

You need to create the On-Time Shipping report. The report must include a visualization that shows the percentage of late orders.

Which type of visualization should you create?

- A. bar chart
- B. scatterplot
- C. pie chart

Answer: A

Explanation:

Scenario: The On-Time Shipping report will show the following metrics for a selected shipping month or quarter:

The percentage of orders that were shipped late by country and shipping region Customers that had multiple late shipments during the last quarter

Note: Bar and column charts are some of the most widely used visualization charts in Power BI. They can be used for one or multiple categories. Both these chart types represent data with rectangular bars, where the size of the bar is proportional to the magnitude of data values.

The difference between the two is that if the rectangles are stacked horizontally, it is called a bar chart. If the rectangles are vertically aligned, it is called a column chart.

Reference:

<https://www.pluralsight.com/guides/bar-and-column-charts-in-power-bi>

NEW QUESTION 11

- (Exam Topic 4)

You have a folder of monthly transaction extracts.

You plan to create a report to analyze the transaction data.

You receive the following email message: "Hi. I've put 24 files of monthly transaction data onto the shared drive. File Transactions201901.csv through

Transactions201912.csv have the latest set of columns, but files Transactions201801.csv to Transactions201812.csv have an older layout without the extra fields needed for analysis. Each file contains 10 to 50 transactions."

You get data from the folder and select Combine & Load. The Combine Files dialog box is shown in the exhibit. (Click the Exhibit tab.)

Combine Files

Specify the settings for each file. [Learn more](#)

Sample File:

First file

File Origin

1252: Western European (Windows)

Delimiter

Comma

Data Type Detection

Based on entire dataset

ID	Date	CustomerID	Amount
1	01/01/2018 08:00:00	5	28.99
2	01/01/2018 18:00:00	10	31.88
3	02/01/2018 08:00:00	15	22.99
4	02/01/2018 18:00:00	25	14.25
5	03/01/2018 08:00:00	35	85
6	03/01/2018 18:00:00	45	47.74
7	04/01/2018 08:00:00	55	76.66
8	04/01/2018 18:00:00	51	99.99
9	05/01/2018 08:00:00	52	10.99
10	05/01/2018 18:00:00	58	85

☒ Skip files with errors

OK

Cancel

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
The resulting query will contain all the columns from the 2018 transactions.	<input type="radio"/>	<input type="radio"/>
The resulting query will contain all the columns from the 2019 transactions.	<input type="radio"/>	<input type="radio"/>
Setting Data Type Detection to Based on first 200 rows will improve import times.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: Yes

The four columns used in the 2018 transactions are already displayed. Box 2: Yes


The columns used are based on the entire dataset. The additional columns in the 2019 files will be detected. Box 3: Yes

Note: Under the hood, Power BI will automatically detect which delimiter to use, and may even promote the first row as headers. You can manually change the delimiter, or define how Power BI should handle data types. You can set it to automatically detect data types based on first 200 rows, or the entire dataset or you can even opt out the detection of data types.

NEW QUESTION 13

- (Exam Topic 4)

You have a Power BI visual that uses indicators to show values that are out of range as shown in the following exhibit.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer as selected
Answer Area



NEW QUESTION 17

- (Exam Topic 4)
You have multiple dashboards.
You need to ensure that when users browse the available dashboards from powerbi.com. they can see which dashboards contain Personally Identifiable Information (PII). The solution must minimize configuration effort and impact on the dashboard design.
What should you use?

- A. Active Directory groups
- B. tiles
- C. data classifications
- D. comments

Answer: A

NEW QUESTION 19

- (Exam Topic 4)
You have a Microsoft Excel workbook that contains two sheets named Sheet1 and Sheet2. Sheet1 contains the following table named Table1.

Products
abc
def
ghi
jkl
mno

Sheet2 contains the following table named Table2.

Products
abc
xyz
tuv
mno
pqr
stu

You need to use Power Query Editor to combine the products from Table1 and Table2 into the following table that has one column containing no duplicate values.

Products
abc
xyz
tuv
mno
pqr
stu
def
ghi
jkl



Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
From Power BI Desktop, import the data from Excel, and select Table1 and Table2 .	
From Power Query Editor, select Table1 , and then select Remove duplicates .	
From Power Query Editor, merge Table1 and Table2.	
From Power Query Editor, remove errors from the table.	
From Power Query Editor, append Table2 to Table1.	

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
From Power BI Desktop, import the data from Excel, and select Table1 and Table2 .	From Power BI Desktop, import the data from Excel, and select Table1 and Table2 .
From Power Query Editor, select Table1 , and then select Remove duplicates .	 From Power Query Editor, append Table2 to Table1.
From Power Query Editor, merge Table1 and Table2.	 From Power Query Editor, select Table1 , and then select Remove duplicates .
From Power Query Editor, remove errors from the table.	
From Power Query Editor, append Table2 to Table1.	

NEW QUESTION 20

- (Exam Topic 4)

You have a Power BI query named Sales that imports the columns shown in the following table.

Name	Description	Sample value
ID	A unique value that represents a sale	10253
Sale_Date	Sales date A column to extract the date of the sale	2021-11-23T09:53:00
Customer_ID	Represents a unique customer ID number	13158
Delivery_Time	Elapsed delivery time in hours Can contain null values	51.52
Status	Sales status Contains only the following two values: Finished and Canceled	Finished
Canceled_Date	Cancellation date and time Can contain null values	2021-11-24T14:11:23

Uses only use the date part of the Sales.Date field. Only rows with a Status of Finished are used in analysis. You need to reduce the load times of the query without affecting the analysis.

Which two actions achieve this goal? Each correct answer presents a complete solution.

NOTL Each correct selection is worth one point.

- A. Remove the rows in which sales [status] has a value of Canceled.
- B. Change the data type of sale [Delivery_Time] to Integer
- C. Removes (Canceled Date).
- D. Split Sales [Sale_Date] into separate date and time columns.
- E. Remove sales [Sales_Date].

Answer: AD

NEW QUESTION 22

- (Exam Topic 4)

Your company has employees in 10 states.

The company recently decided to associate each state to one of the following three regions: East, West, and North.

You have a data model that contains employee information by state. The model does NOT include region information.

You have a report that shows the employees by state.

You need to view the employees by region as quickly as possible. What should you do?

- Create a new aggregation that summarizes by employee.
- Create a new group on the state column and set the Group type to List.
- Create a new group on the state column and set the Group type to Bin.
- Create a new aggregation that summarizes by state.

Answer: B

Explanation:

<https://www.mssqltips.com/sqlservertip/4720/binning-and-grouping-data-with-power-bi/>

NEW QUESTION 26

- (Exam Topic 4)

Simon	101	100
Wenanta	102	100
Conrad	103	101
Priyish	104	103
Sunil	105	103
Pavel	106	102

Each employee has one manager as shown in the ParentEmployeeID column, All reporting paths lead to the CEO at the top of the organizational hierarchy. You need to create a calculated column that returns the count of levels from each employee to the CEO. Which DAX expression should you use?

A. `PATHITEM(PATH(Employee[EmployeeID],Employee[ParentEmployeeID]),1,INTEGER)`

B. `PATHCONTAINS(PATH(Employee[EmployeeID],Employee[ParentEmployeeID]),1)`

C. `PATH(Employee[EmployeeID],Employee[ParentEmployeeID])`

D. `PATHLENGTH(PATH(Employee[EmployeeID],Employee[ParentEmployeeID]))`

- A. Option A
- B. Option B
- C. option C
- D. Option D

Answer: B

NEW QUESTION 30

- (Exam Topic 4)

You are developing a sales report that will have multiple pages. Each page will answer a different business question.

You plan to have a menu page that will show all the business questions.

You need to ensure that users can click each business question and be directed to the page where the question is answered. The solution must ensure that the menu page will work when deployed to any workspace.

What should you include on the menu page?

- A. Create a text box for each business question and insert a link.
- B. Create a button for each business question and set the action type to Bookmark.
- C. Create a Power Apps visual that contains a drop-down list.
- D. The drop-down list will contain the business questions.

Answer: B


Explanation:

When you create a bookmark, the following elements are saved with the bookmark: - The current page - Filters - Slicers, including slicer type (for example, dropdown or list) and slicer state - Visual selection state (such as cross-highlight filters) - Sort order - Drill location - Visibility of an object (by using the Selection pane) - The focus or Spotlight modes of any visible object

NEW QUESTION 32

- (Exam Topic 4)

You have the Power BI data model shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

Answer Area

When a table visual is added to a blank report page and populated by using the StoreID field from the Sales table, a **[answer choice]** is displayed.

	▼
distinct count of the StoreID values	
list of all the StoreID values	
list of the distinct StoreID values	
sum of the StoreID values	

Adding a page filter of `Sales[StoreID] = 1` will filter the values displayed on the page from **[answer choice]**.

	▼
all the tables related to the Sales table	
only the Sales table	
only the Store table	
the Sales table and the Customer table	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

When a table visual is added to a blank report page and populated by using the StoreID field from the Sales table, a **[answer choice]** is displayed.

	▼
distinct count of the StoreID values	
list of all the StoreID values	
list of the distinct StoreID values	
sum of the StoreID values	

Adding a page filter of `Sales[StoreID] = 1` will filter the values displayed on the page from **[answer choice]**.

	▼
all the tables related to the Sales table	
only the Sales table	
only the Store table	
the Sales table and the Customer table	

NEW QUESTION 37

- (Exam Topic 4)

You have a Microsoft Power BI dashboard.

You need to ensure that consumers of the dashboard can give you feedback that will be visible to the other consumers of the dashboard. What should you use?

- A. Feedback
- B. Subscribe
- C. Comments
- D. Mark as favorite

Answer: C


Explanation:

<https://docs.microsoft.com/en-us/power-bi/consumer/end-user-comment>

NEW QUESTION 42

- (Exam Topic 4)

You have a Power BI imported dataset that contains the data model shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic. NOTE: Each correct selection is worth one point.

Answer Area

Changing the [answer choke] setting of the relationships will improve report query performance.

▼

Cardinality

Cross filter direction

Assume Referential Integrity

The data model is organized into a [answer choice].

▼

star schema

snowflake schema

denormalized table

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- cross filter direction
- star schema

NEW QUESTION 47

- (Exam Topic 4)

You have a Microsoft Exert spreadsheet named Excel1 that contains survey results. You have a Power BI dashboard named DashboardA that has Q&A enabled. You need to ensure that users who can access DashboardA can ask Questions based on the contents of Excel 1 and pm visuals based on their queries to DashboardA. The solution must minimize development time.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

From Excel, format the data in Excel1 as a table.

From powerbi.com, pin a range from Excel1 to DashboardA.

From Excel, create a named range by using the data in Excel1.

From powerbi.com, upload Excel1.

From powerbi.com, import Excel1 as a dataset.

From powerbi.com, add a file for the Excel1 dataset to DashboardA.

>

<

Answer Area

<

>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

From Excel, format the data in Excel1 as a table.

From powerbi.com, pin a range from Excel1 to DashboardA.

From Excel, create a named range by using the data in Excel1.

From powerbi.com, upload Excel1.

From powerbi.com, import Excel1 as a dataset.

From powerbi.com, add a file for the Excel1 dataset to DashboardA.

>

<

Answer Area

From powerbi.com, upload Excel1.

From powerbi.com, import Excel1 as a dataset.

From powerbi.com, add a file for the Excel1 dataset to DashboardA.

<

>

NEW QUESTION 49

- (Exam Topic 4)

Your company plans to completely separate development and production assets such as datasets, reports, and dashboards in Microsoft Power BI. You need to recommend an application lifecycle strategy. The solution must minimize access to production assets and prevent end users from viewing the development assets.

What should you recommend?

- A. Create production reports in a separate workspace that uses a shared dataset from the development workspac
- B. Grant the end users access to the production workspace.
- C. Create one workspace for developmen
- D. From the new workspace, publish an app for production.
- E. Create a workspace for development and a workspace for productio
- F. From the production workspace, publish an app.
- G. In one workspace, create separate copies of the assets and append DEV to the names of the copied asset
- H. Grant the end users access to the workspace.

Answer: C

Explanation:

Use different work stages (Development, Test, and Production). Deploy from the Development workspace.
Reference:

<https://visualbi.com/blogs/microsoft/powerbi/application-lifecycle-management-power-bi/>

NEW QUESTION 50

- (Exam Topic 4)

You are building a Power BI report to analyze customer segments.

You need to identify customer segments dynamically based on the Bounce Rate across dimensions such as source, geography, and demographics. The solution must minimize analysis effort.

Which type of visualization should you use?

- A. decomposition tree
- B. funnel chart
- C. Q&A
- D. key influencers

Answer: A

Explanation:

The key influencers visual is a great choice if you want to: See which factors affect the metric being analyzed.

Contrast the relative importance of these factors. For example, do short-term contracts affect churn more than long-term contracts?

Note: The key influencers visual helps you understand the factors that drive a metric you're interested in. It analyzes your data, ranks the factors that matter, and displays them as key influencers. For example, suppose you want to figure out what influences employee turnover, which is also known as churn. One factor might be employment contract length, and another factor might be commute time.

<https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-influencers>

NEW QUESTION 53

- (Exam Topic 4)

You are creating an analytics report that will consume data from the tables shown in the following table.

Table name	Column name	Data type
Sales	sales_id	Integer
	sales_date	Datetime
	Customer_id	Integer
	sales_amount	Floating
	employee_id	Integer
	sales_ship_date	Datetime
	store_id	Varchar(100)
Employee	employee_id	Integer
	first_name	Varchar(100)
	last_name	Varchar(100)
	employee_photo	Binary

There is a relationship between the tables.

There are no reporting requirements on employeejd and employee_photo. You need to optimize the data model

What should you configure for employeejd and employee.photo? To answer, select the appropriate options in the answer area.

Answer Area

Employee_id:	<div>Change Type Delete Hide Sort</div>
Employee_photo:	<div>Change Type Delete Hide Sort</div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Table Description automatically generated

Box 1: Hide

Optimize data by hiding fields and sorting visualization data Box 2: Delete

The fastest way to optimize your Power BI report is to limit the number of columns to only the ones you need in your data model. Go through your tables in Power Query and determine what fields are being used. Delete these columns if they are not being used in any of your reports or calculations.

Reference:

<https://tessellationtech.io/optimizing-power-bi-reports/>

NEW QUESTION 57

- (Exam Topic 4)
 The table has the following columns.

Name	Sample value
Date	2022-06-01
Year	2022
Month Number	6
Month Name	June
Year Month	2022 Jun

You need to add a column that will be used to sort the Year Month column chronologically.

Month Year Sort = [Year] +

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer as.
 Graphical user interface, application Description automatically generated

NEW QUESTION 61

- (Exam Topic 4)
 You have a Power BI data model that analyzes product sales over time. The data model contains the following tables.

Table name	Column name	Data type
Product	Product ID	Whole number
	Product Name	Text
	Product Category	Text
Sales	Product ID	Whole number
	Order Date	Date
	Ship Date	Date
	Delivered Date	Date
	Invoice Number	Whole number
	Quantity	Whole number
	Sales Amount	Decimal number

A one-to-many relationship exists between the tables. The auto date/time option for the data model enabled.
 You need to reduce the size of the data model while maintaining the ability to analyze product sales by month and quarter.
 Which two actions should you perform?

- A. Disable the auto date/time option.
- B. Create a Date table and select **Mark as Date Table**.
- C. Create a relationship between the Date table and the Sales table.
- D. Disable the load on the Date table.
- E. Remove the relationship between the Product table and the Sales table.

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: AD

NEW QUESTION 64

- (Exam Topic 4)
 You open a query in Power Query Editor.

You need to identify the percentage of empty values in each column as quickly as possible. Which Data Preview option should you select?

- A. Show whitespace
- B. Column profile
- C. Column distribution
- D. Column quality

Answer: D

Explanation:

Column quality: In this section, we can easily see valid, Error and Empty percentage of data values associated with the Selected table.

Note: In Power Query Editor, Under View tab in Data Preview Section we can see the following data profiling functionalities:

- Column quality
- Column distribution
- Column profile

Reference:

<https://community.powerbi.com/t5/Community-Blog/Data-Profiling-in-Power-BI-Power-BI-Update-April-2019/>

NEW QUESTION 69

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are modeling data by using Microsoft Power BI. Part of the data model is a large Microsoft SQL Server table named Order that has more than 100 million records.

During the development process, you need to import a sample of the data from the Order table. Solution: You write a DAX expression that uses the FILTER function.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

The filter is applied after the data is imported. Instead add a WHERE clause to the SQL statement. Reference:

<https://docs.microsoft.com/en-us/power-bi/connect-data/service-gateway-sql-tutorial>

NEW QUESTION 73

- (Exam Topic 4)

You have a Microsoft Power BI report. The size of PBIX file is 550 MB. The report is accessed by using an App workspace in shared capacity of powerbi.com. The report uses an imported dataset that contains one fact table. The fact table contains 12 million rows. The dataset is scheduled to refresh twice a day at 08:00 and 17:00.

The report is a single page that contains 15 AppSource visuals and 10 default visuals.

Users say that the report is slow to load the visuals when they access and interact with the report. You need to recommend a solution to improve the performance of the report.

What should you recommend?

- A. Change any DAX measures to use iterator functions.
- B. Replace the default visuals with AppSource visuals.
- C. Change the imported dataset to DirectQuery.
- D. Remove unused columns from tables in the data model.

Answer: C

Explanation:

DirectQuery: No data is imported or copied into Power BI Desktop.

Import: The selected tables and columns are imported into Power BI Desktop. As you create or interact with a visualization, Power BI Desktop uses the imported data.

Benefits of using DirectQuery

There are a few benefits to using DirectQuery:

- DirectQuery lets you build visualizations over very large datasets, where it would otherwise be unfeasible to first import all the data with pre-aggregation.
- Underlying data changes can require a refresh of data. For some reports, the need to display current data can require large data transfers, making reimporting data unfeasible. By contrast, DirectQuery reports always use current data.

The 1-GB dataset limitation doesn't apply to DirectQuery. Reference:

<https://docs.microsoft.com/en-us/power-bi/connect-data/desktop-use-directquery>

NEW QUESTION 74

- (Exam Topic 4)

You have a Power BI workspace named BI Data that contains a dataset named BI Finance.

You have the Build permission for the BI Finance dataset but you do NOT have permissions for the workspace,

You need to connect to BI Finance and create a report.

Which actions should you perform? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. From the Power BI service, create a dataflow to the dataset by using DirectQuery.
- B. From Power BI Desktop, connect to a Dataverse data source.
- C. From the Power BI service, create a new report and select a published dataset
- D. From Power BI Desktop, connect to a shared dataset

Answer: BC

NEW QUESTION 76

- (Exam Topic 4)

You have a dataset that has the permissions shown in the following exhibit.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Answer Area

Users in the finance group can [answer choice] the dataset.

assign sensitivity labels to

use Analyze in Excel with

delete

Users in the corp group can [answer choice] the dataset.

grant the Build permission for

grant the Read permission for

remove a table from

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Users in the finance group can [answer choice] the dataset.

assign sensitivity labels to

use Analyze in Excel with

delete

Users in the corp group can [answer choice] the dataset.

grant the Build permission for

grant the Read permission for

remove a table from

NEW QUESTION 79

- (Exam Topic 4)

Your company has affiliates who help the company acquire customers.

You build a report for the affiliate managers at the company to assist them in understanding affiliate performance.

The managers request a visual showing the total sales value of the latest 50 transactions for each affiliate. You have a data model that contains the following tables.

Table name	Column name
Transactions	TransactionDate
	ItemsOrdered
	Amount
	AffiliateID
	TransactionID
Affiliate	AffiliateID
	Name

You need to develop a measure to support the visual.

How should you complete the DAX expression? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Revenue Last 50 Transactions =

CALCULATE
CONCATENATEX
SUM
SUMX
TOPN

CALCULATE
CONCATENATEX
SUM
SUMX
TOPN

(Transactions[Amount]),

CALCULATE
CONCATENATEX
SUM
SUMX
TOPN

(50, Transactions, Transactions

TransactionID]
[Amount],
[ItemsOrdered],
[TransactionDate],

DESC)

)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Box 1: CALCULATE
Start with CALCULATE and use a SUMX.
CALCULATE evaluates an expression in a modified filter context. Box 2: SUM
Box 3: TOPN
TOPN returns the top N rows of the specified table. Box 4: [TransactionDate]
TOPN Syntax: TOPN(<n_value>, <table>, <orderBy_expression>, [<order>[, <orderBy_expression>, [<order>]]...])
The orderBy_expression: Any DAX expression where the result value is used to sort the table and it is evaluated for each row of table.
Reference:
<https://docs.microsoft.com/en-us/dax/topn-function-dax>

NEW QUESTION 82

- (Exam Topic 4)
You have a Power BI report named Report1 and a dashboard named Dashboard1. Report1 contains a line chart named Sales by month. You pin the Sales by month visual to Dashboard1.
In Report1, you change the Sales by month visual to a bar chart. You need to ensure that the bar chart displays on Dashboard1. What should you do?

- A. Refresh the dataset used by Report1 and Dashboard1.
- B. Select Refresh visuals for Dashboard1.
- C. Edit the details for the dashboard tile Of Dashboard1.
- D. Pin the Sales by month bar chart to Dashboard1.


Answer: A

NEW QUESTION 87

- (Exam Topic 4)
Note: This question is a part of a series of questions that present the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.
Start of repeated scenario
You have a Microsoft SQL Server database that has the tables shown in the Database Diagram exhibit. (Click the Exhibit.)

dimGeography [GeographyKey] [City] [StateProvinceCode] [StateProvinceName] [CountryRegionCode] [EnglishCountryRegionName] [PostalCode] [SalesTerritoryKey] [IpAddressLocator]	Sales [ProductKey] [OrderDateKey] [DueDateKey] [ShipDateKey] [CustomerKey] [PromotionKey] [CurrencyKey] [SalesTerritoryKey] [SalesOrderNumber] [SalesOrderLineNumber] [OrderQuantity] [UnitPrice] [ExtendedAmount] [UnitPriceDiscountPct] [DiscountAmount] ProductStandardCost] [TotalProductCost] [SalesAmount] [TaxAmt] [Freight] [OrderDate] [DueDate] [ShipDate]	dimProduct [ProductKey] [ProductSubcategoryKey] [EnglishProductName] [Color] [ListPrice] [Size] [StartDate] [EndDate] [Status]
dimCustomer [CustomerKey] [GeographyKey] [DisplayName] [MaritalStatus] [Gender] [YearlyIncome]		dimProductSubcategory [ProductSubcategoryKey] [ProductSubcategoryAlternateKey] [EnglishProductSubcategoryName] [SpanishProductSubcategoryName] [FrenchProductSubcategoryName] [ProductCategoryKey]
		dimProductCategory [ProductCategoryKey] [ProductCategoryAlternateKey] [EnglishProductCategoryName] [SpanishProductCategoryName] [FrenchProductCategoryName]

You plan to develop a Power BI model as shown in the Power BI Model exhibit. (Click the Exhibit).



You plan to use Power BI to import data from 2013 to 2015. Product Subcategory [Subcategory] contains NULL values. End of repeated scenario. You implement the Power BI model.

You need to add a new column to the Product Subcategory table that uses the following formula.

=if [Subcategory] =null then "NA" else [Subcategory] Which command should you use in Query Editor?

- A. Column From Examples
- B. Custom Column
- C. Invoke Custom Function
- D. Conditional Column

Answer: D

Explanation:

References:

<http://community.powerbi.com/t5/Desktop/if-then-else/td-p/117999>

NEW QUESTION 88

- (Exam Topic 4)

You import two Microsoft Excel tables named Customer and Address into Power Query Customer contains the following columns:

- Customer ID
- Customer Name
- Phone
- Email Address
- Address ID

Address contains the following columns:

- Address ID
- Address Line 1
- Address Line 2
- City
- State/Region
- Country
- Postal Code

Each Customer ID represents a unique customer in the Customer table. Each Address ID represents a unique address in the Address table. You need to create a query that has one row per customer. Each row must contain City, State/Region, and Country for each customer. What should you do?

- A. Append the Customer and Address tables.
- B. Transpose the Customer and Address tables.
- C. Group the Customer and Address tables by the Address ID column.
- D. Merge the Customer and Address tables.

Answer: D

NEW QUESTION 89

- (Exam Topic 4)

You have a PBIX file that imports several tables from an Azure SQL database. The data will be migrated to another Azure SQL database. You need to change the connections in the PBIX file. The solution must minimize administrative effort. What should you do?

- A. From Power Query Editor, modify the source of each query.
- B. Create a PBIT file, open the file, and change the data sources when prompted
- C. From Power Query Editor, create new queries.
- D. Modify the Data source settings.

Answer: D

NEW QUESTION 92

- (Exam Topic 4)

You have an app workspace that contains a dashboard and four reports. All the reports are generated from a single dataset that contains sales data for your company.

The reports display the data configured as shown in the following table.

Report name	Data displayed	Data characteristic
Sales Data1	Sales from the start of 2013 to the end of 2015	The company was owned by another company named Contoso, Ltd. from 2013 to 2015
Sales Data2	Sales from the start of 2011 to the end of 2016	The company changed the line of products sold frequently from 2011 to 2016
Sales Data3	Sales from the start of 2016 to the end of 2017	The company hired new management that started in 2016
Sales Data4	Sales from the start of 2011 to the end of 2014	The company was being sued by a competitor from 2011 to 2014

You need to ensure that the users of the reports can locate the correct report by using natural language queries. What should you do?

- A. From the properties of the dataset, create four Featured Q&A Questions.
- B. From the Format settings of the reports, modify the Page Information.
- C. From the properties of the dataset, modify the Q&A and Cortana settings.
- D. From the properties of the workspace, modify the Language Settings.

Answer: C

Explanation:

References:

<https://docs.microsoft.com/en-us/power-bi/service-q-and-a-direct-query#limitations-during-public-preview>

NEW QUESTION 96

- (Exam Topic 4)

You have a Microsoft SharePoint Online site that contains several document libraries. One of the document libraries contains manufacturing reports saved as Microsoft Excel files. All the manufacturing reports have the same data structure.

You need to load only the manufacturing reports to a table for analysis. What should you do in Microsoft Power BI Desktop?

- A. Get data from a SharePoint Online folder, enter the site URL, and then select Combine & Load.
- B. Get data from a SharePoint Online list and enter the site UR
- C. Edit the query and filter by the path to the manufacturing reports library.
- D. Get data from a SharePoint Online folder and enter the site UR

- E. Edit the query and filter by the path to the manufacturing reports library.
- F. Get data from a SharePoint Online list, enter the site URL, and then select Combine & Load.

Answer: B


Explanation:

We have to import Excel files from SharePoint, so we need the connector SharePoint folder which is used to get access to the files stored in the library. SharePoint list is a collection of content that has rows and columns (like a table) and is used for task lists, calendars, etc. Since we have to filter only on manufacturing reports, we have to select Transform and then filter by the corresponding folder path.
<https://docs.microsoft.com/en-us/power-query/connectors/sharepointlist>

NEW QUESTION 99

- (Exam Topic 4)

You have the Power BI model shown in the following exhibit.



There are four departments in the Departments table.

You need to ensure that users can see the data of their respective department only. What should you do?

- A. Create a row-level security (RLS) role for each department, and then define the membership of the role.
- B. Create a DepartmentID parameter to filter the Departments table.
- C. To the ConfidentialData table, add a calculated measure that uses the currentgroup DAX function.
- D. Create a slicer that filters Departments based on DepartmentID.

Answer: A

NEW QUESTION 103

- (Exam Topic 4)

The Sales table contains records of sales by day from the last five years up until today's date.

You plan to create a measure to return the total sales Of March 2021 when March 2022 is selected. Which DAX expression should you use?

- A. `TOTALYTD (SUM(Sales[Sales]), dimDate[Date])`
- B. `Calculate (SUM(Sales[Sales]), SAMEPERIODOLASTYEAR(dimDate[Date]))`
- C. `SUM(Sales[Sales])`
- D. `Calculate (SUM(Sales[Sales]), PREVIOUSYEAR(dimDate[Date]))`

- A. Option A
- B. Option B
- C. option C
- D. Option D

Answer: B

NEW QUESTION 105

- (Exam Topic 4)

You have two Power BI reports named ReportA and ReportB that each uses a distinct color palette. You are creating a Power BI dashboard that will include two visuals from each report

You need to use a consistent dark theme for the dashboard. The solution must preserve the original colors of the reports.

Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Upload a snapshot.
- B. Select the dark dashboard theme.
- C. Turn on tile flow.
- D. When pinning visuals to the dashboard, select Use destination theme.
- E. For the browser, set the color preference to dark mode.

Answer: DE

NEW QUESTION 109

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
 From Power Query Editor, you profile the data shown in the following exhibit.

	IoT GUID	IoT DateTime	IoT ID
	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%
1	48196321-38D9-EC11-B83D-0022489A2...	21/05/2022 18:59:25	100001000
2	49196321-38D9-EC11-B83D-0022489A2...	21/05/2022 18:59:26	100001001
3	0300C742-38D9-EC11-B83D-0022489A2...	21/05/2022 19:00:21	100001002
4	0400C742-38D9-EC11-B83D-0022489A2...	21/05/2022 19:00:21	100001003
5	0500C742-38D9-EC11-B83D-0022489A2...	21/05/2022 19:00:21	100001004
6	0600C742-38D9-EC11-B83D-0022489A2...	21/05/2022 19:00:21	100001005

The IOT ID columns are unique to each row in query.
 You need to analyze 10T events by the hour and day of the year. The solution must improve dataset performance.
 Solution: You change the IOT DateTime column to the Date data type. Does this meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 114

- (Exam Topic 4)

You are creating reports in Power BI Desktop. The model has the following tables.

Table name	Column name	Data type
Order	Order_date	Datetime
	Order_amount	Float
	Customer_ID	Integer
Customer	Customer_ID	Integer
	Full_name	Varchar(100)
	Customer_Photo	Binary

There is a relationship between the tables.
 You plan to publish a report to the Power BI service that displays Order_amount by Order_date by Full_name. You need to ensure that only the columns required for the report appear in Report View. The solution must minimize the size of the dataset that is published.
 How should you configure the columns in Power BI Desktop? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

Customer_ID: ▼

From Query Editor, select the column and click Remove Columns.

From Query Editor, select the column and click Remove Duplicates.

From Query Editor, select the column and click Remove Other Columns.

From the model, select the column and click Hide.

Customer_Photo: ▼

From Query Editor, select the column and click Remove.

From Query Editor, select the column and click Remove Duplicates.

From Query Editor, select the column and click Remove Other Columns.

From the model, select the column and click Hide.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Table Description automatically generated

NEW QUESTION 116

- (Exam Topic 4)

You have a Power BI model that contains a table named Sales. Sales has the following three measures:

- A measure named Total Sales Last Year that displays the sales from the previous calendar year. The current value is 32.89 million.

-
- 11.69M 32.89M

NOTE: Each correct selection is worth one point.

Measures	Answer Area
Total Sales Difference	Value: <input type="text"/>
Total Sales Last Year	Maximum value: <input type="text"/>
Total Sales This Year	Target value: <input type="text"/>

- Answer: A**

<https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-radial-gauge-charts>

You use Power BI Desktop to create a Power BI data model and a blank report. You need to add the Word Cloud visual shown in the following exhibit to the report.



Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
From Power BI Desktop, get the Word Cloud visual from Microsoft AppSource.	
From a web browser, download the PBIVIZ file for the Word Cloud visual from Microsoft AppSource.	
Format the data colors and title.	
Populate the drillthrough fields.	
Populate the Category, Value, and Excludes fields.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
From Power BI Desktop, get the Word Cloud visual from Microsoft AppSource.	
From a web browser, download the PBIVIZ file for the Word Cloud visual from Microsoft AppSource.	
Format the data colors and title.	
Populate the drillthrough fields.	
Populate the Category, Value, and Excludes fields.	

NEW QUESTION 120

- (Exam Topic 4)

You have a CSV file that contains user complaints. The file contains a column named Logged logged contains the date and time each complaint occurred. The data in Logged is in the following format: 2018-12-31 at 08:59.

You need to be able to analyze the complaints by the logged date and use a built-in date hierarchy. What should you do?

- A. Create a column by example that starts with 2018-12-31.
- B. Create a column by example that starts with 2018-12-31 and set the data type of the new column to Date
- C. Apply the parse function from the Date transformations options to the Logged column.
- D. Add a conditional column that outputs 2018 if the Logged column starts with 2018 and set the data type of the new column to Whole Number.

Answer: B

NEW QUESTION 123

- (Exam Topic 4)

You have an on-premises Power BI Report Server.

You plan to create a report in Power BI Desktop and publish the report to the report server. Which data source should the report use?

- A. Microsoft Azure SQL Database
- B. a Microsoft SQL Server database
- C. a Microsoft SQL Server Analysis Services (SSAS) database
- D. Microsoft Excel

Answer: C

Explanation:

References:

<https://docs.microsoft.com/en-us/power-bi/report-server/quickstart-create-powerbi-report> <https://docs.microsoft.com/en-us/power-bi/report-server/connect-data-sources>

NEW QUESTION 126

- (Exam Topic 4)

You have a Power BI report that contains five pages. Pages 1 to 4 are visible and page 5 is hidden.

You need to create a solution that will enable users to quickly navigate from the first page to all the other visible pages. The solution must minimize development and maintenance effort as pages are added to the report.

What should you do first?

- A. Add a blank button to page 1.
- B. Add a bookmark navigation button to page 1.
- C. Create a bookmark for each page.
- D. Add a page navigation button to page 1.

Answer: D

NEW QUESTION 129

- (Exam Topic 4)

You have a Power BI workspace named Workspace1 that contains a dataset named DS1 and a report named RPT1.

A user wants to create a report by using the data in DS1 and publish the report to another workspace.

You need to provide the user with the appropriate access. The solution must minimize the number of access permissions granted to the user.

What should you do?

- A. Share RPT1 with the user.
- B. Add the user as a Viewer of Workspace1.
- C. Add the user as a member of Workspace1.
- D. Grant the Build permission for DS1 to the user.

Answer: D

NEW QUESTION 132

- (Exam Topic 4)

You have a Microsoft Power BI report. The size of PBIX file is 550 MB. The report is accessed by using an App workspace in shared capacity of powerbi.com.

The report uses an imported dataset that contains one fact table. The fact table contains 12 million rows. The dataset is scheduled to refresh twice a day at 08:00 and 17:00.

The report is a single page that contains 15 custom visuals and 10 default visuals.

Users say that the report is slow to load the visuals when they access and interact with the report. You need to recommend a solution to improve the performance of the report.

What should you recommend?

- A. Replace the default visuals with AppSource visuals.
- B. Change any DAX measures to use iterator functions.
- C. Remove unused columns from tables in the data model.
- D. Increase the number of times that the dataset is refreshed

Answer: D

NEW QUESTION 137

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this scenario, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have several reports and dashboards in a workspace.

You need to grant all organizational users read access to a dashboard and several reports. Solution: You assign all the users the Viewer role to the workspace.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

The Viewer role gives a read-only experience to its users. They can view dashboards, reports, or workbooks in the workspace, but can't browse the datasets or dataflows. Use the Viewer role wherever you would previously use a classic workspace set to "Members can only view Power BI content".

Reference:

<https://powerbi.microsoft.com/en-us/blog/announcing-the-new-viewer-role-for-power-bi-workspaces/>

NEW QUESTION 138

- (Exam Topic 4)

You have a Power BI app named App1. The privacy for the App1 workspace is set to Private.

A user named User1 reports that App1 does not appear in the My organization AppSource. App1 appears in the My organization AppSource for your account.

You need to ensure that User sees App1 from the My organization AppSource. What should you do?

- A. From the app workspace, click Update app, configure the Content settings, and then click Update app.
- B. From the app workspace settings, add a member.
- C. From the app workspace, click Update app, configure the Access setting, and then click Update app.
- D. From the app workspace, share the dashboard.

Answer: C

Explanation:

References:

<https://docs.microsoft.com/en-us/power-bi/service-organizational-content-pack-introduction#what-is-appsource>

NEW QUESTION 142

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this scenario, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a clustered bar chart that contains a measure named Salary as the value and a field named Employee as the axis. Salary is present in the data as numerical amount representing US dollars.

You need to create a reference line to show which employees are above the median salary. Solution: You create a percentile line by using the Salary measure and set the percentile to 50%. Does this meet the goal?

- A. Yes
- B. No

Answer: A


Explanation:

The 50th percentile is also known as the median or middle value where 50 percent of observations fall below. Reference: https://dash-intel.com/powerbi/statistical_functions_percentile.php

NEW QUESTION 147

- (Exam Topic 4)

You plan to create the chart shown in the following exhibit.



How should you create the dashed horizontal line denoting the 40th percentile of daily sales for the period shown?


- A. Create a horizontal line that has a fixed value of 24,000.
- B. Add a measure to the visual that uses the following DAX expression.Heasurel - PERCENTUEX.EXC (Sales,Sales[Total Sales],©.40)
- C. Add a new percentile line that uses Total Sales as the measure and 40% as the percentile.
- D. Add a measure to the visual that uses the following DAX expression.Heasurel = PERCENTILEX.INC (Sales,Sales[Total Sales],6.40)

Answer: C

Explanation:

The analytics feature enables you to show percentiles across groups specified along a specific axis. Example:

- * 1. Click on the analytics tab
- * 2. Select Percentile
- * 3. You can choose a specific percentile along with other formatting options.
- * 4. Drag a date or non-numeric dimension into the Axis of a column chart



Add percentile lines to monitor daily revenue



NEW QUESTION 151

- (Exam Topic 4)

You are building a dataset from a JSON file that contains an array of documents. You need to import attributes as columns from all the documents in the JSON file. The solution must ensure that date attributes can be used as date hierarchies in Microsoft Power BI reports. Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Expand the columns.

Expand the records.

Add columns that use data type conversions.

Set the data types.

Convert the list to a table.

Answer Area

⏪

⏩

⏴

⏵

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- * 1- Convert list to table
- * 2- Expand Column
- * 3- Set Date type

Here is an example: <https://youtu.be/B4kzyxnhQfI> The definition of the function which expand columns: <https://docs.microsoft.com/en-us/powerquery-m/table-expandrecordcolumn>

NEW QUESTION 156

- (Exam Topic 4)

You are creating a Microsoft Power BI data model that has the tables shown in the following table.

Table name	Column name
Sales	SalesID
	ProductID
	DateKey
	SalesAmount
Products	ProductID
	ProductName
	ProductCategoryID
ProductCategory	ProductCategoryID
	CategoryName

The Products table is related to the ProductCategory table through the ProductCategoryID column. You need to ensure that you can analyze sales by product category. How should you configure the relationships from Products to ProductCategory? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Cardinality:

▼

One-to-manyOne-to-oneMany-to-many

Cross-filter direction:

▼

SingleBoth

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: One-to-many
Box 2: Both
For One-to-many relationships, the cross filter direction is always from the "one" side, and optionally from the "many" side (bi-directional).
Note:

Cardinality type	Cross filter options
One-to-many (or Many-to-one)	Single Both
One-to-one	Both
Many-to-many	Single (Table1 to Table2) Single (Table2 to Table1) Both

Reference:
https://docs.microsoft.com/en-us/power-bi/transform-model/desktop-relationships-understand

NEW QUESTION 158

- (Exam Topic 4)
You need to create a Power BI report. The first page or the report must contain the following two views:
* Sales By Postal Code
* Sales by Month
Both views must display a slicer to select a value for a field named Chain.
The Sales By Postal Code view must display a map visual as shown in the following exhibit.

Answer Area

Minimum number of bookmarks:

▼

1234

Property:

▼

DataDisplayCurrent page

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Minimum number of bookmarks:

1
2
3
4

Property:

Display
Current page

NEW QUESTION 162

- (Exam Topic 4)
 You have a Power BI report.
 You need to create a calculated table to return the 100 highest spending customers.
 How should you complete the DAX expression? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

Top 100 Customers =

100,

ASC[
DESC(
FILTER(
SUMMARIZE[
TOPN(
(FactTransaction,
FactTransaction[Customer ID],
"Sales",
SUM(FactTransaction[Sales])),
[Sales],
ASC
DESC
FILTER
SUMMARIZE
TOPN

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: TOPN
 TOPN returns the top N rows of the specified table. Box 2: SUMMARIZE
 SUMMARIZE returns a summary table for the requested totals over a set of groups. Box 3: DESC
 Sort in descending order.
 It is last in the TOPN command. TOPN syntax:
 TOPN(<n_value>, <table>, <orderBy_expression>, [<order>[, <orderBy_expression>, [<order>]]...]) Reference:
<https://docs.microsoft.com/en-us/dax/topn-function-dax>
<https://docs.microsoft.com/en-us/dax/summarize-function-dax>

NEW QUESTION 167

- (Exam Topic 4)
 You build a report about warehouse inventory data. The dataset has more than 10 million product records from 200 warehouses worldwide. You have a table named Products that contains the columns shown in the following table.

Name	Sample data
ProductDescription	Bikes > Adventure Works > Mountain Bikes > Super Carbon Bike > 26in wheels 42in frame
ProductCategory	Bikes
Manufacturer	Adventure Works
ProductSubcategory	Mountain Bikes
ProductSpecification	26in wheels 42in frame

Warehouse managers report that it is difficult to use the report because the report uses only the product name in tables and visuals. The product name is

contained within the ProductDescription column and is always the fourth value.
You need to modify the report to support the warehouse managers requirement to explore inventory levels at different levels of the product hierarchy. The solution must minimize the model size.
Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Create a product hierarchy of Manufacturer, ProductSpecifications, ProductName, ProductSubcategory, and ProductCategory.	
Replace the use of ProductDescription in the report with the product hierarchy.	
Transform the ProductDescription column to contain only the text between the first and fourth > symbol.	
Add the product hierarchy as an extra field in visuals where ProductDescription is used.	
Add a column named ProductName that contains only the text between the third and fourth > symbol in the ProductDescription column.	
Add a column named ProductName that contains all the text after the third > symbol in the ProductDescription column.	
Create a product hierarchy of ProductCategory, ProductSubcategory, Manufacturer, ProductName, and ProductSpecifications.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 172

- (Exam Topic 4)
You have a Power BI report that contains four pages. All the pages contain a slicer for a field named Country, You need to ensure that when a user selects a county on page 1, the selection is retained on page 2 and page 3. The solution must prevent page 4 from being affected by selections on the other pages, What should you do?

- A. Remove the Country slicer from page 1, page 2, and page 3. Add the Country field to the report-level filters.
- B. Remove the Country slicer from page 1, page 2, and page 3. Add the Country field to the page-level filters.
- C. Sync the Country slicer on page 1, page 2, and page 3,
- D. Move the Country slicer from page 2 and page 3 to page 1.

Answer: C

NEW QUESTION 176

- (Exam Topic 4)
You have a Microsoft Power BI data model that contains three tables named Orders, Date, and City. There is a one-to-many relationship between Date and Orders and between City and Orders.
The model contains two row-level security (RLS) roles named Role1 and Role2. Role1 contains the following filter.
City[State Province] = "Kentucky"
Role2 contains the following filter. Date[Calendar Year] = 2020
If a user is a member of both Role1 and Role2, what data will they see in a report that uses the model?

- A. The user will see data for which the State Province value is Kentucky and the Calendar Year is 2020.
- B. The user will see data for which the State Province value is Kentucky or the Calendar Year is 2020.
- C. The user will see only data for which the State Province value is Kentucky.
- D. The user will receive an error and will not be able to see the data in the report.

Answer: B

Explanation:

When a report user is assigned to multiple roles, RLS filters become additive. It means report users can see table rows that represent the union of those filters.

Reference:

<https://docs.microsoft.com/en-us/power-bi/guidance/rls-guidance>


NEW QUESTION 177

- (Exam Topic 4)

Your organization has a team of power users who recently created 20 Power BI dashboards.

The power users share the dashboards with other users in the organization.

When the users attempt to access the dashboards, they receive the error message shown in the exhibit. (Click the Exhibit.)



You need to ensure that all the users can access the dashboards. What should you do first?

- A. From the Microsoft Office 365 Admin center, and the Power BI (free) subscription, and then assign a license to each user.
- B. From the Power BI Admin portal, modify the Privacy Settings.
- C. From the properties of each dashboard, modify the Share dashboard settings.
- D. Instruct each user to install Microsoft Office 2016.

Answer: A

Explanation:

References:

<http://www.nubo.eu/en/blog/2016/12/Enable-PowerBI-On-Office-365/>

NEW QUESTION 179

- (Exam Topic 4)

You need to create the On-Time Shipping report.

The report must include a visualization that shows the percentage of late orders. Which type of visualization should you create?

- A. scatterplot
- B. bar chart
- C. piechart

Answer: B

NEW QUESTION 181

- (Exam Topic 4)

You create the following step by using Power Query Editor.

= Table.ReplaceValue(SalesLT_Address,"1318","1319",Replacer.ReplaceText,{"AddressLine1"})

A row has a value of 21318 Lasalle Street in the AddressLine1 column. What will the value be when the step is applied?

- A. 1318
- B. 1319
- C. 21318 Lasalle Street
- D. 21319 Lasalle Street

Answer: D

Explanation:

Example:

Replace the text "ur" with the text "or" in the table.

```
Table.ReplaceValue(
    Table.FromRecords({
        [a = 1, b = "hello"],
        [a = 3, b = "world"]
    }),
    "ur",
    "or",
    Replacer.ReplaceText,
    {"b"}
)
```

a	b
1	hello
3	world

Reference:

<https://docs.microsoft.com/en-us/powerquery-m/table-replacevalue>

NEW QUESTION 185

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this scenario, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have several reports and dashboards in a workspace.

You need to grant all organizational users read access to a dashboard and several reports. Solution: You enable included in app for all assets.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 190

- (Exam Topic 4)

You are creating a report in Power BI Desktop.

You load a data extract that includes a free text field named coll.

You need to analyze the frequency distribution of the string lengths in col1. The solution must not affect the size of the model.

What should you do?

- A. In the report, add a DAX calculated column that calculates the length of col1
- B. In the report, add a DAX function that calculates the average length of col1
- C. From Power Query Editor, add a column that calculates the length of col1
- D. From Power Query Editor, change the distribution for the Column profile to group by length for col1

Answer: D

Explanation:

From Power Query.. highlight the column.. from the tab view select Column Profile Option.. in the Value distribution section that appears below, from the 3dots.. you can change to group by text length distribution

NEW QUESTION 191

- (Exam Topic 4)

You are building a financial report by using Power BI.

You have a table named financials that contains a column named Date and a column named Sales.

You need to create a measure that calculates the relative change in sales as compared to the previous quarter. How should you complete the measure? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Sales QoQ% =

IF (

ISFILTERED('financials' [Date]),

ERROR("Uh oh."),

VAR PREV_QUARTER =

CALCULATE
CALCULATETABLE
DATEADD
DIVIDE
FILTER
FIND

SUM('financials' [Sales]),

CALCULATE
CALCULATETABLE
DATEADD
DIVIDE
FILTER
FIND

('financials' [Date].[Date], -1, QUARTER)

)

RETURN

CALCULATE
CALCULATETABLE
DATEADD
DIVIDE
FILTER
FIND

(SUM('financials' [Sales]) - PREV_QUARTER, PREV_QUARTER)

)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: CALCULATE

Box 2: DATEADD

Box 3: DIVIDE

Example: NET_SALES QoQ% = IF(

ISFILTERED('Calendar'[Date]),

ERROR("Time intelligence quick measures can only be grouped or filtered by the Power BI-provided date hierarchy or primary date column."),

VAR PREV_QUARTER =

CALCULATE(

SUM('research ra_qtr_template'[NET_SALES]), DATEADD('Calendar'[Date].[Date], -1, QUARTER)

) RETURN DIVIDE(

SUM('research ra_qtr_template'[NET_SALES]) - PREV_QUARTER,

PREV_QUARTER

)

)

Reference:

<https://community.powerbi.com/t5/Desktop/Error-calculating-QOQ-using-quick-measure/m-p/547054>

NEW QUESTION 194

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Excel workbook that is saved to Microsoft SharePoint Online. The workbook contains several Power View sheets.

You need to recreate the Power View sheets as reports in the Power BI service.

Solution: From the Power BI service, get the data from SharePoint Online, and then click Connect Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:


We need to click "Import", not "Connect". References:

<https://docs.microsoft.com/en-us/power-bi/service-excel-workbook-files>

NEW QUESTION 195

- (Exam Topic 4)

You have a report in Power BI Desktop as shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 Note: Each correct selection is worth one point.

The goal is set by using [answer choice].

a calculated measure
 a DAX formula
 the Format settings

To configure the visualization to display TotalPrice for the Territory of Canada always, you must add the Territory column to [answer choice].

the Tooltips field
 the Values field
 the Visual level filters field

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
 Graphical user interface, text Description automatically generated with medium confidence

NEW QUESTION 199

- (Exam Topic 4)
 You are preparing a financial report in Power BI.
 You connect to the data stored in a Microsoft Excel spreadsheet by using Power Query Editor as shown in the following exhibit.

	Column1	Column2	Column3	Column4	Column5	Column6
1	Measure	2016	2017	2018	2019	2020
2	Revenue	0.5	0.6	0.55	0.61	0.42
3	Overheads	0.11	0.330410907	0.167055779	0.360178153	0.183179995
4	Cost of Goods	0.204388253	0.165848321	0.25	0.17	0.109073918

- You need to prepare the data to support the following:
- Visualizations that include all measures in the data over time
 - Year-over-year calculations for all the measures

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Rename the Attribute column as Year

Rename the Measure column as Year

Use the first row as headers

Use headers as the first row

Unpivot all the columns other than Measure

Transpose the table

Change the data type of the Year column to Date

Answer Area

>

<

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

Rename the Attribute column as Year

Rename the Measure column as Year

Use the first row as headers

Use headers as the first row

Unpivot all the columns other than Measure

Transpose the table

Change the data type of the Year column to Date

Answer Area

Use the first row as headers

Unpivot all the columns other than Measure

Rename the Attribute column as Year

Change the data type of the Year column to Date

NEW QUESTION 204

- (Exam Topic 4)


You need to create a Power BI report. The first page of the report must contain the following two views:

*Sales By Postal Code

*Sales by Month

Both views must display a slicer to select a value for a field named Chain.

The Sales By Postal Code view must display a map visual as shown in the following exhibit.



The Sales By Month view must display a column chart visual as shown in the following exhibit.



Users must be able to switch between the views by using buttons on the report page. The selected Chain field must be maintained when switching between views. What is the minimum number of bookmarks required, and which property should you apply to each bookmark? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Answer Area

Minimum number of bookmarks:

1
2
3
4

Property:

Data
Display
Current page

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: 2
Box 2: Display

NEW QUESTION 209

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are modeling data by using Microsoft Power BI. Part of the data model is a large Microsoft SQL Server table named Order that has more than 100 million records.

During the development process, you need to import a sample of the data from the Order table. Solution: You add a WHERE clause to the SQL statement. Does this meet the goal?

- A. Yes
B. No

Answer: A

NEW QUESTION 213

- (Exam Topic 4)

You import a Power BI dataset that contains the following tables:

- Date
- Product
- Product Inventory

The Product inventory table contains 25 million rows. A sample of the data is shown in the following table.

ProductKey	DateKey	MovementDate	UnitCost	UnitsIn	UnitsOut	UnitsBalance
167	20101228	28-Dec-10	0.19	0	0	875
167	20101229	29-Dec-10	0.19	0	0	875
167	20110119	19-Jan-11	0.19	0	0	875
167	20110121	21-Jan-11	0.19	0	0	875
167	20110122	22-Jan-11	0.19	0	0	875

The Product Inventory table relates to the Date table by using the DateKey column. The Product inventory table relates to the Product table by using the ProductKey column. You need to reduce the size of the data model without losing information. What should you do?

- A. Change Summarization for DateKey to Don't Summarize.
B. Change the data type of UnitCost to Integer.
C. Remove the relationship between Date and Product Inventory.
D. Remove MovementDate.

Answer: D

NEW QUESTION 217

- (Exam Topic 4)

You have a Power BI report hosted on powerbi.com that displays expenses by department for department managers.

The report contains a line chart that shows expenses by month.

You need to enable users to choose between viewing the report as a line chart or a column chart. The solution must minimize development and maintenance effort.
 What should you do?

- A. Add a column chart, a bookmark, and a button for users to choose a visual.
- B. Create a mobile report that contains a column chart.
- C. Create a separate report page for users to view the column chart.
- D. Enable report readers to personalize visuals.

Answer: C

NEW QUESTION 222

- (Exam Topic 4)

You plan to create the Power BI model shown in the exhibit. (Click the Exhibit tab.) The data has the following refresh requirements:

- Customer must be refreshed daily.
- Date must be refreshed once every three years.
- Sales must be refreshed in near real time.
- SalesAggregate must be refreshed once per week.

You need to select the storage modes for the tables. The solution must meet the following requirements:

Answer Area

Customer:

Date:

Sales:

SalesAggregate:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Customer:

Date:

Sales:

SalesAggregate:

NEW QUESTION 226

- (Exam Topic 4)

You have a BI dataset and a connected report.

You need to ensure that users can analyze data in Microsoft Excel by connecting directly to the dataset. You grant the users the Build permission for dataset
 What Should do next?

- A. Change default visual interaction for the report
- B. For the report change the Export data setting to Summarized data, data with current layout and underlying data
- C. For the report, change the Export data setting to None
- D. Certify the dataset used by the report.

Answer: B

NEW QUESTION 228

- (Exam Topic 4)

Your company plans to completely separate development and production assets such as datasets, reports, and dashboards in Microsoft Power BI. You need to recommend an application lifecycle strategy. The solution must minimize maintenance to update access and prevent end users from viewing the development assets. What should you recommend?


- A. Create production reports in a separate workspace that uses a shared dataset from the development workspac
- B. Grant the end users access to the production workspace.
- C. In the same workspace, create separate copies of the assets and append DEV to the names of the copied asset
- D. Grant the end users access to the workspace.
- E. Create separate workspaces for development and productio
- F. Grant the end users access to the production workspace.
- G. Create one workspace for developmen
- H. From the workspace, publish an app for production.

Answer: C

NEW QUESTION 232

- (Exam Topic 4)

You open powerbi.com as shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic. NOTE: Each correct selection is worth one point.

Answer Area

A tenant administrator created a data classification that has a shorthand of [answer choice.]

Customers
Insurance
Insurance Data
Sale

The dashboard uses a dataset named [answer choice].

Customers
Insurance
Insurance Data
Sale

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, Word, email Description automatically generated
References: <https://docs.microsoft.com/en-us/power-bi/service-data-classification>

NEW QUESTION 236

- (Exam Topic 4)

You publish a report to a workspace named Customer Services. The report identifies customers that have potential data quality issues that must be investigated by

the customer services department of your company.
You need to ensure that customer service managers can create task lists in Microsoft Excel based on the data. Which report setting should you configure?

- A. Don't allow end user to save filters on this report.
- B. Change default visual interaction from cross highlighting to cross filtering.
- C. Enable the updated filter pane, and show filters in the visual header for this report.
- D. Allow users to add comments to this report.
- E. Choose the type of data you allow your end users to export.

Answer: E

Explanation:
<https://powerbi.microsoft.com/en-us/blog/announcing-persistent-filters-in-the-service/>

NEW QUESTION 237

- (Exam Topic 4)
You need to create the Top Customers report.
Which type of filter should you use, and at which level should you apply the filter? To answer, select the appropriate options in the answer area.
NOTE; Each correct selection is worth one point.

Answer Area

Filter type: Top N

Level: Report

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Filter type: Top N

Level: Report

NEW QUESTION 240

- (Exam Topic 4)
You are profiling data by using Power Query Editor.
The AddressLine2 column in a table named Address is shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

Answer Area


There are [answer choice] different values in the column including nulls

There are [answer choice] non-null values that occur only once in the column

- A. Mastered
- B. Not Mastered


Answer: A

Explanation:
 Answer Area



NEW QUESTION 241

- (Exam Topic 4)
 You view a query named Transactions as shown in the following exhibit.



The query gets CSV files from a folder.
 Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

Answer Area

There are [answer choice] CSV files:

9

10

25

90

1,000

Removing duplicates based on the Date column will reduce the dataset to [answer choice] rows:

9

10

25

90

1,000

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: 9
9 distinct CSV files.
Box 2: 10
10 distinct dates.
<https://pediaa.com/what-is-the-difference-between-unique-and-distinct-in-sql/#:~:text=Unique%20and%20Disti>

NEW QUESTION 243

- (Exam Topic 4)
You have a Power BI model that contains a table named Date. The table has the following columns.

Name	Sample value
Date	2022-06-01
Year	2022
Month Number	6
Month Name	June
Year Month	2022 Jun

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer is below.

Month Year Sort = [Year] / 100 + [Month Number]

NEW QUESTION 247


- (Exam Topic 4)
You are creating a visual to show the ranking of product categories by sales revenue.
Your company's security policy states that you cannot send data outside of your Microsoft Power BI tenant Which approach provides the widest variety of visuals while adhering to the security policy?

- A. Use default visuals or custom visuals uploaded from a .pbviz file.
- B. Use only default visuals.
- C. Use default or any custom visuals from the marketplace.
- D. Use default or certified custom visuals.

Answer: C

NEW QUESTION 252

- (Exam Topic 4)
You have the visual shown in the Original exhibit. {Click the Original tab.)



You need to configure the visual as shown in the Modified exhibit. (Click the Modified tab.)



What should you add to the visual?

- A. a measure
- B. a trendline
- C. a forecast
- D. an Average line

Answer: C

Explanation:

Explore forecast results by adjusting the desired confidence interval or by adjusting outlier data to see how they affect results.

Timeline Description automatically generated with low confidence

Reference:

<https://powerbi.microsoft.com/fr-fr/blog/introducing-new-forecasting-capabilities-in-power-view-for-office-365>

NEW QUESTION 253

- (Exam Topic 4)

You have two tables named Customers and Invoice in a Power BI model. The Customers table contains the following fields:

- > CustomerID
- > Customer City
- > Customer State
- > Customer Name
- > Customer Address 1
- > Customer Address 2
- > Customer Postal Code

The Invoice table contains the following fields:

- > Order ID
- > Invoice ID
- > Invoice Date
- > Customer ID
- > Total Amount
- > Total Item Count

The Customers table is related to the Invoice table through the Customer ID columns. A customer can have many invoices within one month.

The Power BI model must provide the following information:

- > The number of customers invoiced in each state last month
- > The average invoice amount per customer in each postal code

You need to define the relationship from the Customers table to the Invoice table. The solution must optimize query performance.

What should you configure? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Cardinality:

Many-to-many

Many-to-one

One-to-many

One-to-one

Cross-filter direction:

Both

Single

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: One-to-many

A customer can have many invoices within one month.

Box 2: Single

For One-to-many relationships, the cross filter direction is always from the "one" side, and optionally from the "many" side (bi-directional). For Single cross filter direction means "single direction", and Both means "both directions". A relationship that filters in both directions is commonly described as bi-directional.

Reference:

<https://docs.microsoft.com/en-us/power-bi/transform-model/desktop-relationships-understand>

NEW QUESTION 258

- (Exam Topic 4)

You are enhancing a Power BI model that has DAX calculations.

You need to create a measure that returns the year-to-date total sales from the same date of the previous calendar year.

Which DAX functions should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Sales PYTD =

VAR startyear =

STARTOFYEAR (PREVIOUSYEAR ('Date' [Date]))

VAR enddate =

LASTDATE (Sales[Date]) - 365

RETURN

(Sales[Sales]),

CALCULATE (

DATESBETWEEN (

SAMEPERIODLASTYEAR (

SLIM (

('Calendar' [Date], startyear, enddate)

CALCULATE

DATESBETWEEN

SAMEPERIODLASTYEAR

SLIM

)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://www.kasperonbi.com/get-the-ytd-of-the-same-period-last-year/>

NEW QUESTION 262

- (Exam Topic 4)

The data model must support the following analysis:

- > Total sales by product by month in which the order was placed
- > Quantities sold by product by day on which the order was placed
- > Number Of sales transactions by quarter in Which the order was placed

For each Of the following statements, select Yes if the statement is true. Otherwise, select NO.

Statements	Yes	No
Removing the LastUpdated column from the Sales table reduces the model size while still supporting the required analysis.	<input type="radio"/>	<input type="radio"/>
Removing the ProductID column from the Sales table reduces the model size while still supporting the required analysis.	<input type="radio"/>	<input type="radio"/>
Removing the ShipDate column from the Sales table reduces the model size while still	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
Removing the LastUpdated column from the Sales table reduces the model size while still supporting the required analysis.	<input checked="" type="radio"/>	<input type="radio"/>
Removing the ProductID column from the Sales table reduces the model size while still supporting the required analysis.	<input checked="" type="radio"/>	<input type="radio"/>
Removing the ShipDate column from the Sales table reduces the model size while still	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 266

- (Exam Topic 4)

You have a large dataset that contains more than 1 million rows. The table has a datetime column named Date. You need to reduce the size of the data model. What should you do?

- A. Round the hour of the Date column to startOfHour.
- B. Change the data type of the Date column to Text.
- C. Trim the Date column.
- D. Split the Date column into two columns, one that contains only the time and another that contains only the date.

Answer: D

Explanation:

We have to separate date & time tables. Also, we don't need to put the time into the date table, because the time is repeated every day. Split your DateTime column into a separate date & time columns in fact table, so that you can join the date to the date table & the time to the time table. The time need to be converted to the nearest round minute or second so that every time in your data corresponds to a row in your time table. Reference: <https://intellipaas.com/community/6461/how-to-include-time-in-date-hierarchy-in-power-bi>

NEW QUESTION 270

- (Exam Topic 4)

You are creating a Power BI report by using Power Bi Desktop. You need to include a visual that shows trends and other useful information automatically. The visual must update based on selections in other visuals. Which type of visual should you use?

- A. key influencers
- B. decomposition tree
- C. Q&A
- D. smart narrative

Answer: A

NEW QUESTION 275

- (Exam Topic 4)

You plan to create a dashboard in the Power BI service that retrieves data from a Microsoft SQL Server database. The dashboard will be shared between the users in your organization. You need to ensure that the users will see the current data when they view the dashboard. How should you configure the connection to the data source?

- A. Deploy an on-premises data gateway (personal mode). Import the data by using the Import Data Connectivity mode.
- B. Deploy an on-premises data gatewa
- C. Import the data by using the Import Data Connectivity mode.
- D. Deploy an on-premises data gatewa
- E. Import the data by using the DirectQuery Data Connectivity mode.
- F. Deploy an on-premises data gateway (personal mode). Import the data by using the DirectQuery Data Connectivity mode.

Answer: D

Explanation:

References:
<https://docs.microsoft.com/en-us/power-bi/desktop-directquery-about#power-bi-connectivity-modes>

NEW QUESTION 276

- (Exam Topic 4)
You need to create a measure that will return the percentage of late orders.
How should you complete the DAX expression? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Late Orders Percent =

VAR OrderCount =

COUNTROWS ('Orders')

VAR LateOrders =

CALCULATE

COUNTROWS ('Orders'),

FILTER (Orders, Orders[ShippedDate] > Orders[RequiredDate]

)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Late Orders Percent =

VAR OrderCount =

COUNTROWS ('Orders')

VAR LateOrders =

CALCULATE

COUNTROWS ('Orders'),

FILTER (Orders, Orders[ShippedDate] > Orders[RequiredDate]

)

NEW QUESTION 279

- (Exam Topic 4)
ion have a Power BI dataset that contains a table named Temperature Readings. Temperature Readings contains the columns shown in the following table.

Name	Data type	Value example
DateTime	DateTime	4-Aug-2020 13:30:01
Longitude	Decimal	10.049567988755534
Latitude	Decimal	53.462766759577057
TempCelsius	Decimal	12.5

The table has 12 million rows. All the columns are needed for analysis.
You need to optimize the dataset to decrease the model size. The solution must not affect the precision of the data.
What should you do?

- A. Split the DateTime column into separate date and time columns.
- B. Disable the Power Query load.
- C. Round the Longitude column two decimal places.
- D. Change the data type of the TempCelsius column to Integer

Answer: B

Explanation:

Disable Power Query load.

Power Query queries that are intended support data integration with other queries should not be loaded to the model. To avoid loading the query to the model, take care to ensure that you disable query load in these instances.

Reference:

<https://docs.microsoft.com/en-us/power-bi/guidance/import-modeling-data-reduction#disable-power-query-quer>

NEW QUESTION 281

- (Exam Topic 4)

You have a Power BI report that uses row-level security (RLS).

You need to transfer RLS membership maintenance to an Azure network security team. The solution must NOT provide the Azure network security team with the ability to manage reports, datasets. or dashboards.

What should you do?

- A. Add the Azure network security team as members of the RLS role.
- B. Instruct the Azure network security team to create security group
- C. Configure RLS to use the groups.
- D. Configure custom instructions for the Request access feature that instructs users to contact the Azure network security team.
- E. Grant the Read and Build permissions for the Power BI datasets to the Azure network security team.

Answer: B

NEW QUESTION 282

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

From Power Query Editor, you profile the data shown in the following exhibit.

	A ^B IoT GUID	IoT DateTime	1 ² IoT ID
	<div><div>Valid 100%</div><div>Error 0%</div><div>Empty 0%</div></div>	<div><div>Valid 100%</div><div>Error 0%</div><div>Empty 0%</div></div>	<div><div>Valid 100%</div><div>Error 0%</div><div>Empty 0%</div></div>
1	48196321-38D9-EC11-8B3D-0022489A2...	21/05/2022 18:59:25	100001000
2	49196321-38D9-EC11-8B3D-0022489A2...	21/05/2022 18:59:26	100001001
3	0300C742-38D9-EC11-8B3D-0022489A2...	21/05/2022 19:00:21	100001002
4	0400C742-38D9-EC11-8B3D-0022489A2...	21/05/2022 19:00:21	100001003
5	0500C742-38D9-EC11-8B3D-0022489A2...	21/05/2022 19:00:21	100001004
6	0600C742-38D9-EC11-8B3D-0022489A2...	21/05/2022 19:00:21	100001005

The IoT GUID and IoT ID columns are unique to each row in query.

You need to analyze IoT events by the hour and day of the year. The solution must improve dataset performance.

Solution: You remove the IoT GUID column and retain the IoT ID column. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 285

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this scenario, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have several reports and dashboards in a workspace.

You need to grant all organizational users read access to a dashboard and several reports.

Solution: You create an Azure Active Directory group that contains all the users. You share each report and dashboard to the group.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Statements and questions are tricky and confusing. When the access is granted for the group (all users) for ALL (each) dashboards and ALL (each) reports in the workspace, then the will have read access to the specific (A, one) Dashboard and several reports, because they are part of all dashboards and reports. There is no statement, that for the other dashboards (except the one) and the other reports (except the several) that access must be prevented. They are also accessible (maybe it is not desired but not stated here).

NEW QUESTION 286

- (Exam Topic 4)

You have a Power BI report named Orders that supports the following analysis:

- Total sales over time
- The count of orders over time

• New and repeat customer counts
The data model size is nearing the limit for a dataset in shared capacity. The model view for the dataset is shown in the following exhibit.

Customers

Date

Answer Area

Statements	Yes	No
Summarizing Orders by the CustomerID, OrderID, and OrderDate columns will reduce the model size while still supporting the current analysis.	<input type="radio"/>	<input type="radio"/>
Removing the CustomerID column from Orders will reduce the model size while still supporting the current analysis.	<input type="radio"/>	<input type="radio"/>
Removing the UnitPrice and Discount columns from Orders will reduce the model size while still supporting the current analysis.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
Summarizing Orders by the CustomerID, OrderID, and OrderDate columns will reduce the model size while still supporting the current analysis.	<input type="radio"/>	<input checked="" type="radio"/>
Removing the CustomerID column from Orders will reduce the model size while still supporting the current analysis.	<input type="radio"/>	<input checked="" type="radio"/>
Removing the UnitPrice and Discount columns from Orders will reduce the model size while still supporting the current analysis.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 287

- (Exam Topic 4)
You publish a Microsoft Power BI dataset to powerbi.com. The dataset appends data from an on-premises Oracle database and an Azure SQL database by using one query.
You have admin access to the workspace and permission to use an existing On-premises data gateway for which the Oracle data source is already configured. You need to ensure that the data is updated every morning. The solution must minimize configuration effort. Which two actions should you perform when you configure scheduled refresh? Each correct answer presents part of the solution.
NOTE: Each correct selection is worth one point.

- A. Configure the dataset to use the existing On-premises data gateway.
- B. Deploy an On-premises data gateway in personal mode.
- C. Set the refresh frequency to Daily.
- D. Configure the dataset to use the personal gateway.

Answer: AC

Explanation:
<https://docs.microsoft.com/en-us/power-bi/connect-data/service-gateway-personal-mode>

NEW QUESTION 291

- (Exam Topic 4)
You are creating a quick measure as shown in the following exhibit.

Quick measures

Calculation

Rolling average

Calculate the average of base value over a certain number of periods before and/or after each date.

[Learn more](#)

Base value

Add data fields here

Date

Add data fields here

Period

Days

Periods before

1

Periods after

0

Fields

Search

- Customer
- Product
- Sales
 - Date
 - Gross Margin
 - Month
 - MonthNumberOfYear
 - Quarter
 - Sales_SRC
 - Time Intelligence
 - Total Cost
 - Total Order Qty
 - Total Sales
 - Total Sales rolling average
 - Unit Price
 - Year

You need to create a monthly rolling average measure for Sales over time-How should you configure the quick measure calculation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Base value:
 Total Cost
 Total Order Qty
 Total Sales
 Year

Date:
 Month
 Total Sales
 Year

Period:
 Months
 Quarters
 Years

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Total Sales

We select the field Total Sales Box 2: Date

Select a date field. Box 3: Month Monthly periods. Reference:

<https://docs.microsoft.com/en-us/power-bi/transform-model/desktop-quick-measures>

NEW QUESTION 292

- (Exam Topic 4)

You are modifying a Power Bi model by using Power BI Desktop. You have a table named Sales that contains the following fields.

Name	Data type
Transaction ID	Whole Number
Customer Key	Whole Number
Sales Date Key	Date
Sales Amount	Whole Number

You have a table named Transaction Size that contains the following data.

Transaction Size ID	Transaction Size	Min	Max
1	Small	0	10,000
2	Medium	10,001	100,000
3	Large	100,001	999,999,999

You need to create a calculated column to classify each transaction as small, medium, or large based on the value in Sales Amount. How should you complete the code? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content. NOTE: Each correct selection is worth one point.

Values

ALL

AND

CALCULATE

FILTER

OR

SUM

Answer Area

```
Transaction Size =  
VAR SalesTotal = 'Sales'[Sales]  
VAR FilterSegment =  
    Value (  
        'Transaction Size',  
        Value (  
            'Transaction Size'[Min] <= SalesTotal,  
            'Transaction Size'[Max] >= SalesTotal  
        )  
    )  
VAR Result =  
    Value ( DISTINCT ( 'Transaction Size'[Transaction Size] ), FilterSegment )  
RETURN  
    Result
```

- A. Mastered
B. Not Mastered

Answer: A

Explanation:
FILTER | AND | CALCULATE

NEW QUESTION 294

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Power BI report that imports a date table and a sales table from an Azure SQL database data source. The sales table has the following date foreign keys:

- > Due Date
- > Order Date
- > Delivery Date

You need to support the analysis of sales over time based on all the date foreign keys.

Solution: For each date foreign key, you add inactive relationships between the sales table and the date table. Does this meet the goal?

- A. Yes
B. No

Answer: A

NEW QUESTION 297

- (Exam Topic 4)

You have a Power BI report. The report contains visualizations that have interactions. You need to identify which visualizations take the longest to complete. What should you use?

- A. SQL Server Profiler
B. Performance Analyzer in Power BI Desktop
C. Query Diagnostics in Power BI
D. Microsoft Edge DevTools

Answer: B

Explanation:
Use Power BI Desktop Performance Analyzer to optimize reports.
In Power BI Desktop you can find out how each of your report elements, such as visuals and DAX formulas, are performing. Using the Performance Analyzer, you

can see and record logs that measure how each of your report elements performs when users interact with them, and which aspects of their performance are most (or least) resource intensive.


Reference:

<https://docs.microsoft.com/en-us/power-bi/create-reports/desktop-performance-analyzer>

NEW QUESTION 300

- (Exam Topic 4)

You need to create a visual that enables the adhoc exploration of data as shown in the following exhibit.



Which type of visual should you use?

- A. Q&A
- B. decomposition tree
- C. smart narrative
- D. key influencers

Answer: B

NEW QUESTION 304

- (Exam Topic 4)

You have a collection of reports for the HR department of your company.

You need to create a visualization for the HR department that shows a historic employee counts and predicts trends during the next six months.

Which type of visualization should you use?

- A. scatter chart
- B. ribbon chart
- C. line chart
- D. key influences

Answer: C

Explanation:

The best data for forecasting is time series data or uniformly increasing whole numbers. The line chart has to have only one line.

Try forecasting: Try the new forecasting capabilities of Power View today on your own data or with the sample report available as part of the Power BI report samples. To view your own data, upload a workbook with a Power View time series line chart to Power BI for Office 365.

Reference:

<https://powerbi.microsoft.com/en-us/blog/introducing-new-forecasting-capabilities-in-power-view-for-office-365>

NEW QUESTION 309

- (Exam Topic 4)

You embed a Power BI report in a Microsoft SharePoint Online page.

A user name User1 can access the SharePoint Online page, but the Power BI web part displays the following error message: "This content isn't available".

User1 is unable to view the report.

You verify that you can access the SharePoint Online page and that the Power BI report displays as expected. You need to ensure that User1 can view the report from SharePoint Online.

What should you do?

- A. Publish the app workspace.
- B. Edit the settings of the Power BI web part.
- C. Modify the members of the app workplace.
- D. Share the dashboards in the app workspace.

Answer: C

Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/service-embed-report-spo>

NEW QUESTION 310

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are modeling data by using Microsoft Power BI. Part of the data model is a large Microsoft SQL Server table named Order that has more than 100 million records.

During the development process, you need to import a sample of the data from the Order table. Solution: You add a report-level filter that filters based on the order date.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

The filter is applied after the data is imported. Instead add a WHERE clause to the SQL statement.

Reference:

<https://docs.microsoft.com/en-us/power-bi/connect-data/service-gateway-sql-tutorial>

NEW QUESTION 314

- (Exam Topic 4)

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is the same in each question in this series.

You have a Microsoft SQL Server database that contains the following tables.

Table name	Column name	Data type
Order	Order_ID	Integer
	Order_date	Integer
	Order_amount	Currency
	Customer_ID	Integer
	Order_ship_date	Integer
	Store_ID	Integer
Customer	Customer_ID	Integer
	First_name	Varchar(100)
	Last_name	Varchar(100)
	Customer_photo	Binary
Date	Date_ID	Integer
	Date_name	Datetime
	Month	Integer
	Week	Integer
	Year	Integer
Monthly_returns	Month_ID	Integer
	Total_returns	Float
	Store_ID	Varchar(100)
Store	Store_ID	Integer
	Name	Varchar(100)
	City	Varchar(100)
	Sales_target	Float

The following columns contain date information:

- Date[Month] in the mmyyyy format
- Date[Date_ID] in the ddmmyyyy format
- Date[Date_name] in the mm/dd/yyyy format
- Monthly_returns[Month_ID] in the mmyyyy format

The Order table contains more than one million rows.

The Store table has a relationship to the Monthly_returns table on the Store_ID column. This is the only relationship between the tables.

You plan to use Power BI Desktop to create an analytics solution for the data.

You need to create a relationship between the Monthly_returns table and Date[Date_ID]. What should you do before you create the relationship?

- A. In the Date table, create a new calculated column named MonthJD that uses the yyyydd format.
- B. In the Monthly_returns table, create a new calculated column named DateJD that uses the ddmmyyyy format.

- C. To the Order table, add a calculated column that uses the RELATED(Monthly_returns[Month_ID]) DAX formula.
D. To the Date table, add a calculated column that uses the RELATED(Monthly_returns[MonthJD]) DAX formula.

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/power-bi/desktop-create-and-manage-relationships>

NEW QUESTION 315

- (Exam Topic 4)

You have five sales regions. Each region is assigned a single salesperson.

You have an imported dataset that has a dynamic row-level security (RLS) role named Sales. The Sales role filters sales transaction data by salesperson.

Salespeople must see only the data from their region.

You publish the dataset to powerbi.com, set RLS role membership, and distribute the dataset and related reports to the salespeople.

A salesperson reports that she believes she should see more data. You need to verify what data the salesperson currently sees. What should you do?

- A. Use the Test as role option to view data as the salesperson's user account.
B. Use the Test as role option to view data as the Sales role.
C. Instruct the salesperson to open the report in Microsoft Power BI Desktop.
D. Filter the data in the reports to match the intended logic in the filter on the sales transaction table.

Answer: B

Explanation:

Validate the roles within Power BI Desktop

➤ After you've created your roles, test the results of the roles within Power BI Desktop. From the Modeling tab, select View as.

A picture containing application Description automatically generated
The View as roles window appears, where you see the roles you've created. Graphical user interface, text, application Description automatically generated

- Select a role you created, and then select OK to apply that role. The report renders the data relevant for that role.
➤ You can also select Other user and supply a given user. Graphical user interface, application Description automatically generated
➤ Select OK. The report renders based on what that user can see.

Reference:

<https://docs.microsoft.com/en-us/power-bi/admin/service-admin-rls>

NEW QUESTION 318

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

PL-300 Practice Exam Features:

- * PL-300 Questions and Answers Updated Frequently
- * PL-300 Practice Questions Verified by Expert Senior Certified Staff
- * PL-300 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * PL-300 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The PL-300 Practice Test Here](#)