



## Microsoft

### Exam Questions AZ-700

Designing and Implementing Microsoft Azure Networking Solutions

**NEW QUESTION 1**

- (Exam Topic 2)

Which virtual machines can VM1 and VM4 ping successfully? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

VM1:

<input type="checkbox"/> VM2 only <input type="checkbox"/> VM2 and VM4 only <input type="checkbox"/> VM2, VM3, and VM4 only <input type="checkbox"/> VM2, VM3, VM4, and VM5
--

VM4:

<input type="checkbox"/> VM3 only <input type="checkbox"/> VM1 and VM3 only <input type="checkbox"/> VM1, VM2, and VM3 only <input type="checkbox"/> VM1, VM2, VM3, and VM5
--

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Text Description automatically generated

Box 1: VM2, VM3 and VM4.

VM1 is in VNet1/Subnet1. VNet1 is peered with VNet2 and VNet3.

There are no NSGs blocking outbound ICMP from VNet1. There are no NSGs blocking inbound ICMP to VNet1/Subnet2, VNet2 or VNet3. Therefore, VM1 can ping VM2 in VNet1/Subnet2, VM3 in VNet2 and VM4 in VNet3.

Box 2:

VM4 is in VNet3. VNet3 is peered with VNet1 and VNet2. There are no NSGs blocking outbound ICMP from VNet3. There are no NSGs blocking inbound ICMP to VNet1/Subnet1, VNet1/Subnet2 or VNet2 from VNet3 (NSG10 blocks inbound ICMP from VNet4 but not from VNet3). Therefore, VM4 can ping VM1 in VNet1/Subnet1, VM2 in VNet1/Subnet2 and VM3 in VNet2.

**NEW QUESTION 2**

- (Exam Topic 3)

You plan to deploy an Azure virtual network. You need to design the subnets.

Which three types of resources require a dedicated subnet? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. VPN gateway
- B. Azure Bastion
- C. Azure Active Directory Domain Services (Azure AD DS)
- D. Azure Application Gateway v2
- E. Azure Private Link

**Answer:** ABD

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-network-for-azure-services>

**NEW QUESTION 3**

- (Exam Topic 2)

You are implementing the Virtual network requirements for Vnet6.

What is the minimum number of subnets and service endpoints you should create? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

Subnets:

Service endpoints:

- A. Mastered

B. Not Mastered

**Answer:** A

**Explanation:**  
2, 4

**NEW QUESTION 4**

- (Exam Topic 2)

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
Currently, VM5 can resolve names in zone2.contoso.com.	<input type="radio"/>	<input type="radio"/>
VM4 has an automatic registration in zone1.contoso.com.	<input type="radio"/>	<input type="radio"/>
You can link zone2.contoso.com to Vnet3 and enable auto registration.	<input type="radio"/>	<input type="radio"/>

A. Mastered  
B. Not Mastered

**Answer:** A

**Explanation:**

Graphical user interface, text, application, email Description automatically generated

Box 1: No

Zone2.contoso.com is not linked to any virtual networks. Therefore, no VMs are able to resolve names in the zone.

Box 2: Yes

VM4 is in VNet3. Zone1.contoso.com has a link to VNet3 and auto-registration is enabled on the link. Box3: No

VNet3 is linked to zone1.contoso.com and auto-registration is enabled on the link. A virtual network can only have one registration zone. You can link zone2.contoso.com to VNet3 but you won't be able to enable auto-registration on the link.

**NEW QUESTION 5**

- (Exam Topic 2)

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

**Answer Area**

Statements	Yes	No
VM5 can resolve names in zone2.contoso.com.	<input type="radio"/>	<input type="radio"/>
VM4 has an automatic registration in zone1.contoso.com.	<input type="radio"/>	<input type="radio"/>
You can link zone2.contoso.com to Vnet3 and enable auto registration.	<input type="radio"/>	<input type="radio"/>

A. Mastered  
B. Not Mastered

**Answer:** A

**Explanation:**

Answer Area

Statements	Yes	No
VM5 can resolve names in zone2.contoso.com.	<input type="radio"/>	<input checked="" type="radio"/>
VM4 has an automatic registration in zone1.contoso.com.	<input type="radio"/>	<input checked="" type="radio"/>
You can link zone2.contoso.com to Vnet3 and enable auto registration.	<input checked="" type="radio"/>	<input type="radio"/>

**NEW QUESTION 6**

- (Exam Topic 2)

You need to configure GW1 to meet the network security requirements for the P2S VPN users. Which Tunnel type should you select in the Point-to-site configuration settings of GW1?

- A. IKEv2 and OpenVPN (SSL)
- B. IKEv2
- C. IKEv2 and SSTP (SSL)
- D. OpenVPN (SSL)
- E. SSTP (SSL)

**Answer:** D

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/vpn-gateway/openvpn-azure-ad-tenant>

**NEW QUESTION 7**

- (Exam Topic 1)

You need to implement outbound connectivity for VMSSet1. The solution must meet the virtual networking requirements and the business requirements. Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Create a health probe	
Create a public load balancer in the Standard SKU	
Create a public load balancer in the Basic SKU	<input checked="" type="checkbox"/>
Create a backend pool that contains VMSSet1	<input checked="" type="checkbox"/>
Create a NAT rule	
Create an outbound rule	

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Graphical user interface, text, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/load-balancer/skus>

<https://docs.microsoft.com/en-us/azure/load-balancer/load-balancer-outbound-connections#outboundrules>

**NEW QUESTION 8**

- (Exam Topic 1)

You need to restrict traffic from VMSSet1 to VMSSet2. The solution must meet the virtual networking requirements. What is the minimum number of custom NSG rules and NSG assignments required? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

## Answer Area

Minimum number of custom NSG rules:

1
2
3
4
5

Minimum number of NSG assignments:

1
2
3
4
5

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Graphical user interface, text, application Description automatically generated

Box 2: One NSG

The minimum requirement is one NSG. You could attach the NSG to VMSScaleSet1 and restrict outbound traffic, or you could attach the NSG to VMSScaleSet2 and restrict inbound traffic. Either way you would need two custom NSG rules.

Box 1: Two custom rules

With the NSG attached to VMSScaleSet2, you would need to create a custom rule blocking all traffic from VMSScaleSet1. Then you would need to create another custom rule with a higher priority than the first rule that allows traffic on port 443.

The default rules in the NSG will allow all other traffic to VMSScaleSet2.

**NEW QUESTION 9**

- (Exam Topic 1)

You need to configure the default route on Vnet2 and Vnet3. The solution must meet the virtual networking requirements.

What should you use to configure the default route?

- A. route filters
- B. BGP route exchange
- C. a user-defined route assigned to GatewaySubnet in Vnet1
- D. a user-defined route assigned to GatewaySubnet in Vnet2 and Vnet3

**Answer:** B

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-networks-udr-overview>

**NEW QUESTION 10**

- (Exam Topic 1)

You need to provide connectivity to storage1. The solution must meet the PaaS networking requirements and the business requirements.

What should you include in the solution?

- A. a service endpoint
- B. Azure Front Door
- C. a private endpoint
- D. Azure Traffic Manager

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-network-service-endpoints-overview>

**NEW QUESTION 10**

- (Exam Topic 1)

You need to configure the default route in Vnet2 and Vnet3. The solution must meet the virtual networking requirements.

What should you use to configure the default route?

- A. a user-defined route assigned to GatewaySubnet in Vnet2 and Vnet3
- B. a user-defined route assigned to GatewaySubnet in Vnet1
- C. BGP route exchange
- D. route filters

**Answer:** A

**Explanation:**

VNet 1 will get the default from BGP and propagate it to VNET 2 and 3

**NEW QUESTION 11**

- (Exam Topic 1)

You need to recommend a configuration for the ExpressRoute connection from the Boston datacenter. The solution must meet the hybrid networking requirements and business requirements.

What should you recommend? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

**Answer Area**

Set the ExpressRoute gateway type to:

To minimize latency of traffic to Vnet2:

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Graphical user interface, text, application Description automatically generated

For the first question, only ExpressRoute GW SKU Ultra Performance support FastPath feature.

For the second question, vnet1 will connect to ExpressRoute gw, once Vnet1 peers with Vnet2, the traffic from on-premise network will bypass GW and Vnet1, directly goes to Vnet2, while this feature is under public preview.

====Reference

ExpressRoute virtual network gateway is designed to exchange network routes and route network traffic. FastPath is designed to improve the data path performance between your on-premises network and your virtual network. When enabled, FastPath sends network traffic directly to virtual machines in the virtual network, bypassing the gateway.

To configure FastPath, the virtual network gateway must be either: Ultra Performance

ErGw3AZ

VNet Peering - FastPath will send traffic directly to any VM deployed in a virtual network peered to the one connected to ExpressRoute, bypassing the ExpressRoute virtual network gateway.

<https://docs.microsoft.com/en-us/azure/expressroute/about-fastpath> Gateway SKU

<https://docs.microsoft.com/en-us/azure/expressroute/expressroute-about-virtual-network-gateways>

**NEW QUESTION 15**

- (Exam Topic 3)

You have an Azure subscription that is linked to an Azure Active Directory (Azure AD) tenant named contoso.onmicrosoft.com. The subscription contains the following resources:

- \* An Azure App Service app named App1
- \* An Azure DNS zone named contoso.com
- \* An Azure private DNS zone named private.contoso.com
- \* A virtual network named Vnet1

You create a private endpoint for App1. The record for the endpoint is registered automatically in Azure DNS. You need to provide a developer with the name that is registered in Azure DNS for the private endpoint.

What should you provide?

- A. app1.privatelink.azurewebsites.net
- B. app1.contoso.com
- C. app1.contoso.onmicrosoft.com
- D. app1.private.contoso.com

**Answer:** A

**NEW QUESTION 16**

- (Exam Topic 3)

You have two Azure App Service instances that host the web apps shown the following table.

Name	Web app URLs
As1.contoso.com	https://app1.contoso.com/ https://app2.contoso.com/
As2.contoso.com	https://app3.contoso.com/ https://app4.contoso.com/

You deploy an Azure application gateway that has one public frontend IP address and two backend pools.

You need to publish all the web apps to the application gateway. Requests must be routed based on the HTTP host headers.

What is the minimum number of listeners and routing rules you should configure? To answer, select the appropriate options in the answer area.  
 NOTE: Each correct selection is worth one point.

**Answer Area**

Listeners: 1

Routing rules: 1

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**  
 1, 2

**NEW QUESTION 21**

- (Exam Topic 3)

You have an Azure subscription that contains a single virtual network and a virtual network gateway.

You need to ensure that administrators can use Point-to-Site (P2S) VPN connections to access resources in the virtual network. The connections must be authenticated by Azure Active Directory (Azure AD).

What should you configure? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

**Answer Area**

Azure AD configuration:

- An access package
- A conditional access policy
- An enterprise application
- A VPN certificate

P2S VPN tunnel type:

- IKEv2
- IKEv2 and SSTP (SSL)
- OpenVPN (SSL)
- SSTP (SSL)

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**Answer Area**

Azure AD configuration:

- An access package
- A conditional access policy
- An enterprise application
- A VPN certificate

P2S VPN tunnel type:

- IKEv2
- IKEv2 and SSTP (SSL)
- OpenVPN (SSL)
- SSTP (SSL)

**NEW QUESTION 23**

- (Exam Topic 3)

You have two Azure virtual networks named Vnet1 and Vnet2 in an Azure region that has three availability zones.

You deploy 12 virtual machines to each virtual network, deploying four virtual machines per zone. The virtual machines in Vnet1 host an app named App1. The virtual machines in Vnet2 host an app named App2.

You plan to use Azure Virtual Network NAT to implement outbound connectivity for App1 and App2. You need to identify the minimum number of subnets and Virtual Network NAT instances required to meet the following requirements:

- A failure of two zones must NOT affect the availability of either App1 or App2.
- A failure of two zones must NOT affect the outbound connectivity of either App1 or App2. What should you identify? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

**Answer Area**

Minimum number of subnets:

1
2
6
12

Minimum number of Virtual Network NAT instances:

1
2
6
12

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Graphical user interface, table Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-network/nat-gateway/nat-overview>

**NEW QUESTION 26**

- (Exam Topic 3)

You are planning the IP addressing for the subnets in Azure virtual networks. Which type of resource requires IP addresses in the subnets?

- A. internal load balancers
- B. storage account
- C. service endpoints
- D. service endpoint policies

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/load-balancer/load-balancer-overview>

**NEW QUESTION 31**

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure subscription that contains the following resources:

- \* A virtual network named Vnet1
- \* A subnet named Subnet1 in Vnet1
- \* A virtual machine named VM1 that connects to Subnet1
- \* Three storage accounts named storage1, storage2, and storage3

You need to ensure that VM1 can access storage1. VM1 must be prevented from accessing any other storage accounts.

Solution: You create a network security group (NSG) and associate the NSG to Subnet1. Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

**NEW QUESTION 32**

- (Exam Topic 3)

You have an Azure virtual network named Vnet1 and an on-premises network.

The on-premises network has policy-based VPN devices. In Vnet1, you deploy a virtual network gateway named GW1 that uses a SKU of VpnGw1 and is route-based.

You have a Site-to-Site VPN connection for GW1 as shown in the following exhibit.

Save Discard

Use Azure Private IP Address  Disabled  Enabled

BGP  Disabled  Enabled

IPsec / IKE policy  Default  Custom

Use policy based traffic selector  Enable  Disable

DPD timeout in seconds \*

Connection Mode  Default  InitiatorOnly  ResponderOnly

IKE Protocol  IKEv2

You need to ensure that the on-premises network can connect to the route-based GW1. What should you do before you create the connection?


- A. Set Use Azure Private IP Address to Enabled
- B. Set IPsec / IKE policy to Custom.
- C. Set Connection Mode to ResponderOnly
- D. Set BGP to Enabled

Answer: A

**NEW QUESTION 34**

- (Exam Topic 3)

You have the Azure environment shown in the exhibit.



VM1 is a virtual machine that has an instance-level public IP address (ILPIP). Basic Load Balancer uses a public IP address. VM1 and VM2 are in the backend pool. NAT Gateway uses a public IP address named IP3 that is associated to SubnetA. VNet1 has a virtual network gateway that has a public IP address named IP4. When initiating outbound traffic to the internet from VM1, which public address is used?

- A. IP1
- B. IP2
- C. IP3
- D. IP4

Answer: A

**NEW QUESTION 37**

- (Exam Topic 3)

Azure virtual networks in the East US Azure region as shown in the following table.

Name	IP address space
Vnet1	192.168.0.0/20
Vnet2	10.0.0.0/20

The virtual networks are peered to one another. Each virtual network contains four subnets. You plan to deploy a virtual machine named VM1 that will inspect and route traffic between all the subnets on both the virtual networks. What is the minimum number of IP addresses that you must assign to VM1?

- A. 1
- B. 2
- C. 4
- D. 8

**Answer:** A

**NEW QUESTION 39**

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure application gateway that has Azure Web Application Firewall (WAF) enabled. You configure the application gateway to direct traffic to the URL of the application gateway.

You attempt to access the URL and receive an HTTP 403 error. You view the diagnostics log and discover the following error.

```
{
  "timeStamp": "2021-06-02T18:13:45+00:00",
  "resourceId": "/SUBSCRIPTIONS/6efbb4a5-d91a-4e4a-b6bf-5bdd6efea73c/RESOURCEGROUPS/RG1/PROVIDERS/MICROSOFT.NETWORK/APPLICATIONGATEWAYS/AGW1",
  "operationName": "ApplicationGatewayFirewall",
  "category": "ApplicationGatewayFirewallLog",
  "properties": {
    "instanceId": "appgw_0",
    "clientIp": "137.135.10.24",
    "clientPort": "",
    "requestUri": "/login",
    "ruleSetType": "OWASP CRS",
    "ruleSetVersion": "3.0.0",
    "ruleId": "920300",
    "message": "Request Missing an Accept Header",
    "action": "Matched",
    "site": "Global",
    "details": {
      "message": "Warning: Match of '\\\\\"pm AppleWebKit Android\\\\\" against '\\\\\"REQUEST_HEADERS:User-Agent\\\\\" required.",
      "data": "",
      "file": "rules\\REQUEST-920-PROTOCOL-ENFORCEMENT.conf",
      "line": "1247"
    },
    "hostname": "app1.contoso.com",
    "transactionId": "d654811d0hgq1a198165hq7428d74hb",
    "policyId": "default",
    "policyScope": "Global",
    "policyScopeName": "Global"
  }
}
```

You need to ensure that the URL is accessible through the application gateway. Solution: You configure a custom cookie and an exclusion rule. Does this meet the goal?

- A. Yes
- B. No

**Answer:** A

**NEW QUESTION 42**

- (Exam Topic 3)

You plan to configure BGP for a Site-to-Site VPN connection between a datacenter and Azure. Which two Azure resources should you configure? Each correct answer presents a part of the solution.

(Choose two.)

NOTE: Each correct selection is worth one point.

- A. a virtual network gateway
- B. Azure Application Gateway
- C. Azure Firewall
- D. a local network gateway
- E. Azure Front Door

**Answer:** AD

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/vpn-gateway/bgp-howto>

**NEW QUESTION 47**

- (Exam Topic 3)

You have an Azure subscription that contains the virtual networks shown in the following table.

Name	In resource group	Location
Vnet1	RG1	West US
Vnet2	RG1	Central US
Vnet3	RG2	Central US
Vnet4	RG2	West US
Vnet5	RG3	East US

You plan to deploy an Azure firewall named AF1 to RG1 in the West US Azure region. To which virtual networks can you deploy AF1?

- A. Vnet1 only
- B. Vnet1 and Vnet2 only
- C. Vnet1, Vnet2, and Vnet4 only
- D. Vnet1 and Vnet4 only
- E. Vnet1, Vnet2, Vnet3, and Vnet4

**Answer: C**

**NEW QUESTION 51**

- (Exam Topic 3)

You have an application named App1 that listens for incoming requests on a preconfigured group of 50 TCP ports and UDP ports.

You install App1 on 10 Azure virtual machines.

You need to implement load balancing for App1 across all the virtual machines. The solution must minimize the number of load balancing rules.

What should you include in the solution?

- A. Azure Standard Load Balancer that has Floating IP enabled
- B. Azure Application Gateway V2 that has multiple listeners
- C. Azure Application Gateway v2 that has multiple site hosting enabled
- D. Azure Standard Load Balancer that has high availability (HA) ports enabled

**Answer: A**

**NEW QUESTION 53**

- (Exam Topic 3)

You have an Azure virtual network named Vnet1 that hosts an Azure firewall named FW1 and 150 virtual machines. Vnet1 is linked to a private DNS zone named contoso.com. All the virtual machines have their name registered in the contoso.com zone.

Vnet1 connects to an on-premises datacenter by using ExpressRoute.

You need to ensure that on-premises DNS servers can resolve the names in the contoso.com zone. Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. On the on-premises DNS servers, configure forwarders that point to the frontend IP address of FW1.
- B. On the on-premises DNS servers, configure forwarders that point to the Azure provided DNS service at 168.63.129.16.
- C. Modify the DNS server settings of Vnet1.
- D. For FW1, enable DNS proxy.
- E. For FW1, configure a custom DNS server.

**Answer: AD**

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/private-link/private-endpoint-dns#on-premises-workloads-using-a-dns-fo> <https://azure.microsoft.com/en-gb/blog/new-enhanced-dns-features-in-azure-firewall-now-generally-available/>

**NEW QUESTION 57**

- (Exam Topic 3)

You have an Azure Front Door instance that provides access to a web app. The web app uses a hostname of www.contoso.com.

You have the routing rules shown in the following table.

Name	Path
RuleA	/abc/def
RuleB	/ab
RuleC	/*
RuleD	/abc/*

Which rule will apply to each incoming request? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point

**Answer Area**

www.contoso.com/abc/def	<div style="border: 1px solid gray; padding: 2px;"> <div style="text-align: right;">▼</div> RuleA  RuleB  RuleC  RuleD </div>
www.contoso.com/default.htm	<div style="border: 1px solid gray; padding: 2px;"> <div style="text-align: right;">▼</div> RuleA  RuleB  RuleC  RuleD </div>
www.contoso.com/abc/def/default.htm	<div style="border: 1px solid gray; padding: 2px;"> <div style="text-align: right;">▼</div> RuleA  RuleB  RuleC  RuleD </div>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Table Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/frontdoor/front-door-route-matching>

**NEW QUESTION 59**

- (Exam Topic 3)

You need to connect an on-premises network and an Azure environment. The solution must use ExpressRoute and support failing over to a Site-to-Site VPN connection if there is an ExpressRoute failure.

What should you configure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

Routing type: 

▼

Policy-based  
Route-based  
Static routing

Number of virtual network gateways: 

▼

1  
2  
3

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Graphical user interface, table Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/expressroute/expressroute-howto-coexist-resource-manager>

**NEW QUESTION 62**

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure application gateway that has Azure Web Application Firewall (WAF) enabled. You configure the application gateway to direct traffic to the URL of the application gateway.

You attempt to access the URL and receive an HTTP 403 error. You view the diagnostics log and discover the following error.

```
{
  "timeStamp": "2021-06-02T18:13:45+00:00",
  "resourceID": "/SUBSCRIPTIONS/489f2hht-se7y-987v-g571-463hw3679512/RESOURCEGROUPS/RG1/PROVIDERS/MICROSOFT.NETWORK/APPLICATIONGATEWAYS/AGW1",
  "operationName": "ApplicationGatewayFirewall",
  "category": "ApplicationGatewayFirewallLog",
  "properties": {
    "instanceId": "appgw_0",
    "clientIp": "137.135.10.24",
    "clientPort": "",
    "requestUri": "/login",
    "ruleSetType": "OWASP_CRS",
    "ruleSetVersion": "3.0.0",
    "ruleId": "920300",
    "message": "Request Missing an Accept Header",
    "action": "Matched",
    "site": "Global",
    "details": {
      "message": "Warning. Match of \\\"pm AppleWebKit Android\\\" against \\\"REQUEST_HEADER:User-Agent\\\" required. ",
      "data": "",
      "file": "rules\\REQUEST-920-PROTOCOL-ENFORCEMENT.conf",
      "line": "1247"
    },
    "hostname": "appl.contoso.com",
    "transactionId": "f7546159yhjk7wall4560if5131t68h7",
    "policyId": "default",
    "policyScope": "Global",
    "popolicyScopeName": "Global",
  }
}
```

You need to ensure that the URL is accessible through the application gateway. Solution: You disable the WAF rule that has a ruleid of 920300. Does this meet the goal?

- A. Yes
- B. No

**Answer: A**

**NEW QUESTION 63**

- (Exam Topic 3)

You have the Azure environment shown in the Azure Environment exhibit. (Click the Azure Environment tab.) The settings for each subnet are shown in the following table.

Subnet	Service endpoint
Vnet1/Subnet1	Storage
Vnet1/Subnet2	Storage
Vnet2/Subnet1	None

The Firewalls and virtual networks settings for storage1 are configured as shown in the Storage1 exhibit. (Click the Storage1 tab.) For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

**Answer Area**

Statements	Yes	No
VM1 can access storage1.	<input type="radio"/>	<input type="radio"/>
VM2 can access storage1 by using a service endpoint.	<input type="radio"/>	<input type="radio"/>
VM3 can access storage1 by using the public IP address.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Graphical user interface, text, application Description automatically generated

**NEW QUESTION 66**

- (Exam Topic 3)

You have an Azure subscription that contains the route tables and routes shown in the following table.

Route table name	Route name	Prefix	Destination
RT1	Default Route	0.0.0.0/0	VirtualNetworkGateway
RT2	Default Route	0.0.0.0/0	Internet

The subscription contains the subnets shown in the following table.

Name	Prefix	Route table	Virtual network
Subnet1	10.10.1.0/24	RT1	Vnet1
Subnet2	10.10.2.0/24	RT2	Vnet1
GatewaySubnet	10.10.3.0/24	None	Vnet1

The subscription contains the virtual machines shown in the following table.

Name	IP address
VM1	10.10.1.5
VM2	10.10.2.5

There is a Site-to-Site VPN connection to each local network gateway.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

### Answer Area

Statements	Yes	No
Traffic from VM2 to the internet is routed through the New-York Site-to-Site VPN connection	<input type="radio"/>	<input type="radio"/>
Traffic from VM1 to VM2 is routed through the New-York Site-to-Site VPN connection	<input type="radio"/>	<input type="radio"/>
Traffic from VM1 to the internet is routed through the New-York Site-to-Site VPN connection	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

A screenshot of a computer Description automatically generated with medium confidence

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-networks-udr-overview>

**NEW QUESTION 70**

.....

## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### AZ-700 Practice Exam Features:

- \* AZ-700 Questions and Answers Updated Frequently
- \* AZ-700 Practice Questions Verified by Expert Senior Certified Staff
- \* AZ-700 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* AZ-700 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
[Order The AZ-700 Practice Test Here](#)