



Microsoft

Exam Questions PL-300

Microsoft Power BI Data Analyst

About ExamBible

Your Partner of IT Exam

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

- (Topic 1)

You need to create relationships to meet the reporting requirements of the customer service department.

What should you create?

- A. an additional date table named ShipDate, a one-to-many relationship from Sales[sales_date_id] to Date[date_id], and a one-to-many relationship from Sales[sales_ship_date_id] to ShipDate[date_id]
- B. an additional date table named ShipDate, a many-to-many relationship from Sales[sales_date_id] to Date[date_id], and a many-to-many relationship from Sales[sales_ship_date_id] to ShipDate[date_id]
- C. a one-to-many relationship from Date[date_id] to Sales[sales_date_id] and another one-to-many relationship from Date[date_id] to Weekly>Returns[week_id]
- D. a one-to-many relationship from Sales[sales_date_id] to Date[date_id] and a one-to-many relationship from Sales[sales_ship_date_id] to Date[date_id]
- E. a one-to-many relationship from Date[date_id] to Sales[sales_date_id] and another one-to-many relationship from Date[date_id] to Sales[sales_ship_date_id]

Answer: A

Explanation:

Scenario: The customer service department requires a visual that can be filtered by both sales month and ship month independently.

Reference:

<https://docs.microsoft.com/en-us/power-bi/transform-model/desktop-relationships-understand>

NEW QUESTION 2

- (Topic 1)

You need to create the required relationship for the executive's visual. What should you do before you can create the relationship?

- A. Change the data type of Sales[region_id] to Whole Number.
- B. In the Sales table, add a measure for sum(sales_amount).
- C. Change the data type of sales[sales_id] to Text.
- D. Change the data type of sales [region_id] to Decimal Number.

Answer: A

Explanation:

Scenario: Executives require a visual that shows sales by region.

Need to change the sales_id column from Varchar to Whole Number (Integer).

NEW QUESTION 3

- (Topic 4)

You have a Power BI report

You have a table named Dalai that contains 10 million rows. Data is used in the following visuals:

- A card that shows the number of records
- A bar chart that shows total transaction amount by territory
- A scatter plot that shows transaction amount and profit amount on the axes and points colored by territory

You need to modify the scatter plot to make it easier for users to identify meaningful patterns. The solution must not affect the accuracy of the other visuals-What should you do?

- A. Apply a row filter to the Dalai query in Power Query Editor.
- B. Add a trend line to the scatter plot
- C. Enable high-density sampling on the scatter plot
- D. Add a count field of the transaction amount to the size bucket of the scatter plot

Answer: B

NEW QUESTION 4

HOTSPOT - (Topic 4)

You need to create a visual as shown in the following exhibit.

MonthName	Total Sales	Sales Last Year	% Growth to Last Year
January	£559,263.79	£144,365.51	74.19%
February	£583,915.29	£215,923.28	63.02%
March	£684,091.92	£211,347.46	69.11%
April	£957,686.49	£350,270.97	63.43%
May	£841,473.26	£310,708.65	63.08%
June	£876,911.71	£298,356.83	65.98%
July	£922,410.09	£348,435.28	62.23%
August	£1,002,219.24	£388,213.68	61.26%
September	£1,152,976.22	£407,595.76	64.65%
October	£1,262,647.67	£465,583.06	63.13%
November	£555,548.44	£555,548.44	0.00%
December	£553,615.45	£553,615.45	0.00%
Total	£9,952,759.56	£4,249,964.36	57.30%

The indicator color for Total Sales will be based on % Growth to Last Year. The solution must use the existing calculations only. How should you configure the visual? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

Answer Area

Conditional formatting:

- Background color
- Data bars
- Font color
- Icons
- Web URL

Format by:

- Color scale
- Field value
- Rules

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Background color

To format the Color column based on its field values, select Conditional formatting for the Color field, and then select Background color or Font color. In the Background color or Font color dialog box, select Field value from the Format by drop-down field.

Box 2: Field value

With conditional formatting for tables in Power BI Desktop, you can specify customized cell colors, including color gradients, based on field values.

NEW QUESTION 5

HOTSPOT - (Topic 4)

You are creating a Microsoft Power BI data model that has the tables shown in the following table.

Table name	Column name
Sales	SalesID
	ProductID
	DateKey
	SalesAmount
Products	ProductID
	ProductName
	ProductCategoryID
ProductCategory	ProductCategoryID
	CategoryName

The Products table is related to the ProductCategory table through the ProductCategoryID column.

You need to ensure that you can analyze sales by product category.

How should you configure the relationships from Products to ProductCategory? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Cardinality:

Cross-filter direction:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: One-to-many

Box 2: Both

For One-to-many relationships, the cross filter direction is always from the "one" side, and optionally from the "many" side (bi-directional).

Note:

Cardinality type	Cross filter options
One-to-many (or Many-to-one)	Single Both
One-to-one	Both
Many-to-many	Single (Table1 to Table2) Single (Table2 to Table1) Both

NEW QUESTION 6

DRAG DROP - (Topic 4)

You build a report about warehouse inventory data. The dataset has more than 10 million product records from 200 warehouses worldwide. You have a table named Products that contains the columns shown in the following table.

Name	Sample data
ProductDescription	Bikes > Adventure Works > Mountain Bikes > Super Carbon Bike > 26in wheels 42in frame
ProductCategory	Bikes
Manufacturer	Adventure Works
ProductSubcategory	Mountain Bikes
ProductSpecification	26in wheels 42in frame

Warehouse managers report that it is difficult to use the report because the report uses only the product name in tables and visuals. The product name is contained within the ProductDescription column and is always the fourth value.

You need to modify the report to support the warehouse managers requirement to explore inventory levels at different levels of the product hierarchy. The solution must minimize the model size.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- Create a product hierarchy of Manufacturer, ProductSpecifications, ProductName, ProductSubcategory, and ProductCategory.
- Replace the use of ProductDescription in the report with the product hierarchy.
- Transform the ProductDescription column to contain only the text between the first and fourth > symbol.
- Add the product hierarchy as an extra field in visuals where ProductDescription is used.
- Add a column named ProductName that contains only the text between the third and fourth > symbol in the ProductDescription column.
- Add a column named ProductName that contains all the text after the third > symbol in the ProductDescription column.
- Create a product hierarchy of ProductCategory, ProductSubcategory, Manufacturer, ProductName, and ProductSpecifications.

Answer Area

>
<

- A. Mastered

B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
Create a product hierarchy of Manufacturer, ProductSpecifications, ProductName, ProductSubcategory, and ProductCategory.	Add a column named ProductName that contains only the text between the third and fourth > symbol in the ProductDescription column.
Replace the use of ProductDescription in the report with the product hierarchy.	
Transform the ProductDescription column to contain only the text between the first and fourth > symbol.	Create a product hierarchy of ProductCategory, ProductSubcategory, Manufacturer, ProductName, and ProductSpecifications.
Add the product hierarchy as an extra field in visuals where ProductDescription is used.	
Add a column named ProductName that contains only the text between the third and fourth > symbol in the ProductDescription column.	
Add a column named ProductName that contains all the text after the third > symbol in the ProductDescription column.	Replace the use of ProductDescription in the report with the product hierarchy.
Create a product hierarchy of ProductCategory, ProductSubcategory, Manufacturer, ProductName, and ProductSpecifications.	

NEW QUESTION 7

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Excel workbook that is saved to Microsoft SharePoint Online. The workbook contains several Power View sheets.

You need to recreate the Power View sheets as reports in the Power BI service.

Solution: Copy the workbook to Microsoft OneDrive for Business. From Excel, click Publish to Power BI, and then click Upload

Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 8

- (Topic 4)

You have a Power BI model that contains two tables named Population and Date.

The Population table contains two columns named Population Amount and Date Key.

DateKey contains date values that represent the first day of a year and are used to create a many-to

The Power BI model contains two measures that have the following definitions. Total Population = Sum ('Population'[Population Amount])

2023 Population = CALCULATE ([Total Population]"Date'[Year] = 2023) You create a table visual that displays Date[Year] and [2023 Population]. What will the table visual show?

- A. one row per year that contains blank values for every year except 2023
- B. one row per date that contains the population value for the corresponding year repeated in each row
- C. a single row for the year 2023 that contains the related population value
- D. one row per year that contains the same value repeated for each year

Answer: C

NEW QUESTION 9

- (Topic 4)

You build a Power BI report that displays 10T temperature data streaming from a refrigerator.

You publish the report to the BI service.

You need to be notified when the temperature rises above four degrees Celsius. What should you do?

- A. Pin a report page to a dashboard and set an alert on the page.
- B. Set an alert on a KPI visual in the report.
- C. Pin a card visual to a dashboard and set an alert on the tile.
- D. Pin a card visual to a dashboard and create a subscription.

Answer: A

NEW QUESTION 10

- (Topic 4)

You have more than 100 published datasets.

Ten of the datasets were verified to meet your corporate quality standards.

You need to ensure that the 10 verified datasets appear at the top of the list of published datasets whenever users search for existing datasets.

What should you do?

- A. Publish the datasets in an app.
- B. Promote the datasets.
- C. Feature the dataset on the home page.
- D. Certify the datasets.

Answer: D

NEW QUESTION 10

- (Topic 4)

You have a Power BI report that contains four pages. All the pages contain a slicer for a field named Country, You need to ensure that when a user selects a county on page 1, the selection is retained on page 2 and page 3. The solution must prevent page 4 from being affected by selections on the other pages, What should you do?

- A. Remove the Country slicer from page 1, page 2, and page 3. Add the Country field to the report-level filters.
- B. Remove the Country slicer from page 1, page 2, and page 3. Add the Country field to the page-level filters.
- C. Sync the Country slicer on page 1, page 2, and page 3,
- D. Move the Country slicer from page 2 and page 3 to page 1.

Answer: B

NEW QUESTION 13

HOTSPOT - (Topic 4)

You have two CSV files named Products and Categories. The Products file contains the following columns:

- ? ProductID
- ? ProductName
- ? SupplierID
- ? CategoryID

The Categories file contains the following columns:

- ? CategoryID
- ? CategoryName
- ? CategoryDescription

From Power BI Desktop, you import the files into Power Query Editor.

You need to create a Power BI dataset that will contain a single table named Product. The Product will table includes the following columns:

- ? ProductID
- ? ProductName
- ? SupplierID
- ? CategoryID
- ? CategoryName
- ? CategoryDescription

How should you combine the queries, and what should you do on the Categories query? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Combine the queries by performing a:

||
||
||
||

On the Categories query:

||
||
||
||

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Combine the queries by performing a:

||
||
||
||

On the Categories query:

||
||
||
||

NEW QUESTION 17

- (Topic 4)

In Power Bi Desktop, you are creating visualizations in a report based on an imported dataset

You need to allow Power Bi users to export the summarized data used to create the visualizations but prevent the users from exporting the underlying data

What should you do?

- A. From Power BI Desktop, configure the Data Load settings for the current file.
- B. From the Power BI service, configure the dataset permissions.
- C. From Power BI Desktop, configure the Report settings for the current file.
- D. From Power BI Desktop, modify the data source permissions.

Answer: C

Explanation:

<https://learn.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-export-data?tabs=powerbi-desktop>
 The export functionality can be disabled on several levels. First, Power BI Service admins can disable this functionality on tenant level. With that, nobody will be able to export the data. More about that later. Second, as a dataset owner you can decide if you allow your users to export the data. This is managed in dataset settings, but only changeable in Power BI desktop.
 No matter what settings are applied in Power BI desktop, the tenant settings will overrule this. In the end the Power BI Service admin decides what options are possible to use.
<https://data-marc.com/2020/04/13/power-bi-governance-why-you-should-consider-to-disable-export-to-excel/>

NEW QUESTION 18

- (Topic 4)
 You have a Power BI report named Report1 and a dashboard named Dashboard1, Report1 contains a line chart named Sales by month. You pin the Sales by month visual to Dashboard1. In Report1, you change the Sales by month visual to a bar chart. You need to ensure that bar chart displays on Dashboard1. What should you do?

- A. Edit the details for the dashboard tile of Dashboard1.
- B. Select Refresh visuals for Dashboard1.
- C. the Sales by month bar chart to Dashboard1
- D. Refresh the dataset used by Report1 and Dashboard1.

Answer: C

NEW QUESTION 19

HOTSPOT - (Topic 4)
 You are creating a Microsoft Power BI imported data model to perform basket analysis. The goal of the analysis is to identify which products are usually bought together in the same transaction across and within sales territories. You import a fact table named Sales as shown in the exhibit. (Click the Exhibit tab.)

Column name	Data type	Description
SalesRowID	Integer	ID of the row from the source system, which represents a unique combination of SalesOrderNumber and SalesOrderLineNumber
ProductKey	Integer	Surrogate key that relates to the product dimension
OrderDateKey	Integer	Surrogate key that relates to the date dimension and is in the YYYYMMDD format
OrderDate	Datetime	Date and time an order was processed
CustomerKey	Integer	Surrogate key that relates to the customer dimension
SalesTerritoryKey	Integer	Surrogate key that relates to the sales territory dimension
SalesOrderNumber	Integer	Unique identifier of an order
SalesOrderLineNumber	Integer	Unique identifier of a line within an order
OrderQuantity	Integer	Quantity of the product ordered
LineTotal	Decimal	Total sales amount of a line before tax
TaxAmt	Decimal	Amount of tax charged for the items on a specified line within an order
Freight	Decimal	Amount of freight charged for the items on a specified line within an order
LastModified	Datetime	The date and time that a row was last modified in the source system
AuditID	Integer	The ID of the data load process that last updated a row

The related dimension tables are imported into the model. For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
The SalesRowID and AuditID columns can be removed from the model without impeding the analysis goals.	<input type="radio"/>	<input type="radio"/>
Both the OrderDateKey and OrderDate columns are necessary to perform the basket analysis.	<input type="radio"/>	<input type="radio"/>
The TaxAmt column must retain the current number of decimal places to perform the basket analysis.	<input type="radio"/>	<input type="radio"/>

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
The SalesRowID and AuditID columns can be removed from the model without impeding the analysis goals.	<input checked="" type="radio"/>	<input type="radio"/>
Both the OrderDateKey and OrderDate columns are necessary to perform the basket analysis.	<input type="radio"/>	<input type="radio"/>
The TaxAmt column must retain the current number of decimal places to perform the basket analysis.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 23

- (Topic 4)

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is the same in each question in this series.

You have a Microsoft SQL Server database that contains the following tables.

Table name	Column name	Data type
Order	Order_ID	Integer
	Order_date	Integer
	Order_amount	Currency
	Customer_ID	Integer
	Order_ship_date	Integer
	Store_ID	Integer
Customer	Customer_ID	Integer
	First_name	Varchar(100)
	Last_name	Varchar(100)
	Customer_photo	Binary
Date	Date_ID	Integer
	Date_name	Datetime
	Month	Integer
	Week	Integer
	Year	Integer
Monthly_returns	Month_ID	Integer
	Total_returns	Float
	Store_ID	Varchar(100)
Store	Store_ID	Integer
	Name	Varchar(100)
	City	Varchar(100)
	Sales_target	Float

The following columns contain date information:

- Date[Month] in the mmyyyy format
 - Date[Date_ID] in the ddmmyyyy format
 - Date[Date_name] in the mm/dd/yyyy format
 - Monthly_returns[Month_ID] in the mmyyyy format
- The Order table contains more than one million rows.

The Store table has a relationship to the Monthly_returns table on the Store_ID column. This is the only relationship between the tables.

You plan to use Power BI Desktop to create an analytics solution for the data.

You need to create a relationship between the Order table and the Store table on the Store_ID column.

What should you do before you create the relationship?

- A. In the Order table query, use the Table.TransformRows function.
- B. In the Store table query, use the Table.TransformRows function.
- C. In the Store table query, use the Table.TransformColumnTypes function.
- D. In the Order table query, use the Table.TransformColumnTypes function.

Answer: C

NEW QUESTION 26

HOTSPOT - (Topic 4)


You need to create a Power BI report. The first page of the report must contain the following two views:

- * Sales By Postal Code
- * Sales by Month

Both views must display a slicer to select a value for a field named Chain.

The Sales By Postal Code view must display a map visual as shown in the following exhibit.

Answer Area




- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 30

- (Topic 4)

You have a Microsoft Power BI dashboard.

You need to ensure that consumers of the dashboard can give you feedback that will be visible to the other consumers of the dashboard.

What should you use?

- A. Feedback
- B. Subscribe
- C. Comments
- D. Mark as favorite

Answer: C

Explanation:

<https://docs.microsoft.com/en-us/power-bi/consumer/end-user-comment>

NEW QUESTION 35

- (Topic 4)

You have an Azure SQL database that contains sales transactions. The database is updated frequently.

You need to generate reports from the data to detect fraudulent transactions. The data must be visible within five minutes of an update.

How should you configure the data connection?

- A. Add a SQL statement.
- B. Set Data Connectivity mode to DirectQuery.
- C. Set the Command timeout in minutes setting.
- D. Set Data Connectivity mode to Import.

Answer: B

Explanation:

With Power BI Desktop, when you connect to your data source, it's always possible to import a copy of the data into the Power BI Desktop. For some data sources, an alternative approach is available: connect directly to the data source using DirectQuery.

DirectQuery: No data is imported or copied into Power BI Desktop. For relational sources, the selected tables and columns appear in the Fields list. For multi-dimensional sources like SAP Business Warehouse, the dimensions and measures of the selected cube appear in the Fields list. As you create or interact with a visualization, Power BI Desktop queries the underlying data source, so you're always viewing current data.

Reference:

<https://docs.microsoft.com/en-us/power-bi/connect-data/desktop-use-directquery>

NEW QUESTION 40

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

From Power Query Editor, you profile the data shown in the following exhibit.

	IoT GUID	IoT DateTime	IoT ID
	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%
1	48196321-38D9-EC11-883D-0022489A2...	21/05/2022 18:59:25	100001000
2	49196321-38D9-EC11-883D-0022489A2...	21/05/2022 18:59:26	100001001
3	0300C742-38D9-EC11-883D-0022489A2...	21/05/2022 19:00:21	100001002
4	0400C742-38D9-EC11-883D-0022489A2...	21/05/2022 19:00:21	100001003
5	0500C742-38D9-EC11-883D-0022489A2...	21/05/2022 19:00:21	100001004
6	0600C742-38D9-EC11-883D-0022489A2...	21/05/2022 19:00:21	100001005

The IOT ID columns are unique to each row in query.

You need to analyze 10T events by the hour and day of the year. The solution must improve dataset performance.

Solution: You create a custom column that concatenates the 10T GUID column and the IoT ID column and then delete the IoT GUID and IoT ID columns.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 41

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this scenario, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a clustered bar chart that contains a measure named Salary as the value and a field named Employee as the axis. Salary is present in the data as numerical amount representing US dollars.

You need to create a reference line to show which employees are above the median salary.

Solution: You create a constant line and set the value to .5. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead create a percentile line by using the Salary measure and set the percentile to 50%. Note: The 50th percentile is also known as the median or middle value where 50 percent of observations fall below.

Reference:

https://dash-intel.com/powerbi/statistical_functions_percentile.php

NEW QUESTION 45

- (Topic 4)

You have a report that contains a bar chart and a column chart. The bar chart shows customer count by customer segment. The column chart shows sales by month.

You need to ensure that when a segment is selected in the bar chart, you see which portion of the total sales for the month belongs to the customer segment.

How should the visual interactions be set on the column chart when the bar chart is selected?

- A. no impact
- B. highlight
- C. filter

Answer: B

Explanation:

HIGHLIGHT as the question required us to "you see which portion of the total sales for the month belongs to the customer segment" -- in order to see WHICH portion, you need to still see the whole visual, highlight is most appropriate. If the requirement stated to ONLY SEE THE PORTION IT RELATES TO then filter would be appropriate.

NEW QUESTION 50

- (Topic 4)

You have the tables shown in the following table.

Table name	Column name
Campaigns	Campaign_ID
	Name
Ads	Ad_id
	Name
	Campaign_id
Impressions	Impression_id
	Ad_id
	Site_name
	Impression_time
	Impression_date

The Impressions table contains approximately 30 million records per month. You need to create an ad analytics system to meet the following requirements:

? Present ad impression counts for the day, campaign, and Site_name. The analytics for the last year are required.

? Minimize the data model size.

Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Group the impressions by Ad_id, Site_name, and Impression_dat
- B. Aggregate by using the CountRows function.
- C. Create one-to-many relationships between the tables.
- D. Create a calculated measure that aggregates by using the COUNTROWS function.
- E. Create a calculated table that contains Ad_id, Site_name, and Impression_date.

Answer: AB

Explanation:

Grouping in power query reduces the number of rows in the impression table that is gonna be loaded in the model. Creating relationships doesn't increase the size of the model.


NEW QUESTION 53

HOTSPOT - (Topic 4)

You have a table that contains the following three columns:

- ? City
- ? Total Sales
- ? Occupation

You need to create a key influencers visualization as shown in the exhibit. (Click the Exhibit tab.)



How should you configure the visualization? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

Analyze: ▼

City
Occupation
Total Sales

Explain by: ▼

City
Occupation
Total Sales

Expand by: ▼

City
Occupation
Total Sales

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Total Sales Box 2: Occupation
 Box 3: City

You can use Expand By to add fields you want to use for setting the level of the analysis without looking for new influencers.

NEW QUESTION 57

- (Topic 4)

You have a Power BI dashboard that monitors the quality of manufacturing processes. The dashboard contains the following elements:

? A line chart that shows the number of defective products manufactured by day.

? A KPI visual that shows the current daily percentage of defective products manufactured.
 You need to be notified when the daily percentage of defective products manufactured exceeds 3%.
 What should you create?

- A. a Q&A visual
- B. a subscription
- C. a smart narrative visual
- D. an alert


Answer: D

NEW QUESTION 59

FILL IN THE BLANK - (Topic 4)

You have a Power BI visual that uses indicators to show values that are out of range as shown in the following exhibit.

Revenue by Date



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

The visual type is [answer choice] chart.

The visual indicators that show values out of range are created by using [answer choice].

NEW QUESTION 63

- (Topic 4)

You have a sales system that contains the tables shown in the following table.

Table name	Column name
Sales	sales_ID
	sales_date
	sales_amount
Date	DateID
	Month
	Week
	Year

The Date table is marked as a date table.
 DateID is the date data type. You need to create an annual sales growth percentage measure.
 Which DAX expression should you use?

- A. SUM(sales[sales_amount]) - CALCULATE(SUM(sales[sales_amount]), SAMEPERIODLASTYEAR('Date'[DateID]))
- B. (SUM('Sales'[sales_amount]) - CALCULATE(SUM('Sales'[sales_amount]), SAMEPERIODLASTYEAR('Date'[DateID]))) / CALCULATE(SUM('Sales'[sales_amount]), SAMEPERIODLASTYEAR('Date'[DateID]))
- C. CALCULATE(SUM(sales[sales_amount]), DATESYTD('Date'[DateID]))
- D. CALCULATE(SUM(sales[sales_amount]), SAMEPERIODLASTYEAR('Date'[DateID]))

Answer: B

Explanation:

SAMEPERIODLASTYEAR returns a table that contains a column of dates shifted one year back in time from the dates in the specified dates column, in the current context.

Reference:

<https://docs.microsoft.com/en-us/dax/sameperiodlastyear-function-dax>

NEW QUESTION 68

FILL IN THE BLANK - (Topic 4)

You have a Power 31 data model that contains a table named Stores. The table has the following columns:

- * Store Name
- * Open Date
- * Status
- * State
- * City

You need to create a calculated column named Active Store Name that meets the following requirements:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer is as below

```
Active Store Name = IF ([Status] = "A", [Store Name], "Inactive - " & [Store Name])
```

NEW QUESTION 71

FILL IN THE BLANK - (Topic 4)

You have two Power BI workspaces named WorkspaceA and Workspaces. WorkspaceA contains two datasets named Sales and HR.

You need to provide a user named User1 with access to the workspaces. The solution must meet the following requirements:

- Create reports that use the HR dataset.
- Publish the reports to WorkspaceB.
- Prevent the ability to modify the HR dataset.
- Prevent the ability to add users to WorkspaceB.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer is as below.

To access the HR dataset:

To publish reports to WorkspaceB:

NEW QUESTION 72

DRAG DROP - (Topic 4)

In Power Query Editor, you have three queries named ProductCategory, ProductSubCategory, and Product.

Every Product has a ProductSubCategory.

Not every ProductSubCategory has a parent ProductCategory.

You need to merge the three queries into a single query. The solution must ensure the best performance in Power Query.

How should you merge the tables? To answer, drag the appropriate merge types to the correct queries. Each merge type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Join kinds	Answer Area									
Full outer	<table border="1"> <thead> <tr> <th>Left Table</th> <th>Right Table</th> <th>Join Kind</th> </tr> </thead> <tbody> <tr> <td>Product</td> <td>ProductSubCategory</td> <td>Join kind</td> </tr> <tr> <td>ProductSubCategory</td> <td>ProductCategory</td> <td>Join kind</td> </tr> </tbody> </table>	Left Table	Right Table	Join Kind	Product	ProductSubCategory	Join kind	ProductSubCategory	ProductCategory	Join kind
Left Table		Right Table	Join Kind							
Product		ProductSubCategory	Join kind							
ProductSubCategory		ProductCategory	Join kind							
Inner										
Left anti										
Left outer										
Right anti										
Right outer										

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Join kinds	Answer Area
Full outer	
Inner	
Left anti	
Left outer	
Right anti	
Right outer	

Left Table	Right Table	Join Kind
Product	ProductSubCategory	Inner
ProductSubCategory	ProductCategory	Left outer

NEW QUESTION 74

- (Topic 4)

You have a Power BI workspace that contains several reports. You need to provide a user with the ability to create a dashboard that will use the visuals from the reports. What should you do?

- A. Grant the Read permission for the datasets to the user.
- B. Add the user as a Viewer of the workspace.
- C. Share the reports with the user.
- D. Create a row-level security (RLS) role and add the user to the role.
- E. Add the user as a member of the workspace.


Answer: B

NEW QUESTION 78


- (Topic 4)

You have a Microsoft Power BI dashboard. The report used to create the dashboard uses an imported dataset from a Microsoft SQL Server data source. The dashboard is shown in the exhibit. (Click the Exhibit tab.)

Variance to Plan, Variance to Plan %
 BY BUSINESS AREA • REFRESHED: 12:03:06 PM



Amount
 BY MONTH, SCENARIO



What occurred at 12:03:06 PM?

- A. A user pressed F5
- B. A new transaction was added to the data source.
- C. A user added a comment to a tile.
- D. The dashboard tile cache refreshed.

Answer: A

Explanation:

Reference:
<https://docs.microsoft.com/en-us/power-bi/connect-data/refresh-data>

NEW QUESTION 81

- (Topic 4)
 You have a table that contains sales data and approximately 1,000 rows.
 You need to identify outliers in the table. Which type of visualization should you use?

- A. area chart
- B. donut chart
- C. scatter plot
- D. pie chart

Answer: C

Explanation:

Outliers are those data points that lie outside the overall pattern of distribution & the easiest way to detect outliers is through graphs. Box plots, Scatter plots can help detect them easily.
 Reference:
<https://towardsdatascience.com/this-article-is-about-identifying-outliers-through-funnel-plots-using-the-microsoft-power-bi-d7ad16ac9ccc>

NEW QUESTION 85

DRAG DROP - (Topic 4)
 You are using existing reports to build a dashboard that will be viewed frequently in portrait mode on mobile phones.
 You need to build the dashboard.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Pin items from the reports to the dashboard.	
Rearrange, resize, or remove items from the phone view.	
Change the dashboard view to Phone view .	⬅️
Open the dashboard.	⬆️
Create a phone layout for the existing reports.	⬆️

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
Pin items from the reports to the dashboard.	Pin items from the reports to the dashboard.
Rearrange, resize, or remove items from the phone view.	Open the dashboard.
Change the dashboard view to Phone view .	Change the dashboard view to Phone view .
Open the dashboard.	Rearrange, resize, or remove items from the phone view.
Create a phone layout for the existing reports.	


NEW QUESTION 88

- (Topic 4)


Note: This question is a part of a series of questions that present the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario

You have a Microsoft SQL Server database that has the tables shown in the Database Diagram exhibit. (Click the Exhibit.)



You plan to develop a Power BI model as shown in the Power BI Model exhibit. (Click the Exhibit).



You plan to use Power BI to import data from 2013 to 2015. Product Subcategory [Subcategory] contains NULL values. End of repeated scenario. You implement the Power BI model.

You need to add a measure to rank total sales by product. The results must appear as shown in the following table.

Rank	Product	SalesAmount
1	Product3	13,000
1	Product2	13,000
2	Product1	12,000
3	Product5	10,000
3	Product4	10,000

Which DAX formula should you use?

- A. Product Ranking= RANKX (Product, [SalesAmount], , DESC, Skip)
- B. Product Ranking= RANKX (ALL, ('Product'), [SalesAmount], , DESC, Dense)
- C. Product Ranking= RANKX (ALL, ('Product'), [SalesAmount], , DESC, Skip)
- D. Product Ranking= RANKX (ALL ('Product'), [SalesAmount], , Asc, Dense)

Answer: B

Explanation:

References: <https://msdn.microsoft.com/en-us/library/gg492185.aspx>

NEW QUESTION 93

- (Topic 4)

In Power BI Desktop, you are creating a report that will contain three pages. You need to create a custom tooltip page and prepare the page for use. Which three actions should you perform? Each correct answer presents part of the solution.

- A. Configure filters on the target visual.
- B. For the target page, set Allow use as tooltip to On.
- C. Add and configure visuals on the tooltip page.
- D. For the tooltip page, set Allow use as tooltip to On.
- E. For the tooltip page, configure filters.

Answer: BCD

Explanation:

You can create a custom tooltip page that shows more details about the selected category, such as this:

To create a custom tooltip page and prepare it for use, you need to perform these three actions:

- 1. Add and configure visuals on the tooltip page. You can add any visuals, images, or other items that you want to show on the tooltip page. You can also format them as you like.
- 2. For the tooltip page, set Allow use as tooltip to On. This will enable Power BI to recognize this page as a tooltip page. You can also change the Page size to Tooltip to fit your content better.
- 3. For the target visual, set Tooltip type to Report page. This will allow you to select which report page you want to use as a custom tooltip for your visual. You can also filter your tooltip by fields from your target visual.

NEW QUESTION 97

- (Topic 4)

What should you create to meet the reporting requirements of the sales department?

- A. a calculated column that uses the following formula: `IF(ISBLANK(Sales[sales_amount]),0, (Sales[sales_amount]))`
- B. a measure that uses the following formula: `SUM(Sales[sales_amount])`
- C. a measure that uses the following formula: `SUMX(FILTER('Sales', 'Sales'[sales_amount] > 0),[sales_amount])`
- D. a calculated column that uses the following formula: `ABS(Sales[sales_amount])`

- A. Option A
- B. Option B
- C. option C
- D. Option D

Answer: C

NEW QUESTION 101

HOTSPOT - (Topic 4)

You have a column named UnitsInStock as shown in the following exhibit

Answer Area

```

Late Orders Percent =
VAR OrderCount =
    COUNTROWS ( 'Orders' )
VAR LateOrders =
    CALCULATE (
        COUNTROWS ( 'Orders' ),
        FILTER ( Orders, Orders[ShippedDate] > Orders[RequiredDate] )
    )
    
```

UnitsInStock has 75 non-null values, of which 51 are unique.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct

selection is worth one point.

Answer Area

When a table visual is created in a report and UnitsInStock is added to the values, there will be [answer choice] in the table.

Changing the Summarize by setting of the UnitsInStock column, and then adding the column to a table visual, will [answer choice] the number of rows in the table visual.

0 rows

1 row

51 rows

75 rows

maintain

reduce

increase

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

When a table visual is created in a report and UnitsInStock is added to the values, there will be **[answer choice]** in the table.

Changing the Summarize by setting of the UnitsInStock column, and then adding the column to a table visual, will **[answer choice]** the number of rows in the table visual.

The screenshot shows two dropdown menus. The first dropdown, labeled 'rows', has options: 0 rows, 1 row, 5 rows, and 75 rows. The second dropdown, labeled 'Summarize by', has options: maintain, reduce, and increase.

NEW QUESTION 104

HOTSPOT - (Topic 4)

You have the Azure SQL databases shown in the following table.

Name	Stage	Server URL
db-powerbi-dev	Development	dev.database.windows.net
db-powerbi-uat	Test	uat.database.windows.net
db-powerbi-prod	Production	prod.database.windows.net

You plan to build a single PBIX file to meet the following requirements:

- Data must be consumed from the database that corresponds to each stage of the development lifecycle.
- Power BI deployment pipelines must NOT be used.
- The solution must minimize administrative effort.

What should you do? To answer, select the appropriate options in the answer area.

Answer Area

Create:

Parameter type:

The screenshot shows two dropdown menus. The first dropdown, labeled 'Create', has options: One parameter, Two parameters, and Three parameters. The second dropdown, labeled 'Parameter type', has options: Text, True/False, and Decimal number.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Create:

Parameter type:

The screenshot shows two dropdown menus. The first dropdown, labeled 'Create', has options: One parameter, Two parameters, and Three parameters. The second dropdown, labeled 'Parameter type', has options: Text, True/False, and Decimal number.

NEW QUESTION 105

HOTSPOT - (Topic 4)

You have a dataset that contains revenue data from the past year.

You need to use anomaly detection in Power BI to show anomalies in the dataset.

What should you configure? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Chart type:

Chart configuration:


The screenshot shows two dropdown menus. The first dropdown, labeled 'Chart type', has options: Line, Pie, and Treemap. The second dropdown, labeled 'Chart configuration', has options: Select the Show value as option, Enable Cross-report drill-through, and Populate the axis with a date field.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 107

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Excel workbook that is saved to Microsoft SharePoint Online. The workbook contains several Power View sheets.

You need to recreate the Power View sheets as reports in the Power BI service. Solution: From the Power BI service, get the data from SharePoint Online, and then click

Connect

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

We need to click "Import", not "Connect".

References:

<https://docs.microsoft.com/en-us/power-bi/service-excel-workbook-files>

NEW QUESTION 110

- (Topic 4)

From Power BI Desktop, you publish a new dataset and report to a Power BI workspace. The dataset has a row-level security (RLS) role named HR. You need to ensure that the HR team members have RLS applied when they view reports based on the dataset. What should you do?

- A. From Power BI Desktop, change the Row-Level Security settings.
- B. From Power BI Desktop, import a table that contains the HR team members
- C. From powerbi.com, add users to the HR role for the dataset.
- D. From powerbi.com, share the dataset to the HR team members.

Answer: C

NEW QUESTION 115

- (Topic 4)

You have a Microsoft Power BI report. The size of PBIX file is 550 MB. The report is accessed by using an App workspace in shared capacity of powerbi.com. The report uses an imported dataset that contains one fact table. The fact table contains 12 million rows. The dataset is scheduled to refresh twice a day at 08:00 and 17:00.

The report is a single page that contains 15 custom visuals and 10 default visuals.

Users say that the report is slow to load the visuals when they access and interact with the report

You need to recommend a solution to improve the performance of the report. What should you recommend?

- A. Split the visuals onto multiple pages.
- B. Implement row-level security (RLS).
- C. Replace the default visuals with custom visuals.
- D. Increase the number of times that the dataset is refreshed.


Answer: A

NEW QUESTION 120

HOTSPOT - (Topic 4)

You are profiling data by using Power Query Editor.

You have a table that contains a column named column1. Column statistics and Value distribution for column1 are shown in the following exhibit.



Answer Area

There [answer choice] only once.

- are 20 values that occur
- are 365 values that occur
- are 277,329 values that occur
- is one value that occurs

The Pear, Flowering species is found more often in column1 than the [answer choice] species.

The Pear, Flowering species is found more often in column1 than the [answer choice] species.

- Ash, Green
- Crabapple, Flowering
- Elm, American
- Spruce, Blue

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

There [answer choice] only once.

- are 20 values that occur
- are 365 values that occur
- are 277,329 values that occur
- is one value that occurs

The Pear, Flowering species is found more often in column1 than the [answer choice] species.

The Pear, Flowering species is found more often in column1 than the [answer choice] species.

- Ash, Green
- Crabapple, Flowering
- Elm, American
- Spruce, Blue

NEW QUESTION 123

- (Topic 4)

You are creating a Power BI report to analyze consumer purchasing patterns from a table named Transactions. The Transactions table contains a numeric field named Spend. You need to include a visual that identifies which fields have the greatest impact on Spend. Which type of visual should you use?

- A. decomposition tree
- B. Q&A
- C. smart narrative
- D. key influences

Answer: D

NEW QUESTION 126


HOTSPOT - (Topic 4)

You have a Power BI report named Orders that supports the following analysis:

- Total sales over time
- The count of orders over time

- New and repeat customer counts


The data model size is nearing the limit for a dataset in shared capacity. The model view for the dataset is shown in the following exhibit.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 130

- (Topic 4)

You have a data model that contains many complex DAX expressions. The expressions contain frequent references to the RELATED and RELATEDTABLE functions.

You need to recommend a solution to minimize the use of the RELATED and RELATEDTABLE functions.

What should you recommend?

- A. Merge tables by using Power Query.
- B. Hide unused columns in the model.
- C. Split the model into multiple models.
- D. Transpose.

Answer: A

Explanation:

Combining data means connecting to two or more data sources, shaping them as needed, then consolidating them into a useful query.

When you have one or more columns that you'd like to add to another query, you merge the queries.

Note: The RELATEDTABLE function is a shortcut for CALCULATETABLE function with no logical expression.

CALCULATETABLE evaluates a table expression in a modified filter context and returns a table of values.

Reference:

<https://docs.microsoft.com/en-us/power-bi/connect-data/desktop-shape-and-combine-data>

NEW QUESTION 133

- (Topic 4)

You are using the key influencers visual to identify which factors affect the quantity of items sold in an order.


You add the following fields to the Explain By field:

- * Customer Country
- * Product Category
- * Supplier Country
- * Sales Employee
- * Supplier Name
- * Product Name
- * Customer City

The key influencers visual returns the results shown in the following exhibit.

Key influencers Top segments

What influences Quantity Per Order to increase



What can you identify from the visual?

- A. Customers in Austria order 18.8 more units than the average order quantity.
- B. Customers in Boise order 20.37 percent more than the average order quantity.
- C. Product Category positively influences the quantity per order.
- D. Customers in Cork order lower quantities than average.

Answer: A

NEW QUESTION 135

HOTSPOT - (Topic 4)

You have two Azure SQL databases that contain the same tables and columns.

For each database, you create a query that retrieves data from a table named Customers. You need to combine the Customer tables into a single table. The solution must minimize the size of the data model and support scheduled refresh in powerbi.com.

What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Option to use to combine the Customer tables:

- Append Queries
- Append Queries as New
- Merge Queries
- Merge Queries as New

Action to perform on the original two SQL database queries:

- Delete the queries.
- Disable including the query in report refresh.
- Disable loading the query to the data model.
- Duplicate the queries.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text

Description automatically generated with medium confidence

Box 1: Append Queries as New.

There are two primary ways of combining queries: merging and appending.

? When you have one or more columns that you'd like to add to another query, you merge the queries.

? When you have additional rows of data that you'd like to add to an existing query, you append the query.

Box 2: Disable loading the query to the data model

For every query that loads into model memory will be consumed. and Memory is our asset in the Model, less memory consumption leads to better performance in most of the cases. The best approach is to disable loading.

NEW QUESTION 136

- (Topic 4)

You have a Power BI report hosted on powerbi.com that displays expenses by department for department managers.

The report contains a line chart that shows expenses by month.

You need to enable users to choose between viewing the report as a line chart or a column chart. The solution must minimize development and maintenance effort.

What should you do?

- A. Add a column chart, a bookmark, and a button for users to choose a visual.
- B. Create a mobile report that contains a column chart.
- C. Create a separate report page for users to view the column chart.
- D. Enable report readers to personalize visuals.

Answer: C

NEW QUESTION 141

FILL IN THE BLANK - (Topic 4)

The table has the following columns.

Name	Sample value
Date	2022-06-01
Year	2022
Month Number	6
Month Name	June
Year Month	2022 Jun

You need to add a column that will be used to sort the Year Month column chronologically.

Month Year Sort = [Year] +

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:


Answer as.

Month Year Sort = [Year] * 100 + [Date]

NEW QUESTION 146

DRAG DROP - (Topic 4)

You have the line chart shown in the exhibit. (Click the Exhibit tab.)



You need to modify the chart to meet the following requirements:

- ? Identify months that have order counts above the mean.
- ? Display the mean monthly order count.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- Create a 12-month rolling average quick measure and add the measure to the line chart value.
- From the Analytics pane, add a Median line.
- Select the line chart.
- From the Analytics pane, add an Average line.
- Turn on data labels for the new line.

Answer Area



- A. Mastered
- B. Not Mastered


Answer: A

Explanation:

Actions

- Create a 12-month rolling average quick measure and add the measure to the line chart value.
- From the Analytics pane, add a Median line.
- Select the line chart.
- From the Analytics pane, add an Average line.
- Turn on data labels for the new line.

Answer Area



NEW QUESTION 148

- (Topic 4)

You have a Microsoft SharePoint Online site that contains several document libraries. One of the document libraries contains manufacturing reports saved as Microsoft Excel files. All the manufacturing reports have the same data structure.

You need to load only the manufacturing reports to a table for analysis. What should you do in Microsoft Power BI Desktop?

- A. Get data from a SharePoint Online folder, enter the site URL, and then select Combine & Load.
- B. Get data from a SharePoint Online list and enter the site UR
- C. Edit the query and filter by the path to the manufacturing reports library.
- D. Get data from a SharePoint Online folder and enter the site UR
- E. Edit the query and filter by the path to the manufacturing reports library.
- F. Get data from a SharePoint Online list, enter the site URL, and then select Combine & Load.

Answer: B

Explanation:

We have to import Excel files from SharePoint, so we need the connector SharePoint folder which is used to get access to the files stored in the library. SharePoint list is a collection of content that has rows and columns (like a table) and is used for task lists, calendars, etc. Since we have to filter only on manufacturing reports, we have to select Transform and then filter by the corresponding folder path.

<https://docs.microsoft.com/en-us/power-query/connectors/sharepointlist>


NEW QUESTION 152

- (Topic 4)

You have the dashboard shown in the following exhibit.



You need to modify the dashboard to display as shown in the following exhibit.



What should you do?

- A. Create and apply a custom dashboard theme.
- B. Change the colors of the visuals in the report.
- C. Apply the Dark dashboard theme.
- D. Upload a snapshot image of the dashboard.

Answer: A

NEW QUESTION 154

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this scenario, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have several reports and dashboards in a workspace.

You need to grant all organizational users read access to a dashboard and several reports. Solution: You enable included in app for all assets.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 157

- (Topic 4)

You have a Power BI dashboard that displays different visualizations of company sales.

You enable Q&A on the dashboard.

You need to provide users with sample questions that they can ask when using Q&A. Which settings should you modify from the Power BI Settings?

- A. Subscriptions
- B. Dashboards
- C. Datasets
- D. Workbooks

Answer: C

Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/service-q-and-a-create-featured-questions>

NEW QUESTION 159

DRAG DROP - (Topic 4)

You receive annual sales data that must be included in Power BI reports.

From Power Query Editor, you connect to the Microsoft Excel source shown in the following exhibit.

2	Feb	2	758	773	0
3	Mar	3	37763	570	null
4	Apr	4	8364	9417	null
5	May	5	58256	276	null
6	June	6	6722	235	null
7	July	7	55225	6297	null
8	Aug	8	673	63	null
9	Sep	9	552	357	null
10	Oct	10	7838	24214	null
11	Nov	11	83544	257	null
12	Dec	12	32455	389	null

You need to create a report that meets the following requirements:

- Visualizes the Sales value over a period of years and months
- Adds a slicer for the month
- Adds a slicer for the year

Actions

Select the Month and MonthNumber columns.

Select **Transpose**.

Rename the Attribute column as Year and the Value column as Sales.

Select **Unpivot other columns**.

Select the 2019, 2020, and 2021 columns.

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

Select the Month and MonthNumber columns.

Select **Transpose**.

Rename the Attribute column as Year and the Value column as Sales.

Select **Unpivot other columns**.

Select the 2019, 2020, and 2021 columns.

Answer Area



Select the 2019, 2020, and 2021 columns.

Select **Unpivot other columns**.

Rename the Attribute column as Year and the Value column as Sales.

NEW QUESTION 162

- (Topic 4)

You have sales data in a star schema that contains four tables named Sales, Customer, Date, and Product.

The Sales table contains purchase and ship dates.

Most often, you will use the purchase date to analyze the data, but you will analyze the data by both dates independently and together.

You need to design an imported dataset to support the analysis. The solution must minimize the model size and the number of queries against the data source.

Which data modeling design should you use?

- A. Use the Auto Date/Time functionality in Microsoft Power BI and do NOT import the Datetable.
- B. Duplicate the Date query in Power Query and use active relationships between both Date tables.
- C. On the Date table, use a reference query in Power Query and create active relationships between Sales and both Date tables in the modeling view.
- D. Create an active relationship between Sales and Date for the purchase date and an inactive relationship for the ship date.

Answer: D

Explanation:

Only one relationship can be active.

Note: If you query two or more tables at the same time, when the data is loaded, Power BI Desktop attempts to find and create relationships for you. The relationship options Cardinality, Cross filter direction, and Make this relationship active are automatically set.

Reference:

<https://docs.microsoft.com/en-us/power-bi/transform-model/desktop-create-and-manage-relationships>

NEW QUESTION 167

HOTSPOT - (Topic 4)

You have a dataset named Pens that contains the following columns:

- ? Item
- ? Unit Price
- ? Quantity Ordered

You need to create a visualization that shows the relationship between Unit Price and Quantity Ordered. The solution must highlight orders that have a similar unit price and ordered quantity.

Which type of visualization and which feature should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Visualization:

- A column chart of Quantity Ordered and Unit Price by year
- A line chart of Quantity Ordered and Unit Price by item
- A scatter plot of Quantity Ordered and Unit Price by item

Feature:

- Automatically find clusters
- Explain the decrease
- Find where the distribution is different

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: A scatter plot...

A scatter chart always has two value axes to show: one set of numerical data along a horizontal axis and another set of numerical values along a vertical axis. The chart displays points at the intersection of an x and y numerical value, combining these values into single data points. Power BI may distribute these data points evenly or unevenly across the horizontal axis. It depends on the data the chart represents.

Box 2: Automatically find clusters

Scatter charts are a great choice to show patterns in large sets of data, for example by showing linear or non-linear trends, clusters, and outliers.

NEW QUESTION 168

- (Topic 4)

What is the minimum number of Power BI datasets needed to support the reports?

- A. a single imported dataset
- B. two imported datasets
- C. two DirectQuery datasets
- D. a single DirectQuery dataset

Answer: A

NEW QUESTION 173

DRAG DROP - (Topic 4)

You use Power Query Editor to preview the data shown in the following exhibit

	SKU	price	discount
1	P00001	100	0.08
2	P00002	150	0.03
3	P00003	130	Error
4	P00004	200	0.06
5	P00005	80	Error
6	P00006	350	Error
7	P00007	100	Error
8	P00008	200	0.05
9	P00009	135	Error
10	P00010	90	Error
11	P00011	120	Error

You need to clean and transform the query so that all the rows of data are maintained, and error values in the discount column are replaced with a discount of 0.05. The solution must minimize administrative effort.

Which three actions should you perform in sequence? To answer move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- For the discount column, change Data Type to Whole Number.
- Select the price column.
- Select the discount column.
- Select Replace Errors to replace each error value with 0.05.
- For the discount column, change Data Type to Decimal Number.

Answer Area


>
<

↑
↓

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 178

- (Topic 4)

You have a Rawer BI report That imports a dace table and a sales table from an Azure SQL database data source. The sales table has the following date foreign keys:

- Due Date
- Order Date
- Delivery Date

You need to support the analysis of sales over time based on all three dates at the same time.

Solution: From the Fields pane, you rename the date table as Due Date. You use a DAX expression to create Order Date and Delivery Date as calculated tables. You create active relationships between the sales table and each date table.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 180

- (Topic 4)

You have a Power B1 report that contains the visuals shown in the following table.

Type	Horizontal coordinate	Vertical coordinate
Table	300	200
Clustered column chart	700	200
Slicer	20	100

You need to modify the location of each visual. What should you modify for each visual?

- A. the layer order
- B. the padding
- C. the position
- D. the tab order

Answer: C

NEW QUESTION 185

- (Topic 4)

You have a CSV file that contains user complaints. The file contains a column named Logged. Logged contains the date and time each complaint occurred. The data in Logged is in the following format: 2018-12-31 at 08:59.

You need to be able to analyze the complaints by the logged date and use a built-in date hierarchy.

What should you do?

- A. Apply a transformation to extract the last 11 characters of the Logged column and set the data type of the new column to Date.
- B. Change the data type of the Logged column to Date.
- C. Split the Logged column by using at as the delimiter.
- D. Apply a transformation to extract the first 11 characters of the Logged column.

Answer: C

Explanation:

Simply create a custom table in Power Query, enter the date shown in the question into a column called Date, and then Split it by a delimiter. No need for spaces on either side of "at" Power BI takes care of the rest:

```
= Table.SplitColumn("#Changed Type", "Date", Splitter.SplitTextByDelimiter("at", QuoteStyle.Csv), {"Date.1", "Date.2"})
```

It will even automatically change the type to Date:

```
= Table.TransformColumnTypes("#Split Column by Delimiter",{"Date.1", type date}, {"Date.2", type time})
```

NEW QUESTION 189

- (Topic 4)

You have a Power BI model that contains a table named Sales. The Sales table contains the following columns:

- Order Line ID
- Product ID
- Unit Price
- Order ID
- Quantity

Orders are uniquely identified by using the order ID and can have multiple order lines Each order line within an order contains a different product ID.

You need to write a DAX measure that counts the number of orders. Which formula should you use?

- A. CountRows('Sales')
- B. Count ('Sales'(Order ID))
- C. CountA (Sale** (Order ID))
- D. DistinctCount (sales'[Order ID])

Answer: D

NEW QUESTION 194

HOTSPOT - (Topic 4)

You have an API that returns more than 100 columns. The following is a sample of column names.

- ? client_notified_timestamp
- ? client_notified_source
- ? client_notified_sourceid
- ? client_notified_value
- ? client_responded_timestamp
- ? client_responded_source
- ? client_responded_sourceid
- ? client_responded_value

You plan to include only a subset of the returned columns.

You need to remove any columns that have a suffix of sourceid.

How should you complete the Power Query M code? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

```

let
    Source = ...,
    rawData = Source{[tableId= "clientData"]}[Data],
    removeSources = 
        (rawData,
            (Table.ColumnNames (rawData) ,
                List.Select
                Table.FindText
                Table.FromList
            ),
            each (
                Text.Contains
                Text.EndsWith
                Text.From
                Text.StartsWith
            )
        )
in
    removeSources
    
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- Box 1: Table.RemoveColumns
- When you do "Remove Columns" Power Query uses the Table.RemoveColumns function
- Box 2: List.Select Get a list of columns.
- Box 3: Text.EndsWith

NEW QUESTION 199

- (Topic 4)

You build a report to help the sales team understand its performance and the drivers of sales. The team needs to have a single visualization to identify which factors affect success. Which type of visualization should you use?

- A. Key influences
- B. Funnel chart
- C. Q&A
- D. Line and clustered column chart

Answer: A

Explanation:

The key influencers visual helps you understand the factors that drive a metric you're interested in. It analyzes your data, ranks the factors that matter, and displays them as key influencers.

The key influencers visual is a great choice if you want to:

? See which factors affect the metric being analyzed.

? Contrast the relative importance of these factors. For example, do short-term contracts have more impact on churn than long-term contracts?

Reference:

<https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-influencers>

NEW QUESTION 200

HOTSPOT - (Topic 4)

You have a query named All Sales that imports sales data into a Power BI model.


You plan to create a star schema by separating columns into separate queries and performing further transformations. The solution must meet the following requirements:

- Use All Sales as the source for three other queries named Sales Fact Product Dimension, and Customer Dimension.
- Minimize maintenance effort.

What should you do to create the Sales Fact query, and for which query should you clear Enable load? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area




- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 203

HOTSPOT - (Topic 4)

You need to create a Power BI report. The first page of the report must contain the following two views:


*Sales By Postal Code

*Sales by Month

Both views must display a slicer to select a value for a field named Chain.

The Sales By Postal Code view must display a map visual as shown in the following exhibit.

Chain



The Sales By Month view must display a column chart visual as shown in the following exhibit.



Users must be able to switch between the views by using buttons on the report page. The selected Chain field must be maintained when switching between views. What is the minimum number of bookmarks required, and which property should you apply to each bookmark? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Minimum number of bookmarks:

1
2
3
4

Property:

Data
Display
Current page

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: 2
 Box 2: Display

NEW QUESTION 204

- (Topic 4)

You are creating a sales report in Power BI for the NorthWest region sales territory of your company. Data will come from a view in a Microsoft SQL Server database. A sample of the data is shown in the following table:

ID	ProductKey	OrderDate	ShipDate	CustomerKey	SalesTerritoryRegion	SalesOrderNumber	SalesOrderLineNumber	OrderQuantity	UnitPrice	SalesAmount	TaxAmount	Freight
1	310	2010-12-29	2011-01-05	21768	Canada	SO43697	1	1	3578.27	3578.27	286.2016	89.4568
2	346	2010-12-29	2011-01-05	27365	France	SO43698	1	1	3399.99	3399.99	271.9992	84.9998
3	346	2010-12-29	2011-01-05	78537	NorthWest	SO43699	1	1	3399.99	3399.99	271.9992	84.9998
4	336	2010-12-29	2011-01-05	34256	SouthWest	SO43700	1	1	699.0982	699.0982	55.8279	17.4775
5	346	2010-12-29	2011-01-05	34253	Australia	SO43701	1	1	3399.99	3399.99	271.9992	84.9998
6	311	2010-12-30	2011-01-06	12543	SouthWest	SO43702	1	1	3578.27	3578.27	286.2016	89.4568
7	310	2010-12-30	2011-01-06	76545	Australia	SO43703	1	1	3578.27	3578.27	286.2016	89.4568

The report will facilitate the following analysis:

- The count of orders and the sum of total sales by Order Date
- The count of customers who placed an order
- The average quantity per order

You need to reduce data refresh times and report query times.

Which two actions should you perform? Each correct answer presents part of the solution NOTE: Each correct selection is worth one point.

- A. Fillet the data to only the NorthWest region sales territory.
- B. Remove the CustomerKey and ProductKey columns.
- C. Remove the TaxAmt and Freight columns.
- D. Set the data type for SalesOrderNumber to Decimal Number

Answer: AC

NEW QUESTION 207

- (Topic 4)

Your company plans to completely separate development and production assets such as datasets, reports, and dashboards in Microsoft Power BI. You need to recommend an application lifecycle strategy. The solution must minimize maintenance to update access and prevent end users from viewing the development assets.

What should you recommend?

- A. Create production reports in a separate workspace that uses a shared dataset from the development workspace
- B. Grant the end users access to the production workspace.
- C. In the same workspace, create separate copies of the assets and append DEV to the names of the copied asset
- D. Grant the end users access to the workspace.
- E. Create separate workspaces for development and production
- F. Grant the end users access to the production workspace.
- G. Create one workspace for development
- H. From the workspace, publish an app for production.

Answer: C

NEW QUESTION 211

DRAG DROP - (Topic 4)

You are creating a Power BI model and report. You have a single table in a data mode) named Product Product contains the following fields:

- ID

- Name
- Color
- Category
- Total Sales

You need to create a calculated table that shows only the top eight products based on the highest value in Total Sales.

How should you complete the DAX expression? To answer, drag the appropriate values to the coned targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 215

- (Topic 4)

You have sales data in a star schema that contains four tables named Sales, Customer, Date, and Product. The Sales table contains purchase and ship dates. Most often, you will use the purchase date to analyze the data, but you will analyze the data by both dates independently and together.

You need to design an imported dataset to support the analysis. The solution must minimize the model size and the number of queries against the data source. Which data modeling design should you use?

- A. Use the Auto Date/Time functionality in Microsoft Power BI and do NOT import the Date table.
- B. Duplicate the Date query in Power Query and create active relationships between Sales and both Date tables in the modeling view.
- C. On the Date table, use a reference query in Power Query and create active relationships between Sales and both Date tables in the modeling view.
- D. Import the Date table twice in Power Query and create active relationships between Sales and both Date tables in the modeling view.

Answer: D

Explanation:

Microsoft recommends defining active relationships whenever possible. They widen the scope and potential of how your model can be used by report authors, and users working with Q&A.

Refactoring methodology (example): Here's a methodology to refactor a model from a single role-playing dimension-type table, to a design with one table per role. ? Remove any inactive relationships.

? Consider renaming the role-playing dimension-type table to better describe its role.

In the example, the Airport table is related to the ArrivalAirport column of the Flight table, so it's renamed as Arrival Airport.

? Create a copy of the role-playing table, providing it with a name that reflects its role. If it's an Import table, we recommend defining a calculated table. If it's a DirectQuery table, you can duplicate the Power Query query.

Only one relationship can be active.

Note: If you query two or more tables at the same time, when the data is loaded, Power BI Desktop attempts to find and create relationships for you. The relationship options Cardinality, Cross filter direction, and Make this relationship active are automatically set.

Reference:

<https://docs.microsoft.com/en-us/power-bi/transform-model/desktop-create-and-manage-relationships>

<https://docs.microsoft.com/en-us/power-bi/guidance/relationships-active-inactive>

NEW QUESTION 218

- (Topic 4)

A manager can represent only a single country.

You need to use row-level security (RLS) to meet the following requirements: The managers must only see the data of their respective country.

The number of RLS roles must be minimized.

Which two actions should you perform? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Create a single role that filters Country[Manager_Email] by using the USERNAME DAX function.
- B. Create a single role that filters Country[Manager_Email] by using the USEROBJECTID DAX function.
- C. For the relationship between Purchase Detail and Purchase, select Apply security filter in both directions.
- D. Create one role for each country.
- E. For the relationship between Purchase and Purchase Detail, change the Cross filter direction to Single.

Answer: AC

Explanation:


In Power BI Service the username and userprincipalname both return the email address, it's only in Power BI Desktop that username is domain/username rather than the email address. So I agree that userprincipalname is better generally as you always get the same value, the answer is correct and you can use username

as your RLS since the role will be applied in the Service. See <https://community.powerbi.com/t5/Community-Blog/USERNAME-v-s-USERPRINCIPALNAME-in-RLS-for-Power-BI-Embedded/ba-p/1867670> for more information.

NEW QUESTION 220

HOTSPOT - (Topic 4)


You are creating a quick measure as shown in the following exhibit.



You need to create a monthly rolling average measure for Sales over time-How should you configure the quick measure calculation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Total Sales
 We select the field Total Sales
 Box 2: Date Select a date field.
 Box 3: Month Monthly periods.

NEW QUESTION 224

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are modeling data by using Microsoft Power BI. Part of the data model is a large Microsoft SQL Server table named Order that has more than 100 million records.

During the development process, you need to import a sample of the data from the Order table.

Solution: You add a WHERE clause to the SQL statement. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

The WHERE clause has its effects before the data is imported.

Reference:

<https://docs.microsoft.com/en-us/power-bi/connect-data/service-gateway-sql-tutorial>

NEW QUESTION 227

HOTSPOT - (Topic 4)

You are creating a Microsoft Power BI model that has two tables named CityData and Sales. CityData contains only the data shown in the following table.

State (CityData)	City	Population (million)
CA	Los Angeles	4.00
CA	San Francisco	0.90
New York	New York	8.50
WA	Seattle	0.70
WA	Spokane	0.20

Sales contains only the data shown in the following table.

State (Sales)	Type	Sales
CA	Internet	60
CA	Store	80
TX	Store	400
WA	Internet	150
WA	Store	100

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
In the Sales table, you can write a DAX expression that uses the RELATED() function to get data from the CityData table.	<input type="radio"/>	<input type="radio"/>
A DAX expression of Sales total =CALCULATE(SUM(Sales[Sales]),ALL(Sales)) will produce the correct total sales value for each state, based on the data model.	<input type="radio"/>	<input type="radio"/>
A table visualization that uses CityData[State] and Sales[Sales] will contain sales from the state of TX.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

The Related function returns a related value from another table.

The RELATED function requires that a relationship exists between the current table and the table with related information. You specify the column that contains the data that you

want, and the function follows an existing many-to-one relationship to fetch the value from the specified column in the related table. If a relationship does not exist, you must create a relationship.

Box 2: Yes

Box 3: No

TX only occurs in the Sales table, but not in the CityData table.

NEW QUESTION 232

.....

Relate Links

100% Pass Your PL-300 Exam with Exam Bible Prep Materials

<https://www.exambible.com/PL-300-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>