

AWS-Certified-Developer-Associate Dumps

Amazon AWS Certified Developer - Associate

<https://www.certleader.com/AWS-Certified-Developer-Associate-dumps.html>



NEW QUESTION 1

An Amazon Simple Queue Service (Amazon SQS) queue serves as an event source for an AWS Lambda function. In the SQS queue, each item corresponds to a video file that the Lambda function must convert to a smaller resolution. The Lambda function is timing out on longer video files, but the Lambda function's timeout is already configured to its maximum value.

What should a developer do to avoid the timeouts without additional code changes'?

- A. Increase the memory configuration of the Lambda function
- B. Increase the visibility timeout on the SQS queue
- C. Increase the instance size of the host that runs the Lambda function.
- D. Use multi-threading for the conversion.

Answer: A

Explanation:

Increasing the memory configuration of the Lambda function will also increase the CPU and network throughput available to the function. This can improve the performance of the video conversion process and reduce the execution time of the function. This solution does not require any code changes or additional resources. It is also recommended to follow the best practices for preventing Lambda function timeouts.

1. References

? Troubleshoot Lambda function invocation timeout errors | AWS re:Post

NEW QUESTION 2

An online food company provides an Amazon API Gateway HTTP API to receive orders for partners. The API is integrated with an AWS Lambda function. The Lambda function stores the orders in an Amazon DynamoDB table.

The company expects to onboard additional partners. Some partners require additional Lambda function to receive orders. The company has created an Amazon S3 bucket. The company needs to store all orders and updates in the S3 bucket for future analysis.

How can the developer ensure that orders and updates are stored to Amazon S3 with the LEAST development effort?

- A. Create a new Lambda function and a new API Gateway API endpoint
- B. Configure the new Lambda function to write to the S3 bucket
- C. Modify the original Lambda function to post updates to the new API endpoint.
- D. Use Amazon Kinesis Data Streams to create a new data stream
- E. Modify the Lambda function to publish orders to the data stream. Configure the data stream to write to the S3 bucket.
- F. Enable DynamoDB Streams on the DynamoDB table
- G. Create a new Lambda function to read from the DynamoDB table and write to the S3 bucket.
- H. Associate the stream's Amazon Resource Name (ARN) with the Lambda Function bucket as records appear in the table's stream.
- I. Modify the Lambda function to publish to a new Amazon SNS topic
- J. Simple Lambda function receives order
- K. Subscribe a new Lambda function to the topic
- L. Configure the new Lambda function to write to the S3 bucket as updates come through the topic.

Answer: C

Explanation:

This solution will ensure that all orders and updates are stored to Amazon S3 with the least development effort because it uses DynamoDB Streams to capture changes in the DynamoDB table and trigger a Lambda function to write those changes to the S3 bucket. This way, the original Lambda function and API Gateway API endpoint do not need to be modified, and no additional services are required. Option A is not optimal because it will require more development effort to create a new Lambda function and a new API Gateway API endpoint, and to modify the original Lambda function to post updates to the new API endpoint. Option B is not optimal because it will introduce additional costs and complexity to use Amazon Kinesis Data Streams to create a new data stream, and to modify the Lambda function to publish orders to the data stream. Option D is not optimal because it will require more development effort to modify the Lambda function to publish to a new Amazon SNS topic, and to create and subscribe a new Lambda function to the topic. References: Using DynamoDB Streams, Using AWS Lambda with Amazon S3

NEW QUESTION 3

A company has a multi-node Windows legacy application that runs on premises. The application uses a network shared folder as a centralized configuration repository to store configuration files in .xml format. The company is migrating the application to Amazon EC2 instances. As part of the migration to AWS, a developer must identify a solution that provides high availability for the repository.

Which solution will meet this requirement MOST cost-effectively?

- A. Mount an Amazon Elastic Block Store (Amazon EBS) volume onto one of the EC2 instances
- B. Deploy a file system on the EBS volume
- C. Use the host operating system to share a folder with other EC2 instances
- D. Update the application code to read and write configuration files from the shared folder.
- E. Deploy a micro EC2 instance with an instance store volume
- F. Use the host operating system to share a folder
- G. Update the application code to read and write configuration files from the shared folder.
- H. Create an Amazon S3 bucket to host the repository
- I. Migrate the existing .xml files to the S3 bucket
- J. Update the application code to use the AWS SDK to read and write configuration files from Amazon S3.
- K. Create an Amazon S3 bucket to host the repository
- L. Migrate the existing .xml files to the S3 bucket
- M. Mount the S3 bucket to the EC2 instances as a local volume
- N. Update the application code to read and write configuration files from the disk.

Answer: C

Explanation:

Amazon S3 is a service that provides highly scalable, durable, and secure object storage. The developer can create an S3 bucket to host the repository and migrate the existing .xml files to the S3 bucket. The developer can update the application code to use the AWS SDK to read and write configuration files from S3.

This solution will meet the requirement of high availability for the repository in a cost-effective way.

References:

? [Amazon Simple Storage Service (S3)]

? [Using AWS SDKs with Amazon S3]

NEW QUESTION 4

A company notices that credentials that the company uses to connect to an external software as a service (SaaS) vendor are stored in a configuration file as plaintext.

The developer needs to secure the API credentials and enforce automatic credentials rotation on a quarterly basis.

Which solution will meet these requirements MOST securely?

- A. Use AWS Key Management Service (AWS KMS) to encrypt the configuration file
- B. Decrypt the configuration file when users make API calls to the SaaS vendor
- C. Enable rotation.
- D. Retrieve temporary credentials from AWS Security Token Service (AWS STS) every 15 minute
- E. Use the temporary credentials when users make API calls to the SaaS vendor.
- F. Store the credentials in AWS Secrets Manager and enable rotation
- G. Configure the API to have Secrets Manager access.
- H. Store the credentials in AWS Systems Manager Parameter Store and enable rotation
- I. Retrieve the credentials when users make API calls to the SaaS vendor.

Answer: C

Explanation:

Store the credentials in AWS Secrets Manager and enable rotation. Configure the API to have Secrets Manager access. This is correct. This solution will meet the requirements most securely, because it uses a service that is designed to store and manage secrets such as API credentials. AWS Secrets Manager helps you protect access to your applications, services, and IT resources by enabling you to rotate, manage, and retrieve secrets throughout their lifecycle¹. You can store secrets such as passwords, database strings, API keys, and license codes as encrypted values². You can also configure automatic rotation of your secrets on a schedule that you specify³. You can use the AWS SDK or CLI to retrieve secrets from Secrets Manager when you need them⁴. This way, you can avoid storing credentials in plaintext files or hardcoding them in your code.

NEW QUESTION 5

A developer is troubleshooting an Amazon API Gateway API. Clients are receiving HTTP 400 response errors when the clients try to access an endpoint of the API. How can the developer determine the cause of these errors?

- A. Create an Amazon Kinesis Data Firehose delivery stream to receive API call logs from API Gateway
- B. Configure Amazon CloudWatch Logs as the delivery stream's destination.
- C. Turn on AWS CloudTrail Insights and create a trail. Specify the Amazon Resource Name (ARN) of the trail for the stage of the API.
- D. Turn on AWS X-Ray for the API stage. Create an Amazon CloudWatch Logs log group. Specify the Amazon Resource Name (ARN) of the log group for the API stage.
- E. Turn on execution logging and access logging in Amazon CloudWatch Logs for the API stage
- F. Create a CloudWatch Logs log group
- G. Specify the Amazon Resource Name (ARN) of the log group for the API stage.

Answer: D

Explanation:

This solution will meet the requirements by using Amazon CloudWatch Logs to capture and analyze the logs from API Gateway. Amazon CloudWatch Logs is a service that monitors, stores, and accesses log files from AWS resources. The developer can turn on execution logging and access logging in Amazon CloudWatch Logs for the API stage, which enables logging information about API execution and client access to the API. The developer can create a CloudWatch Logs log group, which is a collection of log streams that share the same retention, monitoring, and access control settings. The developer can specify the Amazon Resource Name (ARN) of the log group for the API stage, which instructs API Gateway to send the logs to the specified log group. The developer can then examine the logs to determine the cause of the HTTP 400 response errors. Option A is not optimal because it will create an Amazon Kinesis Data Firehose delivery stream to receive API call logs from API Gateway, which may introduce additional costs and complexity for delivering and processing streaming data. Option B is not optimal because it will turn on AWS CloudTrail Insights and create a trail, which is a feature that helps identify and troubleshoot unusual API activity or operational issues, not HTTP response errors. Option C is not optimal because it will turn on AWS X-Ray for the API stage, which is a service that helps analyze and debug distributed applications, not HTTP response errors. References: [Setting Up CloudWatch Logging for a REST API], [CloudWatch Logs Concepts]

NEW QUESTION 6

An application that runs on AWS receives messages from an Amazon Simple Queue Service (Amazon SQS) queue and processes the messages in batches. The application sends the data to another SQS queue to be consumed by another legacy application. The legacy system can take up to 5 minutes to process some transaction data.

A developer wants to ensure that there are no out-of-order updates in the legacy system. The developer cannot alter the behavior of the legacy system.

Which solution will meet these requirements?

- A. Use an SQS FIFO queue
- B. Configure the visibility timeout value.
- C. Use an SQS standard queue with a SendMessageBatchRequestEntry data type
- D. Configure the DelaySeconds values.
- E. Use an SQS standard queue with a SendMessageBatchRequestEntry data type
- F. Configure the visibility timeout value.
- G. Use an SQS FIFO queue
- H. Configure the DelaySeconds value.

Answer: A

Explanation:

? An SQS FIFO queue is a type of queue that preserves the order of messages and ensures that each message is delivered and processed only once¹. This is suitable for the scenario where the developer wants to ensure that there are no out-of-order updates in the legacy system.

? The visibility timeout value is the amount of time that a message is invisible in the queue after a consumer receives it². This prevents other consumers from

processing the same message simultaneously. If the consumer does not delete the message before the visibility timeout expires, the message becomes visible again and another consumer can receive it.

? In this scenario, the developer needs to configure the visibility timeout value to be longer than the maximum processing time of the legacy system, which is 5 minutes. This will ensure that the message remains invisible in the queue until the legacy system finishes processing it and deletes it. This will prevent duplicate or out-of-order processing of messages by the legacy system.

NEW QUESTION 7

A company uses Amazon API Gateway to expose a set of APIs to customers. The APIs have caching enabled in API Gateway. Customers need a way to invalidate the cache for each API when they test the API.

What should a developer do to give customers the ability to invalidate the API cache?

- A. Ask the customers to use AWS credentials to call the InvalidateCache API operation.
- B. Attach an InvalidateCache policy to the IAM execution role that the customers use to invoke the AP
- C. Ask the customers to send a request that contains the HTTP header when they make an API call.
- D. Ask the customers to use the AWS SDK API Gateway class to invoke the InvalidateCache API operation.
- E. Attach an InvalidateCache policy to the IAM execution role that the customers use to invoke the AP
- F. Ask the customers to add the INVALIDATE_CACHE query string parameter when they make an API call.

Answer: D

NEW QUESTION 8

A developer is creating a simple proof-of-concept demo by using AWS CloudFormation and AWS Lambda functions. The demo will use a CloudFormation template to deploy an existing Lambda function. The Lambda function uses deployment packages and dependencies stored in Amazon S3. The developer defined an AWS Lambda Function resource in a CloudFormation template. The developer needs to add the S3 bucket to the CloudFormation template.

What should the developer do to meet these requirements with the LEAST development effort?

- A. Add the function code in the CloudFormation template inline as the code property.
- B. Add the function code in the CloudFormation template as the ZipFile property.
- C. Find the S3 key for the Lambda function. Add the S3 key as the ZipFile property in the CloudFormation template.
- D. Add the relevant key and bucket to the S3Bucket and S3Key properties in the CloudFormation template.

Answer: D

Explanation:

The easiest way to add the S3 bucket to the CloudFormation template is to use the S3Bucket and S3Key properties of the AWS::Lambda::Function resource.

These properties specify the name of the S3 bucket and the location of the .zip file that contains the function code and dependencies. This way, the developer does not need to modify the function code or upload it to a different location. The other options are either not feasible or not efficient.

The code property can only be used for inline code, not for code stored in S3. The ZipFile property can only be used for code that is less than 4096 bytes, not for code that has dependencies. Finding the S3 key for the Lambda function and adding it as the ZipFile property would not work, as the ZipFile property expects a base64-encoded .zip file, not an S3 location. References

? AWS::Lambda::Function - AWS CloudFormation

? Deploying Lambda functions as .zip file archives

? AWS Lambda Function Code - AWS CloudFormation

NEW QUESTION 9

A developer is creating an application that will store personal health information (PHI). The PHI needs to be encrypted at all times. An encrypted Amazon RDS for MySQL DB instance is storing the data. The developer wants to increase the performance of the application by caching frequently accessed data while adding the ability to sort or rank the cached datasets.

Which solution will meet these requirements?

- A. Create an Amazon ElastiCache for Redis instance.
- B. Enable encryption of data in transit and at rest.
- C. Store frequently accessed data in the cache.
- D. Create an Amazon ElastiCache for Memcached instance.
- E. Enable encryption of data in transit and at rest.
- F. Store frequently accessed data in the cache.
- G. Create an Amazon RDS for MySQL read replica.
- H. Connect to the read replica by using SSL.
- I. Configure the read replica to store frequently accessed data.
- J. Create an Amazon DynamoDB table and a DynamoDB Accelerator (DAX) cluster for the table.
- K. Store frequently accessed data in the DynamoDB table.

Answer: A

Explanation:

Amazon ElastiCache is a service that offers fully managed in-memory data stores that are compatible with Redis or Memcached. The developer can create an ElastiCache for Redis instance and enable encryption of data in transit and at rest. This will ensure that the PHI is encrypted at all times. The developer can store frequently accessed data in the cache and use Redis features such as sorting and ranking to enhance the performance of the application.

References:

? [What Is Amazon ElastiCache? - Amazon ElastiCache]

? [Encryption in Transit - Amazon ElastiCache for Redis]

? [Encryption at Rest - Amazon ElastiCache for Redis]

NEW QUESTION 10

A developer wants to expand an application to run in multiple AWS Regions. The developer wants to copy Amazon Machine Images (AMIs) with the latest changes and create a new application stack in the destination Region. According to company requirements, all AMIs must be encrypted in all Regions. However, not all the AMIs that the company uses are encrypted.

How can the developer expand the application to run in the destination Region while meeting the encryption requirement?

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Amazon Machine Images (AMIs) are encrypted snapshots of EC2 instances that can be used to launch new instances. The developer can create new AMIs from the existing instances and specify encryption parameters. The developer can copy the encrypted AMIs to the destination Region and use them to create a new application stack. The developer can delete the unencrypted AMIs after the encryption process is complete. This solution will meet the encryption requirement and allow the developer to expand the application to run in the destination Region.

References:

- ? [Amazon Machine Images (AMI) - Amazon Elastic Compute Cloud]
- ? [Encrypting an Amazon EBS Snapshot - Amazon Elastic Compute Cloud]
- ? [Copying an AMI - Amazon Elastic Compute Cloud]

NEW QUESTION 10

A developer is creating a new REST API by using Amazon API Gateway and AWS Lambda. The development team tests the API and validates responses for the known use cases before deploying the API to the production environment.

The developer wants to make the REST API available for testing by using API Gateway locally. Which AWS Serverless Application Model Command Line Interface (AWS SAM CLI) subcommand will meet these requirements?

- A. Sam local invoke
- B. Sam local generate-event
- C. Sam local start-lambda
- D. Sam local start-api

Answer: D

Explanation:

? The sam local start-api subcommand allows you to run your serverless application locally for quick development and testing¹. It creates a local HTTP server that acts as a proxy for API Gateway and invokes your Lambda functions based on the AWS SAM template¹. You can use the sam local start-api subcommand to test your REST API locally by sending HTTP requests to the local endpoint¹.

NEW QUESTION 11

A company is using an AWS Lambda function to process records from an Amazon Kinesis data stream. The company recently observed slow processing of the records. A developer notices that the iterator age metric for the function is increasing and that the Lambda run duration is constantly above normal. Which actions should the developer take to increase the processing speed? (Choose two.)

- A. Increase the number of shards of the Kinesis data stream.
- ~~B. Decrease the timeout of the Lambda function.~~
- C. Increase the memory that is allocated to the Lambda function.
- D. Decrease the number of shards of the Kinesis data stream.
- E. Increase the timeout of the Lambda function.

Answer: AC

Explanation:

Increasing the number of shards of the Kinesis data stream will increase the throughput and parallelism of the data processing. Increasing the memory that is allocated to the Lambda function will also increase the CPU and network performance of the function, which will reduce the run duration and improve the processing speed. Option B is not correct because decreasing the timeout of the Lambda function will not affect the processing speed, but may cause some records to fail if they exceed the timeout limit. Option D is not correct because decreasing the number of shards of the Kinesis data stream will decrease the throughput and parallelism of the data processing, which will slow down the processing speed. Option E is not correct because increasing the timeout of the Lambda function will not affect the processing speed, but may increase the cost of running the function.

References: [Amazon Kinesis Data Streams Scaling], [AWS Lambda Performance Tuning]

NEW QUESTION 13

A developer is creating an AWS CloudFormation template to deploy Amazon EC2 instances across multiple AWS accounts. The developer must choose the EC2 instances from a list of approved instance types.

How can the developer incorporate the list of approved instance types in the CloudFormation template?

- A. Create a separate CloudFormation template for each EC2 instance type in the list.
- B. In the Resources section of the CloudFormation template, create resources for each EC2 instance type in the list.
- C. In the CloudFormation template, create a separate parameter for each EC2 instance type in the list.
- D. In the CloudFormation template, create a parameter with the list of EC2 instance types as AllowedValues.

Answer: D

Explanation:

In the CloudFormation template, the developer should create a parameter with the list of approved EC2 instance types as AllowedValues. This way, users can select the instance type they want to use when launching the CloudFormation stack, but only from the approved list.

NEW QUESTION 17

A developer is working on a Python application that runs on Amazon EC2 instances. The developer wants to enable tracing of application requests to debug performance issues in the code.

Which combination of actions should the developer take to achieve this goal? (Select TWO)

- A. Install the Amazon CloudWatch agent on the EC2 instances.
- B. Install the AWS X-Ray daemon on the EC2 instances.
- C. Configure the application to write JSON-formatted logs to /var/log/cloudwatch.

- D. Configure the application to write trace data to /Var/log/xray.
E. Install and configure the AWS X-Ray SDK for Python in the application.

Answer: BE

Explanation:

This solution will meet the requirements by using AWS X-Ray to enable tracing of application requests to debug performance issues in the code. AWS X-Ray is a service that collects data about requests that the applications serve, and provides tools to view, filter, and gain insights into that data. The developer can install the AWS X-Ray daemon on the EC2 instances, which is a software that listens for traffic on UDP port 2000, gathers raw segment data, and relays it to the X-Ray API. The developer can also install and configure the AWS X-Ray SDK for Python in the application, which is a library that enables instrumenting Python code to generate and send trace data to the X-Ray daemon. Option A is not optimal because it will install the Amazon CloudWatch agent on the EC2 instances, which is a software that collects metrics and logs from EC2 instances and on-premises servers, not application performance data. Option C is not optimal because it will configure the application to write JSON-formatted logs to /var/log/cloudwatch, which is not a valid path or destination for CloudWatch logs. Option D is not optimal because it will configure the application to write trace data to /var/log/xray, which is also not a valid path or destination for X-Ray trace data.

References: [AWS X-Ray], [Running the X-Ray Daemon on Amazon EC2]

NEW QUESTION 21

A developer has an application that makes batch requests directly to Amazon DynamoDB by using the BatchGetItem low-level API operation. The responses frequently return values in the UnprocessedKeys element.

Which actions should the developer take to increase the resiliency of the application when the batch response includes values in UnprocessedKeys? (Choose two.)

- A. Retry the batch operation immediately.
B. Retry the batch operation with exponential backoff and randomized delay.
C. Update the application to use an AWS software development kit (AWS SDK) to make the requests.
D. Increase the provisioned read capacity of the DynamoDB tables that the operation accesses.
E. Increase the provisioned write capacity of the DynamoDB tables that the operation accesses.

Answer: BC

Explanation:

The UnprocessedKeys element indicates that the BatchGetItem operation did not process all of the requested items in the current response. This can happen if the

response size limit is exceeded or if the table's provisioned throughput is exceeded. To handle this situation, the developer should retry the batch operation with exponential backoff and randomized delay to avoid throttling errors and reduce the load on the table. The developer should also use an AWS SDK to make the requests, as the SDKs automatically retry requests that return UnprocessedKeys.

References:

? [BatchGetItem - Amazon DynamoDB]

? [Working with Queries and Scans - Amazon DynamoDB]

? [Best Practices for Handling DynamoDB Throttling Errors]

NEW QUESTION 24

A company uses a custom root certificate authority certificate chain (Root CA Cert) that is 10 KB in size generate SSL certificates for its on-premises HTTPS endpoints. One of the company's cloud based applications has hundreds of AWS Lambda functions that pull data from these endpoints. A developer updated the trust store of the Lambda execution environment to use the Root CA Cert when the Lambda execution environment is initialized. The developer bundled the Root CA Cert as a text file in the Lambdas deployment bundle.

After 3 months of development the root CA Cert is no longer valid and must be updated. The developer needs a more efficient solution to update the Root CA Cert for all deployed Lambda functions. The solution must not include rebuilding or updating all Lambda functions that use the Root CA Cert. The solution must also work for all development, testing and production environment. Each environment is managed in a separate AWS account.

When combination of steps Would the developer take to meet these environments MOST cost-effectively? (Select TWO)

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

This solution will meet the requirements by storing the Root CA Cert as a Secure String parameter in AWS Systems Manager Parameter Store, which is a secure and scalable service for storing and managing configuration data and secrets. The resource-based policy will allow IAM users in different AWS accounts and environments to access the parameter without requiring cross-account roles or permissions. The Lambda code will be refactored to load the Root CA Cert from the parameter store and modify the runtime trust store outside the Lambda function handler, which will improve performance and reduce latency by avoiding repeated calls to Parameter Store and trust store modifications for each invocation of the Lambda function. Option A is not optimal because it will use AWS Secrets Manager instead of AWS Systems Manager Parameter Store, which will incur additional costs and complexity for storing and managing a non-secret configuration data such as Root CA Cert. Option C is not optimal because it will deactivate the application secrets and monitor the application error logs temporarily, which will cause application downtime and potential data loss. Option D is not optimal because it will modify the runtime trust store inside the Lambda function handler, which will degrade performance and increase latency by repeating unnecessary operations for each invocation of the Lambda function.

References: AWS Systems Manager Parameter Store, [Using SSL/TLS to Encrypt a Connection to a DB Instance]

NEW QUESTION 27

A developer is using AWS Step Functions to automate a workflow The workflow defines each step as an AWS Lambda function task The developer notices that runs of the Step Functions state machine fail in the GetResource task with either an UlegalArgumentException error or a TooManyRequestsException error The developer wants the state machine to stop running when the state machine encounters an UlegalArgumentException error. The state machine needs to retry the GetResource task one additional time after 10 seconds if the state machine encounters a TooManyRequestsException error. If the second attempt fails, the developer wants the state machine to stop running.

How can the developer implement the Lambda retry functionality without adding unnecessary complexity to the state machine'?

- A. Add a Delay task after the GetResource tas
B. Add a catcher to the GetResource tas
C. Configure the catcher with an error type of TooManyRequestsExceptio

- D. Configure the next step to be the Delay task Configure the Delay task to wait for an interval of 10 seconds Configure the next step to be the GetResource task.
E. Add a catcher to the GetResource task Configure the catcher with an error type of TooManyRequestsExceptio
F. an interval of 10 seconds, and a maximum attempts value of 1. Configure the next step to be the GetResource task.
G. Add a retrier to the GetResource task Configure the retrier with an error type of TooManyRequestsException, an interval of 10 seconds, and a maximum attempts value of 1.
H. Duplicate the GetResource task Rename the new GetResource task to TryAgain Add a catcher to the original GetResource task Configure the catcher with an error type of TooManyRequestsException
I. Configure the next step to be TryAgain.

Answer: C

Explanation:

The best way to implement the Lambda retry functionality is to use the Retry field in the state definition of the GetResource task. The Retry field allows the developer to specify an array of retriers, each with an error type, an interval, and a maximum number of attempts. By setting the error type to TooManyRequestsException, the interval to 10 seconds, and the maximum attempts to 1, the developer can achieve the desired behavior of retrying the GetResource task once after 10 seconds if it encounters a TooManyRequestsException error. If the retry fails, the state machine will stop running. If the GetResource task encounters an UlegalArgumentException error, the state machine will also stop running without retrying, as this error type is not specified in the Retry field. References
? Error handling in Step Functions
? Handling Errors, Retries, and adding Alerting to Step Function State Machine Executions
? The Jitter Strategy for Step Functions Error Retries on the New Workflow Studio

NEW QUESTION 29

A developer has written the following IAM policy to provide access to an Amazon S3 bucket:

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Action": [
        "s3:GetObject",
        "s3:PutObject"
      ],
      "Resource": "arn:aws:s3:::DOC-EXAMPLE-BUCKET/*"
    },
    {
      "Effect": "Deny",
      "Action": "s3:*",
      "Resource": "arn:aws:s3:::DOC-EXAMPLE-BUCKET/secrets*"
    }
  ]
}
```

Which access does the policy allow regarding the s3:GetObject and s3:PutObject actions?

- A. Access on all buckets except the "DOC-EXAMPLE-BUCKET" bucket
B. Access on all buckets that start with "DOC-EXAMPLE-BUCKET" except the "DOC-EXAMPLE-BUCKET/secrets" bucket
C. Access on all objects in the "DOC-EXAMPLE-BUCKET" bucket along with access to all S3 actions for objects in the "DOC-EXAMPLE-BUCKET" bucket that start with "secrets"
D. Access on all objects in the "DOC-EXAMPLE-BUCKET" bucket except on objects that start with "secrets"

Answer: D

Explanation:

The IAM policy shown in the image is a resource-based policy that grants or denies access to an S3 bucket based on certain conditions. The first statement allows access to any S3 action on any object in the "DOC-EXAMPLE-BUCKET" bucket when the request is made over HTTPS (the value of aws:SecureTransport is true). The second statement denies access to the s3:GetObject and s3:PutObject actions on any object in the "DOC-EXAMPLE-BUCKET/secrets" prefix when the request is made over HTTP (the value of aws:SecureTransport is false). Therefore, the policy allows access on all objects in the "DOC-EXAMPLE-BUCKET" bucket except on objects that start with "secrets".
Reference: Using IAM policies for Amazon S3

NEW QUESTION 33

A developer is working on an ecommerce platform that communicates with several third- party payment processing APIs The third-party payment services do not provide a test environment.
The developer needs to validate the ecommerce platform's integration with the third-party payment processing APIs. The developer must test the API integration code without invoking the third-party payment processing APIs.
Which solution will meet these requirements'?

- A. Set up an Amazon API Gateway REST API with a gateway response configured for status code 200 Add response templates that contain sample responses captured from the real third-party API.
B. Set up an AWS AppSync GraphQL API with a data source configured for each third- party API Specify an integration type of Mock Configure integration responses by using sample responses captured from the real third-party API.
C. Create an AWS Lambda function for each third-party AP
D. Embed responses captured from the real third-party AP
E. Configure Amazon Route 53 Resolver with an inbound endpoint for each Lambda function's Amazon Resource Name (ARN).

F. Set up an Amazon API Gateway REST API for each third-party API Specify an integration request type of Mock Configure integration responses by using sample responses captured from the real third-party API

Answer: D

Explanation:

Amazon API Gateway can mock responses for testing purposes without requiring any integration backend. This allows the developer to test the API integration code without invoking the third-party payment processing APIs. The developer can configure integration responses by using sample responses captured from the real third-party API. References:

? Mocking Integration Responses in API Gateway

? Set up Mock Integrations for an API in API Gateway

NEW QUESTION 35

A company is building a web application on AWS. When a customer sends a request, the application will generate reports and then make the reports available to the customer within one hour. Reports should be accessible to the customer for 8 hours. Some reports are larger than 1 MB. Each report is unique to the customer. The application should delete all reports that are older than 2 days.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Generate the reports and then store the reports as Amazon DynamoDB items that have a specified TTL
- B. Generate a URL that retrieves the reports from DynamoDB
- C. Provide the URL to customers through the web application.
- D. Generate the reports and then store the reports in an Amazon S3 bucket that uses server-side encryption
- E. Attach the reports to an Amazon Simple Notification Service (Amazon SNS) message
- F. Subscribe the customer to email notifications from Amazon SNS.
- G. Generate the reports and then store the reports in an Amazon S3 bucket that uses server-side encryption
- H. Generate a presigned URL that contains an expiration date Provide the URL to customers through the web application
- I. Add S3 Lifecycle configuration rules to the S3 bucket to delete old reports.
- J. Generate the reports and then store the reports in an Amazon RDS database with a date stamp
- K. Generate an URL that retrieves the reports from the RDS database
- L. Provide the URL to customers through the web application
- M. Schedule an hourly AWS Lambda function to delete database records that have expired date stamps.

Answer: C

Explanation:

This solution will meet the requirements with the least operational overhead because it uses Amazon S3 as a scalable, secure, and durable storage service for the reports. The presigned URL will allow customers to access their reports for a limited time (8 hours) without requiring additional authentication. The S3 Lifecycle configuration rules will automatically delete the reports that are older than 2 days, reducing storage costs and complying with the data retention policy. Option A is not optimal because it will incur additional costs and complexity to store the reports as DynamoDB items, which have a size limit of 400 KB. Option B is not optimal because it will not provide customers with access to their reports within one hour, as Amazon SNS email delivery is not guaranteed. Option D is not optimal because it will require more operational overhead to manage an RDS database and a Lambda function for storing and deleting the reports.

References: Amazon S3 Presigned URLs, Amazon S3 Lifecycle

NEW QUESTION 40

A developer is testing an application that invokes an AWS Lambda function asynchronously. During the testing phase the Lambda function fails to process after two retries.

How can the developer troubleshoot the failure?

- A. Configure AWS CloudTrail logging to investigate the invocation failures.
- B. Configure Dead Letter Queues by sending events to Amazon SQS for investigation.
- C. Configure Amazon Simple Workflow Service to process any direct unprocessed events.
- D. Configure AWS Config to process any direct unprocessed events.

Answer: B

Explanation:

This solution allows the developer to troubleshoot the failure by capturing unprocessed events in a queue for further analysis. Dead Letter Queues (DLQs) are queues that store messages that could not be processed by a service, such as Lambda, for various reasons, such as configuration errors, throttling limits, or permissions issues. The developer can configure DLQs for Lambda functions by sending events to either an Amazon Simple Queue Service (SQS) queue or an Amazon Simple Notification Service (SNS) topic. The developer can then inspect the messages in the queue or topic to identify and fix the root cause of the failure. Configuring AWS CloudTrail logging will not capture invocation failures for asynchronous Lambda invocations, but only record API calls made by or on behalf of Lambda. Configuring Amazon Simple Workflow Service (SWF) or AWS Config will not process any direct unprocessed events, but require additional integration and configuration.

Reference: [Using AWS Lambda with DLQs], [Asynchronous invocation]

NEW QUESTION 45

An application uses Lambda functions to extract metadata from files uploaded to an S3 bucket; the metadata is stored in Amazon DynamoDB. The application starts behaving unexpectedly, and the developer wants to examine the logs of the Lambda function code for errors.

Based on this system configuration, where would the developer find the logs?

- A. Amazon S3
- B. AWS CloudTrail
- C. Amazon CloudWatch
- D. Amazon DynamoDB

Answer: C

Explanation:

Amazon CloudWatch is the service that collects and stores logs from AWS Lambda functions. The developer can use CloudWatch Logs Insights to query and analyze the logs for errors and metrics. Option A is not correct because Amazon S3 is a storage service that does not store Lambda function logs. Option B is not correct because AWS CloudTrail is a service that records API calls and events for AWS services, not Lambda function logs. Option D is not correct because Amazon DynamoDB is a database service that does not store Lambda function logs.

References: AWS Lambda Monitoring, [CloudWatch Logs Insights]

NEW QUESTION 47

A developer is using an AWS Lambda function to generate avatars for profile pictures that are uploaded to an Amazon S3 bucket. The Lambda function is automatically invoked for profile pictures that are saved under the /original/ S3 prefix. The developer notices that some pictures cause the Lambda function to time out. The developer wants to implement a fallback mechanism by using another Lambda function that resizes the profile picture.

Which solution will meet these requirements with the LEAST development effort?

- A. Set the image resize Lambda function as a destination of the avatar generator Lambda function for the events that fail processing.
- B. Create an Amazon Simple Queue Service (Amazon SQS) queue
- C. Set the SQS queue as a destination with an on failure condition for the avatar generator Lambda function
- D. Configure the image resize Lambda function to poll from the SQS queue.
- E. Create an AWS Step Functions state machine that invokes the avatar generator Lambda function and uses the image resize Lambda function as a fallback
- F. Create an Amazon EventBridge rule that matches events from the S3 bucket to invoke the state machine.
- G. Create an Amazon Simple Notification Service (Amazon SNS) topic
- H. Set the SNS topic as a destination with an on failure condition for the avatar generator Lambda function
- I. Subscribe the image resize Lambda function to the SNS topic.

Answer: A

Explanation:

The solution that will meet the requirements with the least development effort is to set the image resize Lambda function as a destination of the avatar generator Lambda function for the events that fail processing. This way, the fallback mechanism is automatically triggered by the Lambda service without requiring any additional components or configuration. The other options involve creating and managing additional resources such as queues, topics, state machines, or rules, which would increase the complexity and cost of the solution.

Reference: Using AWS Lambda destinations

NEW QUESTION 52

A company is planning to securely manage one-time fixed license keys in AWS. The company's development team needs to access the license keys in automation scripts that run in Amazon EC2 instances and in AWS CloudFormation stacks.

Which solution will meet these requirements MOST cost-effectively?

- A. Amazon S3 with encrypted files prefixed with "config"
- B. AWS Secrets Manager secrets with a tag that is named SecretString
- C. AWS Systems Manager Parameter Store SecureString parameters
- D. CloudFormation NoEcho parameters

Answer: C

Explanation:

AWS Systems Manager Parameter Store is a service that provides secure, hierarchical storage for configuration data and secrets. Parameter Store supports SecureString parameters, which are encrypted using AWS Key Management Service (AWS KMS) keys. SecureString parameters can be used to store license keys in AWS and retrieve them securely from automation scripts that run in EC2 instances or CloudFormation stacks. Parameter Store is a cost-effective solution because it does not charge for storing parameters or API calls. Reference: Working with Systems Manager parameters

NEW QUESTION 53

An application runs on multiple EC2 instances behind an ELB.

Where is the session data best written so that it can be served reliably across multiple requests?

- A. Write data to Amazon ElastiCache
- B. Write data to Amazon Elastic Block Store
- C. Write data to Amazon EC2 instance Store
- D. Write data to the root filesystem

Answer: A

Explanation:

The solution that will meet the requirements is to write data to Amazon ElastiCache. This way, the application can write session data to a fast, scalable, and reliable in-memory data store that can be served reliably across multiple requests. The other options either involve writing data to persistent storage, which is slower and more expensive than in-memory storage, or writing data to the root filesystem, which is not shared among multiple EC2 instances.

Reference: Using ElastiCache for session management

NEW QUESTION 55

A developer must analyze performance issues with production-distributed applications written as AWS Lambda functions. These distributed Lambda applications invoke other components that make up the applications. How should the developer identify and troubleshoot the root cause of the performance issues in production?

- A. Add logging statements to the Lambda function
- B. then use Amazon CloudWatch to view the logs.
- C. Use AWS CloudTrail and then examine the logs.
- D. Use AWS X-Ray
- E. then examine the segments and errors.

F. Run Amazon inspector agents and then analyze performance.

Answer: C

Explanation:

This solution will meet the requirements by using AWS X-Ray to analyze and debug the performance issues with the distributed Lambda applications. AWS X-Ray is a service that collects data about requests that the applications serve, and provides tools to view, filter, and gain insights into that data. The developer can use AWS X-Ray to identify the root cause of the performance issues by examining the segments and errors that show the details of each request and the components that make up the applications. Option A is not optimal because it will use logging statements and Amazon CloudWatch, which may not provide enough information or visibility into the distributed applications. Option B is not

optimal because it will use AWS CloudTrail, which is a service that records API calls and events for AWS services, not application performance data. Option D is not optimal because it will use Amazon Inspector, which is a service that helps improve the security and compliance of applications on Amazon EC2 instances, not Lambda functions. References: AWS X-Ray, Using AWS X-Ray with AWS Lambda

NEW QUESTION 57

An application is processing clickstream data using Amazon Kinesis. The clickstream data feed into Kinesis experiences periodic spikes. The PutRecords API call occasionally fails and the logs show that the failed call returns the response shown below:

```
{
  "FailedRecordCount": 1,
  "Records": [
    {
      "SequenceNumber": "21269319989900637946712965403778482371",
      "ShardId": "shardId-000000000001"
    },
    {
      "ErrorCode": "ProvisionedThroughputExceededException",
      "ErrorMessage": "Rate exceeded for shard shardId-000000000001 in
                        stream exampleStreamName under account 123456789."
    },
    {
      "SequenceNumber": "21269319989999637946712965403778482985",
      "ShardId": "shardId-000000000002"
    }
  ]
}
```

Which techniques will help mitigate this exception? (Choose two.)

- A. Implement retries with exponential backoff.
- B. Use a PutRecord API instead of PutRecords.
- C. Reduce the frequency and/or size of the requests.
- D. Use Amazon SNS instead of Kinesis.
- E. Reduce the number of KCL consumers.

Answer: AC

Explanation:

The response from the API call indicates that the ProvisionedThroughputExceededException exception has occurred. This exception means that the rate of incoming requests exceeds the throughput limit for one or more shards in a stream. To mitigate this exception, the developer can use one or more of the following techniques:

- ? Implement retries with exponential backoff. This will introduce randomness in the retry intervals and avoid overwhelming the shards with retries.
- ? Reduce the frequency and/or size of the requests. This will reduce the load on the shards and avoid throttling errors.
- ? Increase the number of shards in the stream. This will increase the throughput capacity of the stream and accommodate higher request rates.
- ? Use a PutRecord API instead of PutRecords. This will reduce the number of records per request and avoid exceeding the payload limit.

References:

- ? [ProvisionedThroughputExceededException - Amazon Kinesis Data Streams Service API Reference]
- ? [Best Practices for Handling Kinesis Data Streams Errors]

NEW QUESTION 62

A company has multiple Amazon VPC endpoints in the same VPC. A developer needs configure an Amazon S3 bucket policy so users can access an S3 bucket only by using these VPC endpoints.

Which solution will meet these requirements?

- A. Create multiple S3 bucket policies by using each VPC endpoint ID that have the aws SourceVpce value in the StringNotEquals condition.
- B. Create a single S3 bucket policy that has the aws SourceVpc value and in the StingNotEquals condition to use VPC ID.
- C. Create a single S3 bucket policy that the multiple aws SourceVpce value and in the SringNotEquals condton to use vpce.
- D. Create a single S3 bucket policy that has multiple aws sourceVpce value in the StingNotEquale conditio
- E. Repeat for all the VPC endpoint IDs.

Answer: D

Explanation:

This solution will meet the requirements by creating a single S3 bucket policy that denies access to the S3 bucket unless the request comes from one of the specified VPC endpoints. The aws:SourceVpce condition key is used to match the ID of the VPC endpoint that is used to access the S3 bucket. The

StringNotEquals condition operator is used to negate the condition, so that only requests from the listed VPC endpoints are allowed. Option A is not optimal because it will create multiple S3 bucket policies, which is not possible as only one bucket policy can be attached to an S3 bucket. Option B

is not optimal because it will use the `aws:SourceVpc` condition key, which matches the ID of the VPC that is used to access the S3 bucket, not the VPC endpoint. Option C is not optimal because it will use the `StringNotEquals` condition operator with a single value, which will deny access to the S3 bucket from all VPC endpoints except one.

References: Using Amazon S3 Bucket Policies and User Policies, AWS Global Condition Context Keys

NEW QUESTION 64

A developer is creating an AWS Lambda function that searches for items from an Amazon DynamoDB table that contains customer contact information. The DynamoDB table items have the customer's `email_address` as the partition key and additional properties such as `customer_type`, `name`, and `job_title`. The Lambda function runs whenever a user types a new character into the `customer_type` text input. The developer wants the search to return partial matches of all the `email_address` property of a particular `customer_type`. The developer does not want to recreate the DynamoDB table. What should the developer do to meet these requirements?

- A. Add a global secondary index (GSI) to the DynamoDB table with `customer_type` as the partition key and `email_address` as the sort key. Perform a query operation on the GSI by using the `begins_with` key condition expression with the `email_address` property.
- B. Add a global secondary index (GSI) to the DynamoDB table with `email_address` as the partition key and `customer_type` as the sort key. Perform a query operation on the GSI by using the `begins_with` key condition expression with the `email_address` property.
- C. Add a local secondary index (LSI) to the DynamoDB table with `customer_type` as the partition key and `email_address` as the sort key. Perform a query operation on the LSI by using the `begins_with` key condition expression with the `email_address` property.
- D. Add a local secondary index (LSI) to the DynamoDB table with `job_title` as the partition key and `email_address` as the sort key. Perform a query operation on the LSI by using the `begins_with` key condition expression with the `email_address` property.

Answer: A

Explanation:

By adding a global secondary index (GSI) to the DynamoDB table with `customer_type` as the partition key and `email_address` as the sort key, the developer can perform a query operation on the GSI using the `Begins_with` key condition expression with the `email_address` property. This will return partial matches of all `email_address` properties of a specific `customer_type`.

NEW QUESTION 68

A developer is writing an AWS Lambda function. The developer wants to log key events that occur while the Lambda function runs. The developer wants to include a unique identifier to associate the events with a specific function invocation. The developer adds the following code to the Lambda function:

```
function handler(event, context) {  
  
  
  
  
  
  
}
```

Which solution will meet this requirement?

- A. Obtain the request identifier from the AWS request ID field in the context object.
- B. Configure the application to write logs to standard output.
- C. Obtain the request identifier from the AWS request ID field in the event object.
- D. Configure the application to write logs to a file.
- E. Obtain the request identifier from the AWS request ID field in the event object.
- F. Configure the application to write logs to standard output.
- G. Obtain the request identifier from the AWS request ID field in the context object.
- H. Configure the application to write logs to a file.

Answer: A

Explanation:

<https://docs.aws.amazon.com/lambda/latest/dg/nodejs-context.html> <https://docs.aws.amazon.com/lambda/latest/dg/nodejs-logging.html>

There is no explicit information for the runtime, the code is written in Node.js.

AWS Lambda is a service that lets developers run code without provisioning or managing servers. The developer can use the AWS request ID field in the context object to obtain a unique identifier for each function invocation. The developer can configure the application to write logs to standard output, which will be captured by Amazon CloudWatch Logs. This solution will meet the requirement of logging key events with a unique identifier.

References:

- ? [What Is AWS Lambda? - AWS Lambda]
- ? [AWS Lambda Function Handler in Node.js - AWS Lambda]
- ? [Using Amazon CloudWatch - AWS Lambda]

NEW QUESTION 71

A developer accesses AWS CodeCommit over SSH. The SSH keys configured to access AWS CodeCommit are tied to a user with the following permissions:


```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Action": [
        "codecommit:BatchGetRepositories",
        "codecommit:Get*",
        "codecommit:List*",
        "codecommit:GitPull"
      ],
      "Resource": "*"
    }
  ]
}
```

The developer needs to create/delete branches

Which specific IAM permissions need to be added based on the principle of least privilege?

- A. "codecommit:CreateBranch"
"codecommit>DeleteBranch"
- B. "codecommit:Put*"
- C. "codecommit:Update*"
- D. "codecommit:*"

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: A

Explanation:

This solution allows the developer to create and delete branches in AWS CodeCommit by granting the codecommit:CreateBranch and codecommit>DeleteBranch permissions. These are the minimum permissions required for this task, following the principle of least privilege. Option B grants too many permissions, such as codecommit:Put*, which allows the developer to create, update, or delete any resource in CodeCommit. Option C grants too few permissions, such as codecommit:Update*, which does not allow the developer to create or delete branches. Option D grants all permissions, such as codecommit:*, which is not secure or recommended.

Reference: [AWS CodeCommit Permissions Reference], [Create a Branch (AWS CLI)]

NEW QUESTION 74

A company is creating an application that processes csv files from Amazon S3 A developer has created an S3 bucket The developer has also created an AWS Lambda function to process the csv files from the S3 bucket

Which combination of steps will invoke the Lambda function when a csv file is uploaded to Amazon S3? (Select TWO.)

- A. Create an Amazon EventBridge rule Configure the rule with a pattern to match the S3 object created event
- B. Schedule an Amazon EventBridge rule to run a new Lambda function to scan the S3 bucket.
- C. Add a trigger to the existing Lambda functio
- D. Set the trigger type to EventBridge Select the Amazon EventBridge rule.
- E. Create a new Lambda function to scan the S3 bucket for recently added S3 objects
- F. Add S3 Lifecycle rules to invoke the existing Lambda function

Answer: AC

Explanation:

To invoke a Lambda function when a csv file is uploaded to Amazon S3, you can use Amazon EventBridge to create a rule that matches the S3 object created event. Then, you can add a trigger to the existing Lambda function and set the trigger type to EventBridge. This way, the Lambda function will be invoked whenever a new csv file is added to the S3 bucket. References

? Tutorial: Using an Amazon S3 trigger to invoke a Lambda function

? How to trigger my Lambda Function once the file is uploaded to s3 bucket

? Lambda Function to be invoked or triggered by S3(csv file upload ...

NEW QUESTION 75

A developer needs to store configuration variables for an application. The developer needs to set an expiration date and time for the configuration. The developer wants to receive notifications. Before the configuration expires. Which solution will meet these requirements with the LEAST operational overhead?

A. Create a standard parameter in AWS Systems Manager Parameter Store Set Expiration and Expiration Notification policy types.

B. Create a standard parameter in AWS Systems Manager Parameter Store Create an AWS Lambda function to expire the configuration and to send Amazon Simple Notification Service (Amazon SNS) notifications.

C. Create an advanced parameter in AWS Systems Manager Parameter Store Set Expiration and Expiration Notification policy types.

D. Create an advanced parameter in AWS Systems Manager Parameter Store Create an Amazon EC2 instance with a cron job to expire the configuration and to send notifications.

Answer: C

Explanation:

This solution will meet the requirements by creating an advanced parameter in AWS Systems Manager Parameter Store, which is a secure and scalable service for storing and managing configuration data and secrets. The advanced parameter allows setting expiration and expiration notification policy types, which enable specifying an expiration date and time for the configuration and receiving notifications before the configuration expires. The Lambda code will be refactored to load the Root CA Cert from the parameter store and modify the runtime trust store outside the Lambda function handler, which will improve performance and reduce latency by avoiding repeated calls to Parameter Store and trust store modifications for each invocation of the Lambda function. Option A is not optimal because it will create a standard parameter in AWS Systems Manager Parameter Store, which does not support expiration and expiration notification policy types. Option B is not optimal because it will create a secret access key and access key ID with permission to access the S3 bucket, which will introduce additional security risks and complexity for storing and managing credentials. Option D is not optimal because it will create a Docker container from Node.js base image to invoke Lambda functions, which will incur additional costs and overhead for creating and running Docker containers. References: AWS Systems Manager Parameter Store, [Using SSL/TLS to Encrypt a Connection to a DB Instance]

NEW QUESTION 77

A developer has code that is stored in an Amazon S3 bucket. The code must be deployed as an AWS Lambda function across multiple accounts in the same AWS Region as the S3 bucket an AWS CloudFormation template that runs for each account will deploy the Lambda function.

What is the MOST secure way to allow CloudFormation to access the Lambda Code in the S3 bucket?

A. Mastered

B. Not Mastered

Answer: A

Explanation:

This solution allows the CloudFormation service role to access the S3 bucket from any account, as long as it has the S3 GetObject permission. The bucket policy grants access to any principal with the GetObject permission, which is the least privilege needed to deploy the Lambda code. This is more secure than granting ListBucket permission, which is not required for deploying Lambda code, or using a service-based link, which is not supported for Lambda functions.

Reference: AWS CloudFormation Service Role, Using AWS Lambda with Amazon S3

NEW QUESTION 80

A development team maintains a web application by using a single AWS CloudFormation template. The template defines web servers and an Amazon RDS database. The team uses the CloudFormation template to deploy the CloudFormation stack to different environments.

During a recent application deployment, a developer caused the primary development database to be dropped and recreated. The result of this incident was a loss of data. The team needs to avoid accidental database deletion in the future.

Which solutions will meet these requirements? (Choose two.)

A. Add a CloudFormation Deletion Policy attribute with the Retain value to the database resource.

B. Update the CloudFormation stack policy to prevent updates to the database.

Modify the database to use a Multi-AZ deployment.

C. Create a CloudFormation stack set for the web application and database deployments.

E. Add a CloudFormation DeletionPolicy attribute with the Retain value to the stack.

Answer: AB

Explanation:

AWS CloudFormation is a service that enables developers to model and provision AWS resources using templates. The developer can add a CloudFormation Deletion Policy attribute with the Retain value to the database resource. This will prevent the database from being deleted when the stack is deleted or updated. The developer can also update the CloudFormation stack policy to prevent updates to the database. This will prevent accidental changes to the database configuration or properties.

References:

? [What Is AWS CloudFormation? - AWS CloudFormation]

? [DeletionPolicy Attribute - AWS CloudFormation]

? [Protecting Resources During Stack Updates - AWS CloudFormation]

NEW QUESTION 83

A developer is creating a service that uses an Amazon S3 bucket for image uploads. The service will use an AWS Lambda function to create a thumbnail of each image. Each time an image is uploaded the service needs to send an email notification and create the thumbnail. The developer needs to configure the image

setup.

processing and email notifications

Which solution will meet these requirements?

- A. Create an Amazon Simple Notification Service (Amazon SNS) topic Configure S3 event notifications with a destination of the SNS topic Subscribe the Lambda function to the SNS topic Create an email notification subscription to the SNS topic
- B. Create an Amazon Simple Notification Service (Amazon SNS) topic
- C. Configure S3 event notifications with a destination of the SNS topic
- D. Subscribe the Lambda function to the SNS topic
- E. Create an Amazon Simple Queue Service (Amazon SQS) queue Subscribe the SQS queue to the SNS topic Create an email notification subscription to the SQS queue.
- F. Create an Amazon Simple Queue Service (Amazon SQS) queue Configure S3 event notifications with a destination of the SQS queue Subscribe the Lambda function to the SQS queue Create an email notification subscription to the SQS queue.
- G. Create an Amazon Simple Queue Service (Amazon SQS) queue
- H. Send S3 event notifications to Amazon EventBridge
- I. Create an EventBridge rule that runs the Lambda function when images are uploaded to the S3 bucket Create an EventBridge rule that sends notifications to the SQS queue Create an email notification subscription to the SQS queue

Answer: A

Explanation:

This solution will allow the developer to receive notifications for each image uploaded to the S3 bucket, and also create a thumbnail using the Lambda function. The SNS topic will serve as a trigger for both the Lambda function and the email notification subscription. When an image is uploaded, S3 will send a notification to the SNS topic, which will trigger the Lambda function to create the thumbnail and also send an email notification to the specified email address.

NEW QUESTION 87

A developer is trying get data from an Amazon DynamoDB table called demoman-table. The developer configured the AWS CLI to use a specific IAM user's credentials and ran the following command.

```
aws dynamodb get-item --table-name demoman-table --key '{"id": {"N": "1993"}}'
```

The command returned errors and no rows were returned. What is the MOST likely cause of these issues?

- A. The command is incorrect; it should be rewritten to use put-item with a string argument
- B. The developer needs to log a ticket with AWS Support to enable access to the demoman-table
- C. Amazon DynamoDB cannot be accessed from the AWS CLI and needs to be called via the REST API
- D. The IAM user needs an associated policy with read access to demoman-table

Answer: D

Explanation:

This solution will most likely solve the issues because it will grant the IAM user the necessary permission to access the DynamoDB table using the AWS CLI command. The error message indicates that the IAM user does not have sufficient access rights to perform the scan operation on the table. Option A is not optimal because it will change the command to use put-item instead of scan, which will not achieve the desired result of getting data from the table. Option B is not optimal because it will involve contacting AWS Support, which may not be necessary or efficient for this issue. Option C is not optimal because it will state that DynamoDB cannot be accessed from the AWS CLI, which is incorrect as DynamoDB supports AWS CLI commands.

References: AWS CLI for DynamoDB, [IAM Policies for DynamoDB]

NEW QUESTION 89

A company built an online event platform. For each event, the company organizes quizzes and generates leaderboards that are based on the quiz scores. The company stores the leaderboard data in Amazon DynamoDB and retains the data for 30 days after an event is complete. The company then uses a scheduled job to delete the old leaderboard data.

The DynamoDB table is configured with a fixed write capacity. During the months when many events occur, the DynamoDB write API requests are throttled when the scheduled delete job runs.

A developer must create a long-term solution that deletes the old leaderboard data and optimizes write throughput.

Which solution meets these requirements?

- A. Configure a TTL attribute for the leaderboard data.
- B. Use DynamoDB Streams to schedule and delete the leaderboard data.
- C. Use AWS Step Functions to schedule and delete the leaderboard data.
- D. Set a higher write capacity when the scheduled delete job runs.

Answer: A

Explanation:

"Deletes the item from your table without consuming any write throughput" <https://docs.aws.amazon.com/amazondynamodb/latest/developerguide/TTL.html>

NEW QUESTION 94

A developer is writing an application that will retrieve sensitive data from a third-party system. The application will format the data into a PDF file. The PDF file could be more than 1 MB. The application will encrypt the data to disk by using AWS Key Management Service (AWS KMS). The application will decrypt the file when a user requests to download it. The retrieval and formatting portions of the application are complete.

The developer needs to use the GenerateDataKey API to encrypt the PDF file so that the PDF file can be decrypted later. The developer needs to use an AWS KMS symmetric customer managed key for encryption.

Which solutions will meet these requirements?

- A. Write the encrypted key from the GenerateDataKey API to disk for later use.
- B. Use the plaintext key from the GenerateDataKey API and a symmetric encryption algorithm to encrypt the file.
- C. Write the plain text key from the GenerateDataKey API to disk for later use.
- D. Use the encrypted key from the GenerateDataKey API and a symmetric encryption algorithm to encrypt the file.
- E. Write the encrypted key from the GenerateDataKey API to disk for later use.
- F. Use the plaintext key from the GenerateDataKey API to encrypt the file by using the KMS Encrypt API.

- G. Write the plain text key from the GenerateDataKey API to disk for later use
H. Use the encrypted key from the GenerateDataKey API to encrypt the file by using the KMS Encrypt API

Answer: A

Explanation:

? The GenerateDataKey API returns a data key that is encrypted under a symmetric encryption KMS key that you specify, and a plaintext copy of the same data key1. The data key is a random byte string that can be used with any standard encryption algorithm, such as AES or SM42. The plaintext data key can be used to encrypt or decrypt data outside of AWS KMS, while the encrypted data key can be stored with the encrypted data and later decrypted by AWS KMS1.
? In this scenario, the developer needs to use the GenerateDataKey API to encrypt the PDF file so that it can be decrypted later. The developer also needs to use an AWS KMS symmetric customer managed key for encryption. To achieve this, the developer can follow these steps:

NEW QUESTION 97

An application that runs on AWS Lambda requires access to specific highly confidential objects in an Amazon S3 bucket. In accordance with the principle of least privilege a company grants access to the S3 bucket by using only temporary credentials.
How can a developer configure access to the S3 bucket in the MOST secure way?

- A. Hardcode the credentials that are required to access the S3 objects in the application code
B. Use the credentials to access the required S3 objects.
C. Create a secret access key and access key ID with permission to access the S3 bucket
D. Store the key and key ID in AWS Secrets Manager
E. Configure the application to retrieve the Secrets Manager secret and use the credentials to access the S3 objects.
F. Create a Lambda function execution role. Attach a policy to the role that grants access to specific objects in the S3 bucket.
G. Create a secret access key and access key ID with permission to access the S3 bucket. Store the key and key ID as environment variables in Lambda
H. Use the environment variables to access the required S3 objects.

Answer: C

Explanation:

This solution will meet the requirements by creating a Lambda function execution role, which is an IAM role that grants permissions to a Lambda function to access AWS resources such as Amazon S3 objects. The developer can attach a policy to the role that grants access to specific objects in the S3 bucket that are required by the application, following the principle of least privilege. Option A is not optimal because it will hardcode the credentials that are required to access S3 objects in the application code, which is insecure and difficult to maintain. Option B is not optimal because it will create a secret access key and access key ID with permission to access the S3 bucket, which will introduce additional security risks and complexity for storing and managing credentials. Option D is not optimal because it will store the secret access key and access key ID as environment variables in Lambda, which is also insecure and difficult to maintain. References: [AWS Lambda Execution Role], [Using AWS Lambda with Amazon S3]

NEW QUESTION 99

A company is running Amazon EC2 instances in multiple AWS accounts. A developer needs to implement an application that collects all the lifecycle events of the EC2 instances. The application needs to store the lifecycle events in a single Amazon Simple Queue Service (Amazon SQS) queue in the company's main AWS account for further processing.
Which solution will meet these requirements?

- A. Configure Amazon EC2 to deliver the EC2 instance lifecycle events from all accounts to the Amazon EventBridge event bus of the main account
B. Add an EventBridge rule to the event bus of the main account that matches all EC2 instance lifecycle events
C. Add the SQS queue as a target of the rule.
D. Use the resource policies of the SQS queue in the main account to give each account permissions to write to that SQS queue
E. Add to the Amazon EventBridge event bus of each account an EventBridge rule that matches all EC2 instance lifecycle events
F. Add the SQS queue in the main account as a target of the rule.
G. Write an AWS Lambda function that scans through all EC2 instances in the company accounts to detect EC2 instance lifecycle changes
H. Configure the Lambda function to write a notification message to the SQS queue in the main account if the function detects an EC2 instance lifecycle change
I. Add an Amazon EventBridge scheduled rule that invokes the Lambda function every minute.
J. Configure the permissions on the main account event bus to receive events from all accounts
K. Create an Amazon EventBridge rule in each account to send all the EC2 instance lifecycle events to the main account event bus
L. Add an EventBridge rule to the main account event bus that matches all EC2 instance lifecycle events
M. Set the SQS queue as a target for the rule.

Answer: D

Explanation:

Amazon EC2 instances can send the state-change notification events to Amazon EventBridge.
<https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/monitoring-instance-state-changes.html> Amazon EventBridge can send and receive events between event buses in AWS accounts. <https://docs.aws.amazon.com/eventbridge/latest/userguide/eb-cross-account.html>

NEW QUESTION 100

A developer has an application that is composed of many different AWS Lambda functions. The Lambda functions all use some of the same dependencies. To avoid security issues the developer is constantly updating the dependencies of all of the Lambda functions. The result is duplicated effort to reach function.
How can the developer keep the dependencies of the Lambda functions up to date with the LEAST additional complexity?

- A. Define a maintenance window for the Lambda functions to ensure that the functions get updated copies of the dependencies.
B. Upgrade the Lambda functions to the most recent runtime version.
C. Define a Lambda layer that contains all of the shared dependencies.
D. Use an AWS CodeCommit repository to host the dependencies in a centralized location.

Answer: C

Explanation:

This solution allows the developer to keep the dependencies of the Lambda functions up to date with the least additional complexity because it eliminates the

need to update each function individually. A Lambda layer is a ZIP archive that contains libraries, custom runtimes, or other dependencies. The developer can create a layer that contains all of the shared dependencies and attach it to multiple Lambda functions. When the developer updates the layer, all of the functions that use the layer will have access to the latest version of the dependencies.

Reference: [AWS Lambda layers]

NEW QUESTION 104

A developer created an AWS Lambda function that performs a series of operations that involve multiple AWS services. The function's duration time is higher than normal. To determine the cause of the issue, the developer must investigate traffic between the services without changing the function code. Which solution will meet these requirements?

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

AWS X-Ray is a service that helps you analyze and debug your applications. You can use X-Ray to trace requests made to your Lambda function and other AWS services, and identify performance bottlenecks and errors. Enabling active tracing in your Lambda function allows X-Ray to collect data from the function invocation and the downstream services that it calls. You can then review the logs and service maps in X-Ray to diagnose the issue. References

? Monitoring and troubleshooting Lambda functions - AWS Lambda

? Using AWS Lambda with AWS X-Ray

? Troubleshoot Lambda function cold start issues | AWS re:Post

NEW QUESTION 106

A company needs to set up secure database credentials for all its AWS Cloud resources. The company's resources include Amazon RDS DB instances, Amazon DocumentDB clusters, and Amazon Aurora DB instances. The company's security policy mandates that database credentials be encrypted at rest and rotated at a regular interval.

Which solution will meet these requirements MOST securely?

- A. Set up IAM database authentication for token-based access
- B. Generate user tokens to provide centralized access to RDS DB instance
- C. Amazon DocumentDB clusters and Aurora DB instances.
- D. Create parameters for the database credentials in AWS Systems Manager Parameter Store. Set the Type parameter to SecureString.
- E. Set up automatic rotation on the parameters.
- F. Store the database access credentials as an encrypted Amazon S3 object in an S3 bucket. Block all public access on the S3 bucket. Enable automatic rotation on the encryption key.
- G. Use S3 server-side encryption to set up
- H. Create an AWS Lambda function by using the SecretsManagerRotationTemplate template in the AWS Secrets Manager console.
- I. Create secrets for the database credentials in Secrets Manager. Set up secrets rotation on a schedule.

Answer: D

Explanation:

This solution will meet the requirements by using AWS Secrets Manager, which is a service that helps protect secrets such as database credentials by encrypting them with AWS Key Management Service (AWS KMS) and enabling automatic rotation of secrets. The developer can create an AWS Lambda function by using the SecretsManagerRotationTemplate template in the AWS Secrets Manager console, which provides a sample code for rotating secrets for RDS DB instances, Amazon DocumentDB clusters, and Amazon Aurora DB instances. The developer can also create secrets for the database credentials in Secrets Manager, which encrypts them at rest and provides secure access to them. The developer can set up secrets rotation on a schedule, which changes the database credentials periodically according to a specified interval or event. Option A is not optimal because it will set up IAM database authentication for token-based access, which may not be compatible with all database engines and may require additional configuration and management of IAM roles or users. Option B is not optimal because it will create parameters for the database credentials in AWS Systems Manager Parameter Store, which does not support automatic rotation of secrets. Option C is not optimal because it will store the database access credentials as an encrypted Amazon S3 object in an S3 bucket, which may introduce additional costs and complexity for accessing and securing the data.

References: [AWS Secrets Manager], [Rotating Your AWS Secrets Manager Secrets]

NEW QUESTION 108

A developer is using AWS Amplify Hosting to build and deploy an application. The developer is receiving an increased number of bug reports from users. The developer wants to add end-to-end testing to the application to eliminate as many bugs as possible before the bugs reach production.

Which solution should the developer implement to meet these requirements?

- A. Run the amplify add test command in the Amplify CLI.
- B. Create unit tests in the application.
- C. Deploy the unit tests by using the amplify push command in the Amplify CLI.
- D. Add a test phase to the amplify.yml build settings for the application.
- E. Add a test phase to the aws-exports.js file for the application.

Answer: C

Explanation:

The solution that will meet the requirements is to add a test phase to the amplify.yml build settings for the application. This way, the developer can run end-to-end tests on every code commit and catch any bugs before deploying to production. The other options either do not support end-to-end testing, or do not run tests automatically.

Reference: End-to-end testing

NEW QUESTION 113

A company has an ecommerce application. To track product reviews, the company's development team uses an Amazon DynamoDB table.

Every record includes the following

- A Review ID a 16-digit universally unique identifier (UUID)
- A Product ID and User ID 16-digit UUIDs that reference other tables
- A Product Rating on a scale of 1-5

- An optional comment from the user

The table partition key is the Review ID. The most performed query against the table is to find the 10 reviews with the highest rating for a given product. Which index will provide the FASTEST response for this query?"

- A. A global secondary index (GSI) with Product ID as the partition key and Product Rating as the sort key
- B. A global secondary index (GSI) with Product ID as the partition key and Review ID as the sort key
- C. A local secondary index (LSI) with Product ID as the partition key and Product Rating as the sort key
- D. A local secondary index (LSI) with Review ID as the partition key and Product ID as the sort key

Answer: A

Explanation:

This solution allows the fastest response for the query because it enables the query to use a single partition key value (the Product ID) and a range of sort key values (the Product Rating) to find the matching items. A global secondary index (GSI) is an index that has a partition key and an optional sort key that are different from those on the base table. A GSI can be created at any time and can be queried or scanned independently of the base table. A local secondary index (LSI) is an index that has the same partition key as the base table, but a different sort key. An LSI can only be created when the base table is created and must be queried together with the base table partition key. Using a GSI with Product ID as the partition key and Review ID as the sort key will not allow the query to use a range of sort key values to find the highest ratings. Using an LSI with Product ID as the partition key and Product Rating as the sort key will not work because Product ID is not the partition key of the base table. Using an LSI with Review ID as the partition key and Product ID as the sort key will not allow the query to use a single partition key value to find the matching items.

Reference: [Global Secondary Indexes], [Querying]

NEW QUESTION 117

A developer uses AWS CloudFormation to deploy an Amazon API Gateway API and an AWS Step Functions state machine. The state machine must reference the API Gateway API after the CloudFormation template is deployed. The developer needs a solution that uses the state machine to reference the API Gateway endpoint.

Which solution will meet these requirements MOST cost-effectively?

- A. Configure the CloudFormation template to reference the API endpoint in the DefinitionSubstitutions property for the AWS StepFunctions StateMachine resource.
- B. Configure the CloudFormation template to store the API endpoint in an environment variable for the AWS::StepFunctions::StateMachine resource. Configure the state machine to reference the environment variable.
- C. Configure the CloudFormation template to store the API endpoint in a standard AWS: SecretsManager Secret resource. Configure the state machine to reference the resource.
- D. Configure the CloudFormation template to store the API endpoint in a standard AWS::AppConfig::ConfigurationProfile resource. Configure the state machine to reference the resource.

Answer: A

Explanation:

The most cost-effective solution is to use the DefinitionSubstitutions property of the AWS::StepFunctions::StateMachine resource to inject the API endpoint as a variable in the state machine definition. This way, the developer can use the intrinsic function

`Fn::GetAtt` to get the API endpoint from the AWS::ApiGateway::RestApi resource, and pass it to the state machine without creating any additional resources or environment variables. The other solutions involve creating and managing extra resources, such as Secrets Manager secrets or AppConfig configuration profiles, which incur additional costs and complexity. References

- ? AWS::StepFunctions::StateMachine - AWS CloudFormation
- ? Call API Gateway with Step Functions - AWS Step Functions
- ? amazon-web-services aws-api-gateway terraform aws-step-functions

NEW QUESTION 119

A company is running a custom application on a set of on-premises Linux servers that are accessed using Amazon API Gateway. AWS X-Ray tracing has been enabled on the API test stage.

How can a developer enable X-Ray tracing on the on-premises servers with the LEAST amount of configuration?

- A. Install and run the X-Ray SDK on the on-premises servers to capture and relay the data to the X-Ray service.
- B. Install and run the X-Ray daemon on the on-premises servers to capture and relay the data to the X-Ray service.
- C. Capture incoming requests on-premises and configure an AWS Lambda function to pull, process, and relay relevant data to X-Ray using the PutTraceSegments API call.
- D. Capture incoming requests on-premises and configure an AWS Lambda function to pull, process, and relay relevant data to X-Ray using the PutTelemetryRecords API call.

Answer: B

Explanation:

The X-Ray daemon is a software that collects trace data from the X-Ray SDK and relays it to the X-Ray service. The X-Ray daemon can run on any platform that supports Go, including Linux, Windows, and macOS. The developer can install and run the X-Ray daemon on the on-premises servers to capture and relay the data to the X-Ray service with minimal configuration. The X-Ray SDK is used to instrument the application code, not to capture and relay data. The Lambda function solutions are more complex and require additional configuration.

References:

- ? [AWS X-Ray concepts - AWS X-Ray]
- ? [Setting up AWS X-Ray - AWS X-Ray]

NEW QUESTION 124

A developer deployed an application to an Amazon EC2 instance. The application needs to know the public IPv4 address of the instance. How can the application find this information?

Query the instance metadata from `http://M69.254.169.254/latest/meta-data/`.

A: Query the instance user data from `http://169.254.169.254/latest/user-data/`

- C. Query the Amazon Machine Image (AMI) information from <http://169.254.169.254/latest/meta-data/ami/>.
- D. Check the hosts file of the operating system

Answer: A

Explanation:

The instance metadata service provides information about the EC2 instance, including the public IPv4 address, which can be obtained by querying the endpoint <http://169.254.169.254/latest/meta-data/public-ipv4>. References

- ? Instance metadata and user data
- ? Get Public IP Address on current EC2 Instance
- ? Get the public ip address of your EC2 instance quickly

NEW QUESTION 128

A team of developers is using an AWS CodePipeline pipeline as a continuous integration and continuous delivery (CI/CD) mechanism for a web application. A developer has written unit tests to programmatically test the functionality of the application code. The unit tests produce a test report that shows the results of each individual check. The developer now

wants to run these tests automatically during the CI/CD process.

- A. Write a Git pre-commit hook that runs the test before every commit
- B. Ensure that each developer who is working on the project has the pre-commit hook installed locally
- C. Review the test report and resolve any issues before pushing changes to AWS CodeCommit.
- D. Add a new stage to the pipeline
- E. Use AWS CodeBuild as the provider
- F. Add the new stage after the stage that deploys code revisions to the test environment
- G. Write a buildspec that fails the CodeBuild stage if any test does not pass
- H. Use the test reports feature of CodeBuild to integrate the report with the CodeBuild console
- I. View the test results in CodeBuild. Resolve any issues.
- J. Add a new stage to the pipeline
- K. Use AWS CodeBuild as the provider
- L. Add the new stage before the stage that deploys code revisions to the test environment
- M. Write a buildspec that fails the CodeBuild stage if any test does not pass
- N. Use the test reports feature of CodeBuild to integrate the report with the CodeBuild console
- O. View the test results in CodeBuild. Resolve any issues.
- P. Add a new stage to the pipeline
- Q. Use Jenkins as the provider
- R. Configure CodePipeline to use Jenkins to run the unit test
- S. Write a Jenkinsfile that fails the stage if any test does not pass
- T. Use the test report plugin for Jenkins to integrate the report with the Jenkins dashboard
- . View the test results in Jenkins
- . Resolve any issues.

Answer: C

Explanation:

The solution that will meet the requirements is to add a new stage to the pipeline. Use AWS CodeBuild as the provider. Add the new stage before the stage that deploys code revisions to the test environment. Write a buildspec that fails the CodeBuild stage if any test does not pass. Use the test reports feature of CodeBuild to integrate the report with the CodeBuild console. View the test results in CodeBuild. Resolve any issues. This way, the developer can run the unit tests automatically during the CI/CD process and catch any bugs before deploying to the test environment. The developer can also use the test reports feature of CodeBuild to view and analyze the test results in a graphical interface. The other options either involve running the tests manually, running them after deployment, or using a different provider that requires additional configuration and integration.

Reference: Test reports for CodeBuild

NEW QUESTION 129

A company's website runs on an Amazon EC2 instance and uses Auto Scaling to scale the environment during peak times. Website users across the world are experiencing high latency due to static content on the EC2 instance, even during non-peak hours. When completion of steps will resolve the latency issue? (Select TWO)

- A. Double the Auto Scaling group's maximum number of servers
- B. Host the application code on AWS Lambda
- C. Scale vertically by resizing the EC2 instances
- D. Create an Amazon CloudFront distribution to cache the static content
- E. Store the application's static content in Amazon S3

Answer: DE

Explanation:

The combination of steps that will resolve the latency issue is to create an Amazon CloudFront distribution to cache the static content and store the application's static content in Amazon S3. This way, the company can use CloudFront to deliver the static content from edge locations that are closer to the website users, reducing latency and improving performance. The company can also use S3 to store the static content reliably and cost-effectively, and integrate it with CloudFront easily. The other options either do not address the latency issue, or are not necessary or feasible for the given scenario.

Reference: Using Amazon S3 Origins and Custom Origins for Web Distributions

NEW QUESTION 131

A developer wants to add request validation to a production environment Amazon API Gateway API. The developer needs to test the changes before the API is deployed to the production environment. For the least the developer will send test requests to the API through a testing tool. Which solution will meet these requirements with the LEAST operational overhead?

- A. Export the existing API to an OpenAPI file
- B. Create a new API Import the OpenAPI file Modify the new API to add request validation

- C. Perform the tests Modify the existing API to add request validation
D. Deploy the existing API to production.
E. Modify the existing API to add request validation
F. Deploy the updated API to a new API Gateway stage Perform the tests Deploy the updated API to the API Gateway production stage.
G. Create a new API Add the necessary resources and methods including new request validation
H. Perform the tests Modify the existing API to add request validation
I. Deploy the existing API to production.
J. Clone the exiting API Modify the new API lo add request validation
K. Perform the tests
- Modify the existing API to add request validation Deploy the existing API to production.

Answer: D

Explanation:

This solution allows the developer to test the changes without affecting the production environment. Cloning an API creates a copy of the API definition that can be modified independently. The developer can then add request validation to the new API and test it using a testing tool. After verifying that the changes work as expected, the developer can apply the same changes to the existing API and deploy it to production.

Reference: Clone an API, [Enable Request Validation for an API in API Gateway]

NEW QUESTION 133

A company is expanding the compatibility of its photo-snaring mobile app to hundreds of additional devices with unique screen dimensions and resolutions. Photos are stored in Amazon S3 in their original format and resolution. The company uses an Amazon CloudFront distribution to serve the photos The app includes the dimension and resolution of the display as GET parameters with every request.

A developer needs to implement a solution that optimizes the photos that are served to each device to reduce load time and increase photo quality.

Which solution will meet these requirements MOST cost-effective?

- A. Use S3 Batch Operations to invoke an AWS Lambda function to create new variants of the photos with the required dimensions and resolution
B. Create a dynamic CloudFront origin that automatically maps the request of each device to the corresponding photo variant.
C. Use S3 Batch Operations to invoke an AWS Lambda function to create new variants of the photos with the required dimensions and resolution
D. Create a Lambda@Edge function to route requests to the corresponding photo vacant by using request headers.
E. Create a Lambda@Edge function that optimizes the photos upon request and returns the photos as a respons
F. Change the CloudFront TTL cache policy to the maximum value possible.

Create a Lambda@Edge function that optimizes the photos upon request and returns the photos as a respons

G: In the same function store a copy of the processed photos on Amazon S3 for subsequent requests.

Answer: D

Explanation:

This solution meets the requirements most cost-effectively because it optimizes the photos on demand and caches them for future requests. Lambda@Edge allows the developer to run Lambda functions at AWS locations closer to viewers, which can reduce latency and improve photo quality. The developer can create a Lambda@Edge function that uses the GET parameters from each request to optimize the photos with the required dimensions and resolutions and returns them as a response. The function can also store a copy of the processed photos on Amazon S3 for subsequent requests, which can reduce processing time and costs. Using S3 Batch Operations to create new variants of the photos will incur additional storage costs and may not cover all possible dimensions and resolutions. Creating a dynamic CloudFront origin or a Lambda@Edge function to route requests to corresponding photo variants will require maintaining a mapping of device types and photo variants, which can be complex and error-prone.

Reference: [Lambda@Edge Overview], [Resizing Images with Amazon CloudFront & Lambda@Edge]

NEW QUESTION 137

A developer migrated a legacy application to an AWS Lambda function. The function uses a third-party service to pull data with a series of API calls at the end of each month. The function than processes the data to generate the monthly reports. The function has Been working with no issues so far.

The third-party service recently issued a restriction to allow a feed number to API calls each minute and each day. If the API calls exceed the limit tor each minute or each day, then the service will produce errors. The API also provides the minute limit and daily limit in the response header. This restriction might extend the overall process to multiple days because the process is consuming more API calls than the available limit.

What is the MOST operationally efficient way to refactor the server less application to accommodate this change?

- A. Use an AWS Step Functions State machine to monitor API failure
B. Use the Wait state to delay calling the Lambda function.
C. Use an Amazon Simple Queue Service (Amazon SQS) queue to hold the API call
D. Configure the Lambda function to poll the queue within the API threshold limits.
- Use an Amazon CloudWatch Logs metric to count the number of API call

F: Configure an Amazon CloudWatch alarm flat slops the currently running instance of the Lambda function when the metric exceeds the API threshold limits.

G. Use Amazon Kinesis Data Firehose to batch me API calls and deliver them to an Amazon S3 bucket win an event notification to invoke the Lambda function.

Answer: A

Explanation:

The solution that will meet the requirements is to use an AWS Step Functions state machine to monitor API failures. Use the Wait state to delay calling the Lambda function. This way, the developer can refactor the serverless application to accommodate the change in a way that is automated and scalable. The developer can use Step Functions to orchestrate the Lambda function and handle any errors or retries. The developer can also use the Wait state to pause the execution for a specified duration or until a specified timestamp, which can help avoid exceeding the API limits. The other options either involve using additional services that are not necessary or appropriate for this scenario, or do not address the issue of API failures.

Reference: AWS Step Functions Wait state

NEW QUESTION 142

A company is using Amazon RDS as the Backend database for its application. After a recent marketing campaign, a surge of read requests to the database increased the latency of data retrieval from the database.

The company has decided to implement a caching layer in front of the database. The cached content must be encrypted and must be highly available.

Which solution will meet these requirements?

- A. Amazon Cloudfront
- B. Amazon ElastiCache to Memcached
- C. Amazon ElastiCache for Redis in cluster mode
- D. Amazon DynamoDB Accelerate (DAX)

Answer: C

Explanation:

This solution meets the requirements because it provides a caching layer that can store and retrieve encrypted data from multiple nodes. Amazon ElastiCache for Redis supports encryption at rest and in transit, and can scale horizontally to increase the cache capacity and availability. Amazon ElastiCache for Memcached does not support encryption, Amazon CloudFront is a content delivery network that is not suitable for caching database queries, and Amazon DynamoDB Accelerator (DAX) is a caching service that only works with DynamoDB tables.

Reference: [Amazon ElastiCache for Redis Features], [Choosing a Cluster Engine]

NEW QUESTION 144

A company has built an AWS Lambda function to convert large image files into output files that can be used in a third-party viewer application. The company recently added a new module to the function to improve the output of the generated files. However, the new module has increased the bundle size and has increased the time that is needed to deploy changes to the function code. How can a developer increase the speed of the Lambda function deployment?

- A. Use AWS CodeDeploy to deploy the function code
- B. Use Lambda layers to package and load dependencies.
- C. Increase the memory size of the function.
- D. Use Amazon S3 to host the function dependencies

Answer: B

Explanation:

Using Lambda layers is a way to reduce the size of the deployment package and speed up the deployment process. Lambda layers are reusable components that can contain libraries, custom runtimes, or other dependencies. By using layers, the developer can separate the core function logic from the dependencies, and avoid uploading them every time the function code changes. Layers can also be shared across multiple functions or accounts, which can improve consistency and maintainability. References

? Working with AWS Lambda layers

? AWS Lambda Layers Best Practices

? Best practices for working with AWS Lambda functions

NEW QUESTION 148

A company is developing an ecommerce application that uses Amazon API Gateway APIs. The application uses AWS Lambda as a backend. The company needs to test the code in a dedicated, monitored test environment before the company releases the code to the production environment.

When solution will meet these requirements?

- A. Use a single stage in API Gateway
- B. Create a Lambda function for each environment
- C. Configure API clients to send a query parameter that indicates the environment and the specific lambda function.
- D. Use multiple stages in API Gateway
- E. Create a single Lambda function for all environments
- F. Add different code blocks for different environments in the Lambda function based on Lambda environment variables.
- G. Use multiple stages in API Gateway
- H. Create a Lambda function for each environment
- I. Configure API Gateway stage variables to route traffic to the Lambda function in different environments.
- J. Use a single stage in API Gateway
- K. Configure a API client to send a query parameter that indicated the environment
- L. Add different code blocks for different environments in the Lambda function to match the value of the query parameter.

Answer: C

Explanation:

The solution that will meet the requirements is to use multiple stages in API Gateway. Create a Lambda function for each environment. Configure API Gateway stage variables to route traffic to the Lambda function in different environments. This way, the company can test the code in a dedicated, monitored test environment before releasing it to the production environment. The company can also use stage variables to specify the Lambda function version or alias for each stage, and avoid hard-coding the Lambda function name in the API Gateway integration. The other options either involve using a single stage in API Gateway, which does not allow testing in different environments, or adding different code blocks for different environments in the Lambda function, which increases complexity and maintenance.

Reference: Set up stage variables for a REST API in API Gateway

NEW QUESTION 149

A developer is working on an ecommerce website. The developer wants to review server logs without logging in to each of the application servers individually. The website runs on multiple Amazon EC2 instances, is written in Python, and needs to be highly available.

How can the developer update the application to meet these requirements with MINIMUM changes?

- A. Rewrite the application to be cloud native and to run on AWS Lambda, where the logs can be reviewed in Amazon CloudWatch
- B. Set up centralized logging by using Amazon OpenSearch Service, Logstash, and OpenSearch Dashboards
- C. Scale down the application to one larger EC2 instance where only one instance is recording logs
- ☒ D. Install the unified Amazon CloudWatch agent on the EC2 instances. Configure the agent to push the application logs to CloudWatch

Answer: D

Explanation:

The unified Amazon CloudWatch agent can collect both system metrics and log files from Amazon EC2 instances and on-premises servers. By installing and configuring the agent on the EC2 instances, the developer can easily access and analyze the application logs in CloudWatch without logging in to each server.

individually. This option requires minimum changes to the existing application and does not affect its availability or scalability. References

? Using the CloudWatch Agent

? Collecting Metrics and Logs from Amazon EC2 Instances and On-Premises Servers with the CloudWatch Agent

NEW QUESTION 150

A developer is building a web application that uses Amazon API Gateway to expose an AWS Lambda function to process requests from clients. During testing, the developer notices that the API Gateway times out even though the Lambda function finishes under the set time limit.

Which of the following API Gateway metrics in Amazon CloudWatch can help the developer troubleshoot the issue? (Choose two.)

- A. CacheHitCount
- B. IntegrationLatency
- C. CacheMissCount
- D. Latency
- E. Count

Answer: BD

Explanation:

Amazon API Gateway is a service that enables developers to create, publish, maintain, monitor, and secure APIs at any scale. Amazon CloudWatch is a service that monitors AWS resources and applications. API Gateway provides several CloudWatch metrics to help developers troubleshoot issues with their APIs. Two of the metrics that can help the developer troubleshoot the issue of API Gateway timing out are:

? IntegrationLatency: This metric measures the time between when API Gateway relays a request to the backend and when it receives a response from the backend. A high value for this metric indicates that the backend is taking too long to respond and may cause API Gateway to time out.

? Latency: This metric measures the time between when API Gateway receives a request from a client and when it returns a response to the client. A high value for this metric indicates that either the integration latency is high or API Gateway is taking too long to process the request or response.

References:

? [What Is Amazon API Gateway? - Amazon API Gateway]

? [Amazon API Gateway Metrics and Dimensions - Amazon CloudWatch]

? [Troubleshooting API Errors - Amazon API Gateway]

NEW QUESTION 154

An application is using Amazon Cognito user pools and identity pools for secure access. A developer wants to integrate the user-specific file upload and download features in the application with Amazon S3. The developer must ensure that the files are saved and retrieved in a secure manner and that users can access only their own files. The file sizes range from 3 KB to 300 MB.

Which option will meet these requirements with the HIGHEST level of security?

- A. Use S3 Event Notifications to validate the file upload and download requests and update the user interface (UI).
- B. Save the details of the uploaded files in a separate Amazon DynamoDB table.
- C. Filter the list of files in the user interface (UI) by comparing the current user ID with the user ID associated with the file in the table.
- D. Use Amazon API Gateway and an AWS Lambda function to upload and download file.
- E. Validate each request in the Lambda function before performing the requested operation.
- F. Use an IAM policy within the Amazon Cognito identity prefix to restrict users to use their own folders in Amazon S3.

Answer: D

Explanation:

<https://docs.aws.amazon.com/cognito/latest/developerguide/amazon-cognito-integrating-user-pools-with-identity-pools.html>

NEW QUESTION 158

A developer wants to deploy a new version of an AWS Elastic Beanstalk application. During deployment, the application must maintain full capacity and avoid service interruption. Additionally, the developer must minimize the cost of additional resources that support the deployment.

Which deployment method should the developer use to meet these requirements?

A.

All at once

- B. Rolling with additional batch
- C. Blue/green
- D. Immutable

Answer: D

Explanation:

The immutable deployment method is the best option for this scenario, because it meets the requirements of maintaining full capacity, avoiding service interruption, and minimizing the cost of additional resources.

The immutable deployment method creates a new set of instances in a separate Auto Scaling group and deploys the new version of the application to them. Then, it swaps the new instances with the old ones and terminates the old instances. This way, the application maintains full capacity during the deployment and avoids any downtime. The cost of additional resources is also minimized, because the new instances are only created for a short time and then replaced by the old ones.

The other deployment methods do not meet all the requirements:

? The all at once method deploys the new version to all instances simultaneously, which causes a short period of downtime and reduced capacity.

? The rolling with additional batch method deploys the new version in batches, but for the first batch it creates new instances instead of using the existing ones.

This increases the cost of additional resources and reduces the capacity of the original environment.

? The blue/green method creates a new environment with a new set of instances and deploys the new version to them. Then, it swaps the URLs between the old and new environments. This method maintains full capacity and avoids service interruption, but it also increases the cost of additional resources significantly, because it duplicates the entire environment.

NEW QUESTION 162

A company is planning to use AWS CodeDeploy to deploy an application to Amazon Elastic Container Service (Amazon ECS) During the deployment of a new version of the application, the company initially must expose only 10% of live traffic to the new version of the deployed application. Then, after 15 minutes elapse, the company must route all the remaining live traffic to the new version of the deployed application.

Which CodeDeploy predefined configuration will meet these requirements?

- A. CodeDeployDefault ECSCanary10Percent15Minutes
- B. CodeDeployDefault LambdaCanary10Percent5Minutes
- C. CodeDeployDefault LambdaCanary10Percent15Minutes
- D. CodeDeployDefault ECSLinear10PercentEvery1 Minutes

Answer: A

Explanation:

The predefined configuration "CodeDeployDefault.ECSCanary10Percent15Minutes" is designed for Amazon Elastic Container Service (Amazon ECS) deployments and meets the specified requirements. It will perform a canary deployment, which means it will initially route 10% of live traffic to the new version of the application, and then after 15 minutes elapse, it will automatically route all the remaining live traffic to the new version. This gradual deployment approach allows

the company to verify the health and performance of the new version with a small portion of traffic before fully deploying it to all users.

NEW QUESTION 165

A developer is creating an AWS Lambda function. The Lambda function needs an external library to connect to a third-party solution. The external library is a collection of files with a total size of 100 MB. The developer needs to make the external library available to the Lambda execution environment and reduce the Lambda package space.

Which solution will meet these requirements with the LEAST operational overhead?

A.

Create a Lambda layer to store the external library. Configure the Lambda function to use the layer.

- B. Create an Amazon S3 bucket. Upload the external library into the S3 bucket.
- C. Mount the S3 bucket folder in the Lambda function. Import the library by using the proper folder in the mount point.
- D. Load the external library to the Lambda function's /tmp directory during deployment of the Lambda package.
- E. Import the library from the /tmp directory.
- F. Create an Amazon Elastic File System (Amazon EFS) volume.
- G. Upload the external library to the EFS volume. Mount the EFS volume in the Lambda function.
- H. Import the library by using the proper folder in the mount point.

Answer: A

Explanation:

Create a Lambda layer to store the external library. Configure the Lambda function to use the layer. This will allow the developer to make the external library available to the Lambda execution environment without having to include it in the Lambda package, which will reduce the Lambda package space. Using a Lambda layer is a simple and straightforward solution that requires minimal operational overhead. <https://docs.aws.amazon.com/lambda/latest/dg/configuration-layers.html>

NEW QUESTION 166

An ecommerce company is using an AWS Lambda function behind Amazon API Gateway.

as its application tier. To process orders during checkout, the application calls a POST API from the frontend. The POST API invokes the Lambda function asynchronously. In rare situations, the application has not processed orders. The Lambda application logs show no errors or failures. What should a developer do to solve this problem?

- A. Inspect the frontend logs for API failure
- B. Call the POST API manually by using the requests from the log file.
- C. Create and inspect the Lambda dead-letter queue
- D. Troubleshoot the failed function
- E. Reprocess the events.
- F. Inspect the Lambda logs in Amazon CloudWatch for possible error
- G. Fix the errors.
- H. Make sure that caching is disabled for the POST API in API Gateway.

Answer: B

Explanation:

The solution that will solve this problem is to create and inspect the Lambda dead-letter queue. Troubleshoot the failed functions. Reprocess the events. This way, the developer can identify and fix any issues that caused the Lambda function to fail when invoked asynchronously by API Gateway. The developer can also reprocess any orders that were not processed due to failures. The other options either do not address the root cause of the problem, or do not help recover from failures.

Reference: Asynchronous invocation

NEW QUESTION 169

A developer is creating a template that uses AWS CloudFormation to deploy an application. The application is serverless and uses Amazon API Gateway, Amazon DynamoDB, and AWS Lambda.

Which AWS service or tool should the developer use to define serverless resources in YAML?

- A. CloudFormation serverless intrinsic functions
- B. AWS Elastic Beanstalk
- C. AWS Serverless Application Model (AWS SAM)
- D. AWS Cloud Development Kit (AWS CDK)

Answer: C

Explanation:

AWS Serverless Application Model (AWS SAM) is an open-source framework that enables developers to build and deploy serverless applications on AWS. AWS SAM uses a template specification that extends AWS CloudFormation to simplify the

definition of serverless resources such as API Gateway, DynamoDB, and Lambda. The developer can use AWS SAM to define serverless resources in YAML and deploy them using the AWS SAM CLI.

References:

? [What Is the AWS Serverless Application Model (AWS SAM)? - AWS Serverless Application Model]

? [AWS SAM Template Specification - AWS Serverless Application Model]

NEW QUESTION 172

A developer is incorporating AWS X-Ray into an application that handles personal identifiable information (PII). The application is hosted on Amazon EC2 instances. The application trace messages include encrypted PII and go to Amazon CloudWatch. The developer needs to ensure that no PII goes outside of the EC2 instances. Which solution will meet these requirements?

- A. Manually instrument the X-Ray SDK in the application code.
- B. Use the X-Ray auto-instrumentation agent.
- C. Use Amazon Macie to detect and hide PII
- D. Call the X-Ray API from AWS Lambda.
- E. Use AWS Distro for Open Telemetry.

Answer: A

Explanation:

This solution will meet the requirements by allowing the developer to control what data is sent to X-Ray and CloudWatch from the application code. The developer can filter out any PII from the trace messages before sending them to X-Ray and CloudWatch, ensuring that no PII goes outside of the EC2 instances. Option B is not optimal because it will automatically instrument all incoming and outgoing requests from the application, which may include PII in the trace messages. Option C is not optimal because it will require additional services and costs to use Amazon Macie and AWS Lambda, which may not be able to detect and hide all PII from the trace messages. Option D is not optimal because it will use Open Telemetry instead of X-Ray, which may not be compatible with CloudWatch and other AWS services.

References: [AWS X-Ray SDKs]

NEW QUESTION 177

A developer is deploying a company's application to Amazon EC2 instances. The application generates gigabytes of data files each day. The files are rarely accessed but the files must be available to the application's users within minutes of a request during the first year of storage. The company must retain the files for 7 years.

How can the developer implement the application to meet these requirements MOST cost-effectively?

- A. Store the files in an Amazon S3 bucket. Use the S3 Glacier Instant Retrieval storage class. Create an S3 Lifecycle policy to transition the files to the S3 Glacier Deep Archive storage class after 1 year.
- B. Store the files in an Amazon S3 bucket.
- C. Use the S3 Standard storage class.
- D. Create an S3 Lifecycle policy to transition the files to the S3 Glacier Flexible Retrieval storage class after 1 year.
- E. Store the files on an Amazon Elastic Block Store (Amazon EBS) volume. Use Amazon Data Lifecycle Manager (Amazon DLM) to create snapshots of the EBS volumes and to store those snapshots in Amazon S3.
- F. Store the files on an Amazon Elastic File System (Amazon EFS) mount.
- G. Configure EFS lifecycle management to transition the files to the EFS Standard-Infrequent Access (Standard-IA) storage class after 1 year.

Answer: A

Explanation:

Amazon S3 Glacier Instant Retrieval is an archive storage class that delivers the lowest-cost storage for long-lived data that is rarely accessed and requires retrieval in

milliseconds. With S3 Glacier Instant Retrieval, you can save up to 68% on storage costs compared to using the S3 Standard-Infrequent Access (S3 Standard-IA) storage class, when your data is accessed once per quarter. <https://aws.amazon.com/s3/storage-classes/glacier/instant-retrieval/>

NEW QUESTION 178

A developer needs to perform geographic load testing of an API. The developer must deploy resources to multiple AWS Regions to support the load testing of the

API.

How can the developer meet these requirements without additional application code?

- A. Create and deploy an AWS Lambda function in each desired Region
- B. Configure the Lambda function to create a stack from an AWS CloudFormation template in that Region when the function is invoked.
Create an AWS CloudFormation template that defines the load test resource
- B**: Use the AWS CLI create-stack-set command to create a stack set in the desired Regions.
- E. Create an AWS Systems Manager document that defines the resource
- F. Use the document to create the resources in the desired Regions.
- G. Create an AWS CloudFormation template that defines the load test resource
- H. Use the AWS CLI deploy command to create a stack from the template in each Region.

Answer: B

Explanation:

AWS CloudFormation is a service that allows developers to model and provision AWS resources using templates. A CloudFormation template can define the load test resources, such as EC2 instances, load balancers, and Auto Scaling groups. A CloudFormation stack set is a collection of stacks that can be created and managed from a single template in multiple Regions and accounts. The AWS CLI create-stack-set command can be used to create a stack set from a template and specify the Regions where the stacks should be created. Reference: Working with AWS CloudFormation stack sets

NEW QUESTION 181

.....

Thank You for Trying Our Product

* **100% Pass or Money Back**

All our products come with a 90-day Money Back Guarantee.

* **One year free update**

You can enjoy free update one year. 24x7 online support.

* **Trusted by Millions**

We currently serve more than 30,000,000 customers.

* **Shop Securely**

All transactions are protected by VeriSign!

100% Pass Your AWS-Certified-Developer-Associate Exam with Our Prep Materials Via below:

<https://www.certleader.com/AWS-Certified-Developer-Associate-dumps.html>