



# Microsoft

## Exam Questions AZ-700

Designing and Implementing Microsoft Azure Networking Solutions

## About ExamBible

*[Your Partner of IT Exam](#)*

## Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

## Our Advances

### \* 99.9% Uptime

All examinations will be up to date.

### \* 24/7 Quality Support

We will provide service round the clock.

### \* 100% Pass Rate

Our guarantee that you will pass the exam.

### \* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

**NEW QUESTION 1**

- (Exam Topic 2)

You are implementing the virtual network requirements for VM Analyze.

What should you include in a custom route that is linked to Subnet2? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Address prefix:

▼

0.0.0.0/0

0.0.0.0/32

10.1.0.0/16

255.255.255.255/0

255.255.255.255/32

Next hop type:

▼

None

Internet

Virtual appliance

Virtual network

Virtual network gateway

- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**

Graphical user interface, text, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-networks-udr-overview>

**NEW QUESTION 2**

- (Exam Topic 2)

You create NSG10 and NSG11 to meet the network security requirements.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

**Answer Area**

Statements	Yes	No
From VM1, you can establish a Remote Desktop session with VM2	<input type="radio"/>	<input type="radio"/>
From VM2, you can ping VM1	<input type="radio"/>	<input type="radio"/>
From VM2, you can establish a Remote Desktop session with VM1	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**

Yes

subnet1(WM1->NSG1 outbound->NSG10 outbound)->subnet2(NSG1 inbound->NSG11 inbound->VM2) Yes

NSG10 blocks ICMP from VNet4 (source 10.10.0.0/16) but it is not blocked from VM2's subnet (VNet1/Subnet2).

No

NSG11 blocks RDP (port TCP 3389) destined for VirtualNetwork. VirtualNetwork is a service tag and means the address space of the virtual network (VNet1) which in this case is 10.1.0.0/16. Therefore, RDP traffic from subnet2 to anywhere else in VNet1 is blocked.

**NEW QUESTION 3**

- (Exam Topic 1)

You need to configure the default route on Vnet2 and Vnet3. The solution must meet the virtual networking requirements.

What should you use to configure the default route?

- A. route filters
- B. BGP route exchange
- C. a user-defined route assigned to GatewaySubnet in Vnet1
- D. a user-defined route assigned to GatewaySubnet in Vnet2 and Vnet3

Answer: B

Explanation:

Reference:  
<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-networks-udr-overview>

NEW QUESTION 4

- (Exam Topic 3)

You fail to establish a Site-to-Site VPN connection between your company's main office and an Azure virtual network. You need to troubleshoot what prevents you from establishing the IPsec tunnel. Which diagnostic log should you review?

- A. IKEDiagnosticLog
- B. GatewayDiagnosticLog
- C. TunnelDiagnosticLog
- D. RouteDiagnosticLog

Answer: A

Explanation:

Reference:  
<https://docs.microsoft.com/en-us/azure/vpn-gateway/troubleshoot-vpn-with-azure-diagnostics> IKEDiagnosticLog = The IKEDiagnosticLog table offers verbose debug logging for IKE/IPsec. This is very useful to review when troubleshooting disconnections, or failure to connect VPN scenarios.  
GatewayDiagnosticLog = Configuration changes are audited in the GatewayDiagnosticLog table. TunnelDiagnosticLog = The TunnelDiagnosticLog table is very useful to inspect the historical connectivity statuses of the tunnel.  
RouteDiagnosticLog = The RouteDiagnosticLog table traces the activity for statically modified routes or routes received via BGP.  
P2SDiagnosticLog = The last available table for VPN diagnostics is P2SDiagnosticLog. This table traces the activity for Point to Site.  
<https://docs.microsoft.com/en-us/azure/vpn-gateway/troubleshoot-vpn-with-azure-diagnostics>

NEW QUESTION 5

- (Exam Topic 3)

You plan to deploy Azure Virtual WAN. You need to deploy a virtual WAN hub that meets the following requirements:

- > Supports 10 sites that will connect to the virtual WAN hub by using a Site-to-Site VPN connection
- > Supports 8 Gbps of ExpressRoute traffic
- > Minimizes costs

What should you configure? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Virtual WAN type:

▼

Basic

Standard

Number of scale units:

▼

2

4

6

8

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, diagram Description automatically generated with medium confidence  
Reference:  
<https://docs.microsoft.com/en-us/azure/virtual-wan/virtual-wan-about>

#### NEW QUESTION 6

- (Exam Topic 3)

Your company has offices in New York and Amsterdam. The company has an Azure subscription. Both offices connect to Azure by using a Site-to-Site VPN connection.

The office in Amsterdam uses resources in the North Europe Azure region. The office in New York uses resources in the East US Azure region.

You need to implement ExpressRoute circuits to connect each office to the nearest Azure region. Once the ExpressRoute circuits are connected, the on-premises computers in the Amsterdam office must be able to connect to the on-premises servers in the New York office by using the ExpressRoute circuits.

Which ExpressRoute option should you use?

- A. ExpressRoute Local
- B. ExpressRoute FastPath
- C. ExpressRoute Direct
- D. ExpressRoute Global Reach

**Answer:** D

#### Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/expressroute/expressroute-global-reach>

#### NEW QUESTION 7

- (Exam Topic 3)

You have an Azure subscription that contains the virtual machines shown in the following table.

Name	Connected to
VM1	Vnet1/Subnet1
VM2	Vnet1/Subnet2

Subnet1 and Subnet2 are associated to a network security group (NSG) named NSG1 that has the following outbound rule:

- > Priority: 100
- > Port: Any
- > Protocol: Any
- > Source: Any
- > Destination: Storage
- > Action: Deny

You create a private endpoint that has the following settings:

- > Name: Private1
- > Resource type: Microsoft.Storage/storageAccounts
- > Resource: storage1
- > Target sub-resource: blob
- > Virtual network: Vnet1
- > Subnet: Subnet1

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

#### Answer Area

Statements	Yes	No
From VM2, you can create a container in storage1	<input type="radio"/>	<input type="radio"/>
From VM1, you can upload data to a blob storage container in storage1	<input type="radio"/>	<input type="radio"/>
From VM2, you can upload data to a blob storage container in storage1	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

Yes, Yes, Yes

NSG rules applied to the subnet hosting the private endpoint are not applied to the private endpoint. So the NSG1 doesn't limit storage access from either VM1 or VM2.

<https://docs.microsoft.com/en-us/azure/storage/common/storage-private-endpoints#network-security-group-rule>

#### NEW QUESTION 8

- (Exam Topic 3)

Your company has 10 instances of a web service. Each instance is hosted in a different Azure region and is accessible through a public endpoint.


The development department at the company is creating an application named App1. Every 10 minutes, App1 will use a list of end points and connect to the first

available endpoint.

You plan to use Azure Traffic Manager to maintain the list of endpoints.

You need to configure a Traffic Manager profile that will minimize the impact of DNS caching. What should you configure? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

**Answer Area**



- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/traffic-manager/traffic-manager-routing-methods> <https://docs.microsoft.com/en-us/azure/traffic-manager/traffic-manager-endpoint-types>

**NEW QUESTION 9**

- (Exam Topic 3)

You have an Azure Web Application Firewall (WAF) policy in prevention mode that is associated to an Azure Front Door instance.

You need to configure the policy to meet the following requirements:

- > Log all connections from Australia.
- > Deny all connections from New Zealand.
- > Deny all further connections from a network of 131.107.100.0/24 if there are more than 100 connections during one minute.

What is the minimum number of objects you should create?

- A. three custom rules that each has one condition
- B. one custom rule that has three conditions
- C. one custom rule that has one condition
- D. one rule that has two conditions and another rule that has one condition

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/web-application-firewall/afds/afds-overview>

**NEW QUESTION 10**

- (Exam Topic 3)

You have an Azure subscription that contains two virtual networks named Vnet1 and Vnet2.

You register a public DNS zone named fabrikam.com. The zone is configured as shown in the Public DNS Zone exhibit.



DNS

Fabrikam.com

DNS zone

+ Record set

+ Child zone

→ Move

🗑️ Delete zone

🔄 Refresh

^ Essentials

JSON View

Resource group (change)

:

rg1

Subscription (change)

:

Subscription1

Subscription ID

:

169d1bba-ba4c-471c-b513-092eb7063265

Name server 1

:

ns1-06.azure-dns.com.

Name server 2

:

ns2-06.azure-dns.net.

Name server 3

:

ns3-06.azure-dns.org.

Name server 4

:

ns4-06.azure-dns.info.

Tags (change)

:

Click here to add tags

📘 You can search for record sets that have been loaded on this page. If you don't see what you're looking for, you can try scrolling to allow more record sets to load.

🔍 Search record sets

Name	Type	TTL	Value
@	NS	172800	ns1-06.azure-dns.com. ns2-06.azure-dns.net. ns3-06.azure-dns.org. ns4-06.azure-dns.info.
@	SOA	3600	Email: azuredns-hostmaster.microsoft.com Host: ns1-06.azure-dns.com. Refresh: 3600 Retry: 300 Expire: 2419200 Minimum TTL: 300 Serial number: 1
appservice1	A	3600	131.107.1.1
www	CNAME	3600	appservice1.fabrikam.com

You have a private DNS zone named fabrikam.com. The zone is configured as shown in the Private DNS Zone exhibit.

DNS

Fabrikam.com

Private DNS zone

+ Record set

→ Move

🗑️ Delete zone

🔄 Refresh

^ Essentials

JSON View

Resource group (change)

:

rg1

Subscription (change)

:

Subscription1

Subscription ID

:

169d1bba-ba4c-471c-b513-092eb7063265

Tags (change)

:

Click here to add tags

📘 You can search for record sets that have been loaded on this page. If you don't see what you're looking for, you can try scrolling to allow more record sets to load.

🔍 Search record sets

Name	Type	TTL	Value	Auto registered
@	SOA	3600	Email: azureprivatedns-hostmicrosoft.co... Host: azureprivatedns.net. Refresh: 3600 Retry: 300 Expire: 2419200 Minimum TTL: 10 Serial number: 1	False
appservice1	A	3600	131.107.100.10	False
server1	A	3600	131.107.100.1	False
server2	A	3600	131.107.100.2	False
server3	A	3600	131.107.100.3	False
www	CNAME	3600	appservice1.fabrikam.com	False

You have a virtual network link configured as shown in the Virtual Network Link exhibit.



Fabrikam.com   Virtual network links			
Private DNS zone			
+ Add Refresh			
Search virtual network links			
Link Name	Link status	Virtual network	Auto-Registration
vnet1_link	Completed	Vnet1	Disabled ***

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

**Answer Area**

Statements	Yes	No
Queries for www.fabrikam.com from the internet are resolved to 131.107.1.1.	<input type="radio"/>	<input type="radio"/>
Queries for server1.fabrikam.com can be resolved from the internet.	<input type="radio"/>	<input type="radio"/>
Queries for www.fabrikam.com from Vnet2 are resolved to 131.107.100.10.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Graphical user interface, text, application, email Description automatically generated

Box 1: Yes

DNS queries from the internet use the public DNS zone. In the public DNS zone, www.fabrikam.com is a CNAME record that resolves to appservice1.fabrikam.com which resolves to 131.107.1.1.

Box 2: No

DNS queries from the internet use the public DNS zone. There is no DNS record for server1.fabrikam.com in the public DNS zone.

Box 3: No

The private DNS zone is linked to VNet1, not VNet2. Therefore, resources in VNet2 cannot query the private DNS zone.

**NEW QUESTION 10**

- (Exam Topic 3)

You have an Azure virtual network named Vnet1 and an on-premises network.

The on-premises network has policy-based VPN devices. In Vnet1, you deploy a virtual network gateway named GW1 that uses a SKU of VpnGw1 and is route-based.

You have a Site-to-Site VPN connection for GW1 as shown in the following exhibit.

Save Discard

Use Azure Private IP Address ?  

Disabled Enabled

BGP ?  

Disabled Enabled

IPsec / IKE policy ?  

Default Custom

Use policy based traffic selector ?  

Enable Disable

DPD timeout in seconds \* ?  

45

Connection Mode ?  

Default

 InitiatorOnly ResponderOnly

IKE Protocol ?  

IKEv2

You need to ensure that the on-premises network can connect to the route-based GW1. What should you do before you create the connection?

- A. Set Use Azure Private IP Address to Enabled
- B. Set IPsec / IKE policy to Custom.
- C. Set Connection Mode to ResponderOnly
- D. Set BGP to Enabled


**Answer:** A

**NEW QUESTION 13**

- (Exam Topic 3)

You have the Azure environment shown in the exhibit.





VM1 is a virtual machine that has an instance-level public IP address (ILPIP). Basic Load Balancer uses a public IP address. VM1 and VM2 are in the backend pool. NAT Gateway uses a public IP address named IP3 that is associated to SubnetA. VNet1 has a virtual network gateway that has a public IP address named IP4. When initiating outbound traffic to the internet from VM1, which public address is used?

- A. IP1
- B. IP2
- C. IP3
- D. IP4

Answer: A

NEW QUESTION 14

- (Exam Topic 3)  
You have an Azure virtual network that contains the subnets shown in the following table.

Name	IP address space
AzureFirewallSubnet	192.168.1.0/24
Subnet2	192.168.2.0/24

You deploy an Azure firewall to AzureFirewallSubnet. You route all traffic from Subnet2 through the firewall. You need to ensure that all the hosts on Subnet2 can access an external site located at [https://\\*.contoso.com](https://*.contoso.com). What should you do?

- A. Create a network security group (NSG) and associate the NSG to Subnet2.
- B. In a firewall policy, create an application rule.
- C. In a firewall policy, create a DNAT rule.
- D. In a firewall policy, create a network rule.

Answer: B

NEW QUESTION 16

- (Exam Topic 3)  
FirewallPolicy1 contains the following rules:

- Allow outbound traffic from Vnet1 and Vnet2 to the internet.
- Allow any traffic between Vnet1 and Vnet2.

No custom private endpoints, service endpoints, routing tables, or network security groups (NSGs) were created. For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
A routing table must be associated with Subnet1 and Subnet2 to ensure that all internet traffic for VM1 and VM2 is sent via Firewall1.	<input type="radio"/>	<input type="radio"/>
The enable remote gateway setting must be enabled on the virtual net peering to provide VM2 Internet access by using Firewall1.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
A routing table must be associated with Subnet1 and Subnet2 to ensure that all internet traffic for VM1 and VM2 is sent via Firewall1.	<input checked="" type="radio"/>	<input type="radio"/>
The enable remote gateway setting must be enabled on the virtual net peering to provide VM2 Internet access by using Firewall1.	<input type="radio"/>	<input checked="" type="radio"/>

#### NEW QUESTION 21

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure application gateway that has Azure Web Application Firewall (WAF) enabled. You configure the application gateway to direct traffic to the URL of the application gateway.

You attempt to access the URL and receive an HTTP 403 error. You view the diagnostics log and discover the following error.

```
{
  "timeStamp": "2021-06-02T18:13:45+00:00",
  "resourceId": "/SUBSCRIPTIONS/6efbb4a5-d91a-4e4a-b6bf-5bdd6efea73c/RESOURCEGROUPS/RG1/PROVIDERS/MICROSOFT.NETWORK/APPLICATIONGATEWAYS/AGW1",
  "operationName": "ApplicationGatewayFirewall",
  "category": "ApplicationGatewayFirewallLog",
  "properties": {
    "instanceId": "appgw_0",
    "clientIp": "137.135.10.24",
    "clientPort": "",
    "requestUri": "/login",
    "ruleSetType": "OWASP CRS",
    "ruleSetVersion": "3.0.0",
    "ruleId": "920300",
    "message": "Request Missing an Accept Header",
    "action": "Matched",
    "site": "Global",
    "details": {
      "message": "Warning. Match of '\\\\\"pm AppleWebKit Android\\\\\"' against '\\\\\"REQUEST_HEADERS:User-Agent\\\\\"' required. ",
      "data": "",
      "file": "rules\\REQUEST-920-PROTOCOL-ENFORCEMENT.conf",
      "line": "1247"
    },
    "hostname": "app1.contoso.com",
    "transactionId": "d654811d0hgq1ea198165hq7428d74h6",
    "policyId": "default",
    "policyScope": "Global",
    "policyScopeName": "Global"
  }
}
```

You need to ensure that the URL is accessible through the application gateway. Solution: You configure a custom cookie and an exclusion rule. Does this meet the goal?

- A. Yes
- B. No

Answer: A

#### NEW QUESTION 22

- (Exam Topic 3)

You need to use Traffic Analytics to monitor the usage of applications deployed to Azure virtual machines. Which Azure Network Watcher feature should you implement first?

- A. Connection monitor
- B. Packet capture
- C. NSG flow logs
- D. IP flow verify

Answer: A

#### NEW QUESTION 24

- (Exam Topic 3)

You plan to configure BGP for a Site-to-Site VPN connection between a datacenter and Azure. Which two Azure resources should you configure? Each correct answer presents a part of the solution.

(Choose two.)  
NOTE: Each correct selection is worth one point.




- A. a virtual network gateway
- B. Azure Application Gateway
- C. Azure Firewall
- D. a local network gateway
- E. Azure Front Door

Answer: AD


Explanation:  
Reference:  
<https://docs.microsoft.com/en-us/azure/vpn-gateway/bgp-howto>

NEW QUESTION 29


- (Exam Topic 3)  
You have the Azure App Service app shown in the App Service exhibit.


 **as12**  


App Service





>>


 Browse


 Start

 Swap


 Restart


 Delete

 Get publish profile

 Reset publish profile

...

 Your app is stopped. App Service plan charges still apply.

 Essentials JSON View

Resource group (change)

RG1

URL

<https://as12.azurewebsites.net>

Status

Stopped

Health Check

Configured

Location

North Europe

App Service Plan

ASP1 (P1v2:1)

Subscription (change)

Subscription1

FTP/deployment user set

No FTP/deployment user set

Subscription ID

846f6nnt-nt8e-794i-k478-649ws1576487

FTP hostname

<ftp://waws-prod-db3-167.azurewebsites.windows.net/site/wwwroot>

FTP hostname

<https://waws-prod-db3-167.azurewebsites.windows.net/site/wwwroot>


Tags (change)

[Click here to add tags](#)

The VNet Integration settings for as12 are configured as shown in the Vnet Integration exhibit.


**VNet Integration**
as12

 Disconnect
  Refresh


**VNet Configuration**

Securely access resources available in or through your Azure VNet. [Learn more](#)

**VNet Details**

VNet NAME	Vnet1
LOCATION	North Europe

**VNet Address Space**

Start Address	End Address
10.100.0.0	10.100.255.255


**Subnet Details**






Subnet NAME	Subnet1
-------------	---------


**Subnet Address Space**

Start Address	End Address
10.100.2.0	10.100.2.255

The Private Endpoint connections settings for as12 are configured as shown in the Private Endpoint connections exhibit.


**Private Endpoint connections**

 Add
  Refresh
 | 
  Approve
  Reject
  Remove


**Private Endpoint connections**

Private access to services hosted on the Azure platform, keeping your data on the Microsoft network [Learn more](#)

Connection name ↑↓	Connection state ↑↓	Private endpoint ↑↓	Description
No results.			

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

**Answer Area**

Statements	Yes	No
Subnet2 can contain only App Service apps in the ASP1 App Service plan	<input type="radio"/>	<input type="radio"/>
As12 will use an IP address from Subnet2 for network communications	<input type="radio"/>	<input type="radio"/>
Computers in Vnet1 will connect to a private IP address when they connect to as12	<input type="radio"/>	<input type="radio"/>



- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Graphical user interface, text, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/app-service/web-sites-integrate-with-vnet>

**NEW QUESTION 30**

- (Exam Topic 3)


You have a website that uses an FQDN of `www.contoso.com`. The DNS record for `www.contoso.com` resolves to an on-premises web server.

You plan to migrate the website to an Azure web app named `Web1`. The website on `Web1` will be published by using an Azure Front Door instance named `ContosoFD1`.

You build the website on `Web1`.

You plan to configure `ContosoFD1` to publish the website for testing.

When you attempt to configure a custom domain for `www.contoso.com` on `ContosoFD1`, you receive the error message shown in the exhibit.



You need to test the website and `ContosoFD1` without affecting user access to the on-premises web server. Which record should you create in the `contoso.com` DNS domain?

- A. a CNAME record that maps `www.contoso.com` to `ContosoFD1.azurefd.net`
- B. a CNAME record that maps `www.contoso.com` to `Web1.contoso.com`
- C. a CNAME record that maps `afdverify.www.contoso.com` to `ContosoFD1.azurefd.net`
- D. a CNAME record that maps `afdverify.www.contoso.com` to `afdverify.ContosoFD1.azurefd.net`

**Answer:** D

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/frontdoor/front-door-custom-domain#map-the-temporary-afdverify-subd>

**NEW QUESTION 33**

- (Exam Topic 3)

You have an Azure virtual network named `Vnet1` that has one subnet. `Vnet1` is in the West Europe Azure region.

You deploy an Azure App Service app named `App1` to the West Europe region.

You need to provide `App1` with access to the resources in `Vnet1`. The solution must minimize costs. What should you do first?

- A. Create a private link.
- B. Create a new subnet.
- C. Create a NAT gateway.
- D. Create a gateway subnet and deploy a virtual network gateway.

**Answer:** B

**Explanation:**

Virtual network integration depends on a dedicated subnet.

<https://docs.microsoft.com/en-us/azure/app-service/overview-vnet-integration#regional-virtual-network-integrat> For outgoing traffic from Web App to vnet, it will go through Internet, so the cost not the minimum.

The connection between the Private Endpoint and the Web App uses a secure Private Link. Private Endpoint is only used for incoming flows to your Web App.


Outgoing flows will not use this Private Endpoint, but you can inject outgoing flows to your network in a different subnet through the VNet integration feature.

<https://docs.microsoft.com/en-us/azure/app-service/networking/private-endpoint#conceptual-overview>



**NEW QUESTION 35**

- (Exam Topic 3)


You have an Azure firewall shown in the following exhibit.





**Firewall1**  
Firewall



>>

 Delete

 Lock



Visit Azure Firewall Manager to configure and manage this firewall. →

^

Essentials

Resource group (change)  
RG1

Location  
North Europe

Subscription (change)  
Subscription1

Subscription ID  
489f2hht-se7y-987v-g571-463hw3679512

Virtual network  
Vnet1

Firewall policy  
FirewallPolicy1

Provisioning state  
Succeeded

Tags (change)  
Click here to add tags

Firewall sku  
Standard

Firewall subnet  
AzureFirewallSubnet

Firewall public IP  
Firewall-IP1

Firewall private IP  
10.100.253.4

Management subnet

Management public IP

Private IP Ranges  
Managed by Firewall Policy

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.  
NOTE: Each correct selection is worth one point.

Answer Area

On Firewall1, forced tunneling [answer choice]

is enabled already

cannot be enabled

is disabled but can be enabled

On Firewall1, management by Azure Firewall Manager [answer choice]

is enabled already

cannot be enabled

is disabled but can be enabled

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Box 1:

If forced tunneling was enabled, the Firewall Subnet would be named AzureFirewallManagementSubnet. Forced tunneling can only be enabled during the creation of the firewall. It cannot be enabled after the firewall has been deployed.

Box 2:

The “Visit Azure Firewall Manager to configure and manage this firewall” link in the exhibit shows that the firewall is managed by Azure Firewall Manager.

NEW QUESTION 39

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have two Azure virtual networks named Vnet1 and Vnet2.

You have a Windows 10 device named Client1 that connects to Vnet1 by using a Point-to-Site (P2S) IKEv2 VPN. You implement virtual network peering between Vnet1 and Vnet2. Vnet1 allows gateway transit. Vnet2 can use the remote gateway. You discover that Client1 cannot communicate with Vnet2. You need to ensure that Client1 can communicate with Vnet2. Solution: You reset the gateway of Vnet1. Does this meet the goal?

- A. Yes
- B. No

**Answer: B**


**Explanation:**

The VPN client must be downloaded again if any changes are made to VNet peering or the network topology. Reference: <https://docs.microsoft.com/en-us/azure/vpn-gateway/vpn-gateway-about-point-to-site-routing>

**NEW QUESTION 40**

- (Exam Topic 3)

You have an Azure environment shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic. NOTE: Each correct selection is worth one point.

**Answer Area**

VM1 can communicate with (answer choice):

▼

VM2 only

VM2 and VM3 only

the on-premises datacenter and VM2 only

the on-premises datacenter, VM2, and VM3 only

VM2 can communicate with (answer choice):

▼

VM1 only

VM1 and VM3 only

the on-premises datacenter and VM3 only

the on-premises datacenter, VM1, and VM3 only

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Graphical user interface, text, application Description automatically generated

Reference:

[https://docs.microsoft.com/en-us/azure/vpn-gateway/vpn-gateway-peering-gateway-transit?toc=/azure/virtual-ne](https://docs.microsoft.com/en-us/azure/vpn-gateway/vpn-gateway-peering-gateway-transit?toc=/azure/virtual-network/ip-services/ipv6-overview#capabilities) <https://docs.microsoft.com/en-ca/azure/virtual-network/ip-services/ipv6-overview#capabilities>

**NEW QUESTION 42**

.....



## Relate Links

**100% Pass Your AZ-700 Exam with Examible Prep Materials**

<https://www.exambible.com/AZ-700-exam/>

## Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>