



Amazon-Web-Services

Exam Questions SOA-C02

AWS Certified SysOps Administrator - Associate (SOA-C02)

About ExamBible

[Your Partner of IT Exam](#)

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

- (Exam Topic 1)

A SysOps administrator has used AWS Cloud Formation to deploy a sereness application into a production VPC. The application consists of an AWS Lambda function, an Amazon DynamoDB table, and an Amazon API Gateway API. The SysOps administrator must delete the AWS Cloud Formation stack without deleting the DynamoDB table.

Which action should the SysOps administrator take before deleting the AWS Cloud Formation stack?

- A. Add a Retain deletion policy to the DynamoDB resource in the AWS CloudFormation stack.
- B. Add a Snapshot deletion policy to the DynamoDB resource In the AWS CloudFormation stack.
- C. Enable termination protection on the AWS Cloud Formation stack.
- D. Update the application's IAM policy with a Deny statement for the dynamodb:DeleteTable action.

Answer: A

NEW QUESTION 2

- (Exam Topic 1)

A company updates its security policy to prohibit the public exposure of any data in Amazon S3 buckets in the company's account. What should a SysOps administrator do to meet this requirement?

- A. Turn on S3 Block Public Access from the account level.
- B. Create an Amazon EventBridge (Amazon CloudWatch Events) rule to enforce that all S3 objects are private.
- C. Use Amazon Inspector to search for S3 buckets and to automatically reset S3 ACLs if any public S3 buckets are found.
- D. Use S3 Object Lambda to examine S3 ACLs and to change any public S3 ACLs to private.

Answer: A

Explanation:

Using Amazon S3 Block Public Access

as a centralized way to limit public access. Block Public Access

settings override bucket policies and object permissions. Be sure to enable Block Public Access for all accounts and buckets that you don't want publicly accessible.

<https://aws.amazon.com/premiumsupport/knowledge-center/secure-s3-resources/#:~:text=Using%20Amazon%2>

NEW QUESTION 3

- (Exam Topic 1)

A SysOps administrator applies the following policy to an AWS CloudFormation stack:

```
{
  "Statement": [
    {
      "Effect": "Deny",
      "Action": "Update:*",
      "Principal": "*",
      "Resource": ["LogicalResourceId/Production*"]
    },
    {
      "Effect": "Allow",
      "Action": "Update:*",
      "Principal": "*",
      "Resource": "*"
    }
  ]
}
```

What is the result of this policy?

- A. Users that assume an IAM role with a logical ID that begins with "Production" are prevented from running the update-stack command.
- B. Users can update all resources in the stack except for resources that have a logical ID that begins with "Production".
- C. Users can update all resources in the stack except for resources that have an attribute that begins with "Production".
- D. Users in an IAM group with a logical ID that begins with "Production" are prevented from running the update-stack command.

Answer: B

NEW QUESTION 4

- (Exam Topic 1)

A SysOps administrator is provisioning an Amazon Elastic File System (Amazon EFS) file system to provide shared storage across multiple Amazon EC2 instances. The instances all exist in the same VPC across multiple Availability Zones. There are two instances in each Availability Zone. The SysOps administrator must make the file system accessible to each instance with the lowest possible latency.

Which solution will meet these requirements?

- A. Create a mount target for the EFS file system in the VP

- B. Use the mount target to mount the file system on each of the instances
- C. Create a mount target for the EFS file system in one Availability Zone of the VP
- D. Use the mount target to mount the file system on the instances in that Availability Zon
- E. Share the directory with the other instances.
- F. Create a mount target for each instanc
- G. Use each mount target to mount the EFS file system on each respective instance.
- H. Create a mount target in each Availability Zone of the VPC Use the mount target to mount the EFS file system on the Instances in the respective Availability Zone.

Answer: D

Explanation:

A mount target provides an IP address for an NFSv4 endpoint at which you can mount an Amazon EFS file system. You mount your file system using its Domain Name Service (DNS) name, which resolves to the IP address of the EFS mount target in the same Availability Zone as your EC2 instance. You can create one mount target in each Availability Zone in an AWS Region. If there are multiple subnets in an Availability Zone in your VPC, you create a mount target in one of the subnets. Then all EC2 instances in that Availability Zone share that mount target. <https://docs.aws.amazon.com/efs/latest/ug/how-it-works.html>

NEW QUESTION 5

- (Exam Topic 1)

A company has created a NAT gateway in a public subnet in a VPC. The VPC also contains a private subnet that includes Amazon EC2 instances. The EC2 instances use the NAT gateway to access the internet to download patches and updates. The company has configured a VPC flow log for the elastic network interface of the NAT gateway. The company is publishing the output to Amazon CloudWatch Logs.

A SysOps administrator must identify the top five internet destinations that the EC2 instances in the private subnet communicate with for downloads.

What should the SysOps administrator do to meet this requirement in the MOST operationally efficient way?

- A. Use AWS CloudTrail Insights events to identify the top five internet destinations.
- B. Use Amazon CloudFront standard logs (access logs) to identify the top five internet destinations.
- C. Use CloudWatch Logs Insights to identify the top five internet destinations.
- D. Change the flow log to publish logs to Amazon S3. Use Amazon Athena to query the log files in Amazon S3.

Answer: C

NEW QUESTION 6

- (Exam Topic 1)

A SysOps administrator noticed that the cache hit ratio for an Amazon CloudFront distribution is less than 10%.

Which collection of configuration changes will increase the cache hit ratio for the distribution? (Select TWO.)

- A. Ensure that only required cookies, query strings, and headers are forwarded in the Cache Behavior Settings.
- B. Change the Viewer Protocol Policy to use HTTPS only.
- C. Configure the distribution to use presigned cookies and URLs to restrict access to the distribution.
- D. Enable automatic compression of objects in the Cache Behavior Settings.
- E. Increase the CloudFront time to live (TTL) settings in the Cache Behavior Settings.

Answer: AE

Explanation:

<https://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/cache-hit-ratio.html#cache-hit-ratio-ht>

NEW QUESTION 7

- (Exam Topic 1)

A company is running a website on Amazon EC2 instances behind an Application Load Balancer (ALB). The company configured an Amazon CloudFront distribution and set the ALB as the origin. The company created an Amazon Route 53 CNAME record to send all traffic through the CloudFront distribution. As an unintended side effect, mobile users are now being served the desktop version of the website.

Which action should a SysOps administrator take to resolve this issue?

- A. Configure the CloudFront distribution behavior to forward the User-Agent header.
- B. Configure the CloudFront distribution origin setting
- C. Add a User-Agent header to the list of origin custom headers.
- D. Enable IPv6 on the AL
- E. Update the CloudFront distribution origin settings to use the dualstack endpoint.
- F. Enable IPv6 on the CloudFront distributio
- G. Update the Route 53 record to use the dualstack endpoint.

Answer: A

Explanation:

<https://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/header-caching.html#header-caching->

NEW QUESTION 8

- (Exam Topic 1)

A SysOps administrator must create a solution that immediately notifies software developers if an AWS Lambda function experiences an error.

Which solution will meet this requirement?

- A. Create an Amazon Simple Notification Service (Amazon SNS) topic with an email subscription for each develop
- B. Create an Amazon CloudWatch alarm by using the Errors metric and the Lambda function name as a dimensio
- C. Configure the alarm to send a notification to the SNS topic when the alarm state reaches ALARM.
- D. Create an Amazon Simple Notification Service (Amazon SNS) topic with a mobile subscription for each develop
- E. Create an Amazon EventBridge (Amazon CloudWatch Events) alarm by using LambdaError as the event pattern and the SNS topic name as a resourc
- F. Configure the alarm to send a notification to the SNS topic when the alarm state reaches ALARM.

- G. Verify each developer email address in Amazon Simple Email Service (Amazon SES). Create an Amazon CloudWatch rule by using the LambdaError metric and developer email addresses as dimension
- H. Configure the rule to send an email through Amazon SES when the rule state reaches ALARM.
- I. Verify each developer mobile phone in Amazon Simple Email Service (Amazon SES). Create an Amazon EventBridge (Amazon CloudWatch Events) rule by using Errors as the event pattern and the Lambda function name as a resource
- J. Configure the rule to send a push notification through Amazon SES when the rule state reaches ALARM.

Answer: A

NEW QUESTION 9

- (Exam Topic 1)

A company has deployed AWS Security Hub and AWS Config in a newly implemented organization in AWS Organizations. A SysOps administrator must implement a solution to restrict all member accounts in the organization from deploying Amazon EC2 resources in the ap-southeast-2 Region. The solution must be implemented from a single point and must govern all current and future accounts. The use of root credentials also must be restricted in member accounts. Which AWS feature should the SysOps administrator use to meet these requirements?

- A. AWS Config aggregator
- B. IAM user permissions boundaries
- C. AWS Organizations service control policies (SCPs)
- D. AWS Security Hub conformance packs

Answer: C

NEW QUESTION 10

- (Exam Topic 1)

A SysOps administrator needs to develop a solution that provides email notification and inserts a record into a database every time a file is put into an Amazon S3 bucket.

What is the MOST operationally efficient solution that meets these requirements?

- A. Set up an S3 event notification that targets an Amazon Simple Notification Service (Amazon SNS) topic. Create two subscriptions for the SNS topic. Use one subscription to send the email notification. Use the other subscription to invoke an AWS Lambda function that inserts the record into the database.
- B. Set up an Amazon CloudWatch alarm that enters ALARM state whenever an object is created in the S3 bucket. Configure the alarm to invoke an AWS Lambda function that sends the email notification and inserts the record into the database.
- C. Create an AWS Lambda function to send the email notification and insert the record into the database whenever a new object is detected in the S3 bucket. Invoke the function every minute with an Amazon EventBridge (Amazon CloudWatch Events) scheduled rule.
- D. Set up two S3 event notifications. Target a separate AWS Lambda function with each notification. Configure one function to send the email notification. Configure the other function to insert the record into the database.

Answer: C

NEW QUESTION 10

- (Exam Topic 1)

A company has two VPC networks named VPC A and VPC B. The VPC A CIDR block is 10.0.0.0/16 and the VPC B CIDR block is 172.31.0.0/16. The company wants to establish a VPC peering connection named pcx-12345 between both VPCs.

Which rules should appear in the route table of VPC A after configuration? (Select TWO.)

- A. Destination: 10.0.0.0/16, Target: Local
- B. Destination: 172.31.0.0/16, Target: Local
- C. Destination: 10.0.0.0/16, Target: pcx-12345
- D. Destination: 172.31.0.0/16, Target: pcx-12345
- E. Destination: 10.0.0.0/16, Target: 172.31.0.0/16

Answer: AD

Explanation:

<https://docs.aws.amazon.com/vpc/latest/peering/vpc-peering-routing.html>

NEW QUESTION 13

- (Exam Topic 1)

A SysOps administrator wants to manage a web server application with AWS Elastic Beanstalk. The Elastic Beanstalk service must maintain full capacity for new deployments at all times.

Which deployment policies satisfy this requirement? (Select TWO.)

- A. All at once
- B. Immutable
- C. Rebuild
- D. Rolling
- E. Rolling with additional batch

Answer: BE

Explanation:

<https://docs.aws.amazon.com/elasticbeanstalk/latest/dg/using-features.rolling-version-deploy.html>

NEW QUESTION 18

- (Exam Topic 1)

A company wants to build a solution for its business-critical Amazon RDS for MySQL database. The database requires high availability across different geographic

locations. A SysOps administrator must build a solution to handle a disaster recovery (DR) scenario with the lowest recovery time objective (RTO) and recovery point objective (RPO).

Which solution meets these requirements?

- A. Create automated snapshots of the database on a schedule.
- B. Copy the snapshots to the DR Region.
- C. Create a cross-Region read replica for the database.
- D. Create a Multi-AZ read replica for the database.
- E. Schedule AWS Lambda functions to create snapshots of the source database and to copy the snapshots to a DR Region.

Answer: B

NEW QUESTION 20

- (Exam Topic 1)

A company has an internal web application that runs on Amazon EC2 instances behind an Application Load

Balancer. The instances run in an Amazon EC2 Auto Scaling group in a single Availability Zone. A SysOps administrator must make the application highly available.

Which action should the SysOps administrator take to meet this requirement?

- A. Increase the maximum number of instances in the Auto Scaling group to meet the capacity that is required at peak usage.
- B. Increase the minimum number of instances in the Auto Scaling group to meet the capacity that is required at peak usage.
- C. Update the Auto Scaling group to launch new instances in a second Availability Zone in the same AWS Region.
- D. Update the Auto Scaling group to launch new instances in an Availability Zone in a second AWS Region.

Answer: C

NEW QUESTION 25

- (Exam Topic 1)

A company is running an application on premises and wants to use AWS for data backup. All of the data must be available locally. The backup application can write only to block-based storage that is compatible with the Portable Operating System Interface (POSIX).

Which backup solution will meet these requirements?

- A. Configure the backup software to use Amazon S3 as the target for the data backups.
- B. Configure the backup software to use Amazon S3 Glacier as the target for the data backups.
- C. Use AWS Storage Gateway, and configure it to use gateway-cached volumes.
- D. Use AWS Storage Gateway, and configure it to use gateway-stored volumes.

Answer: D

Explanation:

<https://docs.aws.amazon.com/storagegateway/latest/userguide/StorageGatewayConcepts.html>

NEW QUESTION 30

- (Exam Topic 1)

A gaming application is deployed on four Amazon EC2 instances in a default VPC. The SysOps administrator has noticed consistently high latency in responses as data is transferred among the four instances. There is no way for the administrator to alter the application code.

The MOST effective way to reduce latency is to relaunch the EC2 instances in:

- A. a dedicated VPC.
- B. a single subnet inside the VPC.
- C. a placement group.
- D. a single Availability Zone.

Answer: C

NEW QUESTION 31

- (Exam Topic 1)

A company with multiple AWS accounts needs to obtain recommendations for AWS Lambda functions and identify optimal resource configurations for each Lambda function. How should a SysOps administrator provide these recommendations?

- A. Create an AWS Serverless Application Repository and export the Lambda function recommendations.
- B. Enable AWS Compute Optimizer and export the Lambda function recommendations.
- C. Enable all features of AWS Organization and export the recommendations from AWS CloudTrail Insights.
- D. Run AWS Trusted Advisor and export the Lambda function recommendations.

Answer: B

NEW QUESTION 36

- (Exam Topic 1)

A company runs a web application on three Amazon EC2 instances behind an Application Load Balancer (ALB). The company notices that random periods of increased traffic cause a degradation in the application's performance. A SysOps administrator must scale the application to meet the increased traffic.

Which solution meets these requirements?

- A. Create an Amazon CloudWatch alarm to monitor application latency and increase the size of each EC2 instance if the desired threshold is reached.
- B. Create an Amazon EventBridge (Amazon CloudWatch Events) rule to monitor application latency and add an EC2 instance to the ALB if the desired threshold is reached.
- C. Deploy the application to an Auto Scaling group of EC2 instances with a target tracking scaling policy. Attach the ALB to the Auto Scaling group.
- D. Deploy the application to an Auto Scaling group of EC2 instances with a scheduled scaling policy. Attach the ALB to the Auto Scaling group.

Answer: C

Explanation:

docs.aws.amazon.com/autoscaling/ec2/userguide/as-scaling-target-tracking.html

NEW QUESTION 41

- (Exam Topic 1)

A development team recently deployed a new version of a web application to production. After the release, penetration testing revealed a cross-site scripting vulnerability that could expose user data.

Which AWS service will mitigate this issue?

- A. AWS Shield Standard
- B. AWS WAF
- C. Elastic Load Balancing
- D. Amazon Cognito

Answer: B

Explanation:

<https://www.imperva.com/learn/application-security/cross-site-scripting-xss-attacks/>

NEW QUESTION 46

- (Exam Topic 1)

A SysOps administrator notices a scale-up event for an Amazon EC2 Auto Scaling group. Amazon CloudWatch shows a spike in the RequestCount metric for the associated Application Load Balancer. The administrator would like to know the IP addresses for the source of the requests.

Where can the administrator find this information?

- A. Auto Scaling logs
- B. AWS CloudTrail logs
- C. EC2 instance logs
- D. Elastic Load Balancer access logs

Answer: D

Explanation:

Elastic Load Balancing provides access logs that capture detailed information about requests sent to your load balancer. Each log contains information such as the time the request was received, the client's IP address, latencies, request paths, and server responses. You can use these access logs to analyze traffic patterns and troubleshoot issues.

<https://docs.aws.amazon.com/elasticloadbalancing/latest/application/load-balancer-access-logs.html>

NEW QUESTION 47

- (Exam Topic 1)

A SysOps administrator created an Amazon VPC with an IPv6 CIDR block, which requires access to the internet. However, access from the internet towards the VPC is prohibited. After adding and configuring the required components to the VPC, the administrator is unable to connect to any of the domains that reside on the internet.

What additional route destination rule should the administrator add to the route tables?

- A. Route `::/0` traffic to a NAT gateway
- B. Route `::/0` traffic to an internet gateway
- C. Route `0.0.0.0/0` traffic to an egress-only internet gateway
- D. Route `::/0` traffic to an egress-only internet gateway

Answer: D

Explanation:

<https://docs.aws.amazon.com/vpc/latest/userguide/egress-only-internet-gateway.html>

NEW QUESTION 51

- (Exam Topic 1)

While setting up an AWS managed VPN connection, a SysOps administrator creates a customer gateway resource in AWS. The customer gateway device resides in a data center with a NAT gateway in front of it.

What address should be used to create the customer gateway resource?

- A. The private IP address of the customer gateway device
- B. The MAC address of the NAT device in front of the customer gateway device
- C. The public IP address of the customer gateway device
- D. The public IP address of the NAT device in front of the customer gateway device

Answer: D

NEW QUESTION 53

- (Exam Topic 1)

A SysOps administrator is tasked with analyzing database performance. The database runs on a single Amazon RDS D6 instance. The SysOps administrator finds that, during times of peak traffic, resources on the database are over utilized due to the amount of read traffic.

Which actions should the SysOps administrator take to improve RDS performance? (Select TWO.)

- A. Add a read replica.

- B. Modify the application to use Amazon ElastiCache for Memcached.
- C. Migrate the database from RDS to Amazon DynamoDB.
- D. Migrate the database to Amazon EC2 with enhanced networking enabled
- E. Upgrade the database to a Multi-AZ deployment.

Answer: AB

NEW QUESTION 55

- (Exam Topic 1)

A SysOps administrator has successfully deployed a VPC with an AWS Cloud Formation template. The SysOps administrator wants to deploy the same template across multiple accounts that are managed through AWS Organizations.

Which solution will meet this requirement with the LEAST operational overhead?

- A. Assume the OrganizationAccountAccessRole IAM role from the management account
- B. Deploy the template in each of the accounts
- C. Create an AWS Lambda function to assume a role in each account. Deploy the template by using the AWS CloudFormation CreateStack API call.
- D. Create an AWS Lambda function to query for a list of accounts. Deploy the template by using the AWS CloudFormation CreateStack API call.
- E. Use AWS CloudFormation StackSets from the management account to deploy the template in each of the accounts

Answer: D

Explanation:

AWS CloudFormation StackSets extends the capability of stacks by enabling you to create, update, or delete stacks across multiple accounts and AWS Regions.

NEW QUESTION 58

- (Exam Topic 1)

A company's reporting job that used to run in 15 minutes is now taking an hour to run. An application generates the reports. The application runs on Amazon EC2 instances and extracts data from an Amazon RDS for MySQL database.

A SysOps administrator checks the Amazon CloudWatch dashboard for the RDS instance and notices that the Read IOPS metrics are high, even when the reports are not running. The SysOps administrator needs to improve the performance and the availability of the RDS instance.

Which solution will meet these requirements?

- A. Configure an Amazon ElastiCache cluster in front of the RDS instance.
- B. Update the reporting job to query the ElastiCache cluster.
- C. Deploy an RDS read replica.
- D. Update the reporting job to query the reader endpoint.
- E. Create an Amazon CloudFront distribution.
- F. Set the RDS instance as the origin.
- G. Update the reporting job to query the CloudFront distribution.
- H. Increase the size of the RDS instance.

Answer: B

Explanation:

Using an RDS read replica will improve the performance and availability of the RDS instance by offloading read queries to the replica. This will also ensure that the reporting job completes in a timely manner and does not affect the performance of other queries that might be running on the RDS instance. Additionally, updating the reporting job to query the reader endpoint will ensure that all read queries are directed to the read replica.

Reference: [1] https://docs.aws.amazon.com/AmazonRDS/latest/UserGuide/USER_ReadRepl.html

NEW QUESTION 61

- (Exam Topic 1)

A SysOps administrator is troubleshooting an AWS CloudFormation template whereby multiple Amazon EC2 instances are being created. The template is working in us-east-1, but it is failing in us-west-2 with the error code:

```
AMI [ami-12345678] does not exist
```

How should the administrator ensure that the AWS CloudFormation template is working in every region?

- A. Copy the source region's Amazon Machine Image (AMI) to the destination region and assign it the same ID.
- B. Edit the AWS CloudFormation template to specify the region code as part of the fully qualified AMI ID.
- C. Edit the AWS CloudFormation template to offer a drop-down list of all AMIs to the user by using the `aws::EC2::Image::ImageId` control.
- D. Modify the AWS CloudFormation template by including the AMI IDs in the "Mappings" section.
- E. Refer to the proper mapping within the template for the proper AMI ID.

Answer: A

NEW QUESTION 66

- (Exam Topic 1)

A SysOps administrator is creating an Amazon EC2 Auto Scaling group in a new AWS account. After adding some instances, the SysOps administrator notices that the group has not reached the minimum number of instances. The SysOps administrator receives the following error message:

```
Launching a new EC2 instance. Status Reason: Your quota allows for 0 more running instance(s).  
You requested at least 1. Launching EC2 instance failed.
```

Which action will resolve this issue?

- A. Adjust the account spending limits for Amazon EC2 on the AWS Billing and Cost Management console.
- B. Modify the EC2 quota for that AWS Region in the EC2 Settings section of the EC2 console.
- C. Request a quota increase for the Instance type family by using Service Quotas on the AWS Management Console.
- D. Use the Rebalance action in the Auto Scaling group on the AWS Management Console.

Answer: C

NEW QUESTION 70

- (Exam Topic 1)

A SysOps administrator receives notification that an application that is running on Amazon EC2 instances has failed to authenticate to an Amazon RDS database. To troubleshoot, the SysOps administrator needs to investigate AWS Secrets Manager password rotation. Which Amazon CloudWatch log will provide insight into the password rotation?

- A. AWS CloudTrail logs
- B. EC2 instance application logs
- C. AWS Lambda function logs
- D. RDS database logs

Answer: B

NEW QUESTION 71

- (Exam Topic 1)

A SysOps administrator must create a solution that automatically shuts down any Amazon EC2 instances that have less than 10% average CPU utilization for 60 minutes or more.

Which solution will meet this requirement in the MOST operationally efficient manner?

- A. Implement a cron job on each EC2 instance to run once every 60 minutes and calculate the current CPU utilization.
- B. Initiate an instance shutdown if CPU utilization is less than 10%.
- C. Implement an Amazon CloudWatch alarm for each EC2 instance to monitor average CPU utilization. Set the period at 1 hour, and set the threshold at 10%. Configure an EC2 action on the alarm to stop the instance.
- D. Install the unified Amazon CloudWatch agent on each EC2 instance, and enable the Basic level predefined metric set.
- E. Log CPU utilization every 60 minutes, and initiate an instance shutdown if CPU utilization is less than 10%.
- F. Use AWS Systems Manager Run Command to get CPU utilization from each EC2 instance every 60 minutes.
- G. Initiate an instance shutdown if CPU utilization is less than 10%.

Answer: B

Explanation:

<https://docs.aws.amazon.com/AmazonCloudWatch/latest/monitoring/UsingAlarmActions.html>

NEW QUESTION 72

- (Exam Topic 1)

A company asks a SysOps administrator to ensure that AWS CloudTrail files are not tampered with after they are created. Currently, the company uses AWS Identity and Access Management (IAM) to restrict access to specific trails. The company's security team needs the ability to trace the integrity of each file. What is the MOST operationally efficient solution that meets these requirements?

- A. Create an Amazon EventBridge (Amazon CloudWatch Events) rule that invokes an AWS Lambda function when a new file is delivered.
- B. Configure the Lambda function to compute an MD5 hash check on the file and store the result in an Amazon DynamoDB table.
- C. The security team can use the values that are stored in DynamoDB to verify the integrity of the delivered files.
- D. Create an AWS Lambda function that is invoked each time a new file is delivered to the CloudTrail bucket.
- E. Configure the Lambda function to compute an MD5 hash check on the file and store the result as a tag in an Amazon S3 object.
- F. The security team can use the information in the tag to verify the integrity of the delivered files.
- G. Enable the CloudTrail file integrity feature on an Amazon S3 bucket.
- H. Create an IAM policy that grants the security team access to the file integrity logs that are stored in the S3 bucket.
- I. Enable the CloudTrail file integrity feature on the trail.
- J. The security team can use the digest file that is created by CloudTrail to verify the integrity of the delivered files.

Answer: D

Explanation:

<https://docs.aws.amazon.com/awscloudtrail/latest/userguide/cloudtrail-log-file-validation-intro.html> "When you enable log file integrity validation, CloudTrail creates a hash for every log file that it delivers.

Every hour, CloudTrail also creates and delivers a file that references the log files for the last hour and contains a hash of each. This file is called a digest file.

Validated log files are invaluable in security and forensic investigations"

NEW QUESTION 76

- (Exam Topic 1)

A company is using Amazon Elastic File System (Amazon EFS) to share a file system among several Amazon EC2 instances. As usage increases, users report that file retrieval from the EFS file system is slower than normal.

Which action should a SysOps administrator take to improve the performance of the file system?

- A. Configure the file system for Provisioned Throughput.
- B. Enable encryption in transit on the file system.
- C. Identify any unused files in the file system, and remove the unused files.
- D. Resize the Amazon Elastic Block Store (Amazon EBS) volume of each of the EC2 instances.

Answer: A

NEW QUESTION 77

- (Exam Topic 1)

A company uses AWS Organizations to manage multiple AWS accounts. The company's SysOps team has been using a manual process to create and manage IAM roles. The team requires an automated solution to create and manage the necessary IAM roles for multiple AWS accounts.

What is the MOST operationally efficient solution that meets these requirements?

- A. Create AWS CloudFormation template
- B. Reuse the templates to create the necessary 1AM roles in each of the AWS accounts.
- C. Use AWS Directory Service with AWS Organizations to automatically associate the necessary 1AM roles with Microsoft Active Directory users.
- D. Use AWS Resource Access Manager with AWS Organizations to deploy and manage shared resources across the AWS accounts.
- E. Use AWS CloudFormation StackSets with AWS Organizations to deploy and manage 1AM roles for the AWS accounts.

Answer: D

NEW QUESTION 80

- (Exam Topic 1)

A company has deployed a web application in a VPC that has subnets in three Availability Zones. The company launches three Amazon EC2 instances from an EC2 Auto Scaling group behind an Application Load Balancer (ALB).

A SysOps administrator notices that two of the EC2 instances are in the same Availability Zone, rather than being distributed evenly across all three Availability Zones. There are no errors in the Auto Scaling group's activity history.

What is the MOST likely reason for the unexpected placement of EC2 instances?

- A. One Availability Zone did not have sufficient capacity for the requested EC2 instance type.
- B. The ALB was configured for only two Availability Zones.
- C. The Auto Scaling group was configured for only two Availability Zones.
- D. Amazon EC2 Auto Scaling randomly placed the instances in Availability Zones.

Answer: C

Explanation:

the autoscaling group is responsible to add the instances in the subnets

NEW QUESTION 81

- (Exam Topic 1)

A company hosts several write-intensive applications. These applications use a MySQL database that runs on a single Amazon EC2 instance. The company asks a SysOps administrator to implement a highly available database solution that is ideal for multi-tenant workloads.

Which solution should the SysOps administrator implement to meet these requirements?

- A. Create a second EC2 instance for MySQL
- B. Configure the second instance to be a read replica.
- C. Migrate the database to an Amazon Aurora DB cluster
- D. Add an Aurora Replica.
- E. Migrate the database to an Amazon Aurora multi-master DB cluster.
- F. Migrate the database to an Amazon RDS for MySQL DB instance.

Answer: C

NEW QUESTION 86

- (Exam Topic 1)

A company stores files on 50 Amazon S3 buckets in the same AWS Region. The company wants to connect to the S3 buckets securely over a private connection from its Amazon EC2 instances. The company needs a solution that produces no additional cost.

Which solution will meet these requirements?

- A. Create a gateway VPC endpoint for each S3 bucket. Attach the gateway VPC endpoints to each subnet inside the VPC.
- B. Create an interface VPC endpoint for each S3 bucket. Attach the interface VPC endpoints to each subnet inside the VPC.
- C. Create one gateway VPC endpoint for all the S3 buckets. Add the gateway VPC endpoint to the VPC route table.
- D. Create one interface VPC endpoint for all the S3 buckets. Add the interface VPC endpoint to the VPC route table.

Answer: C

NEW QUESTION 90

- (Exam Topic 1)

A company is running a flash sale on its website. The website is hosted on burstable performance Amazon EC2 instances in an Auto Scaling group. The Auto Scaling group is configured to launch instances when the CPU utilization is above 70%.

A couple of hours into the sale, users report slow load times and error messages for refused connections. A SysOps administrator reviews Amazon CloudWatch metrics and notices that the CPU utilization is at 20% across the entire fleet of instances.

The SysOps administrator must restore the website's functionality without making changes to the network infrastructure.

Which solution will meet these requirements?

- A. Activate unlimited mode for the instances in the Auto Scaling group.
- B. Implement an Amazon CloudFront distribution to offload the traffic from the Auto Scaling group.
- C. Move the website to a different AWS Region that is closer to the users.
- D. Reduce the desired size of the Auto Scaling group to artificially increase CPU average utilization.

Answer: B

Explanation:

Implement an Amazon CloudFront distribution to offload the traffic from the Auto Scaling group does not breach the requirement of no changes in the network infrastructure. Reason is that CloudFront is a distribution that allows you to distribute content using a worldwide network of edge locations that provide low latency and high data transfer speeds. It plugs in to existing setup, not changes to it.

NEW QUESTION 92

- (Exam Topic 1)

A company uploaded its website files to an Amazon S3 bucket that has S3 Versioning enabled. The company uses an Amazon CloudFront distribution with the S3

bucket as the origin. The company recently modified the tiles, but the object names remained the same. Users report that old content is still appearing on the website.

How should a SysOps administrator remediate this issue?

- A. Create a CloudFront invalidation, and add the path of the updated files.
- B. Create a CloudFront signed URL to update each object immediately.
- C. Configure an S3 origin access identity (OAI) to display only the updated files to users.
- D. Disable S3 Versioning on the S3 bucket so that the updated files can replace the old files.

Answer: A

NEW QUESTION 93

- (Exam Topic 1)

A company wants to use only IPv6 for all its Amazon EC2 instances. The EC2 instances must not be accessible from the internet, but the EC2 instances must be able to access the internet. The company creates a dual-stack VPC and IPv6-only subnets.

How should a SysOps administrator configure the VPC to meet these requirements?

- A. Create and attach a NAT gatewa
- B. Create a custom route table that includes an entry to point all IPv6 traffic to the NAT gatewa
- C. Attach the custom route table to the IPv6-only subnets.
- D. Create and attach an internet gatewa
- E. Create a custom route table that includes an entry to point all IPv6 traffic to the internet gatewa
- F. Attach the custom route table to the IPv6-only subnets.
- G. Create and attach an egress-only internet gatewa
- H. Create a custom route table that includes an entry to point all IPv6 traffic to the egress-only internet gatewa
- I. Attach the custom route table to the IPv6-only subnets.
- J. Create and attach an internet gateway and a NAT gatewa
- K. Create a custom route table that includes an entry to point all IPv6 traffic to the internet gateway and all IPv4 traffic to the NAT gatewa
- L. Attach the custom route table to the IPv6-only subnets.

Answer: C

NEW QUESTION 95

- (Exam Topic 1)

A company plans to deploy a database on an Amazon Aurora MySQL DB cluster. The database will store data for a demonstration environment. The data must be reset on a daily basis.

What is the MOST operationally efficient solution that meets these requirements?

- A. Create a manual snapshot of the DB cluster after the data has been populate
- B. Create an Amazon EventBridge (Amazon CloudWatch Events) rule to invoke an AWS Lambda function on a daily basi
- C. Configure the function to restore the snapshot and then delete the previous DB cluster.
- D. Enable the Backtrack feature during the creation of the DB cluste
- E. Specify a target backtrack window of 48 hour
- F. Create an Amazon EventBridge (Amazon CloudWatch Events) rule to invoke an AWS Lambda function on a daily basi
- G. Configure the function to perform a backtrack operation.
- H. Export a manual snapshot of the DB cluster to an Amazon S3 bucket after the data has been populated. Create an Amazon EventBridge (Amazon CloudWatch Events) rule to invoke an AWS Lambda function on a daily basi
- I. Configure the function to restore the snapshot from Amazon S3.
- J. Set the DB cluster backup retention period to 2 day
- K. Create an Amazon EventBridge (Amazon CloudWatch Events) rule to invoke an AWS Lambda function on a daily basi
- L. Configure the function to restore the DB cluster to a point in time and then delete the previous DB cluster.

Answer: D

Explanation:

Create an Amazon EventBridge (Amazon CloudWatch Events) rule to invoke an AWS Lambda function on a daily basis. Configure the function to restore the DB cluster to a point in time and then delete the previous DB cluster. This is the most operationally efficient solution that meets the requirements, as it will allow the company to reset the database on a daily basis without having to manually take and restore snapshots. The other solutions (creating a manual snapshot of the DB cluster, enabling the Backtrack feature, or exporting a manual snapshot of the DB cluster to Amazon S3) will require additional steps and resources to reset the database on a daily basis.

NEW QUESTION 97

- (Exam Topic 1)

A company needs to deploy a new workload on AWS. The company must encrypt all data at rest and must rotate the encryption keys once each year. The workload uses an Amazon RDS for MySQL Multi-AZ database for data storage.

Which configuration approach will meet these requirements?

- A. Enable Transparent Data Encryption (TDE) in the MySQL configuration fil
- B. Manually rotate the key every 12 months.
- C. Enable RDS encryption on the database at creation time by using the AWS managed key for Amazon RDS.
- D. Create a new AWS Key Management Service (AWS KMS) customer managed ke
- E. Enable automatic key rotatio
- F. Enable RDS encryption on the database at creation time by using the KMS key.
- G. Create a new AWS Key Management Service (AWS KMS) customer managed ke
- H. Enable automatic key rotatio
- I. Enable encryption on the Amazon Elastic Block Store (Amazon EBS) volumes that are attached to the RDS DB instance.

Answer: C

Explanation:

This configuration approach will meet the requirement of encrypting all data at rest and rotating the encryption keys once each year. By creating a new AWS KMS customer managed key and enabling automatic key rotation, the encryption keys will be rotated automatically every year. By enabling RDS encryption on the database at creation time using the KMS key, all data stored in the RDS for MySQL Multi-AZ database will be encrypted at rest. This approach provide more control over key management and rotation and provide additional security benefits.

NEW QUESTION 102

- (Exam Topic 1)

A SysOps administrator is building a process for sharing Amazon RDS database snapshots between different accounts associated with different business units within the same company. All data must be encrypted at rest.

How should the administrator implement this process?

- A. Write a script to download the encrypted snapshot, decrypt it using the AWS KMS encryption key used to encrypt the snapshot, then create a new volume in each account.
- B. Update the key policy to grant permission to the AWS KMS encryption key used to encrypt the snapshot with all relevant accounts, then share the snapshot with those accounts.
- C. Create an Amazon EC2 instance based on the snapshot, then save the instance's Amazon EBS volume as a snapshot and share it with the other account
- D. Require each account owner to create a new volume from that snapshot and encrypt it.
- E. Create a new unencrypted RDS instance from the encrypted snapshot, connect to the instance using SSH/RD
- F. export the database contents into a file, then share this file with the other accounts.

Answer: B

NEW QUESTION 105

- (Exam Topic 1)

A company has a mobile app that uses Amazon S3 to store images The images are popular for a week, and then the number of access requests decreases over time The images must be highly available and must be immediately accessible upon request A SysOps administrator must reduce S3 storage costs for the company Which solution will meet these requirements MOST cost-effectively?

- A. Create an S3 Lifecycle policy to transition the images to S3 Glacier after 7 days
- B. Create an S3 Lifecycle policy to transition the images to S3 One Zone-Infrequent Access (S3 One Zone-IA) after 7 days
- C. Create an S3 Lifecycle policy to transition the images to S3 Standard after 7 days
- D. Create an S3 Lifecycle policy to transition the images to S3 Standard-Infrequent Access (S3 Standard-IA) after 7 days

Answer: D

NEW QUESTION 109

- (Exam Topic 1)

A company hosts a database on an Amazon RDS Multi-AZ DB instance. The database is not encrypted. The company's new security policy requires all AWS resources to be encrypted at rest and in transit.

What should a SysOps administrator do to encrypt the database?

- A. Configure encryption on the existing DB instance.
- B. Take a snapshot of the DB instance
- C. Encrypt the snapshot
- D. Restore the snapshot to the same DB instance.
- E. Encrypt the standby replica in a secondary Availability Zone
- F. Promote the standby replica to the primary DB instance.
- G. Take a snapshot of the DB instance
- H. Copy and encrypt the snapshot
- I. Create a new DB instance by restoring the encrypted copy.

Answer: B

NEW QUESTION 113

- (Exam Topic 1)

A SysOps administrator needs to configure a solution that will deliver digital content to a set of authorized users through Amazon CloudFront. Unauthorized users must be restricted from access. Which solution will meet these requirements?

- A. Store the digital content in an Amazon S3 bucket that does not have public access blocked
- B. Use signed URLs to access the S3 bucket through CloudFront.
- C. Store the digital content in an Amazon S3 bucket that has public access blocked
- D. Use an origin access identity (OAI) to deliver the content through CloudFront
- E. Restrict S3 bucket access with signed URLs in CloudFront.
- F. Store the digital content in an Amazon S3 bucket that has public access blocked
- G. Use an origin access identity (OAI) to deliver the content through CloudFront
- H. Enable field-level encryption.
- I. Store the digital content in an Amazon S3 bucket that does not have public access blocked
- J. Use signed cookies for restricted delivery of the content through CloudFront.

Answer: B

NEW QUESTION 116

- (Exam Topic 1)

A company uses Amazon Route 53 to manage the public DNS records for the domain example.com. The company deploys an Amazon CloudFront distribution to deliver static assets for a new corporate website. The company wants to create a subdomain that is named "static" and must route traffic for the subdomain to the CloudFront distribution.

How should a SysOps administrator create a new record for the subdomain in Route 53?

- A. Create a CNAME recor
- B. Enter static.cloudfront.net as the record nam
- C. Enter the CloudFront distribution's public IP address as the value.
- D. Create a CNAME recor
- E. Enter static.example.com as the record nam
- F. Enter the CloudFront distribution's private IP address as the value.
- G. Create an A recor
- H. Enter static.cloudfront.net as the record nam
- I. Enter the CloudFront distribution's ID as an alias target.
- J. Create an A recor
- K. Enter static.example.com as the record nam
- L. Enter the CloudFront distribution's domain name as an alias target.

Answer: D

Explanation:

<https://docs.aws.amazon.com/Route53/latest/DeveloperGuide/routing-to-cloudfront-distribution.html>

NEW QUESTION 121

- (Exam Topic 1)

A company runs its Infrastructure on Amazon EC2 Instances that run in an Auto Scaling group. Recently, the company promoted faulty code to the entire EC2 fleet. This faulty code caused the Auto Scaling group to scale the instances before any of the application logs could be retrieved.

What should a SysOps administrator do to retain the application logs after instances are terminated?

- A. Configure an Auto Scaling lifecycle hook to create a snapshot of the ephemeral storage upon termination of the instances.
- B. Create a new Amazon Machine Image (AMI) that has the Amazon CloudWatch agent installed and configured to send logs to Amazon CloudWatch Log
- C. Update the launch template to use the new AMI.
- D. Create a new Amazon Machine Image (AMI) that has a custom script configured to send logs to AWS CloudTrail
- E. Update the launch template to use the new AMI.
- F. Install the Amazon CloudWatch agent on the Amazon Machine Image (AMI) that is defined in the launch template
- G. Configure the CloudWatch agent to back up the logs to ephemeral storage.

Answer: B

NEW QUESTION 124

- (Exam Topic 1)

A company's SysOps administrator regularly checks the AWS Personal Health Dashboard in each of the company's accounts. The accounts are part of an organization in AWS Organizations. The company recently added 10 more accounts to the organization. The SysOps administrator must consolidate the alerts from each account's Personal Health Dashboard.

Which solution will meet this requirement with the LEAST amount of effort?

- A. Enable organizational view in AWS Health.
- B. Configure the Personal Health Dashboard in each account to forward events to a central AWS CloudTrail log.
- C. Create an AWS Lambda function to query the AWS Health API and to write all events to an Amazon DynamoDB table.
- D. Use the AWS Health API to write events to an Amazon DynamoDB table.

Answer: A

Explanation:

Enabling the organizational view in AWS Health will allow the SysOps administrator to consolidate the alerts from each account's Personal Health Dashboard. It will also provide the administrator with a single view of all the accounts in the organization, allowing them to easily monitor the health of all the accounts in the organization.

Reference:

[1] <https://aws.amazon.com/premiumsupport/knowledge-center/organizational-view-health-dashboard/>

NEW QUESTION 127

- (Exam Topic 1)

A SysOps administrator is designing a solution for an Amazon RDS for PostgreSQL DB instance. Database credentials must be stored and rotated monthly. The applications that connect to the DB instance send

write-intensive traffic with variable client connections that sometimes increase significantly in a short period of time.

Which solution should a SysOps administrator choose to meet these requirements?

- A. Configure AWS Key Management Service (AWS KMS) to automatically rotate the keys for the DB instance
- B. Use RDS Proxy to handle the increases in database connections.
- C. Configure AWS Key Management Service (AWS KMS) to automatically rotate the keys for the DB instance
- D. Use RDS read replicas to handle the increases in database connections.
- E. Configure AWS Secrets Manager to automatically rotate the credentials for the DB instance
- F. Use RDS Proxy to handle the increases in database connections.
- G. Configure AWS Secrets Manager to automatically rotate the credentials for the DB instance
- H. Use RDS read replicas to handle the increases in database connections.

Answer: A

NEW QUESTION 130

- (Exam Topic 1)

A SysOps administrator is reviewing AWS Trusted Advisor warnings and encounters a warning for an S3 bucket policy that has open access permissions. While discussing the issue with the bucket owner, the administrator realizes the S3 bucket is an origin for an Amazon CloudFront web distribution.

Which action should the administrator take to ensure that users access objects in Amazon S3 by using only CloudFront URLs?

- A. Encrypt the S3 bucket content with Server-Side Encryption with Amazon S3-Managed Keys (SSE-S3).
- B. Create an origin access identity and grant it permissions to read objects in the S3 bucket.
- C. Assign an IAM user to the CloudFront distribution and grant the user permissions in the S3 bucket policy.
- D. Assign an IAM role to the CloudFront distribution and grant the role permissions in the S3 bucket policy.

Answer: B

Explanation:

<https://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/private-content-restricting-access-to-s3>

NEW QUESTION 134

- (Exam Topic 1)

A SysOps administrator is setting up a fleet of Amazon EC2 instances in an Auto Scaling group for an application. The fleet should have 50% CPU available at that times to accommodate bursts of traffic. The load will increase significantly between the hours of 09:00 and 17:00, 7 days a week
How should the SysOps administrator configure the scaling of the EC2 instances to meet these requirements?

- A. Create a target tracking scaling policy that runs when the CPU utilization is higher than 90%
- B. Create a target tracking scaling policy that runs when the CPU utilization is higher than 50%. Create a scheduled scaling policy that ensures that the fleet is available at 09:00 Create a second scheduled scaling policy that scales in the fleet at 17:00
- C. Set the Auto Scaling group to start with 2 instances by setting the desired instances maximum instances, and minimum instances to 2 Create a scheduled scaling policy that ensures that the fleet is available at 09:00
- D. Create a scheduled scaling policy that ensures that the fleet is available at 09:00. Create a second scheduled scaling policy that scales in the fleet at 17:00

Answer: B

NEW QUESTION 138

- (Exam Topic 1)

A company is creating a new multi-account architecture. A Sysops administrator must implement a login solution to centrally manage user access and permissions across all AWS accounts. The solution must be integrated with AWS Organizations and must be connected to a third-party Security Assertion Markup Language (SAML) 2.0 identity provider (IdP).
What should the SysOps administrator do to meet these requirements?

- A. Configure an Amazon Cognito user pool
- B. Integrate the user pool with the third-party IdP.
- C. Enable and configure AWS Single Sign-On with the third-party IdP.
- D. Federate the third-party IdP with AWS Identity and Access Management (IAM) for each AWS account in the organization.
- E. Integrate the third-party IdP directly with AWS Organizations.

Answer: A

NEW QUESTION 141

- (Exam Topic 1)

A company's SysOps administrator needs to change the AWS Support plan for one of the company's AWS accounts. The account has multi-factor authentication (MFA) activated, and the MFA device is lost.
What should the SysOps administrator do to sign in?

- A. Sign in as a root user by using email and phone verification
- B. Set up a new MFA device
- C. Change the root user password.
- D. Sign in as an IAM user with administrator permission
- E. Resynchronize the MFA token by using the IAM console.
- F. Sign in as an IAM user with administrator permission
- G. Reset the MFA device for the root user by adding a new device.
- H. Use the forgot-password process to verify the email address
- I. Set up a new password and MFA device.

Answer: A

NEW QUESTION 144

- (Exam Topic 1)

A company is using an AWS KMS customer master key (CMK) with imported key material The company references the CMK by its alias in the Java application to encrypt data The CMK must be rotated every 6 months
What is the process to rotate the key?

- A. Enable automatic key rotation for the CMK and specify a period of 6 months
- B. Create a new CMK with new imported material, and update the key alias to point to the new CMK.
- C. Delete the current key material, and import new material into the existing CMK
- D. Import a copy of the existing key material into a new CMK as a backup, and set the rotation schedule for 6 months

Answer: B

NEW QUESTION 146

- (Exam Topic 1)

A SysOps administrator is investigating why a user has been unable to use RDP to connect over the internet from their home computer to a bastion server running on an Amazon EC2 Windows instance.
Which of the following are possible causes of this issue? (Choose two.)

- A. A network ACL associated with the bastion's subnet is blocking the network traffic.

- B. The instance does not have a private IP address.
- C. The route table associated with the bastion's subnet does not have a route to the internet gateway.
- D. The security group for the instance does not have an inbound rule on port 22.
- E. The security group for the instance does not have an outbound rule on port 3389.

Answer: AC

NEW QUESTION 147

- (Exam Topic 1)

A company is undergoing an external audit of its systems, which run wholly on AWS. A SysOps administrator must supply documentation of Payment Card Industry Data Security Standard (PCI DSS) compliance for the infrastructure managed by AWS.

Which set of action should the SysOps administrator take to meet this requirement?

- A. Download the applicable reports from the AWS Artifact portal and supply these to the auditors.
- B. Download complete copies of the AWS CloudTrail log files and supply these to the auditors.
- C. Download complete copies of the AWS CloudWatch logs and supply these to the auditors.
- D. Provide the auditors with administrative access to the production AWS account so that the auditors can determine compliance.

Answer: A

NEW QUESTION 150

- (Exam Topic 1)

A company hosts its website on Amazon EC2 instances behind an Application Load Balancer. The company manages its DNS with Amazon Route 53. and wants to point its domain's zone apex to the website.

Which type of record should be used to meet these requirements?

- A. A CNAME record for the domain's zone apex
- B. An A record for the domain's zone apex
- C. An AAAA record for the domain's zone apex
- D. An alias record for the domain's zone apex

Answer: D

Explanation:

<https://docs.aws.amazon.com/Route53/latest/DeveloperGuide/resource-record-sets-choosing-alias-non-alias.htm>

<https://docs.aws.amazon.com/Route53/latest/DeveloperGuide/routing-to-elb-load-balancer.html>

NEW QUESTION 153

- (Exam Topic 1)

A company is using Amazon Elastic Container Service (Amazon ECS) to run a containerized application on Amazon EC2 instances. A SysOps administrator needs to monitor only traffic flows between the ECS tasks.

Which combination of steps should the SysOps administrator take to meet this requirement? (Select TWO.)

- A. Configure Amazon CloudWatch Logs on the elastic network interface of each task.
- B. Configure VPC Flow Logs on the elastic network interface of each task.
- C. Specify the awsvpc network mode in the task definition.
- D. Specify the bridge network mode in the task definition.
- E. Specify the host network mode in the task definition.

Answer: AE

NEW QUESTION 156

- (Exam Topic 1)

A company is using Amazon CloudFront to serve static content for its web application to its users. The CloudFront distribution uses an existing on-premises website as a custom origin.

The company requires the use of TLS between CloudFront and the origin server. This configuration has worked as expected for several months. However, users are now experiencing HTTP 502 (Bad Gateway) errors when they view webpages that include content from the CloudFront distribution.

What should a SysOps administrator do to resolve this problem?

- A. Examine the expiration date on the certificate on the origin site
- B. Validate that the certificate has not expired
- C. Replace the certificate if necessary.
- D. Examine the hostname on the certificate on the origin site
- E. Validate that the hostname matches one of the hostnames on the CloudFront distribution
- F. Replace the certificate if necessary.
- G. Examine the firewall rules that are associated with the origin server
- H. Validate that port 443 is open for inbound traffic from the internet
- I. Create an inbound rule if necessary.
- J. Examine the network ACL rules that are associated with the CloudFront distribution
- K. Validate that port 443 is open for outbound traffic to the origin server
- L. Create an outbound rule if necessary.

Answer: A

Explanation:

HTTP 502 errors from CloudFront can occur because of the following reasons:

There's an SSL negotiation failure because the origin is using SSL/TLS protocols and ciphers that aren't supported by CloudFront.

There's an SSL negotiation failure because the SSL certificate on the origin is expired or invalid, or because the certificate chain is invalid.

There's a host header mismatch in the SSL negotiation between your CloudFront distribution and the custom origin.

The custom origin isn't responding on the ports specified in the origin settings of the CloudFront distribution. The custom origin is ending the connection to CloudFront too quickly.

<https://aws.amazon.com/premiumsupport/knowledge-center/resolve-cloudfront-connection-error/>

NEW QUESTION 161

- (Exam Topic 1)

A company uses AWS Cloud Formation templates to deploy cloud infrastructure. An analysis of all the company's templates shows that the company has declared the same components in multiple templates. A SysOps administrator needs to create dedicated templates that have their own parameters and conditions for these common components.

Which solution will meet this requirement?

- A. Develop a CloudFormaiion change set.
- B. Develop CloudFormation macros.
- C. Develop CloudFormation nested stacks.
- D. Develop CloudFormation stack sets.

Answer: C

NEW QUESTION 164

- (Exam Topic 1)

A company has a simple web application that runs on a set of Amazon EC2 instances behind an Elastic Load Balancer in the eu-west-2 Region. Amazon Route 53 holds a DNS record for the application with a simple touting policy. Users from all over the world access the application through their web browsers.

The company needs to create additional copies of the application in the us-east-1 Region and in the ap-south-1 Region. The company must direct users to the Region that provides the fastest response times when the users load the application.

What should a SysOps administrator do to meet these requirements?

- A. In each new Region, create a new Elastic Load Balancer and a new set of EC2 Instances to run a copy of the applicatio
- B. Transition to a geolocation routing policy.
- C. In each new Region, create a copy of the application on new EC2 instance
- D. Add these new EC2 instances to the Elastic Load Balancer in eu-west-2. Transition to a latency routing policy.
- E. In each new Region, create a copy of the application on new EC2 instance
- F. Add these new EC2 instances to the Elastic Load Balancer in eu-west-2. Transition to a multivalue routing policy.
- G. In each new Region, create a new Elastic Load Balancer and a new set of EC2 instances to run a copy of the applicatio
- H. Transition to a latency routing policy.

Answer: B

NEW QUESTION 165

- (Exam Topic 1)

A company stores sensitive data in an Amazon S3 bucket. The company must log all access attempts to the S3 bucket. The company's risk team must receive immediate notification about any delete events.

Which solution will meet these requirements?

- A. Enable S3 server access logging for audit log
- B. Set up an Amazon Simple Notification Service (Amazon SNSJ notification for the S3 bucke
- C. Select DeleteObject tor the event type for the alert system.
- D. Enable S3 server access logging for audit log
- E. Launch an Amazon EC2 instance for the alert system.Run a cron job on the EC2 instance to download the access logs each day and to scan for a DeleteObject event.
- F. Use Amazon CloudWatch Logs for audit log
- G. Use Amazon CloudWatch alarms with an Amazon Simple Notification Service (Amazon SNS) notification for the alert system.
- H. Use Amazon CloudWatch Logs for audit log
- I. Launch an Amazon EC2 instance for The alert system.Run a cron job on the EC2 Instance each day to compare the list of the items with the list from the previous da
- J. Configure the cron job to send a notification if an item is missing.

Answer: A

Explanation:

To meet the requirements of logging all access attempts to the S3 bucket and receiving immediate notification about any delete events, the company can enable S3 server access logging and set up an Amazon Simple Notification Service (Amazon SNS) notification for the S3 bucket. The S3 server access logs will record all access attempts to the bucket, including delete events, and the SNS notification can be configured to send an alert when a DeleteObject event occurs.

NEW QUESTION 168

- (Exam Topic 1)

A company requires that all IAM user accounts that have not been used for 90 days or more must have their access keys and passwords immediately disabled A SysOps administrator must automate the process of disabling unused keys using the MOST operationally efficient method.

How should the SysOps administrator implement this solution?

- A. Create an AWS Step Functions workflow to identify IAM users that have not been active for 90 days Run an AWS Lambda function when a scheduled Amazon EventBridge (Amazon CloudWatch Events) rule is invoked to automatically remove the AWS access keys and passwords for these IAM users
- B. Configure an AWS Config rule to identify IAM users that have not been active for 90 days Set up an automatic weekly batch process on an Amazon EC2 instance to disable the AWS access keys and passwords for these IAM users
- C. Develop and run a Python script on an Amazon EC2 instance to programmatically identify IAM users that have not been active for 90 days Automatically delete these 1AM users
- D. Set up an AWS Config managed rule to identify IAM users that have not been active for 90 days Set up an AWS Systems Manager automation runbook to disable the AWS access keys for these IAM users

Answer: D

NEW QUESTION 172

- (Exam Topic 1)

A company is using Amazon Elastic File System (Amazon EFS) to share a file system among several Amazon EC2 instances. As usage increases, users report that file retrieval from the EFS file system is slower than normal.

Which action should a SysOps administrator take to improve the performance of the file system?

- A. Configure the file system for Provisioned Throughput.
- B. Enable encryption in transit on the file system.
- C. Identify any unused files in the file system, and remove the unused files.
- D. Resize the Amazon Elastic Block Store (Amazon EBS) volume of each of the EC2 instances.

Answer: A

NEW QUESTION 174

- (Exam Topic 1)

A SysOps administrator has enabled AWS CloudTrail in an AWS account. If CloudTrail is disabled, it must be re-enabled immediately. What should the SysOps administrator do to meet these requirements WITHOUT writing custom code?

- A. Add the AWS account to AWS Organization
- B. Enable CloudTrail in the management account.
- C. Create an AWS Config rule that is invoked when CloudTrail configuration change
- D. Apply the AWS-ConfigureCloudTrailLogging automatic remediation action.
- E. Create an AWS Config rule that is invoked when CloudTrail configuration change
- F. Configure the rule to invoke an AWS Lambda function to enable CloudTrail.
- G. Create an Amazon EventBridge (Amazon CloudWatch Events) hourly rule with a schedule pattern to run an AWS Systems Manager Automation document to enable CloudTrail.

Answer: D

NEW QUESTION 176

- (Exam Topic 1)

A company runs its entire suite of applications on Amazon EC2 instances. The company plans to move the applications to containers and AWS Fargate. Within 6 months, the company plans to retire its EC2 instances and use only Fargate. The company has been able to estimate its future Fargate costs.

A SysOps administrator needs to choose a purchasing option to help the company minimize costs. The SysOps administrator must maximize any discounts that are available and must ensure that there are no unused reservations.

Which purchasing option will meet these requirements?

- A. Compute Savings Plans for 1 year with the No Upfront payment option
- B. Compute Savings Plans for 1 year with the Partial Upfront payment option
- C. EC2 Instance Savings Plans for 1 year with the All Upfront payment option
- D. EC2 Reserved Instances for 1 year with the Partial Upfront payment option

Answer: C

NEW QUESTION 178

- (Exam Topic 1)

A company recently purchased Savings Plans. The company wants to receive email notification when the company's utilization drops below 90% for a given day. Which solution will meet this requirement?

- A. Create an Amazon CloudWatch alarm to monitor the Savings Plan check in AWS Trusted Advisor. Configure an Amazon Simple Queue Service (Amazon SQS) queue for email notification when the utilization drops below 90% for a given day.
- B. Create an Amazon CloudWatch alarm to monitor the SavingsPlansUtilization metric under the AWS/SavingsPlans namespace in CloudWatch.
- C. Configure an Amazon Simple Queue Service (Amazon SQS) queue for email notification when the utilization drops below 90% for a given day.
- D. Create a Savings Plans alert to monitor the daily utilization of the Savings Plan.
- E. Configure an Amazon Simple Notification Service (Amazon SNS) topic for email notification when the utilization drops below 90% for a given day.
- F. Use AWS Budgets to create a Savings Plans budget to track the daily utilization of the Savings Plans. Configure an Amazon Simple Notification Service (Amazon SNS) topic for email notification when the utilization drops below 90% for a given day.

Answer: D

Explanation:

AWS Budgets can be used to create a Savings Plans budget and track the daily utilization of the company's Savings Plans. By creating a budget, it will trigger an action when the utilization drops below 90%, which in this case will be to send an email notification via an Amazon SNS topic. This will ensure that the company is notified when their Savings Plans utilization drops below 90%, allowing them to take action if necessary.

Reference: [1] <https://docs.aws.amazon.com/savingsplans/latest/userguide/sp-usingBudgets.html>

NEW QUESTION 183

- (Exam Topic 1)

A SysOps administrator must manage the security of an AWS account. Recently an IAM user's access key was mistakenly uploaded to a public code repository. The SysOps administrator must identify anything that was changed by using this access key.

- A. Create an Amazon EventBridge (Amazon CloudWatch Events) rule to send all IAM events to an AWS Lambda function for analysis.
- B. Query Amazon EC2 logs by using Amazon CloudWatch Logs Insights for all events related to the compromised access key within the suspected timeframe.
- C. Search AWS CloudTrail event history for all events initiated with the compromised access key within the suspected timeframe.
- D. Search VPC Flow Logs for all events initiated with the compromised access key within the suspected timeframe.

Answer: C

NEW QUESTION 184

- (Exam Topic 1)

A company uses an Amazon CloudFront distribution to deliver its website. Traffic logs for the website must be centrally stored, and all data must be encrypted at rest.

Which solution will meet these requirements?

- A. Create an Amazon OpenSearch Service (Amazon Elasticsearch Service) domain with internet access and server-side encryption that uses the default AWS managed key
- B. Configure CloudFront to use the Amazon OpenSearch Service (Amazon Elasticsearch Service) domain as a log destination.
- C. Create an Amazon OpenSearch Service (Amazon Elasticsearch Service) domain with VPC access and server-side encryption that uses AES-256. Configure CloudFront to use the Amazon OpenSearch Service (Amazon Elasticsearch Service) domain as a log destination.
- D. Create an Amazon S3 bucket that is configured with default server-side encryption that uses AES-256. Configure CloudFront to use the S3 bucket as a log destination.
- E. Create an Amazon S3 bucket that is configured with no default encryption
- F. Enable encryption in the CloudFront distribution, and use the S3 bucket as a log destination.

Answer: C

NEW QUESTION 186

- (Exam Topic 1)

A new website will run on Amazon EC2 instances behind an Application Load Balancer. Amazon Route 53 will be used to manage DNS records.

What type of record should be set in Route 53 to point the website's apex domain name (for example, company.com) to the Application Load Balancer?

- A. CNAME
- B. SOA
- C. TXT
- D. ALIAS

Answer: D

NEW QUESTION 188

- (Exam Topic 1)

A company is running a website on Amazon EC2 instances that are in an Auto Scaling group. When the website traffic increases, additional instances take several minutes to become available because of a

long-running user data script that installs software. A SysOps administrator must decrease the time that is required (or new instances to become available).

Which action should the SysOps administrator take to meet this requirement?

- A. Reduce the scaling thresholds so that instances are added before traffic increases.
- B. Purchase Reserved Instances to cover 100% of the maximum capacity of the Auto Scaling group.
- C. Update the Auto Scaling group to launch instances that have a storage optimized instance type.
- D. Use EC2 Image Builder to prepare an Amazon Machine Image (AMI) that has pre-installed software.

Answer: D

Explanation:

Automated way to update your image. Have a pipeline to update your image. When you boot from your AMI, updates/scripts are already pre-installed, so no need to complete boot scripts in boot process. <https://aws.amazon.com/image-builder/>

NEW QUESTION 189

- (Exam Topic 1)

A SysOps administrator is trying to set up an Amazon Route 53 domain name to route traffic to a website hosted on Amazon S3. The domain name of the website is www.anycompany.com and the S3 bucket name is anycompany-static. After the record set is set up in Route 53, the domain name www.anycompany.com does not seem to work, and the static website is not displayed in the browser.

Which of the following is a cause of this?

- A. The S3 bucket must be configured with Amazon CloudFront first.
- B. The Route 53 record set must have an IAM role that allows access to the S3 bucket.
- C. The Route 53 record set must be in the same region as the S3 bucket.
- D. The S3 bucket name must match the record set name in Route 53.

Answer: D

NEW QUESTION 194

- (Exam Topic 1)

A SysOps administrator has locked public access to all company Amazon S3 buckets. The SysOps administrator wants to be notified when an S3 bucket becomes publicly readable in the future.

What is the MOST operationally efficient way to meet this requirement?

- A. Create an AWS Lambda function that periodically checks the public access settings for each S3 bucket. Set up Amazon Simple Notification Service (Amazon SNS) to send notifications.
- B. Create a cron script that uses the S3 API to check the public access settings for each S3 bucket.
- C. Set up Amazon Simple Notification Service (Amazon SNS) to send notifications.
- D. Enable S3 Event notifications for each S3 bucket.
- E. Subscribe S3 Event Notifications to an Amazon Simple Notification Service (Amazon SNS) topic.
- F. Enable the s3-bucket-public-read-prohibited managed rule in AWS Config.
- G. Subscribe the AWS Config rule to an Amazon Simple Notification Service (Amazon SNS) topic.

Answer: D

NEW QUESTION 197

- (Exam Topic 1)

A Sysops administrator needs to configure automatic rotation for Amazon RDS database credentials. The credentials must rotate every 30 days. The solution must integrate with Amazon RDS.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Store the credentials in AWS Systems Manager Parameter Store as a secure string
- B. Configure automatic rotation with a rotation interval of 30 days.
- C. Store the credentials in AWS Secrets Manager
- D. Configure automatic rotation with a rotation interval of 30 days.
- E. Store the credentials in a file in an Amazon S3 bucket
- F. Deploy an AWS Lambda function to automatically rotate the credentials every 30 days.
- G. Store the credentials in AWS Secrets Manager
- H. Deploy an AWS Lambda function to automatically rotate the credentials every 30 days.

Answer: B

Explanation:

Storing the credentials in AWS Secrets Manager and configuring automatic rotation with a rotation interval of 30 days is the most efficient way to meet the requirements with the least operational overhead. AWS Secrets Manager automatically rotates the credentials at the specified interval, so there is no need for an additional AWS Lambda function or manual rotation. Additionally, Secrets Manager is integrated with Amazon RDS, so the credentials can be easily used with the RDS database.

NEW QUESTION 202

- (Exam Topic 1)

A SysOps administrator needs to track the costs of data transfer between AWS Regions. The SysOps administrator must implement a solution to send alerts to an email distribution list when transfer costs reach 75% of a specific threshold.

What should the SysOps administrator do to meet these requirements?

- A. Create an AWS Cost and Usage Report
- B. Analyze the results in Amazon Athena
- C. Configure an alarm to publish a message to an Amazon Simple Notification Service (Amazon SNS) topic when costs reach 75% of the threshold
- D. Subscribe the email distribution list to the topic.
- E. Create an Amazon CloudWatch billing alarm to detect when costs reach 75% of the threshold. Configure the alarm to publish a message to an Amazon Simple Notification Service (Amazon SNS) topic
- F. Subscribe the email distribution list to the topic.
- G. Use AWS Budgets to create a cost budget for data transfer cost
- H. Set an alert at 75% of the budgeted amount
- I. Configure the budget to send a notification to the email distribution list when costs reach 75% of the threshold.
- J. Set up a VPC flow log
- K. Set up a subscription filter to an AWS Lambda function to analyze data transfer. Configure the Lambda function to send a notification to the email distribution list when costs reach 75% of the threshold.

Answer: B

Explanation:

The reason is that it uses the Amazon CloudWatch billing alarm which is a built-in service specifically designed to monitor and alert on cost usage of your AWS account, which makes it a more suitable solution for this use case. The alarm can be configured to detect when costs reach 75% of the threshold and when it is triggered, it can publish a message to an Amazon Simple Notification Service (Amazon SNS) topic. The email distribution list can be subscribed to the topic, so that they will receive the alerts when costs reach 75% of the threshold.

AWS Budgets allows you to track and manage your costs, but it doesn't specifically focus on data transfer costs between regions, and it might not provide as much granularity as CloudWatch Alarms.

NEW QUESTION 207

- (Exam Topic 1)

A company's customers are reporting increased latency while accessing static web content from Amazon S3. A SysOps administrator observed a very high rate of read operations on a particular S3 bucket.

What will minimize latency by reducing load on the S3 bucket?

- A. Migrate the S3 bucket to a region that is closer to end users' geographic locations
- B. Use cross-region replication to replicate all of the data to another region
- C. Create an Amazon CloudFront distribution with the S3 bucket as the origin.
- D. Use Amazon ElastiCache to cache data being served from Amazon S3

Answer: C

NEW QUESTION 208

- (Exam Topic 1)

A company has an application that runs only on Amazon EC2 Spot Instances. The instances run in an Amazon EC2 Auto Scaling group with scheduled scaling actions.

However, the capacity does not always increase at the scheduled times, and instances terminate many times a day. A SysOps administrator must ensure that the instances launch on time and have fewer interruptions.

Which action will meet these requirements?

- A. Specify the capacity-optimized allocation strategy for Spot Instance
- B. Add more instance types to the Auto Scaling group.
- C. Specify the capacity-optimized allocation strategy for Spot Instance
- D. Increase the size of the instances in the Auto Scaling group.
- E. Specify the lowest-price allocation strategy for Spot Instance
- F. Add more instance types to the Auto Scaling group.

- G. Specify the lowest-price allocation strategy for Spot Instance
- H. Increase the size of the instances in the Auto Scaling group.

Answer: A

Explanation:

Specifying the capacity-optimized allocation strategy for Spot Instances and adding more instance types to the Auto Scaling group is the best action to meet the requirements. Increasing the size of the instances in the Auto Scaling group will not necessarily help with the launch time or reduce interruptions, as the Spot Instances could still be interrupted even with larger instance sizes.

NEW QUESTION 211

- (Exam Topic 1)

A SysOps administrator must ensure that a company's Amazon EC2 instances auto scale as expected. The SysOps administrator configures an Amazon EC2 Auto Scaling Lifecycle hook to send an event to Amazon EventBridge (Amazon CloudWatch Events), which then invokes an AWS Lambda function to configure the EC2 instances. When the configuration is complete, the Lambda function calls the complete Lifecycle-action event to put the EC2 instances into service. In testing, the SysOps administrator discovers that the Lambda function is not invoked when the EC2 instances auto scale. What should the SysOps administrator do to resolve this issue?

- A. Add a permission to the Lambda function so that it can be invoked by the EventBridge (CloudWatch Events) rule.
- B. Change the lifecycle hook action to CONTINUE if the lifecycle hook experiences a failure or timeout.
- C. Configure a retry policy in the EventBridge (CloudWatch Events) rule to retry the Lambda function invocation upon failure.
- D. Update the Lambda function execution role so that it has permission to call the complete lifecycle-action event

Answer: D

NEW QUESTION 216

- (Exam Topic 1)

A company is expanding its use of AWS services across its portfolios. The company wants to provision AWS accounts for each team to ensure a separation of business processes for security compliance and billing. Account creation and bootstrapping should be completed in a scalable and efficient way so new accounts are created with a defined baseline and governance guardrails in place. A SysOps administrator needs to design a provisioning process that saves time and resources. Which action should be taken to meet these requirements?

- A. Automate using AWS Elastic Beanstalk to provision the AWS accounts, set up infrastructure, and integrate with AWS Organizations.
- B. Create bootstrapping scripts in AWS OpsWorks and combine them with AWS CloudFormation templates to provision accounts and infrastructure.
- C. Use AWS Config to provision accounts and deploy instances using AWS Service Catalog.
- D. Use AWS Control Tower to create a template in Account Factory and use the template to provision new accounts.

Answer: D

NEW QUESTION 219

- (Exam Topic 1)

A company wants to collect data from an application to use for analytics. For the first 90 days, the data will be infrequently accessed but must remain highly available. During this time, the company's analytics team requires access to the data in milliseconds. However, after 90 days, the company must retain the data for the long term at a lower cost. The retrieval time after 90 days must be less than 5 hours. Which solution will meet these requirements MOST cost-effectively?

- A. Store the data in S3 Standard-Infrequent Access (S3 Standard-IA) for the first 90 days.
- B. Set up an S3 Lifecycle rule to move the data to S3 Glacier Flexible Retrieval after 90 days.
- C. Store the data in S3 One Zone-Infrequent Access (S3 One Zone-IA) for the first 90 days.
- D. Set up an S3 Lifecycle rule to move the data to S3 Glacier Deep Archive after 90 days.
- E. Store the data in S3 Standard for the first 90 days.
- F. Set up an S3 Lifecycle rule to move the data to S3 Glacier Flexible Retrieval after 90 days.
- G. Store the data in S3 Standard for the first 90 days.
- H. Set up an S3 Lifecycle rule to move the data to S3 Glacier Deep Archive after 90 days.

Answer: A

Explanation:

Glacier Deep Archive retrieval time more than 5 hours (it's 12 hours), so B&D out. S3 Standard IA is cheaper than S3 Standard.
<https://aws.amazon.com/tw/s3/pricing/>

NEW QUESTION 220

- (Exam Topic 1)

A SysOps Administrator is managing a web application that runs on Amazon EC2 instances behind an Application Load Balancer (ALB). The instances run in an EC2 Auto Scaling group. The administrator wants to set an alarm for when all target instances associated with the ALB are unhealthy. Which condition should be used with the alarm?

- A. AWS/ApplicationELB HealthyHostCount <= 0
- B. AWS/ApplicationELB UnhealthyHostCount >= 1
- C. AWS/EC2 StatusCheckFailed <= 0
- D. AWS/EC2 StatusCheckFailed >= 1

Answer: A

Explanation:

<https://docs.aws.amazon.com/elasticloadbalancing/latest/application/load-balancer-cloudwatch-metrics.html>

NEW QUESTION 221

- (Exam Topic 1)

A company plans to migrate several of its high performance computing (MPC) virtual machines (VMs) to Amazon EC2 instances on AWS. A SysOps administrator must identify a placement group for this deployment. The strategy must minimize network latency and must maximize network throughput between the HPC VMs. Which strategy should the SysOps administrator choose to meet these requirements?

- A. Deploy the instances in a cluster placement group in one Availability Zone.
- B. Deploy the instances in a partition placement group in two Availability Zones
- C. Deploy the instances in a partition placement group in one Availability Zone
- D. Deploy the instances in a spread placement group in two Availably Zones

Answer: A

NEW QUESTION 223

- (Exam Topic 1)

A company maintains a large set of sensitive data in an Amazon S3 bucket. The company's security team asks a SyeOps administrator to help verify that all current objects in the S3 bucket are encrypted.

What is the MOST operationally efficient solution that meets these requirements?

- A. Create a script that runs against the S3 bucket and outputs the status of each object.
- B. Create an S3 Inventory configuration on the S3 bucket Induce the appropriate status fields.
- C. Provide the security team with an IAM user that has read access to the S3 bucket.
- D. Use the AWS CLI to output a list of all objects in the S3 bucket.

Answer: D

NEW QUESTION 224

- (Exam Topic 1)

A company is managing multiple AWS accounts in AWS Organizations The company is reviewing internal security of Its AWS environment The company's security administrator has their own AWS account and wants to review the VPC configuration of developer AWS accounts Which solution will meet these requirements in the MOST secure manner?

- A. Create an IAM policy in each developer account that has read-only access related to VPC resources Assign the policy to an IAM user Share the user credentials with the security administrator
- B. Create an IAM policy in each developer account that has administrator access to all Amazon EC2 actions, including VPC actions Assign the policy to an IAM user Share the user credentials with the security administrator
- C. Create an IAM policy in each developer account that has administrator access related to VPC resources Assign the policy to a cross-account IAM role Ask the security administrator to assume the role from their account
- D. Create an IAM policy m each developer account that has read-only access related to VPC resources Assign the policy to a cross-account IAM role Ask the security administrator to assume the role from their account

Answer: D

NEW QUESTION 227

- (Exam Topic 1)

A SysOps administrator creates two VPCs, VPC1 and VPC2, in a company's AWS account The SysOps administrator deploys a Linux Amazon EC2 instance in VPC1 and deploys an Amazon RDS for MySQL DB instance in VPC2. The DB instance is deployed in a private subnet. An application that runs on the EC2 instance needs to connect to the database.

What should the SysOps administrator do to give the EC2 instance the ability to connect to the database?

- A. Enter the DB instance connection string into the VPC1 route table.
- B. Configure VPC peering between the two VPCs.
- C. Add the same IPv4 CIDR range for both VPCs.
- D. Connect to the DB instance by using the DB instance's public IP address.

Answer: B

Explanation:

VPC peering allows two VPCs to communicate with each other securely. By configuring VPC peering between the two VPCs, the SysOps administrator will be able to give the EC2 instance in VPC1 the ability to connect to the database in VPC2. Once the VPC peering is configured, the EC2 instance will be able to communicate with the database using the private IP address of the DB instance in the private subnet.

NEW QUESTION 230

- (Exam Topic 1)

A company's VPC has connectivity to an on-premises data center through an AWS Site-to-Site VPN. The company needs Amazon EC2 instances in the VPC to send DNS queries for example com to the DNS servers in the data center.

Which solution will meet these requirements?

- A. Create an Amazon Route 53 Resolver inbound endpoint Create a conditional forwarding rule on the on-primes DNS servers to forward DNS requests for example.com to the inbound endpoints.
- B. Create an Amazon Route 53 Resolver inbound endpoint Create a forwarding rule on the resolver that sends all queries for example.com to the on-premises DNS server
- C. Associate this rule with the VPC.
- D. Create an Amazon Route 53 Resolver outbound endpoint Create a conditional forwarding rule on the on-premises DNS servers to forward DNS requests for example.com to the outbound endpoints
- E. Create an Amazon Route 53 Resolver outbound endpoint
- F. Create a forwarding rule on the resolver that sends all queries for exarrc4e.com to the on-premises DNS servers Associate this rule with the VPC.

Answer: C

NEW QUESTION 231

- (Exam Topic 1)

A SysOps administrator is responsible for a company's security groups. The company wants to maintain a documented trail of any changes that are made to the security groups. The SysOps administrator must receive notification whenever the security groups change.

Which solution will meet these requirements?

- A. Set up Amazon Detective to record security group change
- B. Specify an Amazon CloudWatch Logs log group to store configuration history log
- C. Create an Amazon Simple Queue Service (Amazon SQS) queue for notifications about configuration change
- D. Subscribe the SysOps administrator's email address to the SQS queue.
- E. Set up AWS Systems Manager Change Manager to record security group change
- F. Specify an Amazon CloudWatch Logs log group to store configuration history log
- G. Create an Amazon Simple Notification Service (Amazon SNS) topic for notifications about configuration change
- H. Subscribe the SysOps administrator's email address to the SNS topic.
- I. Set up AWS Config to record security group change
- J. Specify an Amazon S3 bucket as the location for configuration snapshots and history file
- K. Create an Amazon Simple Notification Service (Amazon SNS) topic for notifications about configuration change
- L. Subscribe the SysOps administrator's email address to the SNS topic.
- M. Set up Amazon Detective to record security group change
- N. Specify an Amazon S3 bucket as the location for configuration snapshots and history file
- O. Create an Amazon Simple Notification Service (Amazon SNS) topic for notifications about configuration change
- P. Subscribe the SysOps administrator's email address to the SNS topic.

Answer: D

NEW QUESTION 233

- (Exam Topic 1)

An Amazon EC2 instance is running an application that uses Amazon Simple Queue Service (Amazon SQS) queues. A SysOps administrator must ensure that the application can read, write, and delete messages from the SQS queues.

Which solution will meet these requirements in the MOST secure manner?

- A. Create an IAM user with an IAM policy that allows the sqs SendMessage permission, the sqs ReceiveMessage permission, and the sqs DeleteMessage permission to the appropriate queues. Embed the IAM user's credentials in the application's configuration.
- B. Create an IAM user with an IAM policy that allows the sqs SendMessage permission, the sqs ReceiveMessage permission, and the sqs DeleteMessage permission to the appropriate queues. Export the IAM user's access key and secret access key as environment variables on the EC2 instance.
- C. Create and associate an IAM role that allows EC2 instances to call AWS services. Attach an IAM policy to the role that allows sqs.* permissions to the appropriate queues.
- D. Create and associate an IAM role that allows EC2 instances to call AWS services. Attach an IAM policy to the role that allows the sqs SendMessage permission, the sqs ReceiveMessage permission, and the sqs DeleteMessage permission to the appropriate queues.

Answer: D

NEW QUESTION 236

- (Exam Topic 1)

A company has a stateful web application that is hosted on Amazon EC2 instances in an Auto Scaling group. The instances run behind an Application Load Balancer (ALB) that has a single target group. The ALB is configured as the origin in an Amazon CloudFront distribution. Users are reporting random logouts from the web application.

Which combination of actions should a SysOps administrator take to resolve this problem? (Select TWO.)

- A. Change to the least outstanding requests algorithm on the ALB target group.
- B. Configure cookie forwarding in the CloudFront distribution cache behavior.
- C. Configure header forwarding in the CloudFront distribution cache behavior.
- D. Enable group-level stickiness on the ALB listener rule.
- E. Enable sticky sessions on the ALB target group.

Answer: BE

Explanation:

<https://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/Cookies.html>

You can configure each cache behavior to do one of the following: Forward all cookies to your origin – CloudFront includes all cookies sent by the viewer when it forwards requests to the origin. <https://docs.aws.amazon.com/elasticloadbalancing/latest/application/sticky-sessions.html>

By default, an Application Load Balancer routes each request independently to a registered target based on the chosen load-balancing algorithm.

NEW QUESTION 238

- (Exam Topic 1)

A new application runs on Amazon EC2 instances and accesses data in an Amazon RDS database instance. When fully deployed in production, the application fails. The database can be queried from a console on a bastion host. When looking at the web server logs, the following error is repeated multiple times:

*** Error Establishing a Database Connection

Which of the following may be causes of the connectivity problems? (Select TWO.)

- A. The security group for the database does not have the appropriate egress rule from the database to the web server.
- B. The certificate used by the web server is not trusted by the RDS instance.
- C. The security group for the database does not have the appropriate ingress rule from the web server to the database.
- D. The port used by the application developer does not match the port specified in the RDS configuration.
- E. The database is still being created and is not available for connectivity.

Answer: CD

NEW QUESTION 239

- (Exam Topic 1)

A SysOps administrator needs to design a high-traffic static website. The website must be highly available and must provide the lowest possible latency to users across the globe.

Which solution will meet these requirements?

- A. Create an Amazon S3 bucket, and upload the website content to the S3 bucket
- B. Create an Amazon CloudFront distribution in each AWS Region, and set the S3 bucket as the origin
- C. Use Amazon Route 53 to create a DNS record that uses a geolocation routing policy to route traffic to the correct CloudFront distribution based on where the request originates.
- D. Create an Amazon S3 bucket, and upload the website content to the S3 bucket
- E. Create an Amazon CloudFront distribution, and set the S3 bucket as the origin
- F. Use Amazon Route 53 to create an alias record that points to the CloudFront distribution.
- G. Create an Application Load Balancer (ALB) and a target group
- H. Create an Amazon EC2 Auto Scaling group with at least two EC2 instances in the associated target group
- I. Store the website content on the EC2 instance
- J. Use Amazon Route 53 to create an alias record that points to the ALB.
- K. Create an Application Load Balancer (ALB) and a target group in two Regions
- L. Create an Amazon EC2 Auto Scaling group in each Region with at least two EC2 instances in each target group
- M. Store the website content on the EC2 instance
- N. Use Amazon Route 53 to create a DNS record that uses a geolocation routing policy to route traffic to the correct ALB based on where the request originates.

Answer: B

NEW QUESTION 241

- (Exam Topic 1)

A company has a new requirement stating that all resources in AWS must be tagged according to a set policy. Which AWS service should be used to enforce and continually identify all resources that are not in compliance with the policy?

- A. AWS CloudTrail
- B. Amazon Inspector
- C. AWS Config
- D. AWS Systems Manager

Answer: C

NEW QUESTION 244

- (Exam Topic 1)

A company needs to view a list of security groups that are open to the internet on port 3389. What should a SysOps administrator do to meet this requirement?

- A. Configure Amazon GuardDuty to scan security groups and report unrestricted access on port 3389.
- B. Configure a service control policy (SCP) to identify security groups that allow unrestricted access on port 3389.
- C. Use AWS Identity and Access Management Access Analyzer to find any instances that have unrestricted access on port 3389.
- D. Use AWS Trusted Advisor to find security groups that allow unrestricted access on port 3389

Answer: D

NEW QUESTION 247

- (Exam Topic 1)

A company has a new requirement stating that all resources in AWS must be tagged according to a set policy. Which AWS service should be used to enforce and continually identify all resources that are not in compliance with the policy?

- A. AWS CloudTrail
- B. Amazon Inspector
- C. AWS Config
- D. AWS Systems Manager

Answer: C

NEW QUESTION 248

- (Exam Topic 1)

A SysOps administrator has used AWS CloudFormation to deploy a serverless application into a production VPC. The application consists of an AWS Lambda function, an Amazon DynamoDB table, and an Amazon API Gateway API. The SysOps administrator must delete the AWS CloudFormation stack without deleting the DynamoDB table.

Which action should the SysOps administrator take before deleting the AWS CloudFormation stack?

- A. Add a Retain deletion policy to the DynamoDB resource in the AWS CloudFormation stack
- B. Add a Snapshot deletion policy to the DynamoDB resource in the AWS CloudFormation stack.
- C. Enable termination protection on the AWS CloudFormation stack.
- D. Update the application's IAM policy with a Deny statement for the dynamodb:DeleteTable action.

Answer: A

NEW QUESTION 253

- (Exam Topic 1)

A SysOps administrator is optimizing the cost of a workload. The workload is running in multiple AWS Regions and is using AWS Lambda with Amazon EC2 On-Demand Instances for the compute. The overall usage is predictable. The amount of compute that is consumed in each Region varies, depending on the users' locations.

Which approach should the SysOps administrator use to optimize this workload?

- A. Purchase Compute Savings Plans based on the usage during the past 30 days
- B. Purchase Convertible Reserved Instances by calculating the usage baseline.
- C. Purchase EC2 Instance Savings Plane based on the usage during the past 30 days
- D. Purchase Standard Reserved Instances by calculating the usage baseline.

Answer: C

NEW QUESTION 256

- (Exam Topic 1)

A company is expanding its fleet of Amazon EC2 instances before an expected increase of traffic. When a SysOps administrator attempts to add more instances, an InstanceLimitExceeded error is returned.

What should the SysOps administrator do to resolve this error?

- A. Add an additional CIDR block to the VPC.
- B. Launch the EC2 instances in a different Availability Zone.
- C. Launch new EC2 instances in another VPC.
- D. Use Service Quotas to request an EC2 quota increase.

Answer: D

NEW QUESTION 258

- (Exam Topic 1)

A company runs an application on an Amazon EC2 instance. A SysOps administrator creates an Auto Scaling group and an Application Load Balancer (ALB) to handle an increase in demand. However, the EC2 instances are failing the health check.

What should the SysOps administrator do to troubleshoot this issue?

- A. Verify that the Auto Scaling group is configured to use all AWS Regions.
- B. Verify that the application is running on the protocol and the port that the listener is expecting.
- C. Verify the listener priority in the ALB. Change the priority if necessary.
- D. Verify the maximum number of instances in the Auto Scaling group. Change the number if necessary.

Answer: B

NEW QUESTION 263

- (Exam Topic 1)

A company stores files on 50 Amazon S3 buckets in the same AWS Region. The company wants to connect to the S3 buckets securely over a private connection from its Amazon EC2 instances. The company needs a solution that produces no additional cost.

Which solution will meet these requirements?

- A. Create a gateway VPC endpoint for each S3 bucket.
- B. Attach the gateway VPC endpoints to each subnet inside the VPC.
- C. Create an interface VPC endpoint for each S3 bucket.
- D. Attach the interface VPC endpoints to each subnet inside the VPC.
- E. Create one gateway VPC endpoint for all the S3 buckets.
- F. Add the gateway VPC endpoint to the VPC route table.
- G. Create one interface VPC endpoint for all the S3 buckets.
- H. Add the interface VPC endpoint to the VPC route table.

Answer: C

NEW QUESTION 265

- (Exam Topic 1)

A company is managing many accounts by using a single organization in AWS Organizations. The organization has all features enabled. The company wants to turn on AWS Config in all the accounts of the organization and in all AWS Regions.

What should a SysOps administrator do to meet these requirements in the MOST operationally efficient way?

- A. Use AWS CloudFormation StackSets to deploy stack instances that turn on AWS Config in all accounts and in all Regions.
- B. Use AWS CloudFormation StackSets to deploy stack policies that turn on AWS Config in all accounts and in all Regions.
- C. Use service control policies (SCPs) to configure AWS Config in all accounts and in all Regions.
- D. Create a script that uses the AWS CLI to turn on AWS Config in all accounts in the organization.
- E. Run the script from the organization's management account.

Answer: C

NEW QUESTION 270

- (Exam Topic 1)

A company's AWS Lambda function is experiencing performance issues. The Lambda function performs many CPU-intensive operations. The Lambda function is not running fast enough and is creating bottlenecks in the system.

What should a SysOps administrator do to resolve this issue?

- A. In the CPU launch options for the Lambda function, activate hyperthreading.
- B. Turn off the AWS managed encryption.
- C. Increase the amount of memory for the Lambda function.
- D. Load the required code into a custom layer.

Answer: C

Explanation:

Increasing the amount of memory for the Lambda function will help to improve the performance of the function. This is because the Lambda function is CPU-intensive and increasing the memory will give it access to more CPU resources and help it run faster. The other options (activating hyperthreading in the CPU launch options for the Lambda function, turning off the AWS managed encryption, and loading the required code into a custom layer) will not help to improve the performance of the Lambda function and are not the correct solutions for this issue.

<https://docs.aws.amazon.com/lambda/latest/dg/configuration-function-common.html#configuration-memory-con>

NEW QUESTION 274

- (Exam Topic 1)

A SysOps administrator uses AWS Systems Manager Session Manager to connect to instances. After the SysOps administrator launches a new Amazon EC2 instance, the EC2 instance does not appear in the Session Manager list of systems that are available for connection. The SysOps administrator verifies that Systems Manager Agent is installed, updated, and running on the EC2 instance.

What is the reason for this issue?

- A. The SysOps administrator does not have access to the key pair that is required for connection.
- B. The SysOps administrator has not attached a security group to the EC2 instance to allow SSH on port 22.
- C. The EC2 instance does not have an attached IAM role that allows Session Manager to connect to the EC2 instance.
- D. The EC2 instance ID has not been entered into the Session Manager configuration.

Answer: C

NEW QUESTION 276

- (Exam Topic 1)

A company has an application that is deployed in two AWS Regions in an active-passive configuration. The application runs on Amazon EC2 instances behind an Application Load Balancer (ALB) in each Region. The instances are in an Amazon EC2 Auto Scaling group in each Region. The application uses an Amazon Route 53 hosted zone (or DNS). A SysOps administrator needs to configure automatic failover to the secondary Region.

What should the SysOps administrator do to meet these requirements?

- A. Configure Route 53 alias records that point to each ALB.
- B. Choose a failover routing policy.
- C. Set Evaluate Target Health to Yes.
- D. Configure CNAME records that point to each ALB.
- E. Choose a failover routing policy.
- F. Set Evaluate Target Health to Yes.
- G. Configure Elastic Load Balancing (ELB) health checks for the Auto Scaling group.
- H. Add a target group to the ALB in the primary Region.
- I. Include the EC2 instances in the secondary Region as targets.
- J. Configure EC2 health checks for the Auto Scaling group.
- K. Add a target group to the ALB in the primary Region.
- L. Include the EC2 instances in the secondary Region as targets.

Answer: A

NEW QUESTION 277

- (Exam Topic 1)

An errant process is known to use an entire processor and run at 100%. A SysOps administrator wants to automate restarting the instance once the problem occurs for more than 2 minutes.

How can this be accomplished?

- A. Create an Amazon CloudWatch alarm for the Amazon EC2 instance with basic monitoring. Enable an action to restart the instance.
- B. Create a CloudWatch alarm for the EC2 instance with detailed monitoring. Enable an action to restart the instance.
- C. Create an AWS Lambda function to restart the EC2 instance triggered on a scheduled basis every 2 minutes.
- D. Create a Lambda function to restart the EC2 instance, triggered by EC2 health checks.

Answer: B

NEW QUESTION 280

- (Exam Topic 1)

A SysOps administrator developed a Python script that uses the AWS SDK to conduct several maintenance tasks. The script needs to run automatically every night.

What is the MOST operationally efficient solution that meets this requirement?

- A. Convert the Python script to an AWS Lambda function.
- B. Use an Amazon EventBridge (Amazon CloudWatch Events) rule to invoke the function every night.
- C. Convert the Python script to an AWS Lambda function.
- D. Use AWS CloudTrail to invoke the function every night.
- E. Deploy the Python script to an Amazon EC2 instance.
- F. Use Amazon EventBridge (Amazon CloudWatch Events) to schedule the instance to start and stop every night.
- G. Deploy the Python script to an Amazon EC2 instance.
- H. Use AWS Systems Manager to schedule the instance to start and stop every night.

Answer: A

NEW QUESTION 282

- (Exam Topic 1)

A SysOps administrator is configuring AWS Client VPN to connect users on a corporate network to AWS resources that are running in a VPC. According to compliance requirements, only traffic that is destined for the VPC can travel across the VPN tunnel.

How should the SysOps administrator configure Client VPN to meet these requirements?

- A. Associate the Client VPN endpoint with a private subnet that has an internet route through a NAT gateway.
- B. On the Client VPN endpoint, turns on the split-tunnel option.
- C. On the Client VPN endpoint, specify DNS server IP addresses
- D. Select a private certificate to use as the identity certificate for the VPN client.

Answer: C

NEW QUESTION 283

- (Exam Topic 1)

A SysOps administrator creates an AWS CloudFormation template to define an application stack that can be deployed in multiple AWS Regions.

The SysOps administrator also creates an Amazon CloudWatch dashboard by using the AWS Management Console. Each deployment of the application requires its own CloudWatch dashboard.

How can the SysOps administrator automate the creation of the CloudWatch dashboard each time the application is deployed?

- A. Create a script by using the AWS CLI to run the aws cloudformation put-dashboard command with the name of the dashboard
- B. Run the command each time a new CloudFormation stack is created.
- C. Export the existing CloudWatch dashboard as JSO
- D. Update the CloudFormation template to define an AWS::CloudWatch::Dashboard resource
- E. Include the exported JSON in the resource's DashboardBody property.
- F. Update the CloudFormation template to define an resource
- G. Use the intrinsic Ref function to reference the ID of the existing CloudWatch dashboard.
- H. Update the CloudFormation template to define an AWS::CloudWatch::Dashboard resource
- I. Specify the name of the existing dashboard in the DashboardName property.

Answer: B

Explanation:

You can only use the Intrinsic Ref function to reference a resource that is being created at the same time as the current CloudFormation template. The question states that the CloudWatch dashboard was previously created using the AWS Management Console, so there is no ID to reference the existing CloudWatch dashboard in the CloudFormation template. You would need to export the existing CloudWatch dashboard as JSON, then use the DashboardBody property in the CloudFormation template to replicate it upon each deployment

(<https://docs.aws.amazon.com/AmazonCloudWatch/latest/APIReference/CloudWatch-Dashboard-Body-Structu>

NEW QUESTION 285

- (Exam Topic 1)

A company hosts a website on multiple Amazon EC2 instances that run in an Auto Scaling group. Users are reporting slow responses during peak times between 6 PM and 11 PM every weekend. A SysOps administrator must implement a solution to improve performance during these peak times.

What is the MOST operationally efficient solution that meets these requirements?

- A. Create a scheduled Amazon EventBridge (Amazon CloudWatch Events) rule to invoke an AWS Lambda function to increase the desired capacity before peak times.
- B. Configure a scheduled scaling action with a recurrence option to change the desired capacity before and after peak times.
- C. Create a target tracking scaling policy to add more instances when memory utilization is above 70%.
- D. Configure the cooldown period for the Auto Scaling group to modify desired capacity before and after peak times.

Answer: B

Explanation:

"Scheduled scaling helps you to set up your own scaling schedule according to predictable load changes. For example, let's say that every week the traffic to your web application starts to increase on Wednesday, remains high on Thursday, and starts to decrease on Friday. You can configure a schedule for Amazon EC2 Auto Scaling to increase capacity on Wednesday and decrease capacity on Friday." https://docs.aws.amazon.com/autoscaling/ec2/userguide/schedule_time.html

NEW QUESTION 288

- (Exam Topic 1)

A company is deploying a third-party unit testing solution that is delivered as an Amazon EC2 Amazon Machine Image (AMI). All system configuration data is stored in Amazon DynamoDB. The testing results are stored in Amazon S3.

A minimum of three EC2 instances are required to operate the product. The company's testing team wants to use an additional three EC2 Instances when the Spot Instance prices are at a certain threshold. A SysOps administrator must implement a highly available solution that provides this functionality.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Define an Amazon EC2 Auto Scaling group by using a launch configuration
- B. Use the provided AMI in the launch configuration
- C. Configure three On-Demand Instances and three Spot Instance
- D. Configure a maximum Spot Instance price in the launch configuration.
- E. Define an Amazon EC2 Auto Scaling group by using a launch template
- F. Use the provided AMI in the launch template
- G. Configure three On-Demand Instances and three Spot Instance
- H. Configure a maximum Spot Instance price in the launch template.
- I. Define two Amazon EC2 Auto Scaling groups by using launch configuration
- J. Use the provided AMI in the launch configuration
- K. Configure three On-Demand Instances for one Auto Scaling group
- L. Configure three Spot Instances for the other Auto Scaling group
- M. Configure a maximum Spot Instance price in the launch configuration for the Auto Scaling group that has Spot Instances.
- N. Define two Amazon EC2 Auto Scaling groups by using launch template
- O. Use the provided AMI in the launch template
- P. Configure three On-Demand Instances for one Auto Scaling group
- Q. Configure three Spot Instances for the other Auto Scaling group
- R. Configure a maximum Spot Instance price in the launch template for the Auto Scaling group that has Spot Instances.

Answer: A

Explanation:

- <https://docs.aws.amazon.com/autoscaling/ec2/userguide/LaunchTemplates.html>
- <https://docs.aws.amazon.com/autoscaling/ec2/userguide/LaunchConfiguration.html>

NEW QUESTION 291

- (Exam Topic 1)

A SysOps administrator is deploying an application on 10 Amazon EC2 instances. The application must be highly available. The instances must be placed on distinct underlying hardware.

What should the SysOps administrator do to meet these requirements?

- A. Launch the instances into a cluster placement group in a single AWS Region.
- B. Launch the instances into a partition placement group in multiple AWS Regions.
- C. Launch the instances into a spread placement group in multiple AWS Regions.
- D. Launch the instances into a spread placement group in single AWS Region

Answer: D

Explanation:

<https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/placement-groups.html>

NEW QUESTION 292

- (Exam Topic 1)

A compliance learn requires all administrator passwords for Amazon RDS DB instances to be changed at least annually.

Which solution meets this requirement in the MOST operationally efficient manner?

- A. Store the database credentials in AWS Secrets Manager
- B. Configure automatic rotation for the secret every 365 days.
- C. Store the database credentials as a parameter in the RDS parameter group
- D. Create a database trigger to rotate the password every 365 days.
- E. Store the database credentials in a private Amazon S3 bucket
- F. Schedule an AWS Lambda function to generate a new set of credentials every 365 days.
- G. Store the database credentials in AWS Systems Manager Parameter Store as a secure string parameter. Configure automatic rotation for the parameter every 365 days.

Answer: A

NEW QUESTION 296

- (Exam Topic 1)

An Amazon S3 Inventory report reveals that more than 1 million objects in an S3 bucket are not encrypted. These objects must be encrypted, and all future objects must be encrypted at the time they are written.

Which combination of actions should a SysOps administrator take to meet these requirements? (Select TWO)

- A. Create an AWS Config rule that runs evaluations against configuration changes to the S3 bucket. When an unencrypted object is found, run an AWS Systems Manager Automation document to encrypt the object in place.
- B. Edit the properties of the S3 bucket to enable default server-side encryption.
- C. Filter the S3 Inventory report by using S3 Select to find all objects that are not encrypted. Create an S3 Batch Operations job to copy each object in place with encryption enabled.
- D. Filter the S3 Inventory report by using S3 Select to find all objects that are not encrypted. Send each object name as a message to an Amazon Simple Queue Service (Amazon SQS) queue. Use the SQS queue to invoke an AWS Lambda function to tag each object with a key of "Encryption" and a value of "SSE-KMS".
- E. Use S3 Event Notifications to invoke an AWS Lambda function on all new object-created events for the S3 bucket. Configure the Lambda function to check whether the object is encrypted and to run an AWS Systems Manager Automation document to encrypt the object in place when an unencrypted object is found.

Answer: BC

Explanation:

<https://aws.amazon.com/blogs/storage/encrypting-objects-with-amazon-s3-batch-operations/>

NEW QUESTION 301

- (Exam Topic 1)

A company runs workloads on 90 Amazon EC2 instances in the eu-west-1 Region in an AWS account. In 2 months, the company will migrate the workloads from eu-west-1 to the eu-west-3 Region.

The company needs to reduce the cost of the EC2 instances. The company is willing to make a 1-year commitment that will begin next week. The company must choose an EC2 Instance purchasing option that will provide discounts for the 90 EC2 instances regardless of Region during the 1-year period. Which solution will meet these requirements?

- A. Purchase EC2 Standard Reserved Instances.
- B. Purchase an EC2 Instance Savings Plan.
- C. Purchase EC2 Convertible Reserved Instances.
- D. Purchase a Compute Savings Plan.

Answer: B

NEW QUESTION 305

- (Exam Topic 1)

A company hosts an application on an Amazon EC2 instance in a single AWS Region. The application requires support for non-HTTP TCP traffic and HTTP traffic. The company wants to deliver content with low latency by leveraging the AWS network. The company also wants to implement an Auto Scaling group with an Elastic Load Balancer.

How should a SysOps administrator meet these requirements?

- A. Create an Auto Scaling group with an Application Load Balancer (ALB). Add an Amazon CloudFront distribution with the ALB as the origin.
- B. Create an Auto Scaling group with an Application Load Balancer (ALB). Add an accelerator with AWS Global Accelerator with the ALB as an endpoint.
- C. Create an Auto Scaling group with a Network Load Balancer (NLB). Add an Amazon CloudFront distribution with the NLB as the origin.
- D. Create an Auto Scaling group with a Network Load Balancer (NLB). Add an accelerator with AWS Global Accelerator with the NLB as an endpoint.

Answer: D

Explanation:

AWS Global Accelerator and Amazon CloudFront are separate services that use the AWS global network and its edge locations around the world. CloudFront improves performance for both cacheable content (such as images and videos) and dynamic content (such as API acceleration and dynamic site delivery). Global Accelerator improves performance for a wide range of applications over TCP or UDP by proxying packets at the edge to applications running in one or more AWS Regions. Global Accelerator is a good fit for non-HTTP use cases, such as gaming (UDP), IoT (MQTT), or Voice over IP, as well as for HTTP use cases that specifically require static IP addresses or deterministic, fast regional failover. Both services integrate with AWS Shield for DDoS protection.
<https://medium.com/awesome-cloud/aws-difference-between-application-load-balancer-and-network-load-balan> https://aws.amazon.com/global-accelerator/faqs/?nc1=h_ls

NEW QUESTION 307

- (Exam Topic 2)

If your AWS Management Console browser does not show that you are logged in to an AWS account, close the browser and relaunch the console by using the AWS Management Console shortcut from the VM desktop.

If the copy-paste functionality is not working in your environment, refer to the instructions file on the VM desktop and use Ctrl+C, Ctrl+V or Command-C , Command-V.

Configure Amazon EventBridge to meet the following requirements.

- * 1. use the us-east-2 Region for all resources,
- * 2. Unless specified below, use the default configuration settings.
- * 3. Use your own resource naming unless a resource name is specified below.
- * 4. Ensure all Amazon EC2 events in the default event bus are replayable for the past 90 days.
- * 5. Create a rule named RunFunction to send the exact message every 15 minutes to an existing AWS Lambda function named LogEventFunction.
- * 6. Create a rule named SpotWarning to send a notification to a new standard Amazon SNS topic named TopicEvents whenever an Amazon EC2 Spot Instance is interrupted. Do NOT create any topic subscriptions. The notification must match the following structure:

Input path:

```
{"instance": "$.detail.instance-id"}
```

Input Path:

```
{"instance": "$.detail.instance-id"}
```

Input template:

"The EC2 Spot Instance <instance> has been on account.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Here are the steps to configure Amazon EventBridge to meet the above requirements:

- Log in to the AWS Management Console by using the AWS Management Console shortcut from the VM desktop. Make sure that you are logged in to the desired AWS account.
- Go to the EventBridge service in the us-east-2 Region.
- In the EventBridge service, navigate to the "Event buses" page.
- Click on the "Create event bus" button.
- Give a name to your event bus, and select "default" as the event source type.
- Navigate to "Rules" page and create a new rule named "RunFunction"
- In the "Event pattern" section, select "Schedule" as the event source and set the schedule to run every 15 minutes.
- In the "Actions" section, select "Send to Lambda" and choose the existing AWS Lambda function named "LogEventFunction"
- Create another rule named "SpotWarning"
- In the "Event pattern" section, select "EC2" as the event source, and filter the events on "EC2 Spot Instance interruption"
- In the "Actions" section, select "Send to SNS topic" and create a new standard Amazon SNS topic named "TopicEvents"
- In the "Input Transformer" section, set the Input Path to {"instance": "\$.detail.instance-id"} and Input template to "The EC2 Spot Instance <instance> has been interrupted on account.
- Now all Amazon EC2 events in the default event bus will be replayable for past 90 days. Note:
- You can use the AWS Management Console, AWS CLI, or SDKs to create and manage EventBridge resources.
- You can use CloudTrail event history to replay events from the past 90 days.
- You can refer to the AWS EventBridge documentation for more information on how to configure and use the service: <https://aws.amazon.com/eventbridge/>

NEW QUESTION 308

.....

Relate Links

100% Pass Your SOA-C02 Exam with Exam Bible Prep Materials

<https://www.exambible.com/SOA-C02-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>