

## Exam Questions 300-815

Implementing Cisco Advanced Call Control and Mobility Services (CLACCM)

<https://www.2passeasy.com/dumps/300-815/>



#### NEW QUESTION 1

The administrator of ABC company is troubleshooting a one-way audio issue for a call that uses H.323 protocol (slow-start mode). The administrator requests that you provide the IP and port information of the Real-Time Transport Protocol traffic that had the one-way audio call.

You gather the H.225 and H.245 messages for one of the one-way audio calls. Where can you find the RTP IP and port information for both sides? (Note: This call flow has not invoked any media resources like MTP or transcoders).

- A. H.245 Terminal Capability Set
- B. H.245 Open Logical Channel
- C. H.225 Connect
- D. H.245 Open Logical Channel Ack

**Answer: B**

#### NEW QUESTION 2

Which section under the Real-Time Monitoring Tool allows for reviewing the call flow and signaling for a SIP call in real time?

- A. Analysis Manager > Inventory > Trace File Repositories
- B. System > Tools > Trace and Log Central
- C. Voice/Video > Session Trace Log View > Real Time Data
- D. Voice/Video > Session Trace Log View > Open From Local Disk

**Answer: C**

#### NEW QUESTION 3

Which description of RTP timestamps or sequence numbers is true?

- A. The sequence number is used to detect losses.
- B. Timestamps increase by the time “carrying” by a packet.
- C. Sequence numbers increase by four for each RTP packet transmitted.
- D. The timestamp is used to place the incoming audio and video packets in the correct timing order (playout delay compensation).

**Answer: D**

#### NEW QUESTION 4

A support engineer is troubleshooting a voice network. When conducting a search for call setup details related to calling search space issues, which trace files should be investigated?

- A. CallManager traces
- B. CTI Manager traces
- C. Cisco IP Manager Assistant
- D. Call logs

**Answer: A**

#### NEW QUESTION 5

Which action is correct with respect to toll fraud prevention configuration in the Cisco Unified Communications Manager Express?

- A. Configure Direct Inward Dial for Incoming ISDN Calls with overlap dialing.
- B. Configure IP Address Trusted Authentication for Incoming VoIP Calls.
- C. Configure the command no ip address trusted authenticate under “voice service voip”.
- D. Enable Secondary Dial tone on Analog and Digital FXO Ports.

**Answer: B**


#### NEW QUESTION 6

Where is the dtmf-relay command configured on Cisco Unified Border Element?

- A. in the voice-class VoIP configuration
- B. in the VoIP dial peer
- C. in global SIP configuration
- D. in the VoIP or POTS dial peers

**Answer: B**

#### NEW QUESTION 7



Refer to the exhibit. An administrator is troubleshooting why users are not hearing audio when dialing long distance numbers across their Cisco Unified Border Element. The customer's carrier has a requirement that dialing long distance requires an access code to be entered. Looking at the exhibit, what two actions can be taken to correct signaling? (Choose two.)

- A. Enable PRACK.
- B. Enable Early Offer on the Cisco Unified Border Element.
- C. Enable the supplementary-service media-renegotiate command.
- D. Enable Media Flow Around
- E. Enable Mid-Call Signaling Consumption.

**Answer:** AB

#### NEW QUESTION 8

Which two descriptions of the Standard Local Route Group deployment are true? (Choose two.)

- A. can be associated under the route group
- B. can be associated only under the route list
- C. chooses the route group that is configured under the device pool of the calling-party device
- D. chooses the route group that is configured under the device pool of the called-party device
- E. can be assigned directly to the route pattern

**Answer:** BD

#### NEW QUESTION 9

Refer to the exhibit. An engineer configures Cisco Unified Border Element to connect the enterprise VoIP network with a SIP telephony provider. Calls are not working in either direction. What must be configured in the dial peer 1 to fix the issue?

- A. address 555 .....
- B. codec g729
- C. session-protocol sipv2
- D. incoming called number 555.....

**Answer:** D


#### NEW QUESTION 10

The Cisco Unified Communications Manager Dialed Number Analyzer allows analysis of calls from which two devices? (Choose two.)

- A. translation patterns
- B. device pools
- C. CTI ports
- D. CTI route points
- E. IP phones

**Answer:** CE

#### NEW QUESTION 10



Refer to the exhibit. An administrator is troubleshooting a situation where a call placed from a phone registered to Cisco Unified Communications Manager does not complete. The administrator wants to use the Dialed Number Analyzer on Cisco Unified CM to check which translation pattern the call is matching. However, when logging in to Cisco Unified Serviceability there is no option for Dialed Number Analyzer under the tool menu. Which two steps must be performed to resolve this issue? (Choose two.)

- A. Restart the subscriber
- B. Activate the Cisco Extended Functions service.
- C. Activate the Cisco CallManager service.
- D. Activate the Cisco Dialed Number Analyzer service.
- E. Activate the Cisco Dialed Number Analyzer Server service.

**Answer:** DE

#### NEW QUESTION 15

An engineer is configuring a call park feature in Cisco Unified Communications Manager Express. Which command does the engineer use to ensure that the call is reverted to the user after 60 seconds?

- A. R2(config-ephone-dn)#park reservation-group 60
- B. R2(config-ephone-dn)#park-slot timeout 60 limit 2 recall alternate 3002
- C. R2(config-ephone-dn)#park reservation-group 1
- D. R2(config-ephone-dn)#park-slot timeout 30 limit 2 recall alternate 3002

**Answer:** B

#### NEW QUESTION 17


When locations-based Call Admission Control denies the call, which two masks can AAR apply when routing the call through the PSTN? (Choose two.)

- A. AAR destination mask
- B. called party transform mask
- C. external phone number mask
- D. +E.164 alternate number mask
- E. enterrise alternate number mask

**Answer:** AC

#### NEW QUESTION 19





Refer to the exhibit. How many maximum hops can an ILS update traverse?

- A. 3
- B. 6
- C. 9
- D. 12

Answer: A

#### NEW QUESTION 24

When configuring hunt groups, where do you add the individual directory numbers that will be part of the group?

- A. route group
- B. line group
- C. hunt list
- D. hunt pilot

Answer: B

#### NEW QUESTION 25

A user reports that when they attempt to log out from the Cisco Extension Mobility service by pressing the Services button, they cannot log out. What is the most likely cause of this issue?

- A. The Cisco Extension Mobility service has not been configured on the phone.
- B. There might be a significant delay between the button being pressed and the Cisco Extension Mobility service recognizing it.
- C. It would be best to check network latency.
- D. The user device profile has not been assigned to the user.
- E. The user device profile is not subscribed to the Cisco Extension Mobility service.

Answer: D

#### NEW QUESTION 30

What are the elements for Device Mobility configuration?

- A. physical location, device pool, and Device Mobility group
- B. device pool, Device Mobility group, and region
- C. physical location
- D. Device Mobility group, and region
- E. device pool, Device Mobility group, and Cisco IP phone

Answer: A

#### NEW QUESTION 34

.....

## THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 300-815 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 300-815 Product From:

<https://www.2passeasy.com/dumps/300-815/>

## Money Back Guarantee

### 300-815 Practice Exam Features:

- \* 300-815 Questions and Answers Updated Frequently
- \* 300-815 Practice Questions Verified by Expert Senior Certified Staff
- \* 300-815 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* 300-815 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year