

Google


Exam Questions Professional-Machine-Learning-Engineer

Google Professional Machine Learning Engineer



NEW QUESTION 1

You are designing an architecture with a serverless ML system to enrich customer support tickets with informative metadata before they are routed to a support agent. You need a set of models to predict ticket priority, predict ticket resolution time, and perform sentiment analysis to help agents make strategic decisions when they process support requests. Tickets are not expected to have any domain-specific terms or jargon. The proposed architecture has the following flow:



Which endpoints should the Enrichment Cloud Functions call?

- A. 1 = AI Platform, 2 = AI Platform, 3 = AutoML Vision
- B. 1 = AI Platform, 2 = AI Platform, 3 = AutoML Natural Language
- C. 1 = AI Platform, 2 = AI Platform, 3 = Cloud Natural Language API
- D. 1 = cloud Natural Language API, 2 = AI Platform, 3 = Cloud Vision API

Answer: B

NEW QUESTION 2

You work for a toy manufacturer that has been experiencing a large increase in demand. You need to build an ML model to reduce the amount of time spent by quality control inspectors checking for product defects. Faster defect detection is a priority. The factory does not have reliable Wi-Fi. Your company wants to implement the new ML model as soon as possible. Which model should you use?

- A. AutoML Vision model
- B. AutoML Vision Edge mobile-versatile-1 model
- C. AutoML Vision Edge mobile-low-latency-1 model
- D. AutoML Vision Edge mobile-high-accuracy-1 model

Answer: A

NEW QUESTION 3

You are going to train a DNN regression model with Keras APIs using this code:

```
model = tf.keras.Sequential()
model.add(tf.keras.layers.Dense(
    256,
    use_bias=True,
    activation='relu',
    kernel_initializer=None,
    kernel_regularizer=None,
    input_shape=(500,)))
model.add(tf.keras.layers.Dropout(rate=0.25))
model.add(tf.keras.layers.Dense(
    128, use_bias=True,
    activation='relu',
    kernel_initializer='uniform',
    kernel_regularizer='l2'))
model.add(tf.keras.layers.Dropout(rate=0.25))
model.add(tf.keras.layers.Dense(
    2, use_bias=False,
    activation='softmax'))
model.compile(loss='mse')
```

How many trainable weights does your model have? (The arithmetic below is correct.)

- A. $501 \times 256 + 257 \times 128 + 2 = 161154$
- B. $500 \times 256 + 256 \times 128 + 128 \times 2 = 161024$
- C. $501 \times 256 + 257 \times 128 + 128 \times 2 = 161408$
- D. $500 \times 256 + 256 \times 128 + 128 \times 2 = 40448$

Answer: D

NEW QUESTION 4

You are an ML engineer at a bank that has a mobile application. Management has asked you to build an ML-based biometric authentication for the app that verifies a customer's identity based on their fingerprint. Fingerprints are considered highly sensitive personal information and cannot be downloaded and stored into the bank databases. Which learning strategy should you recommend to train and deploy this ML model?

- A. Differential privacy
- B. Federated learning
- C. MD5 to encrypt data
- D. Data Loss Prevention API

Answer: B

NEW QUESTION 5

You are designing an ML recommendation model for shoppers on your company's ecommerce website. You will use Recommendations AI to build, test, and deploy your system. How should you develop recommendations that increase revenue while following best practices?

- A. Use the "Other Products You May Like" recommendation type to increase the click-through rate
- B. Use the "Frequently Bought Together" recommendation type to increase the shopping cart size for each order.
- C. Import your user events and then your product catalog to make sure you have the highest quality event stream
- D. Because it will take time to collect and record product data, use placeholder values for the product catalog to test the viability of the model.

Answer: C

NEW QUESTION 6

You have trained a deep neural network model on Google Cloud. The model has low loss on the training data, but is performing worse on the validation data. You want the model to be resilient to overfitting. Which strategy should you use when retraining the model?

- A. Apply a dropout parameter of 0.2, and decrease the learning rate by a factor of 10
- B. Apply a L2 regularization parameter of 0.4, and decrease the learning rate by a factor of 10.
- C. Run a hyperparameter tuning job on AI Platform to optimize for the L2 regularization and dropout parameters
- D. Run a hyperparameter tuning job on AI Platform to optimize for the learning rate, and increase the number of neurons by a factor of 2.

Answer: A

NEW QUESTION 7

You are training a TensorFlow model on a structured data set with 100 billion records stored in several CSV files. You need to improve the input/output execution performance. What should you do?

- A. Load the data into BigQuery and read the data from BigQuery.
- B. Load the data into Cloud Bigtable, and read the data from Bigtable
- C. Convert the CSV files into shards of TFRecords, and store the data in Cloud Storage
- D. Convert the CSV files into shards of TFRecords, and store the data in the Hadoop Distributed File System (HDFS)

Answer: B

NEW QUESTION 8

You are training an LSTM-based model on AI Platform to summarize text using the following job submission script:

```
gcloud ai-platform jobs submit training $JOB_NAME \
  --package-path $TRAINER_PACKAGE_PATH \
  --module-name $MAIN_TRAINER_MODULE \
  --job-dir $JOB_DIR \
  --region $REGION \
  --scale-tier basic \
  -- \
  --epochs 20 \
  --batch_size=32 \
  --learning_rate=0.001 \
```

You want to ensure that training time is minimized without significantly compromising the accuracy of your model. What should you do?

- A. Modify the 'epochs' parameter
- B. Modify the 'scale-tier' parameter
- C. Modify the batch size' parameter
- D. Modify the 'learning rate' parameter

Answer: A

NEW QUESTION 9

You work for a global footwear retailer and need to predict when an item will be out of stock based on historical inventory data. Customer behavior is highly dynamic since footwear demand is influenced by many different factors. You want to serve models that are trained on all available data, but track your performance on specific subsets of data before pushing to production. What is the most streamlined and reliable way to perform this validation?

- A. Use the TFX ModelValidator tools to specify performance metrics for production readiness
- B. Use k-fold cross-validation as a validation strategy to ensure that your model is ready for production.
- C. Use the last relevant week of data as a validation set to ensure that your model is performing accurately on current data
- D. Use the entire dataset and treat the area under the receiver operating characteristics curve (AUC ROC) as the main metric.

Answer: A

NEW QUESTION 10

You work for an online retail company that is creating a visual search engine. You have set up an end-to-end ML pipeline on Google Cloud to classify whether an image contains your company's product. Expecting the release of new products in the near future, you configured a retraining functionality in the pipeline so that new data can be fed into your ML models. You also want to use AI Platform's continuous evaluation service to ensure that the models have high accuracy on your test data set. What should you do?

- A. Keep the original test dataset unchanged even if newer products are incorporated into retraining
- B. Extend your test dataset with images of the newer products when they are introduced to retraining
- C. Replace your test dataset with images of the newer products when they are introduced to retraining.
- D. Update your test dataset with images of the newer products when your evaluation metrics drop below a pre-decided threshold.

Answer: C

NEW QUESTION 10

Your data science team needs to rapidly experiment with various features, model architectures, and hyperparameters. They need to track the accuracy metrics for various experiments and use an API to query the metrics over time. What should they use to track and report their experiments while minimizing manual effort?

- A. Use Kubeflow Pipelines to execute the experiments Export the metrics file, and query the results using the Kubeflow Pipelines API.
- B. Use AI Platform Training to execute the experiments Write the accuracy metrics to BigQuery, and query the results using the BigQueryAPI.
- C. Use AI Platform Training to execute the experiments Write the accuracy metrics to Cloud Monitoring, and query the results using the Monitoring API.
- D. Use AI Platform Notebooks to execute the experiment
- E. Collect the results in a shared Google Sheetsfile, and query the results using the Google Sheets API

Answer: A

NEW QUESTION 13

You work for a public transportation company and need to build a model to estimate delay times for multiple transportation routes. Predictions are served directly to

users in an app in real time. Because different seasons and population increases impact the data relevance, you will retrain the model every month. You want to follow Google-recommended best practices. How should you configure the end-to-end architecture of the predictive model?

- A. Configure Kubeflow Pipelines to schedule your multi-step workflow from training to deploying your model.
- B. Use a model trained and deployed on BigQuery ML and trigger retraining with the scheduled query feature in BigQuery
- C. Write a Cloud Functions script that launches a training and deploying job on AI Platform that is triggered by Cloud Scheduler
- D. Use Cloud Composer to programmatically schedule a Dataflow job that executes the workflow from training to deploying your model

Answer: B

NEW QUESTION 15

You built and manage a production system that is responsible for predicting sales numbers. Model accuracy is crucial, because the production model is required to keep up with market changes. Since being deployed to production, the model hasn't changed; however the accuracy of the model has steadily deteriorated. What issue is most likely causing the steady decline in model accuracy?

- A. Poor data quality
- B. Lack of model retraining
- C. Too few layers in the model for capturing information
- D. Incorrect data split ratio during model training, evaluation, validation, and test

Answer: D

NEW QUESTION 18


You have trained a model on a dataset that required computationally expensive preprocessing operations. You need to execute the same preprocessing at prediction time. You deployed the model on AI Platform for high-throughput online prediction. Which architecture should you use?

- A. • Validate the accuracy of the model that you trained on preprocessed data• Create a new model that uses the raw data and is available in real time• Deploy the new model onto AI Platform for online prediction
- B. • Send incoming prediction requests to a Pub/Sub topic• Transform the incoming data using a Dataflow job• Submit a prediction request to AI Platform using the transformed data• Write the predictions to an outbound Pub/Sub queue
- C. • Stream incoming prediction request data into Cloud Spanner• Create a view to abstract your preprocessing logic. • Query the view every second for new records• Submit a prediction request to AI Platform using the transformed data• Write the predictions to an outbound Pub/Sub queue.
- D. • Send incoming prediction requests to a Pub/Sub topic• Set up a Cloud Function that is triggered when messages are published to the Pub/Sub topic. • Implement your preprocessing logic in the Cloud Function• Submit a prediction request to AI Platform using the transformed data• Write the predictions to an outbound Pub/Sub queue

Answer: D

NEW QUESTION 19

Your organization's call center has asked you to develop a model that analyzes customer sentiments in each call. The call center receives over one million calls daily, and data is stored in Cloud Storage. The data collected must not leave the region in which the call originated, and no Personally Identifiable Information (PII) can be stored or analyzed. The data science team has a third-party tool for visualization and access which requires a SQL ANSI-2011 compliant interface. You need to select components for data processing and for analytics. How should the data pipeline be designed?



- A. 1 = Dataflow, 2 = BigQuery
- B. 1 = Pub/Sub, 2 = Datastore
- C. 1 = Dataflow, 2 = Cloud SQL
- D. 1 = Cloud Function, 2 = Cloud SQL

Answer: D

NEW QUESTION 23

Your team needs to build a model that predicts whether images contain a driver's license, passport, or credit card. The data engineering team already built the pipeline and generated a dataset composed of 10,000 images with driver's licenses, 1,000 images with passports, and 1,000 images with credit cards. You now have to train a model with the following label map: ['driverslicense', 'passport', 'credit_card']. Which loss function should you use?

- A. Categorical hinge
- B. Binary cross-entropy
- C. Categorical cross-entropy
- D. Sparse categorical cross-entropy

Answer: B

NEW QUESTION 24

You have written unit tests for a Kubeflow Pipeline that require custom libraries. You want to automate the execution of unit tests with each new push to your development branch in Cloud Source Repositories. What should you do?

- A. Write a script that sequentially performs the push to your development branch and executes the unit tests on Cloud Run
- B. Using Cloud Build, set an automated trigger to execute the unit tests when changes are pushed to your development branch.
- C. Set up a Cloud Logging sink to a Pub/Sub topic that captures interactions with Cloud Source Repositories Configure a Pub/Sub trigger for Cloud Run, and execute the unit tests on Cloud Run.
- D. Set up a Cloud Logging sink to a Pub/Sub topic that captures interactions with Cloud Source Repositories
- E. Execute the unit tests using a Cloud Function that is triggered when messages are sent to the Pub/Sub topic

Answer: B

NEW QUESTION 28

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

Professional-Machine-Learning-Engineer Practice Exam Features:

- * Professional-Machine-Learning-Engineer Questions and Answers Updated Frequently
- * Professional-Machine-Learning-Engineer Practice Questions Verified by Expert Senior Certified Staff
- * Professional-Machine-Learning-Engineer Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * Professional-Machine-Learning-Engineer Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The Professional-Machine-Learning-Engineer Practice Test Here](#)