



# **Salesforce**

## **Exam Questions Platform-Developer-II**

Platform Developer II

## About ExamBible

### *Your Partner of IT Exam*

## Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

## Our Advances

### \* 99.9% Uptime

All examinations will be up to date.

### \* 24/7 Quality Support

We will provide service round the clock.

### \* 100% Pass Rate

Our guarantee that you will pass the exam.

### \* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

### NEW QUESTION 1

- (Exam Topic 1)

What is the optimal technique a developer should use to programmatically retrieve Global Picklist options in a Test Method?

- A. Perform a callout to the Metadata API.
- B. Use the Schema namespace.
- C. Perform a SOQL Query.
- D. Use a static resource.

**Answer: B**

### NEW QUESTION 2

- (Exam Topic 1)

REST uses .

- A. The HTTP class
- B. The HTTPRequest class
- C. The HTTPResponse class
- D. All of the above

**Answer: D**

### NEW QUESTION 3

- (Exam Topic 1)

A Developer wishes to improve runtime performance of Apex calls by caching results on the client. What is the best way to implement this?

- A. Decorate the server-side method with @AuraEnabled(cacheable=true).
- B. Set a cookie in the browser for use upon return to the page.
- C. Decorate the server-side method with @AuraEnabled(storable=true).
- D. Call the setStorable() method on the action in the JavaScript client-side code.

**Answer: A**

### NEW QUESTION 4

- (Exam Topic 1)

A Visualforce page needs to make a callout to get bidding information and tax information from two different REST endpoints. The information needs to be displayed to the user at the same time and the return value of the billing information contains the input for the tax information callout. Each endpoint might take up to two minutes to process.

How should a developer implement the callouts?

- A. A Continuation for both the billing callout and the tax callout
- B. An HTTP REST call out for both the billing callout and the tax callout
- C. An HTTP REST callout for the billing callout and a Continuation for the tax callout
- D. A Continuation for the billing callout and an HTTP REST callout for the tax callout

**Answer: A**

### NEW QUESTION 5

- (Exam Topic 1)

A developer writes the following code:

```
public with sharing class OrderController() public PageReference sendOrder()
Order_c order = new Order_c insert order; ExternalOrder externalOrder = new
ExternalOrder(order); Http h = new Http(); HttpRequest req = new HttpRequest
(); req.setEndpoint('https://www.example.org/v1/orders'); req.setMethod
('POST'); req.setBody(JSON.serialize(externalOrder)); HttpResponse res =
h.send(req); order = (ExternalOrder)JSON.deserialize(res.getBody
(),ExternalOrder.class);
```

While testing the code, the developer receives the following error message: System.CalloutException : You have uncommitted work pending What should the developer do? (Choose two.)

- A. Use the asyncSend() method of the HTTP class to send the request in async context
- B. Ensure all callouts are completed prior to executing DML statements
- C. Move the web service callout into an @future method
- D. Use Database.insert (order, true) to immediately commit any database changes

**Answer: BC**

### NEW QUESTION 6

- (Exam Topic 1)

A developer is integrated with a legacy on-premises SQL database.

What should the developer use to ensure the data being integrated is matched to the right records in Salesforce?

- A. External Object

- B. Lookup field
- C. Formula field
- D. External Id field

**Answer:** D

#### NEW QUESTION 7

- (Exam Topic 1)

During the order of execution of a Visualforce page GET request, what happens after this step? Evaluate constructors on controllers and extensions

- A. Evaluate constructors and expressions on custom components
- B. Create view state if <apex: form> exists
- C. Send the HTML response to the browser
- D. Evaluate expressions, action attributes, and method calls

**Answer:** A

#### NEW QUESTION 8

- (Exam Topic 1)

A managed package uses a list of country ISO codes and country names as references data in many different places.. managed package Apex code. What is the optimal way to store and retrieve the list?

- A. Store the information in Custom Metadata and query it with SOQL.
- B. Store the information in Custom Metadata and access it with the getAll() method.
- C. Store the information in a List Custom Setting and query it with SOQL.
- D. Store the information in a list Custom Setting and access it with the getAll() method

**Answer:** C

#### NEW QUESTION 9

- (Exam Topic 1)

A Visualforce Page throws an Attempt to dereference a null object error for a Contact. What change In the controller will fix the error?

- A. Declare a static final Contact at the top of the controller.
- B. Change the setters signature to return a Contact.
- C. Use a condition in the getter to return a new Contact if it is null.
- D. Change the getter's signature to be static Contact.

**Answer:** C

#### NEW QUESTION 10

- (Exam Topic 1)

Line 1 public class AttributeTypes Line 2 { Line 3 private final String[] arrayItems; Line 4 Line 5 @AuraEnabled Line 6 public List<String> getStringArray() { Line 7 Strings+ arrayItems = new String\*+, 'red', 'green', 'blue' -; Line 8 return arrayItems; Line 9 } Line 10 } Consider the Apex controller above that is called from a Lightning Aura Component. What is wrong with it?

- A. Line 1: class must be global
- B. Lines 1 and 6: class and method must be global
- C. Line 6: method must be static
- D. Line 8: method must first serialize the list to JSON before returning

**Answer:** C

#### NEW QUESTION 10

- (Exam Topic 1)

The "Webservice" keyword .

- A. Method must be static, and class must be global
- B. Can be used on all classes
- C. Used for any member variables included
- D. All of the above

**Answer:** D

#### NEW QUESTION 15

- (Exam Topic 1)

Which of the following standard fields are indexed? (Choose three.)

- A. Name
- B. CreatedBy
- C. SystemModStamp
- D. LastModifiedDdate
- E. RecordType

**Answer:** ABC

#### NEW QUESTION 19

- (Exam Topic 1)

After a Platform Event is defined in a Salesforce org, events can be published via which two mechanisms? Choose 2 answers

- A. internal Apps can use Outbound Messages
- B. Internal Apps can use Process Builder.
- C. External Apps require a custom Apex web service.
- D. External Apps can use the standard Streaming API.

**Answer:** AB

#### NEW QUESTION 24

- (Exam Topic 1)

What are three benefits of using static resources in Visualforce and Lightning Components? Choose 3 answers

- A. Static resource files can be packaged into a collection of related files in a zip or jar archive.
- B. Static resource files do not count against an organization's quota of data storage.
- C. Static resource files are automatically minified.
- D. Relative paths can be used in files in static resource archives to refer to other content within the archive.
- E. Static resource files can be referenced by using the \$Resource global variable instead of hardcoded IDs.

**Answer:** ADE

#### NEW QUESTION 26

- (Exam Topic 1)

The SOAP API .

- A. Is based on REST principles and is optimized for loading or deleting large sets of data
- B. You can use it to query, queryAll, insert, update, upsert, or delete many records asynchronously by submitting batches
- C. Provides a powerful, convenient, and simple REST-based web services interface for interacting with Salesforce
- D. Its advantages include ease of integration and development, and it's an excellent choice of technology for use with mobile applications and web projects
- E. Is used to create, retrieve, update or delete records, such as accounts, leads, and custom objects, and allows you to maintain passwords, perform searches, and much more
- F. Is used to retrieve, deploy, create, update, or delete customizations for your org
- G. The most common use is to migrate changes from a sandbox or testing org to your production environment

**Answer:** C

#### NEW QUESTION 29

- (Exam Topic 1)

Choose the correct definition for <apex:pageMessage>.

- A. Standard Salesforce formatting, throws a specific message on a page
- B. Standard Salesforce formatting, shows all errors that occur on page
- C. Can add more messages through the "ApexPages.addMessage" function
- D. A single message, without formatting, that can be associated with a specific component on the page
- E. No formatting; displays all errors on a page

**Answer:** A

#### NEW QUESTION 32

- (Exam Topic 1)

A Lightning Component functions in preview mode and needs to be used inside a Lightning App Builder page, but it is not available. What change should be applied to the component?

- A. Refresh the sandbox and upgrade it to the latest API version.
- B. Delete the component, metadata, and Apex controller and recreate them.
- C. Expose it in the markup using the implements and access attributes.
- D. Look for errors in the logic in the JavaScript controller.

**Answer:** C

#### NEW QUESTION 36

- (Exam Topic 1)

Which scenario requires a developer to use an Apex callout instead of Outbound Messaging?

- A. The callout needs to be asynchronous.
- B. The callout needs to be invoked from a Workflow Rule.
- C. The Target system uses a REST API.
- D. The Target system uses a SOAP API.

**Answer:** C

#### NEW QUESTION 40

- (Exam Topic 1)

Which statement is true regarding the use of user input as part of a dynamic SOQL query?

- A. Free text input should not be allowed, to avoid SOQL injection
- B. The String.format() method should be used to prevent injection
- C. Quotes should be escaped to protect against SOQL injection
- D. The string should be URL encoded by the input form to prevent errors

**Answer:** C

#### NEW QUESTION 44

- (Exam Topic 1)

Where in a query can you use Geolocation and Distance? (Choose two.)

- A. Select clause
- B. Filter clause
- C. Order By clause
- D. Group By clause

**Answer:** BC

#### NEW QUESTION 46

- (Exam Topic 1)

Universal Containers wants to use an external Web Service provided by a third-party vendor to validate that shipping and billing addresses are correct. The current vendor uses basic password authentication, but Universal Containers might switch to a different vendor who uses OAuth. What would allow Universal Containers to switch vendors without updating the code to handle authentication?

- A. Custom Setting (List)
- B. Custom Metadata
- C. Named Credential
- D. Dynamic Endpoint

**Answer:** C

#### NEW QUESTION 48

- (Exam Topic 1)

A developer is creating unit tests for code that makes SOAP web service callouts. The developer needs to insert some test data as a part of the unit tests setup. What are three actions to enable this functionality? (Choose three.)

- A. Surround the callout with Test.startTest(), Test.stopTest()
- B. Surround the data insertion with Test.startTest(), Test.stopTest()
- C. Implement the WebServiceMock interface
- D. Update code to call Test.setMock()
- E. Implement the HttpCalloutMock interface

**Answer:** ACD

#### NEW QUESTION 49

- (Exam Topic 1)

Global with sharing class MyRemoter { public String accountName { get; set; } public static Account account { get; set; } public AccountRemoter() {} @RemoteAction global static Account getAccount (String accountName) { account = [SELECT Id, Name, NumberOfEmployees FROM Account WHERE Name = :accountName]; return account; } } Consider the Apex class above that defines a RemoteAction used on a Visualforce search page. Which code snippet will assert that the remote action returned the correct Account?

- A. MyRemoter remote = new MyRemoter(); Account a = remote.getAccount ('TestAccount'); System.assertEquals, 'TestAccount', a.Name -;
- B. Account a = MyRemoter.getAccount ('TestAccount'); System.assertEquals('TestAccount', a.Name );
- C. MyRemoter remote = new MyRemoter('TestAccount');Account a = remote.getAccount ();System.assertEquals(, "TestAccount", a.Name -;
- D. Account a = controller.getAccount('TestAccount'); System.assertEquals(, 'TestAccount', a.Name );

**Answer:** B

#### NEW QUESTION 54

- (Exam Topic 1)

Which is a valid Apex REST Annotation? (Choose two.)

- A. @Http Patch
- B. @HttpDelete
- C. @HttpUpsert
- D. @HttpAction

**Answer:** AB

#### NEW QUESTION 58

- (Exam Topic 1)

Given a list of Opportunity records named opportunityList, which code snippet is best for querying all Contacts of the Opportunity's Account?

A)

```
List <Contact> contactList = new List <Contact>();

Set <Id> accountIds = new Set <Id> ();

for (Opportunity o : opportunityList) {

accountIds.add(o.AccountId);

}

for(Account a : [SELECT Id, (SELECT Id FROM Contacts) FROM Account WHERE Id IN :accountIds]) {

contactList.addAll {a.Contacts} ;

}
```

B)

```
List <Contact> contactList = new List <Contact>();

Set <Id> accountIds = new Set <Id> ();

for (Opportunity o : opportunityList) {

contactIds.add(o.ContactId);

}

for(Contact c : [SELECT Id FROM Contact WHERE Id IN :contactIds]){

contactList.add(c);

}
```

C)

```
List <Contact> contactList = new List <Contact>();

for (Opportunity o : opportunityList) {

Account a = [SELECT Id, (SELECT Id FROM Contacts) FROM Account WHERE Id = :o.AccountId]

contactList.addAll(a.Contacts);

}
```

D)

```
List <Contact> contactList = new List <Contact>();

for ( Contact c : [SELECT Id FROM Contact WHERE AccountId IN :opportunityList.AccountId] ){contactList.add{c};

}
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

**Answer: A**

#### NEW QUESTION 59

- (Exam Topic 1)

<lightning: layout multipleRows="true"> <lightning: layoutItem size="12">{!v.account.Name} </lightning: layoutitem> <lightning:layoutitem 3ize="12">{!v. account

```
.AccountNumber} </lightning: layoutitem>
```

<lightning: layoutitem size="12">{!v.account. Industry} </lightning: layoutitem> </lightning: layout> Refer to the component code above. The information displays as expected (in three rows) on a mobile device. However, the information is not displaying as desired (in a single row) on a desktop or tablet. Which option has the correct component changes to display correctly on desktops and tablets?

A)

A. <lightning: layout multipleRows="true">

```
<lightning:layoutItem size="12" mediumDeviceSize="4">{!v.account.Name}
```

```
</lightning: layoutItem>
```

```
<lightning:layoutItem size="12" mediumDeviceSize="4">{!v.account.AccountNumber}
```

```
</lightning: layoutItem>
```

```
<lightning:layoutItem size="12" mediumDeviceSize="4">{!v.account.Industry}</lightning: layoutItem>
```

```
</lightning: layout>
```

B)

B. <lightning: layout multipleRows="true">

```
<lightning:layoutItem size="12" largeDeviceSize="4">{!v.account.Name}
```

```
</lightning: layoutItem>
```

```
<lightning:layoutItem size="12" largeDeviceSize="4">{!v.account.AccountNumber}
```

```
</lightning: layoutItem>
```

```
<lightning:layoutItem size="12" largeDeviceSize="4">{!v.account.Industry}
```

```
</lightning: layoutItem>
```

```
</lightning: layout>
```

C)

C. <lightning: layout multipleRows="true">

```
<lightning:layoutItem size="12" mediumDeviceSize="6">{!v.account.Name}
```

```
</lightning: layoutItem>
```

```
<lightning:layoutItem size="12" mediumDeviceSize="6">{!v.account.AccountNumber}
```

```
</lightning: layoutItem>
```

```
<lightning:layoutItem size="12" mediumDeviceSize="6">{!v.account.Industry}
```

```
</lightning: layoutItem>
```

```
</lightning: layout>
```

D)

D. <lightning: layout multipleRows="true">

```
<lightning:layoutItem size="12" mediumDeviceSize="6" largeDeviceSize="4">{!v.account.Name}
```

```
</lightning: layoutItem>
```

```
<lightning:layoutItem size="12" mediumDeviceSize="6" largeDeviceSize="4">{!v.account
```

```
.AccountNumber}
```

```
</lightning: layoutItem>
```

```
<lightning:layoutItem size="12" mediumDeviceSize="6" largeDeviceSize="4">{!v.account.Industry}
```

```
</lightning: layoutItem></lightning: layout>
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

**Answer: C**

#### NEW QUESTION 64

- (Exam Topic 1)

Which use case is an appropriate fit for the @future asynchronous Apex method? (Choose two.)

- A. A developer has jobs that need larger query results than regular transactions allow
- B. A developer needs to segregate DML operations and bypass the mixed save DML error
- C. A developer has long-running jobs with large data volumes that need to be performed in batches
- D. A developer has long-running methods and needs to prevent delaying an Apex transaction

**Answer: BD**

#### NEW QUESTION 65

- (Exam Topic 1)

An org has a requirement that an Account must always have one and only one Contact listed as Primary. So selecting one Contact will de-select any others. The client wants a checkbox on the Contact called 'Is Primary' to control this feature. The client also wants to ensure that the last name of every Contact is stored entirely in uppercase characters. What is the optimal way to implement these requirements?

- A. write a single trigger on Contact for both after update and before update and callout to helper classes to handle each set of logic.
- B. Write an after update trigger on Contact for the Is Primary logic and a separate before update trigger on Contact for the last name logic.
- C. write an after update trigger on Account for the Is Primary logic and a before update trigger on Contact for the last name logic.
- D. write a Validation Rule on the Contact for the Is Primary logic and a before update trigger on Contact for the last name logic.

**Answer: A**

#### NEW QUESTION 68

- (Exam Topic 1)

As part of a custom development, a developer creates a Lightning Component to show how a particular opportunity progresses over time. The component must display the date stamp when any of the following fields change:

- Amount Probability, Stage, or Close Date

What is the most efficient way to Query such information?

- A. [Select Amount, CloseDate, StageName, Probability FROM OpportunityHistory WHERE OpportunityId= :oppId];
- B. [Select Newvalue, Oldvalue From OpportunityField\_History Where Oppportunity = oppid AND Field IN
- C. [Select NewValue, Oldvalue FROM Opportunity FieldHistory WHERE OpportunityId = :oppId AND Field IN
- D. ('StageName', Probability',Amount /CloseDate)];
- E. [Select Amount CloseDat
- F. StageName, Probability FROM Opportunity\_History WHERE OpportunityId - :oppId];

**Answer: C**

#### NEW QUESTION 69

- (Exam Topic 1)

If a developer wanted to display error messages with the standard Salesforce UI styling, what would they use?

- A. <apex:pageMessages>

- B. <apex:message>
- C. <apex:outputText>
- D. <apex:error>

**Answer:** A

#### NEW QUESTION 72

- (Exam Topic 1)

A developer wants to retrieve and deploy metadata, perform simple CSV export of query results, and debug Apex REST calls by viewing JSON responses. Which tool should the developer use?

- A. Developer Console
- B. Force.com Migration Tool
- C. Workbench
- D. Force.com IDE

**Answer:** C

#### NEW QUESTION 76

- (Exam Topic 1)

How should a developer assert that a trigger with an asynchronous process has successfully run?

- A. Create at test data in the test class, use System.runAs() to invoke the trigger, then perform assertions.
- B. Insert records into Salesforce, use seeAllData=true, then perform assertions.
- C. Create all test data, use @future In the test class, then perform assertions.
- D. Create all test data in the test class, invoke Test.startTest() and Test.stopTest() and then perform assertions,

**Answer:** D

#### NEW QUESTION 79

- (Exam Topic 1)

A company wants to implement a new call center process for handling customer service calls. It requires service reps to ask for the caller's account number before proceeding with the rest of their call script. Following best practices, what should a developer use to meet this requirement?

- A. Approvals
- B. Flow Builder
- C. Apex Trigger
- D. Process Builder

**Answer:** B

#### NEW QUESTION 82

- (Exam Topic 1)

A developer created and tested a Visualforce page in their developer sandbox, but now receives reports that users are encountering ViewState errors when using it in Production. What should the developer ensure to correct these errors?

- A. Ensure queries do not exceed governor limits.
- B. Ensure properties are marked as Transient.
- C. Ensure properties are marked as private.
- D. Ensure profiles have access to the Visualforce page.

**Answer:** B

#### NEW QUESTION 83

- (Exam Topic 1)

What tool in the Developer Console contains information on SOQL query Cardinality?

- A. Checkpoints tab
- B. Query Editor
- C. Query Plan Tool
- D. Log Inspector
- E. View State Tab

**Answer:** D

#### NEW QUESTION 87

- (Exam Topic 1)

@isTest static void testAccountUpdate() { Account acct = new Account({Name = 'Test'}); acct.Integration\_Updated\_c = false; insert acct; CalloutUtil.sendAccountUpdate(acct.Id); Account acctAfter = [SELECT Id, Integration\_Updated\_c FROM Account WHERE Id = :acct.Id] [0]; System.assert(true, acctAfter.Integration\_Updated\_c); } The test method above calls a web service that updates an external system with Account information and sets the Account's Integration\_Updated c checkbox to True when it completes. The test fails to execute and exits with an error: "Methods defined as TestMethod do not support Web service callouts." What is the optimal way to fix this?

- A. Add if (!Test.isRunningTest()) around CalloutUtil.sendAccountUpdate.
- B. Add Test.startTest() before and Test.stopTest() after CalloutUtil.sendAccountUpdate.
- C. Add Test.startTest() before and Test.setMock and Test.stopTest() after CalloutUtil.sendAccountUpdate.
- D. Add Test.startTest() and Test.setMock before and Test.stopTest() after CalloutUtil.sendAccountUpdate.

**Answer:** B

**NEW QUESTION 91**

- (Exam Topic 1)

A developer needs test data for Apex test classes.

What can the developer use to provide test data to the test methods? (Choose two.)

- A. List<sObject> ls = Test.loadData (Lead.sObjectType, fmyTestLeads f);
- B. myDataFactory.createTestRecords (10)
- C. Database.createTestRecords (10)
- D. List<sObject> ls = Test.loadDat (Lead.sObjectType, \$Resource + 'myTestLeads f);

**Answer:** AB

**NEW QUESTION 96**

- (Exam Topic 1)

What is the transaction limit for the number of records for SOSL?

- A. 20
- B. 2,000
- C. 100 (synchronous), 200 (async)
- D. 200 (synchronous), 100 (async)
- E. There is no limit

**Answer:** B

**NEW QUESTION 97**

- (Exam Topic 1)

A developer receives the exception 'SOQL query not selective enough' when performing a query on an object with a large amount of data. Which step should be taken to resolve the issue?

- A. Use an ID in the WHERE clause of the SOQL query.
- B. Perform the SOQL query as part of a FOR loop.
- C. Perform the SOQL query via a call to the REST API.
- D. Move the SOQL query to within an asynchronous process.

**Answer:** A

**NEW QUESTION 100**

- (Exam Topic 1)

if the "PageReference.setRedirect" Apex function is set to False, what type of request is made?

- A. Get request
- B. Postback request
- C. If PageReference points to the same controller and subset of extensions, postback request, otherwise get request

**Answer:** C

**NEW QUESTION 102**

- (Exam Topic 1)

What is the transaction limit for the number of records for SOQL queries?

- A. 5,000
- B. 20,000
- C. 50,000
- D. 10,000
- E. There is no limit

**Answer:** C

**NEW QUESTION 105**

- (Exam Topic 1)

Which of the following elements can be members of a public group? (Choose three.)

- A. Territories
- B. Case Teams
- C. Users
- D. Roles
- E. Profiles

**Answer:** ACD

**NEW QUESTION 109**

- (Exam Topic 1)

What is a consideration when testing batch Apex? (Choose two.)

- A. Test methods must execute the batch with a scope size of less than 200 records
- B. Test methods must call the batch execute() method once
- C. Test methods must use the @isTest (SeeAllData=true) annotation
- D. Test methods must run the batch between Test.startTest() and Test.stopTest()

**Answer:** AD

**NEW QUESTION 111**

- (Exam Topic 1)

A company has a custom object. Order\_\_c, that has a custom picklist field. Status\_\_c, with values of New, In Progress, or Fulfilled and a lookup field, Contact\_\_c, to Contact.

Which SOQL query will return a unique list of all the Contact records that have no Fulfilled Orders?

- A. SELECT Contact\_\_c From order\_\_c Where id NOT IN (SELECT id FROM\_\_c Where Status\_\_c = Fulfilled')
- B. SELECT id FROM Contact WHERE id NOT IN (SELECT id From order\_\_c WHERE\_\_c = Fulfilled')
- C. SELECT Contact\_\_c FROM Order\_\_c Where Status\_\_c <> 'Fulfilled'
- D. SELECT id FROM Contact WHERE id NOT IN (SELECT Contact\_\_c FROM order\_\_c Where Status\_\_c= fulfilled')

**Answer:** D

**NEW QUESTION 114**

- (Exam Topic 1)

What is the transaction limit on the max Salesforce CPU time?

- A. 100 seconds
- B. 60 seconds
- C. 100 seconds (synchronous); 200 seconds (async)
- D. 10 seconds (synchronous); 60 seconds (async)
- E. There is no limit

**Answer:** D

**NEW QUESTION 118**

- (Exam Topic 1)

A developer has a page with two extensions overriding the Standard controller for Case.

```
<apex:page standardController="Case" extension="CaseExtensionOne,CaseExtensionTwo" showHeader="false"> Each extension has a method called Save. The page has a command button as defined: <apex:commandButton value="Save" action="{!save}"/>
```

What will happen when a user clicks the command button?

- A. All of the three Save methods will be executed
- B. Save from Case Standard Controller will be executed
- C. Save from CaseExtensionTwo will be executed
- D. Save from CaseExtensionOne will be executed

**Answer:** D

**NEW QUESTION 120**

- (Exam Topic 1)

An Apex trigger and Apex class increment a counter, Edit\_Count\_\_c, any time that the Case is changed.

```
public class CaseTriggerHandler {
    public static void handle(List<Case> cases) {
        for (Case c : cases) {
            c.Edit_Count__c = c.Edit_Count__c + 1;
        }
    }
}

trigger on Case (before update) {
    CaseTriggerHandler.handle(Trigger.new);
}
```

A new process on the case object was just created in production for when a Case is created or updated< since the process was created, they are reports that the Count is being incremented by more than one on Case edit.

Which change in the Apex code will fix the problem?

- A)

```
trigger on Case(before update) {
    Boolean firstRun = true;
    if (firstRun) {
        CaseTriggerHandler.handle(Trigger.newMap);
    }
    firstRun = false;
}
```

B)

```
public class CaseTriggerHandler {
    Boolean firstRun = true;
    public static void handle(List<Case> cases) {
        if (firstRun) {
```

C)

```
public class CaseTriggerHandler {
    public static Boolean firstRun = true;
    public static void handle(List<Case> cases) {
        for (Case c : cases) {
            c.Edit_Count__c = c.Edit_Count__c + 1;
        }
    }
}
```

```
trigger on Case(before update) {
    if (CaseTriggerHandler.firstRun) {
        CaseTriggerHandler.handle(Trigger.new);
    }
}
```

D)

```
public class CaseTriggerHandler {
    public static Boolean firstRun = true;
    public static void handle(List<Case> cases) {
        for (Case c : cases) {
            c.Edit_Count__c = c.Edit_Count__c + 1;
        }
    }
}
```

```
trigger on Case(before update) {
    CaseTriggerHandler.firstRun = true;
    if (CaseTriggerHandler.firstRun) {
        CaseTriggerHandler.handle(Trigger.newMap);
    }
    CaseTriggerHandler.firstRun = false;
}
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

**Answer: A**

#### NEW QUESTION 123

- (Exam Topic 1)

Universal Containers wants to use a Customer Community with Customer Community Plus licenses so their customers can track how many of containers they are renting and when they are due back. Many of their customers are global companies with complex Account hierarchies, representing various departments within the same organization. One of the requirements is that certain community users within the same Account hierarchy be able to see several departments' containers, based on a junction object that relates the Contact to the various Account records that represent the departments. Which solution solves these requirements?

- A. A Custom Report Type and a report Lightning Component on the Community Home Page
- B. An Apex Trigger that creates Apex Managed Sharing records based on the junction object's relationships
- C. A Custom List View on the junction object with filters that will show the proper records based on owner
- D. A Visualforce page that uses a Custom Controller that specifies without sharing to expose the records

**Answer: A**

#### NEW QUESTION 126

- (Exam Topic 1)

A developer created a custom component to display an HTML table. The developer wants to be able to use the component on different Visualforce Pages and specify different header text for the table.

Which tag should the developer use inside the component?

- A. <apex:variable>
- B. <apex:define>
- C. <apex:param>
- D. <apex:attribute>

**Answer:** D

#### NEW QUESTION 130

- (Exam Topic 1)

A company notices that their unit tests in a test class with many methods to create many records for prerequisite reference data are slow. What can a developer do to address the issue?

- A. Move the prerequisite reference data setup to a TestDataFactory and call that from each test method.
- B. Move the prerequisite reference data setup to the constructor for the test class.
- C. Move the prerequisite reference data setup to a static method in the test class and call that from each test method.
- D. Move the prerequisite reference data setup to a @testSetup method in the test class.

**Answer:** A

#### NEW QUESTION 133

- (Exam Topic 1)

The "action" attribute on <apex:page> is ONLY evaluated on which type of request?

- A. Get request
- B. Postback request

**Answer:** A

#### NEW QUESTION 138

- (Exam Topic 1)

A developer must create a custom pagination solution. While users navigate through pages, if the data is changed from elsewhere, users should still see the cached results first accessed.

How can the developer meet these requirements?

- A. Use @Cache annotation
- B. Use a StandardSetController
- C. Use OFFSET in SOQL queries
- D. Use OFFSET WITH CACHE in SOQL queries

**Answer:** B

#### NEW QUESTION 143

- (Exam Topic 1)

If the "PageReference.setRedirect" Apex function is set to True, what type of request is made?

- A. Get request
- B. Postback request
- C. If PageReference points to the same controller and subset of extensions, postback request, otherwise get request

**Answer:** A

#### NEW QUESTION 146

- (Exam Topic 1)

A company has a custom object, Sales Demo Request, that has a lookup to an Opportunity. It is required that a Sales Demo Request record be created when an Opportunity's Probability is greater than 50%. What is the optimal way to automate this?

- A. Build a Flow on Opportunity.
- B. Create a Workflow on Opportunity.
- C. Use an Apex Trigger on Opportunity.
- D. Build a Process on Opportunity

**Answer:** C

#### NEW QUESTION 149

- (Exam Topic 1)

A developer must create a way for external partners to submit millions of leads into Salesforce per day-How should the developer meet this requirement?

- A. Publicly expose a Visualforce page via Force.com Sites
- B. Create a web service on Heroku that uses Heroku Connect
- C. Host a Web-to-Lead form on the company website
- D. Publicly expose an Apex Web Service via Force.com Sites

**Answer:** B

#### NEW QUESTION 154

- (Exam Topic 2)

When calling a RESTful web service, a developer receives a JSON payload that has a data hierarchy that is nested three levels deep. How can the developer describe the external data?

- A. Deserialize the data untyped and then process it.
- B. Declare a class with three levels and deserialize the JSON typed with this class.
- C. Use the ANT migration tool, the custom metadata API, or the Dataloader.
- D. Use middleware to flatten the JSON and consume it as a new custom object.

**Answer: A**

#### NEW QUESTION 156

- (Exam Topic 2)

An org has a requirement that the Shipping Address on the Account must be validated by a third-party web service, before the Account is allowed to be inserted. What is the optimal way to meet this requirement?

- A. Make a callout to the web service from a custom Visualforce controller.
- B. Make a callout to the web service from a standard Visualforce controller.
- C. Make a callout to the web service from an after insert trigger.
- D. Make a callout to the web service from a before insert trigger.

**Answer: B**

#### NEW QUESTION 157

- (Exam Topic 2)

A company has many different unit test methods that create Account records as part of their data setup. A new required field was added to the Account and now all of the unit tests fail. What is the optimal way for a developer to fix the issue?

- A. Add the required field to the data setup for all of the unit tests.
- B. Add a before insert trigger on Account to set the value of the required field.
- C. Create a TestDataFactory class that serves as the single place to create Accounts for unit tests and set the required field there.
- D. Change the required field to be a validation rule that excludes the System Administrator profile.

**Answer: C**

#### NEW QUESTION 162

- (Exam Topic 3)

A developer is tasked with ensuring that email addresses entered into the system for Contacts and for a Custom Object called Survey\_Response\_\_c do not belong to a list of blacklisted domains. The list of blacklisted domains will be stored in a custom object for ease of maintenance by users. Note that the Survey\_Response\_\_c object is populated via a custom visualforce page. What is the optimal way to implement this?

- A. Implement the logic in an Apex trigger on Contact and also implement the logic within the Custom visualforce page controller.
- B. Implement the logic in the Custom Visualforce page controller and call that method from an Apex trigger on Contact.
- C. Implement the logic in a helper class that is called by an Apex trigger on Contact and from the Custom Visualforce page controller.
- D. Implement the logic in a Validation Rule on the Contact and a validation Rule on the Survey\_Response\_\_c object.

**Answer: C**

#### NEW QUESTION 167

- (Exam Topic 3)

AW Computing (AWC) handles orders in Salesforce and stores its product inventory in a field, inventory\_c, on a custom object. product\_c. When an order for a product\_c placed, the Inventory\_c field is reduced by the quantity of the order using an Apex trigger.

```
public void reduceInventory(Id prodId, Integer qty) {
    Integer newInventoryAmt = getNewInventoryAmt(prodId, qty);
    Product__c p = new Product__c(Id = prodId, Inventory__c = newInventoryAmt);
    update p;

    // code goes here
}
```

AWC wants to real-time inventory reduction for a product to be sent to many of its external systems, including some future systems the company is currently planning.

What should a developer add to the code at the placeholder to meet these requirements?

A)

```
InventoryReductionEvent__c ev = new InventoryReductionEvent__c(ProductId__c = prodId, Reduction__c = qty);
EventBus.publish(ev);
```

B)

```
InventoryReductionEvent__e ev = new InventoryReductionEvent__e(ProductId__c = prodId, Reduction__c = qty);
insert ev;
```

C)

```
InventoryReductionEvent__e ev = new InventoryReductionEvent__e(ProductId__c = prodId, Reduction__c = qty);  
EventBus.publish(ev);
```

D)

```
InventoryReductionEvent__c ev = new InventoryReductionEvent__c(ProductId__c = prodId, Reduction__c = qty);  
insert ev;
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

**Answer: D**

#### NEW QUESTION 168

- (Exam Topic 3)

users complain that a page is very slow to respond. Upon investigation, the query below is found to perform slowly.

SELECT id, Name FROM Contact WHERE CustomField\_\_c null; Which two actions can a developer take to improve performance?

Choose 2 answers

- A. Add a WHERE clause to the query to reduce the number of records returned.
- B. Contact Salesforce customer support to create a custom index to include null values
- C. Make the CustomField\_\_c field an External ID.
- D. Make the field CustomReW\_\_c required because Salesforce field indexes do not include nulls.

**Answer: AD**

#### NEW QUESTION 173

- (Exam Topic 3)

Which tag should a developer use to display different text while an <apex:commandButton> is executing versus not executing?

- A. <apexactionPoller>
- B. <ApexactionSupper>
- C. <ApexactionStatus>
- D. <ApexpageMessages>

**Answer: C**

#### NEW QUESTION 178

- (Exam Topic 3)

A business currently has a process to manually upload orders from its external Order Management System (OMS) into Salesforce.

This is a labor intensive process since accounts must be exported out of Salesforce to get the IDs. The upload file must be updated with the correct account IDs to relate the orders to the corresponding accounts.

Which two recommendations should make this process more efficient? Choose 2 answers

- A. Ensure the data in the file is sorted by the order ID.
- B. Use the upsert wizard in the Data Loader to import the data.
- C. Identify unique fields on Order and Account and set them as External IDs.
- D. Use the Insert wizard in the Data Loader to import the data.

**Answer: BC**

#### NEW QUESTION 182

- (Exam Topic 3)

A developer wrote an Apex method that makes an HTTP callout to an external system to get specialized data when a button is clicked from a custom Lightning web component on the Account record page.

Recently, users have complained that it takes longer than desired for the data to appear on the page after clicking the button.

What should the developer use to troubleshoot this issue?

- A. Lightning Inspector
- B. Developer Console
- C. Salesforce CU
- D. Event Logs

**Answer: A**

#### NEW QUESTION 184

- (Exam Topic 3)

Ursa Major Solar has a custom object, serviceJcb\_\_c, with an optional Lookup field to Account called Partner\_service\_Provider\_\_c.

The TotaJobs\_\_c field on Account tracks the total number of serviceJcb\_\_c records to which a partner service provider Account is related.

What should be done to ensure that the TotalJobs\_c field is kept up to date?

- A. Build a Process Builder with an invocable action.
- B. Create an Apex trigger on serviceJob\_\_c
- C. Implement a workflow cross-object field update.
- D. Change TotalJobs\_\_a to a roll-up summary field.

**Answer: B**

**NEW QUESTION 185**

- (Exam Topic 3)

Refer to the code snippet below:

```

01 public void createChildRecord(String externalIdentifier){
02     Account parentAccount;
03
04     Contact newContact = new Contact();
05     newContact.Account = parentAccount;
06
07     insert(newContact);
08 }
    
```

As part of an Integration development effort, a developer is tasked to create an Apex method that solely relies on the use of foreign identifiers. In order to relate new contact records to existing Accounts in Salesforce, the account object contains a field marked as an external ID, the API Name of this field is Legacy\_Id\_\_c. What is the most efficient way to instantiate the parentAccount: variable on line 02 to ensure the newly created contact is properly related to the Account?

A)

```
Account parentAccount = [SELECT Id FROM Account WHERE Legacy_Id__c = :externalIdentifier].Id;
```

B)

```
Account parentAccount = new Account(Legacy_Id__c = externalIdentifier);
```

C)

```
Account parentAccount = [SELECT Id FROM Account WHERE Legacy_Id__c = :externalIdentifier];
```

D)

```
Account parentAccount = new Account();
parentAccount.Id = externalIdentifier;
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

**Answer: A**

**NEW QUESTION 188**

- (Exam Topic 3)

A developer created a Lightning web component for the Account record page that displays the five most recently contacted Contacts for an Account. The Apex method, getRecentContacts, returns a list of Contacts and will be wired to a property in the component.

```

01:
02: public class ContactFetcher {
03:
04:     static List<Contact> getRecentContacts(Id accountId) {
05:         List<Contact> contacts = getFiveMostRecent(accountId);
06:         return contacts;
07:     }
08:
09:     private static List<Contact> getFiveMostRecent(Id accountId) {
10:         //...implementation...
11:     }
12: }
    
```

Which two lines must change in the above code to make the Apex method able to be wired? Choose 2 answers

- A. Add AuraEnabled(cacheabletrue) to the line 08
- B. Remove private from line 09.
- C. Add @AuraEnabled (cacheabletrue) to line 03.
- D. Add public to line 04.

**Answer: CD**

### NEW QUESTION 189

- (Exam Topic 3)

A developer created an Apex class that updates an Account based on input from a Lightning web component that is used to register an Account. The update to the Account should only be made if it has not already been registered.

```
account = [SELECT Id, Is_Registered__c FROM Account WHERE Id = :accountId];

if (!account.Is_Registered__c) {
    account.Is_Registered = true;
    // ...set other account fields...
    update account;
}
```

What should the developer do to ensure that users do not overwrite each other's updates to the same Account if they make updates at the same time?

- A. Use CastiCase.update(account, false).
- B. Add a try/catch block around the update.
- C. Use upsert instead of update.
- D. Use FOR UPDATE in a SOQL query.

**Answer: A**

### NEW QUESTION 190

- (Exam Topic 3)

Which code statement includes an Apex method named updateAccount in the class AccountController for use in a Lightning web component?

- A. Import updateAccounts from AccountController';
- B. Import updateAccounts from @salesforceapexAccountControllerupdateAccounts';
- C. Import updateAccounts from @salesforceapex AccountController';
- D. Import updateAccounts from AccountControllerupdateAccount';

**Answer: B**

### NEW QUESTION 191

- (Exam Topic 3)

```
Line 1: @isTest
Line 2: static void testMyTrigger()
Line 3: {
Line 4:     //Do a bunch of data setup
Line 5:     DataFactory.setupDataForMyTriggerTest();
Line 6:
Line 7:     List<Account> acctsBefore = [SELECT Is_Customer__c FROM Account WHERE Id IN :DataFactory.accounts];
Line 8:
Line 9:     //Utility to assert all accounts are not customers before the update
Line 10:    AssertUtil.assertNotCustomers(acctsBefore);
Line 11:
Line 12:     //Set accounts to be customers
Line 13:     for(Account a : DataFactory.accounts)
Line 14:     {
Line 15:         a.Is_Customer__c = true;
Line 16:     }
Line 17:
Line 18:     update DataFactory.accounts;
Line 19:
Line 20:     List<Account> acctsAfter = [SELECT Number_Of_Transfers__c FROM Account WHERE Id IN
:DataFactory.accounts];
Line 21:
Line 22:     //Utility to assert Number_Of_Transfers__c is correct based on test data
Line 23:     AssertUtil.assertNumberOfTransfers(acctsAfter);
Line 24: }
```

The test method above tests an Apex trigger that the developer knows will make a lot of queries when a lot of Account are simultaneously updated to be customer. The test method fails at the Line 20 because of too many SOQL queries What is the correct way to fix this?

```
Line 17:
Line 18:     update DataFactory.accounts;
Line 19:
Line 20:     List<Account> acctsAfter = [SELECT Number_Of_Transfers__c FROM Account WHERE Id IN
:DataFactory.accounts];
Line 21:
Line 22:     //Utility to assert Number_Of_Transfers__c is correct based on test data
Line 23:     AssertUtil.assertNumberOfTransfers(acctsAfter);
Line 24: }
```

The test method above tests an Apex trigger that the developer knows will make a lot of queries when a lot of Accounts are simultaneously updated to be customers.

The test method fails at the Line 20 because of too many SOQL queries. What is the correct way to fix this?

- A. Add Test.startTest() before and Test.stop Test() after both Line 7 of the code and Line 20 of the code.
- B. Change the DataFactory class to create fewer Accounts so that the number of queries in the trigger is reduced.
- C. Add Test.startTest() before Line 18 of the code and add Test.stopTest() after line 18 of the code.
- D. Replace most of the Apex Trigger with Process Builder processes to reduce the number of queries in the trigger.

Answer: C

**NEW QUESTION 193**

- (Exam Topic 3)

A developer created a Lightning web component that uses a Lightning-record-edit-form to collect information about Leads. Users complain that they only see one error message at a time when they save a Lead record.

Which best practice should the developer use to perform the validations, and allow more than one error message to be displayed simultaneously?

- A. Client-side validation
- B. Process Builder
- C. Apex REST
- D. Custom validation rules

Answer: A

**NEW QUESTION 197**

- (Exam Topic 3)

**Component markup:**

```
<aura:component>
  <aura:attribute name="contactInfo" type="Object"/>
  <aura:attribute name="showContactInfo" type="boolean" default="true"/>
  <aura:handler name="init" value="{!this}" action="{!c.init}"/>

  <!-- ... other code ... -->
  <aura:if isVisible="{!v.showContactInfo}">
    <c:contactInfo value="{!v.contactInfo}"/>
  </aura:if>
</aura:component>
```

**Controller JS:**

```
((
  init: function(cmp, helper) {
    // ...other code ...
    var show = helper.getShowContactInfo();
    cmp.set("v.showContactInfo", show);
  },
  // other code...
}))
```

A developer receives complaints that the component loads slowly. Which change can the developer implement to make the component perform faster?

- A. Change the default for showContactInfo to "false".
- B. Move the contents of <c: contactInfo into the component.
- C. Change the type of contactInfo to "Map".
- D. Add a change event handler for showContactInfo

Answer: A

**NEW QUESTION 201**

- (Exam Topic 3)

Assuming the CreateOneAccount class creates one account and implements the Queueable interface, which syntax tests the Apex code?

A)

```
List<Account> accts;
System.enqueueJob( new CreateOneAccount() );
Test.getFlexQueueOrder();
System.assertEquals( 1, accts.size() );
```

B)

```
List<Account> accts;
Test.startTest();
System.enqueueJob( new CreateOneAccount() );
Test.stopTest();
accts = [SELECT Id FROM Account];
System.assertEquals( 1, accts.size() );
```

C)

```
List<Account> accts;
System.enqueueJob( new CreateOneAccount() );
Test.startTest();
System.assertEquals(1, accts.size() );
Test.stopTest();
```

D)

```
List<Account> accts;
System.enqueueJob( new CreateOneAccount() );
accts = [SELECT Id FROM Account];
System.assertEquals(1, accts.size() );
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

**Answer: B**

**NEW QUESTION 204**

- (Exam Topic 3)

A developer created a Lightning web component that uses a Lightning-record-edit-force to collect information about Leads. Users complain that they only see one error message at a time when they save a Lead record.

What can the developer use to perform the validations, and allow multiple error messages to be displayed simultaneously?

- A. Apex REST
- B. External JavaScript Library
- C. Apex Trigger
- D. Process Builder

**Answer: B**

**NEW QUESTION 209**

- (Exam Topic 3)

A developer is experiencing issues with a Lightning web component. The component must surface information about Opportunity owned by the currently logged-in user.

When the component is rendered, the following message is displayed: "Error retrieving data" Which modification should be implemented to the Apex class to overcome the issue?

- A. Edit the code to use the without sharing keyword in the Apex class.
- B. Use the Cacheable=True attribute in the Apex method.
- C. Ensure the OWD for the Opportunity object is public.
- D. Use the Continuation=true attribute in the Apex method.

**Answer: B**

**NEW QUESTION 214**

- (Exam Topic 3)

A developer created a Lightning web component that allows users to input a text value that is used to search for Accounts by calling an Apex method. The Apex method returns a list of AccountWrappers and is called imperatively from a JavaScript event handler.

```

01:
02: public class AccountSearcher {
03:
04:     public static List<AccountWrapper> search(String term) {
05:         List<AccountWrapper> wrappers = getMatchingAccountWrappers(term);
06:         return wrappers;
07:     }
08:
09:
10:     public class AccountWrapper {
11:         public Account { get; set; }
12:         public Decimal matchProbability { get; set; }
13:     }
14:     // ...other methods, including getMatchingAccountWrappers implementation...
15: }

```

Which two changes should the developer make so the Apex method functions correctly?  
 Choose 2 answers

- A. Add @AuraEnabled to line 09.
- B. Add @AuraEnabled to line 03.
- C. Add @AuraEnabled to lines 11 and 12.
- D. Add @AuraEnabled to line 01.

**Answer: BC**

#### NEW QUESTION 217

- (Exam Topic 3)

A developer writes a lightning web component that displays a dropdown list of all custom objects in the org from which a user will select Apex method prepares and returns data to the component.

What should the developer do to determine which objects to include in the response?

- A. Check the isCustom ( ) value on the sObject describe result.
- B. Use the getCustomObject ( ) method from the Schema class.
- C. Import the list of all custom objects from @salesforce/schema.
- D. Check the getObjectType ( ) value for Custom' or 'Standard' on the sObject describe result.

**Answer: A**

#### NEW QUESTION 222

- (Exam Topic 3)

There are user complaints about slow render times of a custom data table within a visualforce page that loads thousands of Account records at once.

What can a developer do to help alleviate such issues?

- A. Use the standard Account List controller and implement pagination.
- B. Use JavaScript remoting to query the accounts.
- C. Use the transient keyword in the Apex code when querying the Account records.
- D. Upload a third-party data table library as a static resource.

**Answer: C**

#### NEW QUESTION 223

- (Exam Topic 3)

A developer is creating a Lightning web component to display a calendar. The component will be used in multiple countries. In some locales, the first day of the week is a Monday, or a Saturday, or a Sunday.

What should the developer do to ensure the calendar displays accurately for users in every locale?

- A. Use a custom metadata type to store key/value pairs.
- B. Query the FirstDayOfWeek field from the Locale for the current user.
- C. Use UserInfo
- D. getLocale ( ) in the component.
- E. Import the firstDayOfWeek property in the component.

**Answer: C**

#### NEW QUESTION 227

- (Exam Topic 3)

A custom Aura component, AddressValidation.cmp, exists in the system. The Salesforce admin for the organization is unable to find and select the component while creating a quick action for the Account sObject.

What should the developer do to ensure that AddressValidation.cmp can be selected when creating a quick action?

- A. Ensure the component implements the lightning:actionOverride interface.
- B. Ensure the component implements the force:lightningQuickAction.interface.
- C. Ensure the access attribute of the aura:component tag is set Global.
- D. Ensure the component implements the force:hasRecordedId interface.

**Answer: B**

#### NEW QUESTION 230

- (Exam Topic 3)

A business requires that every parent record must have a child record. A developer writes an Apex method with two DML statements to insert a parent record and a child record.

A validation rule blocks child records from being created. The method uses a try/catch block to handle the DML exception.

What should the developer do to ensure the parent always has a child record?

- A. Use Database.insert () and set the allorNone parameter to true.
- B. Use addError () on the parent record if an error occurs on the child record.
- C. Set a database savepoint to rollback if there are errors.
- D. Delete the parent record in the catch statement when an error occurs on the child record DML operation.

**Answer: C**

#### NEW QUESTION 234

- (Exam Topic 3)

As part of point-to-point integration, a developer must call an external web service which, due to high demand, takes a long time to provide a response. As part of the request, the developer must collect key inputs from the end user before making the callout.

Which two elements should the developer use to implement these business requirements? Choose 2 answers

- A. Apex method that returns a Continuation object
- B. Screen now
- C. Process Builder
- D. Lightning web component

**Answer: AD**

#### NEW QUESTION 236

- (Exam Topic 3)

Which statement is true regarding savepoints?

- A. Savepoints are not limited by DML statement governor limits
- B. You can roll back to any savepoint variable created in any order
- C. Static variables are not reverted during a rollback.
- D. Reference to savepoints can cross trigger invocations.

**Answer: C**

#### NEW QUESTION 239

- (Exam Topic 3)

Users upload .csv files in an external system to create account and contact records in Salesforce. Up to 200 records can be created at a time. The users need to wait for a response from Salesforce in the external system, but the data does not need to synchronize between the two systems.

Based on these requirements, which method should a developer use to create the records in Salesforce?

- A. REST API request using composite/vbatch/
- B. REST API request using composite/tree/
- C. Apex web services
- D. Bulk API 2.0

**Answer: D**

#### NEW QUESTION 240

- (Exam Topic 3)

An Apex trigger creates a Contract record every time an Opportunity record is marked as Closed end Won. This trigger is working great, except (due to a recent acquisition) historical Opportunity records need to be loaded into the Salesforce instance.

When a test batch of records are loaded, the Apex trigger creates Contract records. A developer is tasked with preventing Contract records from being created when mass loading the Opportunities, but the daily users still need to have the Contract records created.

What is the most extendable way to update the Apex trigger to accomplish this?

- A. Use a List Custom Setting to disable the trigger for the user who loads the data.
- B. Add a Validation Rule to the Contract to prevent Contract creation by the user who loads the data.
- C. Use a Hierarchy Custom Setting to skip executing the logic inside the trigger for the user who loads the data.
- D. Add the Profile ID of the user who loads the data to the trigger so the trigger will not fire for this user.

**Answer: C**

#### NEW QUESTION 243

- (Exam Topic 3)

Exhibit.

```
SELECT Name, Company, AnnualRevenue
FROM Lead
WHERE AnnualRevenue >= :aRevenue
AND Company LIKE :safeTerm;
LIMIT 20
```

A developer created a JavaScript function as a part of a Lightning web component (LWC) that surfaces information... about leads by imperatively calling `getFetchLeadList` when certain criteria are met.

What are these changes the developer should implement in the Apex class above to ensure the LWC can displ... data efficiently while preserving security? Choose 3 answers

- A. Annotate the Apex method with `gAuraEnabled`
- B. Annotate the Apex method with `@AuraEnabled (Cacheable=true)`.
- C. Use the `WITH SECURITY_ENFORCED` clause within the SOQL query.
- D. Implement the `with sharing` keyword in the class declaration.
- E. Implement the `without sharing` keyword in the class declaration.

**Answer:** BCD

#### NEW QUESTION 246

- (Exam Topic 3)

A lead developer for a Salesforce organization needs to develop a page-centric application that allows the user to interact with multiple objects related to a Contact. The application needs to implement a third-party JavaScript framework such as Angular, and must be made available in both Classic and Lightning Experience. Given these requirements, what is the recommended solution to develop the application?

- A. Aura Components
- B. Lightning Web Components
- C. Visualforce
- D. Lightning Experience Builder

**Answer:** C

#### NEW QUESTION 251

- (Exam Topic 3)

Lightning Aura Component

```
<aura:component controller="SimpleServerSideController">
  <aura:attribute name="firstName" type="String" default="world"/>
  <lightning:button label="Call server" onclick="{!c.echo}"/>
</aura:component>
```

#### Lightning Aura Controller

```
01 ((
02     "echo" : function(cmp) {
03         // create a one-time use instance of the serverEcho action
04         // in the server-side controller
05         var action = cmp.get("c.serverEcho");
06         action.setParams({ firstName : cmp.get("v.firstName") });
07
08         // Create a callback that is executed after
09         // the server-side action returns
10         action.setCallback(this, function(response) {
11             var state = response.getState();
12             if (state === "SUCCESS") {
13                 // Alert the user with the value returned
14                 // from the server
15                 alert("From server: " + response.getReturnValue());
16
17                 // You would typically fire an event here to trigger
18                 // client-side notification that the server-side
19                 // action is complete
20             }
21             else if (state === "INCOMPLETE") {
22                 // do something
23             }
24             else if (state === "ERROR") {
25                 // A client-side action could cause multiple events,
26                 // which could trigger other events and
27                 // other server-side action calls.
28                 // $A.enqueueAction adds the server-side action to the queue.
29                 $A.enqueueAction(action);
30             }
31         });
32     }
33 ))
```

Given the code above, which two changes need to be made in the Apex Controller for the code to work? Choose 2 answers

- A. Change the method signature to be global static, not public static.
- B. Change the argument from JSONObject to String.
- C. Annotate the entire class as @AuraEnabled instead of just the single method.
- D. Remove line 06 from the Apex Controller and use firstName In the return.

**Answer:** BD

**NEW QUESTION 256**

- (Exam Topic 3)

Which two best practices should the developer implement to optimize this code? Choose 2 answers

- A. Use a collection for the DML statement.
- B. Query the Pricing\_structure\_\_c records outside of the loop.
- C. Change the trigger context to after update, after insert.
- D. Remove the DML statement.

**Answer:** BD

**NEW QUESTION 259**

- (Exam Topic 3)

When calling a RESTful web service, the developer must implement two-way SSL authentication to enhance security. The Salesforce admin has generated a self-sign certificate within Salesforce with a unique name of "ERPSECertificate".

Consider the following code snippet:

Which method must the developer implement in order to sign the HTTP request with the certificate?

- A. req.setHeader('certificate', 'ERPSECertificate');
- B. req.setSecure('ERPSECertificate');
- C. req.setClientCertificateName('ERPSECertificate');
- D. req.setSecureCertificate('ERPSECertificate');

**Answer:** C

**NEW QUESTION 262**

- (Exam Topic 3)

A developer is writing a Visualforce page that queries accounts in the system and presents a data table with the results. The users want to be able to filter the results based on up to five fields. However, the users want to pick the five fields to use as filter fields when they run the page.

Which Apex code feature is required to facilitate this solution?

- A. Streaming API
- B. Dynamic SOQL
- C. Report API
- D. Dynamic variable binding

**Answer:** D

**NEW QUESTION 265**

- (Exam Topic 3)

The following code segment is pulled from a Trigger handler class from the Opportunity trigger:

```
for(Opportunity opp: Trigger.new){
    if(opp.amount >= 1000000){
        Account acct = [SELECT Id, status FROM Account WHERE id = :opp.accountId LIMIT 1];
        acct.status = 'High Potential';
        Update acct;
    }
}
```

Which two changes should improve this code and make it more efficient? Choose 2 answers

- A. Move the DML outside of the for loop.
- B. Move the SOQL to fetch the account record outside of the for loop.
- C. Move business logic inside the Opportunity trigger.
- D. Use Triginstead.old instead of Trigger.new.

**Answer:** AB

**NEW QUESTION 269**

.....

## Relate Links

**100% Pass Your Platform-Developer-II Exam with Exam Bible Prep Materials**

<https://www.exambible.com/Platform-Developer-II-exam/>

## Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>