

PL-400 Dumps

Microsoft Power Platform Developer

<https://www.certleader.com/PL-400-dumps.html>



NEW QUESTION 1

- (Exam Topic 2)

You need to improve warehouse counting efficiency. What should you create?

- A. a flow that updates the warehouse counts as the worker performs the count
- B. a model-driven app that allows the user to key in inventory counts
- C. A Power BI dashboard that shows the inventory counting variances
- D. a canvas app that scans barcodes to allow a warehouse worker to select inventory counts

Answer: D

Explanation:

Scenario: Warehouse counting is performed manually by using a counting journal. All warehouse boxes and items are barcoded.

NEW QUESTION 2

- (Exam Topic 4)

You are creating a model-driven app.

Users need to see only the entities in the app navigation that are relevant to their role and their method of accessing the app.

You need to restrict entities on the sub-areas in the SiteMap.

Which properties should you use? To answer, drag the appropriate properties to the correct requirements. Each property may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Answer Area

Properties	Requirement	Property
Client	Ensure that the entity is visible only if the user can create records.	<input type="text"/>
Offline Availability	Ensure that the entity is not visible if the user is using an on-premises deployment.	<input type="text"/>
Privileges	Ensure that the entity is visible only if the user is accessing the app with a web browser.	<input type="text"/>
SKUs		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Privileges

Privileges: This defines whether a subarea is displayed based on privileges available in any security roles that are assigned to the user.

Box 2: SKU

SKUs: Select the versions of Dynamics 365 that display this subarea. Box 3: Client

Client: Select the type of client that displays this subarea. Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/create-site-map-app>

NEW QUESTION 3

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A Common Data Service (CDS) environment has two custom entities named Building code and Work item. Building code has a code date custom field and Work item has an elapsed time custom field. Construction workers use a consolidated custom form with data from both entities to fill in their daily work items.

A JavaScript library is used with these custom entities and fields to apply complex logic.

You need to ensure that the JavaScript library continues to function as originally designed if other developers expand the environment.

Solution:

- > In the Building code form, add the JavaScript library in the events tab and the Code date field to the non-event dependencies.
- > In the Work item form, add the JavaScript library in the Events tab and the Elapsed time field to the non-event dependencies.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead, in the JavaScript library, add Building code with Code date and Work item with Elapsed time in the dependencies tab.

Reference:

<https://docs.microsoft.com/en-us/dynamics365/customerengagement/on-premises/developer/web-resource-depe>

NEW QUESTION 4

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A university has implemented Dynamics 365 Customer Engagement. Several departments use opportunity records to bid for funding for projects within their own departments.

Each department's opportunities are not visible to other departments. However, there are times when two departments need to work together on an opportunity.

You need to configure the security to meet the business requirements.

Solution: Use access team templates and give access to members in the two departments. Does the solution meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Access Team template

The privileges assigned to the access team through Access Team Templates. Access Team template allows you to create a template for the entities on which "Access Teams" option is enabled. You can grant or restrict access to the entity records through "Access Rights". Essentially, this is like a record-based security model on an entity record for specific users.

Once the access team template is created and added to the entity form, you can start adding users. For example, on an opportunity record add a new user in the Access Team Template sub-grid.

Reference:

<https://community.dynamics.com/crm/b/crmdevmigrationconfigandcustomization/posts/access-teams-and-acces>

NEW QUESTION 5

- (Exam Topic 4)

A bank uses a Common Data Service solution to manage clients.

Bank representatives perform client credit checks while the client is present. Credit checks may take up to five minutes to complete.

Bank policy dictates that the bank representative's app must stay blocked until credit checks are complete. You need to display a model-driven app while credit checks run to ask the bank representative and client to wait for the credit check to complete.

Which function should you use?

- A. Xrm.Navigation.openWebResource("prefix.myPoliteMessage.html")
- B. Xrm.Navigation.openAlertDialog(myPoliteMessage)
- C. Xrm.Utility.openWebResource("prefix_myPoliteMessage.html")
- D. Xrm.Utility.showProgressIndicator(myPoliteMessage)

Answer: D

Explanation:

showProgressIndicator displays a progress dialog with the specified message.

Any subsequent call to this method will update the displayed message in the existing progress dialog with the message specified in the latest method call.

The progress dialog blocks the UI until it is closed using the closeProgressIndicator method. So, you must use this method with caution.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/model-driven-apps/clientapi/reference/xrm-utility/showp>

NEW QUESTION 6

- (Exam Topic 4)

You are creating a flow using the Common Data Service (CDS) connector. You need to select the appropriate triggers.

Which triggers should you use? To answer, drag the appropriate triggers to the correct scenarios. Each trigger may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Triggers	Scenario	Trigger
Record creation	Choose accounts that are in the USA and send those account contacts an email.	Trigger
Record selection	Contacts that have not been modified in 60 days should no longer be in the system.	Trigger
Record deletion	An area code has been mistyped in all records.	Trigger
Record update		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Triggers

- Record creation
- Record selection
- Record deletion
- Record update

Answer Area

Scenario	Trigger
Choose accounts that are in the USA and send those account contacts an email.	Record selection
Contacts that have not been modified in 60 days should no longer be in the system.	Record deletion
An area code has been mistyped in all records.	Record update

NEW QUESTION 7

- (Exam Topic 4)

A fine arts school uses a custom canvas application based on the Common Data Service (CDS) platform.

Artists experience errors on their Artist canvas app and delays when switching pages. You need to identify the root causes of these issues.

Which troubleshooting methods should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Issue

Troubleshooting method

Artist canvas app has errors.

- PowerApp Checker
- Solution Checker
- Site Map validation

Application runs slowly.

- PowerApps Admin Center
- Service Performance in PowerApps Analytics
- Dynamics 365 Service Health
- PowerApps client session details

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Site Map validation

When you validate the app, the app designer canvas shows you details about the assets that are missing. In the app designer, select Validate.

A notification bar appears and shows you whether the app has any errors or warnings. The notification bar shows warnings in cases where, for example, an entity has no forms or views, or the app doesn't contain any components. An error might appear if a site map isn't configured for the app.



Reference:

- <https://docs.microsoft.com/en-us/dynamics365/customerengagement/on-premises/customize/validate-app>
- <https://community.dynamics.com/crm/b/crmintthefield/posts/monitoring-the-power-platform-canvas-driven-apps>

NEW QUESTION 8

- (Exam Topic 4)

A company plans to replicate a Dynamics 365 Sales database into an Azure SQL Database instance for reporting purposes. The data Export Service solution has been installed. You need to configure the Data service.

Which three actions should you perform? The data Export Service solution has been installed. You need to configure the Data service.

Which three actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Create an Azure SQL Database service in the same tenant as the Dynamics 365 Sales environment.
- B. Enable auditing entities that must be replicated to Azure SQL database.
- C. Enable change tracking for all entities that must be replicated to Azure SQL Database.

- D. Set up server-based integration.
- E. Create an export profile that specifies all the entities that must be replicated.

Answer: ACE

Explanation:

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/replicate-data-microsoft-azure-sql-database>

NEW QUESTION 9

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A university has implemented Dynamics 365 Customer Engagement. Several departments use opportunity records to bid for funding for projects within their own departments.

Each department's opportunities are not visible to other departments. However, there are times when two departments need to work together on an opportunity.

You need to configure the security to meet the business requirements.

Solution: Create a security role that has organization-level access to opportunities. Give this security role to all members of the two departments who need access.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use access team templates and give access to members in the two departments. Reference:

<https://community.dynamics.com/crm/b/crmdevmigrationconfigandcustomization/posts/access-teams-and-acces>

NEW QUESTION 10

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are designing a one-way integration from the Common Data Service to another system.

You must use an Azure Function to update the other system. The integration must send only newly created records to the other system. The solution must support scenarios where a component of the integration is unavailable for more than a few seconds to avoid data loss.

You need to design the integration solution.

Solution: Register a service endpoint in the Common Data Service that connects to an Azure Service Bus queue.

Register a step at the endpoint which runs asynchronously on the record's Create message and in the portoperation stage.

Configure the Azure Function to process records as they are added to the queue. Does the solution meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Microsoft Dataverse supports integration with Azure.

For the Dataverse and Azure connection to work, there must be at least one solution in an Azure Service Bus solution account, where the solution contains one or more service endpoints.

For a queue endpoint contract, a listener doesn't have to be actively listening. Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/azure-integration>

NEW QUESTION 10

- (Exam Topic 4)

You are creating a Power Apps app that retrieves customer information from Azure Active Directory when you use the app to look up a customer record.

You create an Azure Function by using JSON code to retrieve the customer information. You need to make the application work.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Create a Power Automate flow to import data.
- B. Create a custom connector that uses the Azure Function API.
- C. Copy your JSON code to the app.
- D. Create a custom connector that uses the JSON code.
- E. Create an API definition for the Azure Function.

Answer: BE

Explanation:

E: Before exporting an API, you must describe the API using an OpenAPI definition.

B: This OpenAPI definition contains information about what operations are available in an API and how the request and response data for the API should be structured. PowerApps and Microsoft Flow can create custom connectors for any OpenAPI 2.0 definition.

Reference:

<https://github.com/MicrosoftDocs/azure-docs/blob/master/articles/azure-functions/app-service-export-api-topow>

NEW QUESTION 12

- (Exam Topic 4)

A company uses Dynamics 365 Sales and the Microsoft Online Services portal. The multi-select OptionSet field data type is not supported in the portal. You need to copy the selected field value to the text field.

How should you configure the Organization service request? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

```
Entity entity = (Entity)context.InputParameters["Target"];
var attributeRequest = new RetrieveAttributeRequest
{
    EntityLogicalName = "entityname",
    LogicalName = "fieldname",
```

```
RetrieveAsIfPublished = 
};
```

true
false

```
var attributeResponse = (RetrieveAttributeResponse)
service.Execute(attributeRequest);
var attributeMetadata =
(EnumAttributeMetadata)attributeResponse.
```

AttributeMetadata
AttributeResponse
OptionMetadataCollection
MultiSelectPicklistAttributeMetadata

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

If you are creating an attribute editor you will need to retrieve entity data that has been saved but not published. For other scenarios you will want to only retrieve published metadata.

- > Set this value to true to include unpublished changes, as it would look if you called publish.
- > Set this value to false to include only the currently published changes, ignoring the changes that haven't yet been published.

Box 2: AttributeMetadata

AttributeMetadata class is returned in the RetrieveAttributeResponse. Reference:

<https://docs.microsoft.com/en-us/dotnet/api/microsoft.xrm.sdk.messages.retrieveattributerequest.retrieveasifpubl> <https://docs.microsoft.com/en-us/dotnet/api/microsoft.xrm.sdk.metadata.attributemetadata?view=dynamics-gene>

NEW QUESTION 16

- (Exam Topic 4)

An organization uses Dynamics 365 Sales. The organization has accounting and customer service departments. You must restrict users in customer service from being able to change the value of the balance field on the Contact records. The accounting team must be the only team able to edit this field. You need to create the appropriate solution without any customizations. What should you do first?

- A. Enable field security for the balance field and grant the customer service team read and update permissions.
- B. Create a customer service form and role and make the balance field read-only.
- C. Enable field security for the balance field and grant the accounting team read permissions.
- D. Enable field security for the balance field and grant the customer service team read permissions.

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/dynamics365/customer-service/create-design-forms-customer-service-hub>

NEW QUESTION 20

- (Exam Topic 4)

You have the following code:

```
Xrm.WebApi.createRecord("account", data).then(
    function success(result) {
        console.log("Success");
    },
    function (error) {
        console.log(error.message);
    }
);
```

You have a contact record that uses the GUID 2CFB1599-DEAD-425F-AB4A-76E6CAB51B09.

You need to assign the contact record as the primary contact for an account when you create the account. Which two code segments can you use? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A.

```
var data =
{
    "name": "Contoso account",
    "primarycontactid@odata.context": "/contacts(2CFB1599-DEAD-425F-AB4A-76E6CAB51B09)"
};
```
- B.

```
var data =
{
    "name": "Contoso account",
    "primarycontactid":
    {
        "logicalname": "contact",
        "id": "2CFB1599-DEAD-425F-AB4A-76E6CAB51B09"
    };
};
```
- C.

```
var data =
{
    "name": "Contoso account",
    "primarycontactid@odata.bind": "/contacts(2CFB1599-DEAD-425F-AB4A-76E6CAB51B09)"
};
```
- D.

```
var data =
{
    "name": "Contoso account",
    "primarycontactid": "/contacts(2CFB1599-DEAD-425F-AB4A-76E6CAB51B09)"
};
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: BC

NEW QUESTION 24

- (Exam Topic 4)

A company must copy customer account data changes from a Common Data Service (CDS) instance into an external system.

Azure Storage Queues are used to pass the changes from CDS to the external system. You have the following code. (Line numbers are included for reference only.)

```
01 string token = null;
02 token = ProcessAccountChanges(_service, token, changeQueue, deleteQueue);
03 ...
04 token = ProcessAccountChanges(_service, token, changeQueue, deleteQueue);
05 ...
06 private static string ProcessAccountChanges(IOrganizationService orgservice,
string token, CloudQueue changeQueue, CloudQueue deleteQueue)
07 {
08     var request = new RetrieveEntityChangeRequest();
09     request.EntityName = "account";
10     request.Columns = new ColumnSet("name", "accountnumber", "creditlimit",
"ownerid");
11     request.DataVersion = token;
12     RetrieveEntityChangeResponse response = (RetrieveEntityChangeResponse)
orgservice.Execute(request);
13     token = response.EntityChanges.DataToken;
14     foreach (var change in response.EntityChanges.Changes)
15     {
16         if (change.Type == ChangeType.NewOrUpdated)
17         {
18             var changedItem = (NewOrUpdatedItem) change;
19             Entity newOrChangedEntity = (Entity) changedItem.NewOrUpdatedEntity;
20             CloudQueueMessage changemessage = new CloudQueueMessage
(newOrChangedEntity.Id.ToString());
21             changeQueue.AddMessage(changemessage);
22         }
23         else if (change.Type == ChangeType.RemoveOrDeleted)
24         {
25             var deletedItem = (RemoveOrDeletedItem) change;
26             EntityReference deletedEntityReference = deletedItem.RemovedItem;
27             CloudQueueMessage deletemessage = new CloudQueueMessage
(deletedEntityReference.Id.ToString());
28             deleteQueue.AddMessage(deletemessage);
29         }
30     }
31     return token;
32 }
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statement	Yes	No
The first call to ProcessAccountChanges at line 2 adds changes made to account records to the storage queues.	<input type="radio"/>	<input type="radio"/>
The second call to ProcessAccountChanges at line 4 adds changes made to account records to the storage queues.	<input type="radio"/>	<input type="radio"/>
The messages in changeQueue specify whether the accounts are new or updated.	<input type="radio"/>	<input type="radio"/>
A message is added to deleteQueue if an account is created and subsequently deleted at line 3.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes
Box 2: Yes
Box 3: No
Either new/updated or removed/deleted. Box 4: Yes

NEW QUESTION 27

- (Exam Topic 4)

A company implements Dynamics 365 Customer Service. The company deploys synchronous plug-ins for the PreOperation and PostOperation stages on create and for the PostOperation stage on update for processing different case type.

Users experience errors when updating cases. The plug-in trace log files show that the PostOperation plug-in update of case times out after two minutes.

You perform basic testing and discover that this plug-in is triggered on every update of a case. You examine the code and discover that the plug-in retrieves all columns for the updated case record performing its work.

You need to reduce the number of errors. You need to achieve this goal with the test amount of changes. Solution: In the Plug-in Registration tool, set filtering attributes on the plug-in to only Case Type filed. Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 32

- (Exam Topic 4)

You fix a bug in the code of your application, which is currently on version 10.0.2.1. You need to publish an updated version of the solution. Which version identifier should you use?

- A. 10.0.3.1
- B. 10.0.2.2
- C. 10.1.0.2
- D. 11.0.0

Answer: A

Explanation:

The version number are <major>.<minor>.<build>.<revision>.

When we create patches in Dynamics 365, the system will automatically increment the build version (you can overwrite the chosen number when you create the patch). For example, if our solution starts at 1.0.0.0, we export it to become 1.0.0.1. We then create a patch, and the version of the patch is 1.0.1.1. If we export it now, it might become 1.0.1.2. In all cases, the build or version number has been incremented. Patches require the build or version number to increment, but not the major or minor version.

Reference:

<https://carlidesouza.com/how-solution-version-numbers-work-in-the-microsoft-power-platform/>

NEW QUESTION 35

- (Exam Topic 4)

A university has implemented Dynamic 365 Sales. Several department use opportunity records to bid for funding for project within their departments.

Each department's opportunities are not visible to other departments. However, there are times two departments needs to work together on an opportunity.

You need to configure the security to meet the business requirements.

Solution: Use position hierarchy security and define the two departments as positions. Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 36

- (Exam Topic 4)

A financial institution that has a Dynamics 365 Customer Engagement environment requires that the account balance field from the account entity be visible to

specific users only.
You need to set up the field security for the account balance field.
Which three actions should you perform? Each correct answer presents part of the solution.
NOTE: Each correct selection is worth one point.

- A. Create a field security profile.
- B. Set the field to Read-Only and then publish the entity.
- C. Create a security role and add the specific users to the role.
- D. Enable field security and then publish the entity.
- E. Set the field permission Allow Read to Yes and add the users to the members section.

Answer: ADE

Explanation:

To implement field-level security, a system administrator performs the following tasks.

- Enable field security on one or more fields for a given entity.
- Associate one more existing security profiles, or create one or more new security profiles to grant the appropriate access to specific users or teams.

A security profile determines the following:

- Permissions to the secure fields
- Users and Teams

A security profile can be configured to grant user or team members the following permissions at the field level:

- Read. Read-only access to the field's data.
- Create. Users or teams in this profile can add data to this field when creating a record.
- Update. Users or teams in this profile can update the field's data after it has been created. Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/field-level-security>

NEW QUESTION 38

- (Exam Topic 4)

A company has a model-driven app that captures applications from prospective students.

You are asked to create a new re-usable custom component using the Power Apps component framework (PCF).

The custom component must allow entry of a date of birth and validate that the applicant is not a minor. You create the class AuditDatePicker in the TypeScript file Index.ts and the style sheet DatePicker.css.

You need to define the component to be available only for relevant fields and its properties when used in a form.

How should you complete the manifest? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

```
<?xml version="1.0" encoding="utf-8"?>
<manifest>
  <control namespace="delegate" constructor=
    version="1.0.0" display-name-key="Date Picker" description-key="Date of Birth
    Date Picker that validates if a minor" control-type="standard">
    <property name="value" display-name-key="Value" description-key="Value" of-
type=
  Enum
  DateandTime.DateandTime
  DateandTime.DateOnly
  usage=
  bound
  input
  required="true" />
  <resources>
    <code path="Index.ts" order="1"/>
    <css path="css/DatePicker.css" order="1" />
  </resources>
</control>
</manifest>
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: AuditDatePicker

Constructor: Constructor of the code component. Box 2:DateandTime.DateOnly

Box 3: bound

usage: Has two properties, bound and input. Bound properties are bound only to the value of the field. Input properties are either bound to a field or allow a static value.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/component-framework/manifest-schema-reference/manif> <https://docs.microsoft.com/en-us/powerapps/developer/component-framework/implementing-controls-using-typ>

NEW QUESTION 42

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your PL-400 Exam with Our Prep Materials Via below:

<https://www.certleader.com/PL-400-dumps.html>