



Microsoft

Exam Questions PL-400

Microsoft Power Platform Developer

About ExamBible

Your Partner of IT Exam

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

- (Exam Topic 2)

You need to replace the bicycle inspection forms.

Which two solutions should you use? Each answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. a flow that maps inspection data to Dynamics 365 Field Service
- B. a logic app that guides the technician through the inspection
- C. a canvas app that guides the technician through the inspection
- D. a model-driven app based on customer service entities

Answer: AD

Explanation:

Scenario: The Adventure Works Cycles retail location performs bicycle inspections and performance tune-ups. Technicians use paper forms to document the bicycle inspection performed before a tune-up and any additional work performed on the bicycle.

Reference:

<https://docs.microsoft.com/en-us/dynamics365/field-service/overview> <https://us.hitachi-solutions.com/blog/canvas-vs-model-driven-apps/>

NEW QUESTION 2

- (Exam Topic 4)

A company imports data from files.

The following code is created to import the files. (Line numbers are included for reference only.)

```

1. var transactionrequest = new ExecuteTransactionRequest()
2. {
3.     Requests = new OrganizationRequestCollection(),
4.     ReturnResponses = true
5. };
6. --
7. foreach (DataRow dr inRows)
8. {
9. --
10. var contact = new Entity("contact");
11. contact["firstname"] = firstname;
12. contact["lastname"] = lastname;
13. var createRequest = new CreateRequest() {Target = contact};
14. transactionrequest.Requests.Add(createRequest);
15. }
16. try
17. {
18. var response = (ExecuteTransactionResponse)crmSvc.Execute(transactionrequest);
19. foreach (var responseItem in response.Responses)
20. {
21. var createResponse = (CreateResponse)responseItem;
22. Console.WriteLine("Created: {0}", createResponse.id.ToString());
23. }
24. }
25. catch (FaultException<Microsoft.Xrm.Sdk.OrganizationServiceFault> ex)
26. {
27. Console.WriteLine("Error: {0}", ((ExecuteTransactionFault)(ex.Detail)).FaultedRequestIndex + 1, ex.Detail.Message);
28. }

```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
If an error occurs when one of the contacts is created, processing will continue, and the remainder of the contacts will be created.	<input type="radio"/>	<input type="radio"/>
,ContinueOnError = true can be added at line 5.	<input type="radio"/>	<input type="radio"/>
The order of requests is performed in the sequence added to transactionrequest.	<input type="radio"/>	<input type="radio"/>
Lines 19-23 are required for the contacts to be created.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: No

Need to set ContinueOnError=True. ContinueOnError: When true, continue processing the next request in the collection even if a fault has been returned from processing the current request in the collection. When false, do not continue processing the next request.

Box 2: No

ContinueOnError = true must be added before Requests = new OrganizationRequestCollection() on line 3. Example:

```
// Create an ExecuteMultipleRequest object.
requestWithResults = new ExecuteMultipleRequest()
{
// Assign settings that define execution behavior: continue on error, return responses. Settings = new ExecuteMultipleSettings()
{
ContinueOnError = false, ReturnResponses = true
},
// Create an empty organization request collection. Requests = new OrganizationRequestCollection()
};
```

Box 3: Yes

You can use the ExecuteMultipleRequest message to support higher throughput bulk message passing scenarios in Common Data Service.

ExecuteMultipleRequest accepts an input collection of message Requests, executes each of the message requests in the order they appear in the input collection, and optionally returns a collection of Responses containing each message's response or the error that occurred.

Box 4: No

This is just for displaying the result. Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/org-service/execute-multiple-reque>

NEW QUESTION 3

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than once correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are designing a one-way integration from the Common Data Service to another system.

You must use an Azure Function to update the other system. The integration must send only newly created records to the other system. The solution must support scenarios where a component of the integration is unavailable for more than a few seconds to avoid data loss. You need to design the integration solution.

Solution: Configure the Azure Function with a timer trigger that runs every five minutes. The function will query the Common Data Service and process records created in the last five minutes.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use Azure Service Bus queue solution with asynchronous communication. Reference:
<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/azure-integration>

NEW QUESTION 4

- (Exam Topic 4)

A manufacturing company takes online orders.

The company requires automatic validation of order changes. Requirements are as follows:

- > If validation is successful, the order is submitted.
- > If exceptions are encountered, a message must be shown to the customer. You need to set up and deploy a plug-in that encapsulates the rules.

Which options should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Settings	Options
Execution stage	<div style="border: 1px solid black; padding: 5px;"> PreValidation PreOperation PostOperation </div>
Execution mode	<div style="border: 1px solid black; padding: 5px;"> Asynchronous Synchronous </div>
Image	<div style="border: 1px solid black; padding: 5px;"> Pre image Post image </div>
Error message	<div style="border: 1px solid black; padding: 5px;"> throw new InvalidPluginExecutionException("Your error message", ex); tracingService.Trace("Your error message: {0}", ex.ToString()); </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: PreValidation

PreValidation: For the initial operation, this stage will occur before the main system operation.

This provides an opportunity to include logic to cancel the operation before the database transaction. Box 2: Synchronous

Ideally, you should only cancel operations using synchronous plug-ins registered in the PreValidation stage. Box 3: Pre Image

Box 4: throw ..

When you throw an InvalidPluginExecutionException exception within a synchronous plug-in an error dialog with your message will be displayed to the user.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/event-framework> <https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/handle-exceptions>

NEW QUESTION 5

- (Exam Topic 4)

A company uses SharePoint for its intranet and other functions. The company has also implemented model-driven apps.

SharePoint users must be able to create contact records in the Common Data Service (CDS), without having to navigate to the model-driven apps.

You need to create a link in SharePoint to open the CDS contact from displaying data from SharePoint. How should you complete the URL? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

http://contoso.crm.dynamics.com/ ? =contact&

=param_1%3DSharePoint&pagetype=

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

https://contoso.crm.dynamics.com/main.aspx?etn=contact&extraqs=param_1%3D&pagetype=entityrecord Box 1: main.aspx

Example, to open the Active Contacts view. <https://myorg.crm.dynamics.com/main.aspx?etn=contact&pagetype=entitylist&viewid={00000000-0000-0000-0000-000000000000}> Box 2: etn

Etn: The logical name of the entity. Important: Do not use the etc (entity type code) parameter that contains an integer code for the entity. This integer code varies for custom entities in different organizations.

Box 3: Extraqs

Extraqs: Optional for forms. This parameter contains encoded parameters within this parameter.

When you open a new form by using the URL address, you can include arguments in the extraqs parameter to set field values

Note: You must encode the parameters passed in the extraqs parameter. To encode the parameters, use encodeURIComponent. To use special characters like "=" or "&" in the parameter values, you must double encode (e.g. to set name to A=B&C, it would be extraqs=name%3DA%253DB%2526C).

Box 4: entityrecord Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/model-driven-apps/open-forms-views-dialogs-reports-url> <https://docs.microsoft.com/en-us/powerapps/developer/model-driven-apps/set-field-values-using-parameters-pas>

NEW QUESTION 6

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A university has implemented Dynamics 365 Customer Engagement. Several departments use opportunity records to bid for funding for projects within their own departments.

Each department's opportunities are not visible to other departments. However, there are times when two departments need to work together on an opportunity.

You need to configure the security to meet the business requirements.

Solution: Use access team templates and give access to members in the two departments. Does the solution meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Access Team template

The privileges assigned to the access team through Access Team Templates. Access Team template allows you to create a template for the entities on which "Access Teams" option is enabled. You can grant or restrict access to the entity records through "Access Rights". Essentially, this is like a record-based security model on an entity record for specific users.

Once the access team template is created and added to the entity form, you can start adding users. For example, on an opportunity record add a new user in the Access Team Template sub-grid.

Reference:

<https://community.dynamics.com/crm/b/crmdevmigrationconfigandcustomization/posts/access-teams-and-acces>

NEW QUESTION 7

- (Exam Topic 4)

You have a Common Data Service entity and a model-driven app. The model-driven app integrates with an external system.

You plan to run business logic each time the model-driven app creates a record. Running business logic must not negatively affect model-driven app users.

You need to implement the business logic. What should you use?

- A. Synchronous plug-in registered in the PreOperation stage
- B. Synchronous workflow
- C. Asynchronous plug-in registered in the PostOperation stage

Answer: C

Explanation:

The asynchronous service executes long-running operations independent of the main Microsoft Dataverse core operation. This results in improved overall system performance and improved scalability.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/asynchronous-service>

NEW QUESTION 8

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A Common Data Service (CDS) environment has two custom entities named Building code and Work item. Building code has a code date custom field and Work item has an elapsed time custom field. Construction workers use a consolidated custom form with data from both entities to fill in their daily work items.

A JavaScript library is used with these custom entities and fields to apply complex logic.

You need to ensure that the JavaScript library continues to function as originally designed if other developers expand the environment.

Solution: In form properties of the consolidated form, add the JavaScript library in the events tab and add the two custom fields to the dependent fields section of the non-event dependencies tab.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead, in the JavaScript library, add Building code with Code date and Work item with Elapsed time in the dependencies tab.

Reference:

<https://docs.microsoft.com/en-us/dynamics365/customerengagement/on-premises/developer/web-resource-depe>

NEW QUESTION 9

- (Exam Topic 4)

A bank uses a Common Data Service solution to manage clients.

Bank representatives perform client credit checks while the client is present. Credit checks may take up to five minutes to complete.

Bank policy dictates that the bank representative's app must stay blocked until credit checks are complete. You need to display a model-driven app while credit checks run to ask the bank representative and client to wait for the credit check to complete.

Which function should you use?

- A. `Xrm.Navigation.openWebResource("prefix.myPoliteMessage.html")`
- B. `Xrm.Navigation.openAlertDialog(myPoliteMessage)`
- C. `Xrm.Utility.openWebResource("prefix_myPoliteMessage.html")`
- D. `Xrm.Utility.showProgressIndicator(myPoliteMessage)`

Answer: D

Explanation:

`showProgressIndicator` displays a progress dialog with the specified message.

Any subsequent call to this method will update the displayed message in the existing progress dialog with the message specified in the latest method call.

The progress dialog blocks the UI until it is closed using the `closeProgressIndicator` method. So, you must use this method with caution.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/model-driven-apps/clientapi/reference/xrm-utility/showp>

NEW QUESTION 10

- (Exam Topic 4)

A company uses a model-driven app to record details of laboratory test.

You are asked to create a custom component that makes it easier to capture multiple values from lab test results on mobile devices.

You need to create the interface for the dataset in case the mobile devices lose connection to the network. Which method should you use?

- A. `SaveData`
- B. `updateView`
- C. `init`
- D. `getClient`

Answer: A

Explanation:

Use LoadData and SaveData for basic data storage while offline. Note:

When building mobile apps, one of the most common scenarios app makers face is how to enable their users be productive in situations where there is limited or no connectivity at all. This has been one of the most requested features for PowerApps to allow running apps while being disconnected and to provide some support for offline data caching. In this release of PowerApps, we are delivering the first set of improvements for app makers to achieve that by enabling:

- Launching the PowerApps mobile player app offline
- Running apps while being offline
- Determine when your app is online or offline or in a metered connection by using the Connection signal object.
- Leverage existing formulas such as LoadData and SaveData for basic data storage while offline.

Reference:

<https://powerapps.microsoft.com/sv-se/blog/build-offline-apps-with-new-powerapps-capabilities/>

NEW QUESTION 10

- (Exam Topic 4)

A company is preparing to go live with their Dynamics 365Sales solution, but first they need to migrate data from a legacy system. The company is migrating accounts in batches of 1,000.

When the data is saved to Dynamics 365 Sales, the IDs for the new accounts must be output to a log file. You have the following code:

```

1. ExecuteMultipleRequest request = new ExecuteMultipleRequest()
2. {
3.     Settings = new ExecuteMultipleSettings()
4.     {
5.         ContinueOnError = true,
6.         ReturnResponses = false
7.     },
8.     Requests = new OrganizationRequestCollection()
9. };
10. GetAccountData(request.Requests);
11. ExecuteMultipleResponse responseWithResults = (ExecuteMultipleResponse)
    crmSvc.Execute(request);
12. foreach (var responseItem in responseWithResults.Responses)
13. {
14.     . . .
15. }
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

Statement	Yes	No
The developer is able to get access to the newly-created accounts IDs.	<input type="radio"/>	<input type="radio"/>
If an error occurs, the developer can get access to the request that caused the fault.	<input type="radio"/>	<input type="radio"/>
If there are errors in the requests, the request will raise an exception at the first error and stop processing.	<input type="radio"/>	<input type="radio"/>
If there are ten errors in the 1,000 CreateRequest requests, ten responses will be returned from the platform.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: No

Box 2: Yes

ContinueOnError: When true, continue processing the next request in the collection even if a fault has been returned from processing the current request in the collection. When false, do not continue processing the next request.

ReturnResponses: When true, return responses from each message request processed. When false, do not return responses.

When false, the Responses collection will not be empty if errors are returned. If errors are returned, there will be one response item in the collection for each processed request that returned a fault and Fault will be set to the actual fault that occurred.

Box 3: No

Box 4: Yes

For example, in a request collection that contains six requests where the third and fifth request return faults, the following table indicates what the Responses collection would contain.

ContinueOnError=true, ReturnResponses=false: 2 response items: 2 have Fault set to a value. Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/org-service/execute-multiple-reque>

NEW QUESTION 11

- (Exam Topic 4)

A fine arts school uses a custom canvas application based on the Common Data Service (CDS) platform. Artists experience errors on their Artist canvas app and delays when switching pages. You need to identify the root causes of these issues. Which troubleshooting methods should you use? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

Issue	Troubleshooting method
Artist canvas app has errors.	<ul style="list-style-type: none"> PowerApp Checker Solution Checker Site Map validation
Application runs slowly.	<ul style="list-style-type: none"> PowerApps Admin Center Service Performance in PowerApps Analytics Dynamics 365 Service Health PowerApps client session details

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Site Map validation

When you validate the app, the app designer canvas shows you details about the assets that are missing. In the app designer, select Validate. A notification bar appears and shows you whether the app has any errors or warnings. The notification bar shows warnings in cases where, for example, an entity has no forms or views, or the app doesn't contain any components. An error might appear if a site map isn't configured for the app.



Reference:

- <https://docs.microsoft.com/en-us/dynamics365/customerengagement/on-premises/customize/validate-app>
- <https://community.dynamics.com/crm/b/crmthefield/posts/monitoring-the-power-platform-canvas-driven-apps>

NEW QUESTION 13

- (Exam Topic 4)

A travel agency has a Dynamics 365 Customer Engagement. Customers are allowed to add up to three countries/regions to their travel preferences from the website. Their preferences must be stored in the Contact entity. You need to register the plug-in to meet the requirements. Which value should you apply for each parameter? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

Parameter	Value
message	<div style="border: 1px solid black; padding: 5px;"> <div style="border-bottom: 1px solid black; padding: 2px;">create</div> <div style="border-bottom: 1px solid black; padding: 2px;">associate</div> <div style="padding: 2px;">update</div> </div>
primary entity	<div style="border: 1px solid black; padding: 5px;"> <div style="border-bottom: 1px solid black; padding: 2px;">none</div> <div style="border-bottom: 1px solid black; padding: 2px;">country</div> <div style="padding: 2px;">contact</div> </div>
secondary entity	<div style="border: 1px solid black; padding: 5px;"> <div style="border-bottom: 1px solid black; padding: 2px;">none</div> <div style="border-bottom: 1px solid black; padding: 2px;">country</div> <div style="padding: 2px;">contact</div> </div>
execution mode	<div style="border: 1px solid black; padding: 5px;"> <div style="border-bottom: 1px solid black; padding: 2px;">synchronous</div> <div style="padding: 2px;">asynchronous</div> </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: associate

Box 2: contact

Customers are allowed to add up to three countries/regions to their travel preferences from the website. Their preferences must be stored in the Contact entity.

Box 3: country

Box 4: synchronous Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/tutorial-write-plugin-in>

NEW QUESTION 17

- (Exam Topic 4)

A multinational company requires that all phone numbers be standardized as country code + area code + phone number.

The application design team decides that a custom PowerApps component framework (PCF) control should be used to prompt users for an area code and correctly format the phone number.

You need to get the list of valid area codes when a contact record is opened and before the user enters a new phone number.

In which function should you call `webAPI.retrieveMultipleRecords`?

- A. `notifyOutputChanged`
- B. `init`
- C. `getOutputs`
- D. `updateView`

Answer: D

Explanation:

The `updateView` method will be called when any value in the property bag has changed. This includes field values, data-sets, global values such as container height and width, offline status, component metadata values such as label, visible, etc.

Set the value of the field component to the raw value from the configured field. Note: `webAPI.retrieveMultipleRecords` retrieves a collection of entity records.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/component-framework/reference/control/updateview>

NEW QUESTION 22

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A university has implemented Dynamics 365 Customer Engagement. Several departments use opportunity records to bid for funding for projects within their own departments.

Each department's opportunities are not visible to other departments. However, there are times when two departments need to work together on an opportunity.

You need to configure the security to meet the business requirements.

Solution: Create a security role that has organization-level access to opportunities. Give this security role to all members of the two departments who need access.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use access team templates and give access to members in the two departments. Reference:
<https://community.dynamics.com/crm/b/crmdevmigrationconfigandcustomization/posts/access-teams-and-acces>

NEW QUESTION 27

- (Exam Topic 4)

A company is creating a Power Apps portal to collaborate with vendors.

You need to implement custom functionality in the portal by using JavaScript code. Which two portal entities can you use? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Web pages
- B. Web resources
- C. Webforms
- D. Entity lists

Answer: CD

Explanation:

C: The Web Form Step record contains a field named Custom JavaScript that can be used to store JavaScript code to allow you to extend or modify the form's visual display or function.

D: You can add custom Javascripts to Entity lists. Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/portals/configure/add-custom-javascript> <https://docs.microsoft.com/en-us/powerapps/maker/portals/configure/entity-lists#add-custom-javascript>

NEW QUESTION 31

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than once correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are designing a one-way integration from the Common Data Service to another system.

You must use an Azure Function to update the other system. The integration must send only newly created records to the other system. The solution must support scenarios where a component of the integration is unavailable for more than a few seconds to avoid data loss.

You need to design the integration solution.

Solution: Register a service endpoint in the Common Data Service that connects to an Azure Service Bus queue.

Register a step at the endpoint which runs asynchronously on the record's Create message and in the portoperation stage.

Configure the Azure Function to process records as they are added to the queue. Does the solution meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Microsoft Dataverse supports integration with Azure.

For the Dataverse and Azure connection to work, there must be at least one solution in an Azure Service Bus solution account, where the solution contains one or more service endpoints.

For a queue endpoint contract, a listener doesn't have to be actively listening. Reference:


<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/azure-integration>

NEW QUESTION 33

- (Exam Topic 4)

You have a model-driven app that uses the Common Data Service (CDS). You create three custom entities that are in many-to-one parental relationships with the Account entity.

You run a real-time workflow that assigns an account you own to another user. You receive the error message as shown in the Error Message exhibit. (Click the Error Message tab.)



You check the security roles for the user as shown in the Manage User Roles exhibit. (Click the Manage User Roles tab.)

You also check the privileges for that role as shown in the Common Data Service User Security Role exhibit. (Click the Security Role tab.)

Entity	Create	Read	Write	Delete	Append	Append To	Assign	Share
Account	<input checked="" type="radio"/>							
Asset	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Building	<input type="radio"/>							
Job	<input checked="" type="radio"/>							

You need to prevent the error from recurring.
 For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Statements	Yes	No
Changing the Append To privilege on the Account entity to Organization prevents the error from recurring.	<input type="radio"/>	<input type="radio"/>
Adding the Environment Maker role to the user prevents the error from recurring.	<input type="radio"/>	<input type="radio"/>
Adding the System Customizer role to the user prevents the error from recurring.	<input type="radio"/>	<input type="radio"/>
Setting all the privileges for the Building entity to User prevents the error from recurring.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: No
 There is a read error. Box 2: No
 Note: The Environment Maker role can create resources within an environment including apps, connections, custom connectors, gateways, and flows using Power Automate.
 Box 3: Yes
 The System Customizer role is similar to the System Administrator role which enables non-system administrators to customize Dynamics 365. A Customizer is a user who customizes entities, attributes and relationships.
 Box 4: Yes

NEW QUESTION 34

- (Exam Topic 4)
 A client requires that the system send an email from a button on their customer contact form. You need to call the action from JavaScript. Which two functions achieve this result? Each correct presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Xrm.WebApi.online.createRecord()
- B. Xrm.WebApi.online.updateRecord()
- C. Xrm.WebApi.online.execute()
- D. Xrm.WebApi.online.executeMultiple()

Answer: C

Explanation:

You can execute action using Xrm.WebApi.online.execute in Dynamics 365 CRM V9.0. Reference:
<https://carldesouza.com/calling-a-dynamics-365-action-from-javascript-using-xrm-webapi-online-execute/>

NEW QUESTION 36

- (Exam Topic 4)
 You are developing a Web API for a company. You need to implement the appropriate operations to meet the company's requirements. What should you implement? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Requirement	Operation
Implement operations that do not have side effects and may support further composition	<div style="border: 1px solid black; padding: 5px;"> <div style="text-align: right; margin-bottom: 5px;">▼</div> <div style="border-bottom: 1px solid black; padding: 2px 5px;">Functions</div> <div style="border-bottom: 1px solid black; padding: 2px 5px;">Actions</div> <div style="padding: 2px 5px;">Entities</div> </div>
Implement operations that allow side effects, such as data modification	<div style="border: 1px solid black; padding: 5px;"> <div style="text-align: right; margin-bottom: 5px;">▼</div> <div style="border-bottom: 1px solid black; padding: 2px 5px;">Functions</div> <div style="border-bottom: 1px solid black; padding: 2px 5px;">Actions</div> <div style="padding: 2px 5px;">Entities</div> </div>
Implement keyless named structured types that consist of a set of properties	<div style="border: 1px solid black; padding: 5px;"> <div style="text-align: right; margin-bottom: 5px;">▼</div> <div style="border-bottom: 1px solid black; padding: 2px 5px;">Complex types</div> <div style="border-bottom: 1px solid black; padding: 2px 5px;">Entity types</div> <div style="padding: 2px 5px;">Enumeration types</div> </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Functions

Box 2: Actions

Box 3: Complex types

Complex types are keyless named structured types consisting of a set of properties. Complex types are commonly used as property values in model entities, or as parameters or return values for operations.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/webapi/web-api-types-operations#>

NEW QUESTION 40

- (Exam Topic 4)

An organization implements Dynamics 365 Sales.

You need to trigger a business rule when the main form is saved. What should you do?

- A. Write a business rule to trigger on a change of ModifiedOn field.
- B. Set the scope of the business rule to one specific form where business rule triggers.
- C. Set the scope of the business rule to All Forms.
- D. Set the scope of the business rule to Entity.

Answer: D

Explanation:

Set scope of business rule to "Entity" instead of "All Form". This will trigger it on server side. Reference:

[https://docs.microsoft.com/en-us/previous-versions/dynamicscrm-2016/developers-guide/dn481574\(v=crm.8\)](https://docs.microsoft.com/en-us/previous-versions/dynamicscrm-2016/developers-guide/dn481574(v=crm.8))

NEW QUESTION 45

- (Exam Topic 4)

A company implements Dynamics 365 Sales.

Only sales managers must be able to perform the approval to move high value sales on in the opportunity qualification process. A new field must be created to capture the approval.

You need to create and secure the new field.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Answer Area

- Create a new field security profile
- Enable auditing in the Approval field.
- Create an access team template and define the access rights for the Opportunity entity.
- Enable change tracking for the Opportunity entity.
- Set the field permissions for the new field to enable read, update, and create, and add the sales manager as a member of the field security profile.
- Enable field security in the Approval field.
- Enable the write privilege on the Opportunity for the sales manager security role and grant the sales manager for the team the sales manager security role.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Enable field security in the Approval field.

➤ Enable field security on one or more fields for a given entity.

➤ Associate one more existing security profiles, or create one or more new security profiles to grant the appropriate access to specific users or teams (step 2 and step 3 below).

Step 2: Create a new field security profile.

Create a new field security profile for the sales manager. Step 3: Set the field permissions...security profile

Step 2 and step 3, example: Configure the security profiles.

➤ Create the field security profile for sales managers.

➤ Go to Settings > Security.

➤ Click Field Security Profiles.

➤ Click New, enter a name, such as Sales Manager access contact mobile phone, and click Save.

➤ Click Users, click Add, select the users that you want to grant read access to the mobile phone number on the contact form, and then click Add.

➤ Click Field Permissions, click mobilephone, click Edit, select Yes next to Allow Read, and then click OK.

Reference:

<https://docs.microsoft.com/en-us/dynamics365/customerengagement/on-premises/admin/field-level-security>

NEW QUESTION 46

- (Exam Topic 4)

You are developing an app that uses Common Data Service.

You must integrate Common Data Service with a new web application. You must allow the new web application to display data from Common Data Service.

You build a single-page web application using the Web API. You need to authenticate your app using OAuth.

What should you use?

- A. Windows Communication Foundation (WCF)
- B. Cross-Origin Resource Sharing (CORS)
- C. Microsoft Authentication Library (MSAL)
- D. Kerberos authentication
- E. Active Directory Authentication Library (ADAL)

Answer: E

Explanation:

Ref: <https://docs.microsoft.com/en-us/azure/active-directory/develop/msal-overview>

NEW QUESTION 48

- (Exam Topic 4)

A developer must register a step using the Plug-in registration tool.

You need to associate the correct Event Pipeline Stage of Execution with its purpose.

Which stage should you associate with each description? To answer, drag the appropriate stages to the correct descriptions. Each stage may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Stages	Answer Area	
	Description	Stage
PreValidation	Cancel the operation before the database transaction.	Stage
PreOperation	Change any values for an entity within the database transaction.	Stage
MainOperation	Modify any properties of the message before it returns to the caller.	Stage
PostOperation		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

The event pipeline allows you to configure when in the event the plug-in code will execute. The event pipeline is divided into the following events and stages: Box 1: PreValidation

Pre-event/Pre-Validation

This stage executes before anything else, even before basic validation if the triggering action is even allowed based on security. Therefore, it would be possible to trigger the plug-in code even without actually having permission to do so and great consideration must be used when writing a pre-validation plug-in. Also, execution in this stage might not be part of the database transaction.

Examples:- security checks being performed to verify the calling or logged on user has the correct permissions to perform the intended operation.

Box 2: PreOperation Pre-event/Pre-Operation

This stage executes after validation, but before the changes has been committed to database. This is one of the most commonly used stages.

Example uses:

If and "update" plug-in should update the same record, it is best practice to use the pre-operation stage and modify the properties. That way the plug-in update is done within same DB transaction without needing additional web service update call.

Box 3: PostOperation

Plug-ins which are to execute after the main operation. Plug-ins registered in this stage are executed within the database transaction.

This stage executed after changes have been committed to database. This is one of the most used stages. Example uses:

Most of the "Create" plugins are post-event. This allows access to the created GUID and creation of relationships to newly created record.

Reference:

<https://community.dynamics.com/crm/f/microsoft-dynamics-crm-forum/216569/ms-crm-plugin-execution-pipeli>

NEW QUESTION 49

- (Exam Topic 4)

User1 and User2 use a form named F1 to enter account data. Both users have the same security role, SR1, in the same business unit.

User1 has a business rule to make the main phone mandatory if the relationship type is Reseller. User2 must occasionally create records of the Reseller type without having the reseller's phone number and is blocked by User1's business rule.

You need to ensure that User2 can enter reseller data into the system.

Which three actions should perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct order you select.

Actions	Answer Area
Copy the security role as SR2. Assign the SR2 security to User2 and remove the original security role SR1.	
Open form F1 and save it as a form named F2.	
Remove the business role from form F2.	⏪ ⏩
Set the SR1 security role to be the only role for form F1 and the SR2 role to be the only role for form F2.	⏪ ⏩
Create a business rule for form F2 to make the phone number optional for resellers.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
Copy the security role as SR2. Assign the SR2 security to User2 and remove the original security role SR1.	Open form F1 and save it as a form named F2 .
Open form F1 and save it as a form named F2 .	Remove the business role from form F2.
Remove the business role from form F2.	Create a business rule for form F2 to make the phone number optional for resellers.
Set the SR1 security role to be the only role for form F1 and the SR2 role to be the only role for form F2.	
Create a business rule for form F2 to make the phone number optional for resellers.	

NEW QUESTION 52

- (Exam Topic 4)

A manufacturing company uses a Common Data Service (CDS) environment to manage their parts inventory across two warehouses modeled as business units and named WH1 and WH2.

Data from the two warehouses is processed separately for each part that has its inventory quantities updates. The company must automate this process, pushing inventory updates from orders submitted to the warehouses. You need to build the automation using Power Automate flows against the CDS database. You must achieve this goal by using the least amount of administrative effort.

Which flow or flows should you recommend?

- A. Two automated flows with scope Business Unit, with triggers on Create/Update/Delete on orders.
- B. Two automated flows with scope Business Unit, with triggers on Create/Update/Delete and each flow filtering updates from each business unit.
- C. Two scheduled flows, each querying and updating the parts included in orders from each business unit.
- D. One scheduled flow, querying the parts included in orders in both business units.
- E. One automated flow, querying the orders in both business units.
- F. Two scheduled flows, each querying the orders from each business unit.
- G. Two automated flows with scope Organization, with triggers on Create/Update/Delete and filters on WH1 and WH2.
- H. Two automated flow with scope Business Unit, with triggers on Create/Update/Delete on orders and filters on WH1 and WH2.

Answer: H

Explanation:

With the Common Data Service connector, you can create Power Automate flows that are initiated by create and update events within Dataverse. Additionally, you can perform create, update, retrieve, and delete actions on records within Dataverse.

You can use scopes to determine if your flow runs if you create a new record, if a new record is created by a user within your business unit, or if a new record is created by any user in your organization.

Reference:

<https://docs.microsoft.com/en-us/power-automate/connection-cds>

NEW QUESTION 55

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

An organization has an Azure SQL Database instance that must be synchronized daily with data from Dynamics 365 Sales. A large amount of data might need to be synchronized on some days.

You need to reduce the time required to synchronize data. Solution:

- > Enable change tracking for entities that will be synchronized.
- > Implement a console application that queries for changes.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use the Data Export Service to sync data between the database and Dynamics 365 Sales. References:

<https://docs.microsoft.com/en-us/power-platform/admin/enable-change-tracking-control-data-synchronization>

NEW QUESTION 59

- (Exam Topic 4)

A company is creating a new system based on Common Data Service. You need to select the features that meet the company's requirements.

Which options should you use? To answer, drag the appropriate options to the correct requirements. Each option may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Options

- connection
- one-to-many relationship
- many-to-many relationship
- self-referential relationship

Answer Area

Requirement	Option
Visualize records as a hierarchy in a model-driven app.	Option
Associate a record with other records in multiple entities.	Option
Records in one entity must be able to reference only a single record in another entity.	Option
Any record in one entity must be able to be referenced by any record in another entity.	Option

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: self-referential relationship Box 2: connection

There are other less formal kinds of relationships between records that are called connections. For example, it may be useful to know if two contacts are married, or perhaps they are friends outside of work, or perhaps a contact used to work for another account. Most businesses won't generate reports using this kind of information or require that it is entered, so it's probably not worthwhile to create entity relationships.

Box 3: one-to-many relationship Box 4: many-to-many relationship Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/create-edit-entity-relationships>

NEW QUESTION 63

- (Exam Topic 4)

A travel company has a Common Data Service (CDS) environment. The company requires the following:

- > Custom entities that track which countries/regions their clients have traveled.
- > The dates their clients traveled to these countries/regions.

You need to create the entities and relationships to meet the requirements.

Which three actions should perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct order you select.

Actions

- On the main form for ContactCountry, add the lookup fields for the Contact and Country, and a date field for the visit date.
- Create a 1:N relationship from Contact to the Country entity.
- Create a N:N relationship from Contact to the Country entity.
- Create a 1:N relationship from ContactCountry intersect entity and Country.
- Create the Country entity.
- On the main form for ContactCountry, add a sub grid to view the country information.
- Create an intersect entity named ContactCountry and create two N:1 relationships to Contact and Country.
- Create an intersect entity named ContactCountry and create two 1:N relationships to Contact and Country.

Answer Area

⏪
⏩

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

You can configure a sub-grid on a form to display a list of records or a chart. Reference:
<https://docs.microsoft.com/en-us/dynamics365/customerengagement/on-premises/customize/sub-grid-properties>

NEW QUESTION 66

- (Exam Topic 4)

A company has two development instances, two test instances, two staging instances, and one production instance.

The test team reports connection issues with the test and staging instances.

You need to identify which of the instances the testing team currently has access to. Which two URLs can you use? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. <https://myorg.api.crm.dynamics.com/api/data/v.9.1/>
- B. <https://dev.crm.dynamics.com/api/discovery/v9.1/Instances>
- C. [https://dev.crm.dynamics.com/api/discovery/v9.1/Instances\(UniqueName='myorg'\)](https://dev.crm.dynamics.com/api/discovery/v9.1/Instances(UniqueName='myorg'))
- D. <https://disco.crm.dynamics.com/api/discovery/v9.1/>
- E. <https://globaldisco.crm.dynamics.com/api/discovery/v9.1/Instances>

Answer: CE

Explanation:

C: Organization information is stored in the Instance entity of the Discovery service. To see the kind of information contained in that entity, send an HTTP GET request to the service for one of your instances.

GET [https://dev.{servername}/api/discovery/v9.0/Instances\(UniqueName='myorg'\)](https://dev.{servername}/api/discovery/v9.0/Instances(UniqueName='myorg'))

In the above example, the discovery service is used to obtain the organization information of the instance with a unique name of "myorg".

Reference:

<https://docs.microsoft.com/en-in/dynamics365/customerengagement/on-premises/developer/webapi/discover-url> <https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/webapi/samples/global-discovery>

NEW QUESTION 67

- (Exam Topic 4)

You have the following code:

```
Xrm.WebApi.createRecord("account", data).then(
    function success(result) {
        console.log("Success");
    },
    function (error) {
        console.log(error.message);
    }
);
```

You have a contact record that uses the GUID 2CFB1599-DEAD-425F-AB4A-76E6CAB51B09.

You need to assign the contact record as the primary contact for an account when you create the account. Which two code segments can you use? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A.

```
var data =
{
    "name": "Contoso account",
    "primarycontactid@odata.context": "/contacts(2CFB1599-DEAD-425F-AB4A-76E6CAB51B09)"
};
```
- B.

```
var data =
{
    "name": "Contoso account",
    "primarycontactid":
    {
        "logicalname": "contact",
        "id": "2CFB1599-DEAD-425F-AB4A-76E6CAB51B09"
    }
};
```
- C.

```
var data =
{
    "name": "Contoso account",
    "primarycontactid@odata.bind": "/contacts(2CFB1599-DEAD-425F-AB4A-76E6CAB51B09)"
};
```
- D.

```
var data =
{
    "name": "Contoso account",
    "primarycontactid": "/contacts(2CFB1599-DEAD-425F-AB4A-76E6CAB51B09)"
};
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: BC

NEW QUESTION 70

- (Exam Topic 4)

A client uses a model-driven app that is deployed by using a managed solution in the production environment. The app contains only entities and UI components and has no custom code or extensions to the platform.

The client needs an exact copy of the app with a different name in the production environment. You need to recreate this app in production without disrupting the end users.

What should you do?

- A. Select the original model-driven app, select Edit, and then select Save As.
- B. Create a new model-driven app
- C. Select the Use existing solution to create the App check box, and then select the solution that contains the original app.
- D. Select the managed solution and select Clone.
- E. Create a new model-driven app, manually add each component, and then recreate its original functions.
- F. Add the original app to a solution, export it as unmanaged, import it into a test environment and rename it, and then deploy it back into production.

Answer: B

Explanation:

The option Use existing solution allow users to select a specific solution for this app. Users can create a whole new design from scratch by not checking check box of use existing solution.

Reference:

<https://www.inogic.com/blog/2019/02/create-model-driven-app-cds-environment/>

NEW QUESTION 74

- (Exam Topic 4)

A company uses five different shipping companies to deliver products to customers. Each shipping company has a separate service that quotes delivery fees for destination addresses.

You need to design a custom connector that retrieves the shipping fees from all the shipping companies by using their APIs.

Which three elements should you define for the custom connector? Each correct answer presents part of the solution.


NOTE: Each correct selection is worth one point.

- A. Authentication model
- B. Address parameter
- C. OpenAPI definition
- D. Fee parameter
- E. Fee reference

Answer: ABC

Explanation:

C: You can create a custom connector using a OpenAPI definition file or a URL to OpenAPI definition. B: On the Security page you get to choose how to authenticate to the API.



A: If you were to create a Custom Connector from scratch, then you would have to study the API you have chosen and type in the URL manually here.

Request
+ Import from sample

Verb *
The verb describes the operations available on a single path.

GET

URL *
This is the request URL.

`https://trefle.io/api/plants/{id}`

Path
Path is used together with Path Templating, where the parameter value is actually part of the operation's URL.

* id
...

Query
Query parameters are appended to the URL. For example, in /items?id=####, the query parameter is id.

* token
...

Headers
These are custom headers that are part of the request.

Body
The body is the payload that's appended to the HTTP request. There can only be one body parameter.

Reference:

<https://carinaclaesson.com/2019/09/06/setting-up-a-custom-connector-from-an-openapi-file-and-utilizing-it-in-p>

NEW QUESTION 75

- (Exam Topic 4)

A financial services company uses the Common Data Service (CDS) to develop solutions. The company uses development and production instances. You need to move solutions from the development instance to the production instance.

What are two possible ways to achieve this goal? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. In the development instance, make changes to the solutions that are deployed in the production instance, export the solutions as managed solutions, and import the managed solutions into the production instance.
- B. In the development instance, highlight the solution you want to make changes to, select Clone a Patch, make changes, export the solution, and import the solution into the production instance.
- C. Export all managed solutions from the development instance and import the solutions into the production instance.
- D. In the production instance, import solutions with the same version number or higher when updating solutions.

Answer: AB

Explanation:

A: When you import a managed solution, all component changes will be brought into the environment in a published state.

B: You can apply patches to either managed or unmanaged solutions and include only changes to entities and related entity assets. Patches do not contain any non-customized system components or relationships that it depends upon because these components already exist in the deployed-to organization. At some point in your development cycle, you can roll up all the patches into a new solution version to replace the original solution that the patches were created from.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/import-update-export-solutions> <https://docs.microsoft.com/en-us/power-platform/alm/create-patches-simplify-solution-updates>

NEW QUESTION 78

- (Exam Topic 4)

You are developing an app for a sales team to record contact details in their Common Data Service (CDS) database.

The app must handle loss of network and save the data to CDS when reconnected.

The main screen of the app has a form to collect contact data and a button. The OnSelect property for the button has the following expression:

```

1. If (
2. Connection.Connected,
3. Path(
4. Contacts,
5. Defaults(Contacts),
6. {
7. 'First Name': DataCardValue_FirstName.Text, 'Last Name': DataCardValue_LastName.Text
8. }
9. );
10. Navigate(ConfirmationScreen,ScreenTransition.Fade)
11. ,
12. ClearCollect(
13. LocalRecord,
14. {
15. 'First Name': DataCardValue_FirstName.Text, 'Last Name': DataCardValue_LastName.Text
16. }
17. );
18. SaveData(LocalRecord, "LocalRecord");
19. Navigate(PendingScreen,ScreenTransition.Fade)
20. )

```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Statements	Yes	No
The expression saves the data to CDS when reconnecting after losing network connection.	<input type="radio"/>	<input type="radio"/>
The collection contains all contacts not saved to CDS.	<input type="radio"/>	<input type="radio"/>
The expression updates existing contacts in CDS.	<input type="radio"/>	<input type="radio"/>
The expression handles loss of connection to CDS.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

LoadData and SaveData combine to form a simple mechanism to store small amounts of data on a local device. By using these functions, you can add simple offline capabilities to your app.

Box 2: No

Box 3: No

Box 4: Yes Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/offline-apps>

NEW QUESTION 80

- (Exam Topic 4)

A company has a development environment and a production environment. The production environment has several third-party managed and unmanaged solutions that made changes to the Contact main form.

You create a new solution in the development environment. You add the Contact entity and the Contact main form to the solution. You create a custom field on the Contact entity.

What happens when you perform these actions and import the solution into the production environment? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Action	Result
Add the field to the middle of an existing section in the Contact main form.	<div style="border: 1px solid black; padding: 5px;"> <p>The field is inserted at the start of the existing section.</p> <p>The field is inserted in the middle of the existing section.</p> <p>The field is appended to the end of the existing section.</p> <p>The field is added in a new section.</p> </div>
Create a new section in the Contact main form and add the field to the new section.	<div style="border: 1px solid black; padding: 5px;"> <p>The field is inserted at the start of the existing section.</p> <p>The field is inserted in the middle of the existing section.</p> <p>The field is appended to the end of the existing section.</p> <p>The field is added in a new section.</p> </div>
Create a new form and add the field to the middle of an existing section.	<div style="border: 1px solid black; padding: 5px;"> <p>The field is inserted at the start of the existing section.</p> <p>The field is inserted in the middle of the existing section.</p> <p>The field is appended to the end of the existing section.</p> <p>The field is added in a new section.</p> </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: The field is appended to the end of the existing section.

When you add new elements to a form that is to be merged, we recommend that you include your new elements within new container elements (tabs or sections). Additions to any container will be appended to the end of the container. For example, fields added to a section will be positioned at the end of the section.

Box 2: The field is added in a new section.

Box 3: The field is inserted in the middle of the existing section Reference:

[https://docs.microsoft.com/en-us/previous-versions/dynamicscrm-2016/developers-guide/gg309329\(v=crm.8\)](https://docs.microsoft.com/en-us/previous-versions/dynamicscrm-2016/developers-guide/gg309329(v=crm.8))

NEW QUESTION 84

- (Exam Topic 4)

A university has implemented Dynamic 365 Sales. Several department use opportunity records to bid for funding for project within their departments. Each department's opportunities are not visible to other departments. However, there are times two departments needs to work together on an opportunity. You need to configure the security to meet the business requirements.

Solution: Use position hierarchy security and define the two departments as positions. Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 88

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than once correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are designing a one-way integration from the Common Data Service to another system.

You must use an Azure Function to update the other system. The integration must send only newly created records to the other system. The solution must support scenarios where a component of the integration is unavailable for more than a few seconds to avoid data loss.

You need to design the integration solution.

Solution: Register a webhook in the Common Data Service that connects to the Azure Function. Register a step on the webhook which runs synchronously on the record's Create message and in the post-operation stage.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use asynchronous communication. D18912E1457D5D1DDCDBD40AB3BF70D5D

NEW QUESTION 92

- (Exam Topic 4)

A financial institution that has a Dynamics 365 Customer Engagement environment requires that the account balance field from the account entity be visible to specific users only.

You need to set up the field security for the account balance field.
 Which three actions should you perform? Each correct answer presents part of the solution.
 NOTE: Each correct selection is worth one point.

- A. Create a field security profile.
- B. Set the field to Read-Only and then publish the entity.
- C. Create a security role and add the specific users to the role.
- D. Enable field security and then publish the entity.
- E. Set the field permission Allow Read to Yes and add the users to the members section.

Answer: ADE

Explanation:

To implement field-level security, a system administrator performs the following tasks.

- Enable field security on one or more fields for a given entity.
- Associate one more existing security profiles, or create one or more new security profiles to grant the appropriate access to specific users or teams.

A security profile determines the following:

- Permissions to the secure fields
- Users and Teams

A security profile can be configured to grant user or team members the following permissions at the field level:

- Read. Read-only access to the field's data.
- Create. Users or teams in this profile can add data to this field when creating a record.
- Update. Users or teams in this profile can update the field's data after it has been created. Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/field-level-security>

NEW QUESTION 93

- (Exam Topic 4)

A company has a model-driven app that captures applications from prospective students.

You are asked to create a new re-usable custom component using the Power Apps component framework (PCF).

The custom component must allow entry of a date of birth and validate that the applicant is not a minor. You create the class AuditDatePicker in the TypeScript file Index.ts and the style sheet DatePicker.css.

You need to define the component to be available only for relevant fields and its properties when used in a form.

How should you complete the manifest? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

```
<?xml version="1.0" encoding="utf-8"?>
<manifest>
  <control namespace="delegate" constructor=
    version="1.0.0" display-name-key="Date Picker" description-key="Date of Birth
    Date Picker that validates if a minor" control-type="standard">
    <property name="value" display-name-key="Value" description-key="Value" of-
    type=
    usage=
    required="true" />
    <resources>
      <code path="Index.ts" order="1"/>
      <css path="css/DatePicker.css" order="1" />
    </resources>
  </control>
</manifest>
```

Index.ts
 DatePicker.css
 AuditDatePicker

Enum
 DateandTime.DateandTime
 DateandTime.DateOnly

bound
 input

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: AuditDatePicker

Constructor: Constructor of the code component. Box 2:DateandTime.DateOnly

Box 3: bound

usage: Has two properties, bound and input. Bound properties are bound only to the value of the field. Input properties are either bound to a field or allow a static value.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/component-framework/manifest-schema-reference/manif> <https://docs.microsoft.com/en->

us/powerapps/developer/component-framework/implementing-controls-using-typ

NEW QUESTION 98

.....

Relate Links

100% Pass Your PL-400 Exam with Exam Bible Prep Materials

<https://www.exambible.com/PL-400-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>