

Exam Questions MLS-C01

AWS Certified Machine Learning - Specialty

<https://www.2passeasy.com/dumps/MLS-C01/>



NEW QUESTION 1

A Machine Learning Specialist at a company sensitive to security is preparing a dataset for model training. The dataset is stored in Amazon S3 and contains Personally Identifiable Information (PII). The dataset:

* Must be accessible from a VPC only.

* Must not traverse the public internet. How can these requirements be satisfied?

- A. Create a VPC endpoint and apply a bucket access policy that restricts access to the given VPC endpoint and the VPC.
- B. Create a VPC endpoint and apply a bucket access policy that allows access from the given VPC endpoint and an Amazon EC2 instance.
- C. Create a VPC endpoint and use Network Access Control Lists (NACLs) to allow traffic between only the given VPC endpoint and an Amazon EC2 instance.
- D. Create a VPC endpoint and use security groups to restrict access to the given VPC endpoint and an Amazon EC2 instance.

Answer: B

NEW QUESTION 2

A Machine Learning Specialist needs to move and transform data in preparation for training. Some of the data needs to be processed in near-real time and other data can be moved hourly. There are existing Amazon EMR MapReduce jobs to clean and feature engineering to perform on the data. Which of the following services can feed data to the MapReduce jobs? (Select TWO)

- A. AWS DMS
- B. Amazon Kinesis
- C. AWS Data Pipeline
- D. Amazon Athena
- E. Amazon ES

Answer: BD

NEW QUESTION 3

A Machine Learning Specialist is required to build a supervised image-recognition model to identify a cat. The ML Specialist performs some tests and records the following results for a neural network-based image classifier:

Total number of images available = 1,000 Test set images = 100 (constant test set)

The ML Specialist notices that, in over 75% of the misclassified images, the cats were held upside down by their owners.

Which techniques can be used by the ML Specialist to improve this specific test error?

- A. Increase the training data by adding variation in rotation for training images.
- B. Increase the number of epochs for model training.
- C. Increase the number of layers for the neural network.
- D. Increase the dropout rate for the second-to-last layer.

Answer: B

NEW QUESTION 4

A large JSON dataset for a project has been uploaded to a private Amazon S3 bucket. The Machine Learning Specialist wants to securely access and explore the data from an Amazon SageMaker notebook instance. A new VPC was created and assigned to the Specialist.

How can the privacy and integrity of the data stored in Amazon S3 be maintained while granting access to the Specialist for analysis?

- A. Launch the SageMaker notebook instance within the VPC with SageMaker-provided internet access enabled. Use an S3 ACL to open read privileges to the everyone group.
- B. Launch the SageMaker notebook instance within the VPC and create an S3 VPC endpoint for the notebook to access the data. Copy the JSON dataset from Amazon S3 into the ML storage volume on the SageMaker notebook instance and work against the local dataset.
- C. Launch the SageMaker notebook instance within the VPC and create an S3 VPC endpoint for the notebook to access the data. Define a custom S3 bucket policy to only allow requests from your VPC to access the S3 bucket.
- D. Launch the SageMaker notebook instance within the VPC with SageMaker-provided internet access enabled.
- E. Generate an S3 pre-signed URL for access to data in the bucket.

Answer: B

NEW QUESTION 5

A Data Science team is designing a dataset repository where it will store a large amount of training data commonly used in its machine learning models. As Data Scientists may create an arbitrary number of new datasets every day, the solution has to scale automatically and be cost-effective. Also, it must be possible to explore the data using SQL.

Which storage scheme is MOST adapted to this scenario?

- A. Store datasets as files in Amazon S3.
- B. Store datasets as files in an Amazon EBS volume attached to an Amazon EC2 instance.
- C. Store datasets as tables in a multi-node Amazon Redshift cluster.
- D. Store datasets as global tables in Amazon DynamoDB.

Answer: A

NEW QUESTION 6

A Machine Learning Specialist wants to determine the appropriate SageMakerVariant Invocations Per Instance setting for an endpoint automatic scaling configuration. The Specialist has performed a load test on a single instance and determined that peak requests per second (RPS) without service degradation is about 20 RPS. As this is the first deployment, the Specialist intends to set the invocation safety factor to 0.5.

Based on the stated parameters and given that the invocations per instance setting is measured on a per-minute basis, what should the Specialist set as the sageMakervariantinvocationsPerinstance setting?

- A. 10
- B. 30
- C. 600
- D. 2,400

Answer: C

NEW QUESTION 7

A gaming company has launched an online game where people can start playing for free but they need to pay if they choose to use certain features. The company needs to build an automated system to predict whether or not a new user will become a paid user within 1 year. The company has gathered a labeled dataset from 1 million users.

The training dataset consists of 1,000 positive samples (from users who ended up paying within 1 year) and 999.1 negative samples (from users who did not use any paid features). Each data sample consists of 200 features including user age, device, location, and play patterns.

Using this dataset for training, the Data Science team trained a random forest model that converged with over 99% accuracy on the training set. However, the prediction results on a test dataset were not satisfactory.

Which of the following approaches should the Data Science team take to mitigate this issue? (Select TWO.)

- A. Add more deep trees to the random forest to enable the model to learn more features.
- B. Indicate a copy of the samples in the test database in the training dataset.
- C. Generate more positive samples by duplicating the positive samples and adding a small amount of noise to the duplicated data.
- D. Change the cost function so that false negatives have a higher impact on the cost value than false positives.
- E. Change the cost function so that false positives have a higher impact on the cost value than false negatives.

Answer: BD

NEW QUESTION 8

A Machine Learning Specialist is developing a recommendation engine for a photography blog. Given a picture, the recommendation engine should show a picture that captures similar objects. The Specialist would like to create a numerical representation feature to perform nearest-neighbor searches.


What actions would allow the Specialist to get relevant numerical representations?

- A. Reduce image resolution and use reduced resolution pixel values as features.
- B. Use Amazon Mechanical Turk to label image content and create a one-hot representation indicating the presence of specific labels.
- C. Run images through a neural network pre-trained on ImageNet, and collect the feature vectors from the penultimate layer.
- D. Average colors by channel to obtain three-dimensional representations of images.

Answer: A

NEW QUESTION 9

The displayed graph is from a forecasting model for testing a time series.




Considering the graph only, which conclusion should a Machine Learning Specialist make about the behavior of the model?

- A. The model predicts both the trend and the seasonality well.
- B. The model predicts the trend well, but not the seasonality.
- C. The model predicts the seasonality well, but not the trend.
- D. The model does not predict the trend or the seasonality well.

Answer: D

NEW QUESTION 10

While reviewing the histogram for residuals on regression evaluation data, a Machine Learning Specialist notices that the residuals do not form a zero-centered bell shape as shown. What does this mean?



- A. The model might have prediction errors over a range of target values.
- B. The dataset cannot be accurately represented using the regression model
- C. There are too many variables in the model
- D. The model is predicting its target values perfectly.

Answer: D

NEW QUESTION 10

A company's Machine Learning Specialist needs to improve the training speed of a time-series forecasting model using TensorFlow. The training is currently implemented on a single-GPU machine and takes approximately 23 hours to complete. The training needs to be run daily. The model accuracy is acceptable, but the company anticipates a continuous increase in the size of the training data and a need to update the model on an hourly, rather than a daily, basis. The company also wants to minimize coding effort and infrastructure changes. What should the Machine Learning Specialist do to the training solution to allow it to scale for future demand?

- A. Do not change the TensorFlow code
- B. Change the machine to one with a more powerful GPU to speed up the training.
- C. Change the TensorFlow code to implement a Horovod distributed framework supported by Amazon SageMaker
- D. Parallelize the training to as many machines as needed to achieve the business goals.
- E. Switch to using a built-in AWS SageMaker DeepAR mode
- F. Parallelize the training to as many machines as needed to achieve the business goals.
- G. Move the training to Amazon EMR and distribute the workload to as many machines as needed to achieve the business goals.

Answer: B

NEW QUESTION 11

A Machine Learning Specialist observes several performance problems with the training portion of a machine learning solution on Amazon SageMaker. The solution uses a large training dataset 2 TB in size and is using the SageMaker k-means algorithm. The observed issues include the unacceptable length of time it takes before the training job launches and poor I/O throughput while training the model. What should the Specialist do to address the performance issues with the current solution?

- A. Use the SageMaker batch transform feature
- B. Compress the training data into Apache Parquet format.
- C. Ensure that the input mode for the training job is set to Pipe.
- D. Copy the training dataset to an Amazon EFS volume mounted on the SageMaker instance.

Answer: B

NEW QUESTION 13

A Machine Learning Specialist is creating a new natural language processing application that processes a dataset comprised of 1 million sentences. The aim is to then run Word2Vec to generate embeddings of the sentences and enable different types of predictions. Here is an example from the dataset:

"The quck BROWN FOX jumps over the lazy dog "

Which of the following are the operations the Specialist needs to perform to correctly sanitize and prepare the data in a repeatable manner? (Select THREE)

- A. Perform part-of-speech tagging and keep the action verb and the nouns only
- B. Normalize all words by making the sentence lowercase
- C. Remove stop words using an English stopwords dictionary.
- D. Correct the typography on "quck" to "quick."
- E. One-hot encode all words in the sentence
- F. Tokenize the sentence into words.

Answer: ABD

NEW QUESTION 17

A Machine Learning Specialist working for an online fashion company wants to build a data ingestion solution for the company's Amazon S3-based data lake. The Specialist wants to create a set of ingestion mechanisms that will enable future capabilities comprised of:

- Real-time analytics
- Interactive analytics of historical data

- Clickstream analytics
 - Product recommendations
- Which services should the Specialist use?

A. AWS Glue as the data catalog; Amazon Kinesis Data Streams and Amazon Kinesis Data Analytics for real-time data insights; Amazon Kinesis Data Firehose for delivery to Amazon ES for clickstream analytics; Amazon EMR to generate personalized product recommendations

B. Amazon Athena as the data catalog; Amazon Kinesis Data Streams and Amazon Kinesis Data Analytics for near-realtime data insights; Amazon Kinesis Data Firehose for clickstream analytics; AWS Glue to generate personalized product recommendations

C. AWS Glue as the data catalog; Amazon Kinesis Data Streams and Amazon Kinesis Data Analytics for historical data insights; Amazon Kinesis Data Firehose for delivery to Amazon ES for clickstream analytics; Amazon EMR to generate personalized product recommendations

D. Amazon Athena as the data catalog; Amazon Kinesis Data Streams and Amazon Kinesis Data Analytics for historical data insights; Amazon DynamoDB streams for clickstream analytics; AWS Glue to generate personalized product recommendations

Answer: A

NEW QUESTION 19

A Machine Learning Specialist has created a deep learning neural network model that performs well on the training data but performs poorly on the test data. Which of the following methods should the Specialist consider using to correct this? (Select THREE.)

- A. Decrease regularization.
- B. Increase regularization.
- C. Increase dropout.
- D. Decrease dropout.
- E. Increase feature combinations.
- F. Decrease feature combinations.

Answer: BDE

NEW QUESTION 20

A Machine Learning Specialist is designing a system for improving sales for a company. The objective is to use the large amount of information the company has on users' behavior and product preferences to predict which products users would like based on the users' similarity to other users. What should the Specialist do to meet this objective?

- A. Build a content-based filtering recommendation engine with Apache Spark ML on Amazon EMR.
- B. Build a collaborative filtering recommendation engine with Apache Spark ML on Amazon EMR.
- C. Build a model-based filtering recommendation engine with Apache Spark ML on Amazon EMR.
- D. Build a combinative filtering recommendation engine with Apache Spark ML on Amazon EMR.

Answer: B

Explanation:

Many developers want to implement the famous Amazon model that was used to power the “People who bought this also bought these items” feature on Amazon.com. This model is based on a method called Collaborative Filtering. It takes items such as movies, books, and products that were rated highly by a set of users and recommending them to other users who also gave them high ratings. This method works well in domains where explicit ratings or implicit user actions can be gathered and analyzed.

NEW QUESTION 22

A Machine Learning Specialist is packaging a custom ResNet model into a Docker container so the company can leverage Amazon SageMaker for training. The Specialist is using Amazon EC2 P3 instances to train the model and needs to properly configure the Docker container to leverage the NVIDIA GPUs. What does the Specialist need to do?

- A. Bundle the NVIDIA drivers with the Docker image
- B. Build the Docker container to be NVIDIA-Docker compatible
- C. Organize the Docker container's file structure to execute on GPU instances.
- D. Set the GPU flag in the Amazon SageMaker Create TrainingJob request body

Answer: A

NEW QUESTION 25

An office security agency conducted a successful pilot using 100 cameras installed at key locations within the main office. Images from the cameras were uploaded to Amazon S3 and tagged using Amazon Rekognition, and the results were stored in Amazon ES. The agency is now looking to expand the pilot into a full production system using thousands of video cameras in its office locations globally. The goal is to identify activities performed by non-employees in real time. Which solution should the agency consider?

- A. Use a proxy server at each local office and for each camera, and stream the RTSP feed to a unique Amazon Kinesis Video Streams video stream
- B. On each stream, use Amazon Rekognition Video and create a stream processor to detect faces from a collection of known employees, and alert when non-employees are detected.
- C. Use a proxy server at each local office and for each camera, and stream the RTSP feed to a unique Amazon Kinesis Video Streams video stream
- D. On each stream, use Amazon Rekognition Image to detect faces from a collection of known employees and alert when non-employees are detected.
- E. Install AWS DeepLens cameras and use the DeepLens_Kinesis_Video module to stream video to Amazon Kinesis Video Streams for each camera
- F. On each stream, use Amazon Rekognition Video and create a stream processor to detect faces from a collection on each stream, and alert when nonemployees are detected.
- G. Install AWS DeepLens cameras and use the DeepLens_Kinesis_Video module to stream video to Amazon Kinesis Video Streams for each camera
- H. On each stream, run an AWS Lambda function to capture image fragments and then call Amazon Rekognition Image to detect faces from a collection of known employees, and alert when non-employees are detected.

Answer: D

NEW QUESTION 30

A Machine Learning Specialist is using Apache Spark for pre-processing training data. As part of the Spark pipeline, the Specialist wants to use Amazon SageMaker for training a model and hosting it. Which of the following would the Specialist do to integrate the Spark application with SageMaker? (Select THREE)

- A. Download the AWS SDK for the Spark environment
- B. Install the SageMaker Spark library in the Spark environment.
- C. Use the appropriate estimator from the SageMaker Spark Library to train a model.
- D. Compress the training data into a ZIP file and upload it to a pre-defined Amazon S3 bucket.
- E. Use the `sageMakerMode`
- F. transform method to get inferences from the model hosted in SageMaker
- G. Convert the DataFrame object to a CSV file, and use the CSV file as input for obtaining inferences from SageMaker.

Answer: DEF

NEW QUESTION 33

A retail company intends to use machine learning to categorize new products. A labeled dataset of current products was provided to the Data Science team. The dataset includes 1,200 products. The labeled dataset has 15 features for each product such as title, dimensions, weight, and price. Each product is labeled as belonging to one of six categories such as books, games, electronics, and movies.

Which model should be used for categorizing new products using the provided dataset for training?

- A. An XGBoost model where the objective parameter is set to multi: softmax
- B. A deep convolutional neural network (CNN) with a softmax activation function for the last layer
- C. A regression forest where the number of trees is set equal to the number of product categories
- D. A DeepAR forecasting model based on a recurrent neural network (RNN)

Answer: B

NEW QUESTION 36

A Machine Learning Specialist is building a logistic regression model that will predict whether or not a person will order a pizza. The Specialist is trying to build the optimal model with an ideal classification threshold.

What model evaluation technique should the Specialist use to understand how different classification thresholds will impact the model's performance?

- A. Receiver operating characteristic (ROC) curve
- B. Misclassification rate
- C. Root Mean Square Error (RMSE)
- D. L1 norm

Answer: A

NEW QUESTION 37

A company is running an Amazon SageMaker training job that will access data stored in its Amazon S3 bucket. A compliance policy requires that the data never be transmitted across the internet. How should the company set up the job?

- A. Launch the notebook instances in a public subnet and access the data through the public S3 endpoint
- B. Launch the notebook instances in a private subnet and access the data through a NAT gateway
- C. Launch the notebook instances in a public subnet and access the data through a NAT gateway
- D. Launch the notebook instances in a private subnet and access the data through an S3 VPC endpoint.

Answer: D

NEW QUESTION 40

A Mobile Network Operator is building an analytics platform to analyze and optimize a company's operations using Amazon Athena and Amazon S3. The source systems send data in CSV format in real time. The Data Engineering team wants to transform the data to the Apache Parquet format before storing it on Amazon S3.

Which solution takes the LEAST effort to implement?

- A. Ingest .CSV data using Apache Kafka Streams on Amazon EC2 instances and use Kafka Connect S3 to serialize data as Parquet
- B. Ingest .CSV data from Amazon Kinesis Data Streams and use Amazon Glue to convert data into Parquet.
- C. Ingest .CSV data using Apache Spark Structured Streaming in an Amazon EMR cluster and use Apache Spark to convert data into Parquet.
- D. Ingest .CSV data from Amazon Kinesis Data Streams and use Amazon Kinesis Data Firehose to convert data into Parquet.

Answer: C

NEW QUESTION 44

A retail chain has been ingesting purchasing records from its network of 20,000 stores to Amazon S3 using Amazon Kinesis Data Firehose. To support training an improved machine learning model, training records will require new but simple transformations, and some attributes will be combined. The model needs to be retrained daily.

Given the large number of stores and the legacy data ingestion, which change will require the LEAST amount of development effort?

- A. Require that the stores switch to capturing their data locally on AWS Storage Gateway for loading into Amazon S3 then use AWS Glue to do the transformation
- B. Deploy an Amazon EMR cluster running Apache Spark with the transformation logic, and have the cluster run each day on the accumulating records in Amazon S3, outputting new/transformed records to Amazon S3
- C. Spin up a fleet of Amazon EC2 instances with the transformation logic, have them transform the data records accumulating on Amazon S3, and output the transformed records to Amazon S3.
- D. Insert an Amazon Kinesis Data Analytics stream downstream of the Kinesis Data Firehose stream that transforms raw record attributes into simple transformed values using SQL.

Answer: D

NEW QUESTION 49

A manufacturing company has structured and unstructured data stored in an Amazon S3 bucket. A Machine Learning Specialist wants to use SQL to run queries on this data.

Which solution requires the LEAST effort to be able to query this data?

- A. Use AWS Data Pipeline to transform the data and Amazon RDS to run queries.
- B. Use AWS Glue to catalogue the data and Amazon Athena to run queries.
- C. Use AWS Batch to run ETL on the data and Amazon Aurora to run the queries.
- D. Use AWS Lambda to transform the data and Amazon Kinesis Data Analytics to run queries.

Answer: B

NEW QUESTION 52

A Machine Learning Specialist is building a prediction model for a large number of features using linear models, such as linear regression and logistic regression. During exploratory data analysis, the Specialist observes that many features are highly correlated with each other. This may make the model unstable. What should be done to reduce the impact of having such a large number of features?

- A. Perform one-hot encoding on highly correlated features.
- B. Use matrix multiplication on highly correlated features.
- C. Create a new feature space using principal component analysis (PCA).
- D. Apply the Pearson correlation coefficient.

Answer: C

NEW QUESTION 53

A Machine Learning Specialist is building a supervised model that will evaluate customers' satisfaction with their mobile phone service based on recent usage. The model's output should infer whether or not a customer is likely to switch to a competitor in the next 30 days.

Which of the following modeling techniques should the Specialist use?

- A. Time-series prediction
- B. Anomaly detection
- C. Binary classification
- D. Regression

Answer: D

NEW QUESTION 58

Amazon Connect has recently been tolled out across a company as a contact call center. The solution has been configured to store voice call recordings on Amazon S3.

The content of the voice calls are being analyzed for the incidents being discussed by the call operators. Amazon Transcribe is being used to convert the audio to text, and the output is stored on Amazon S3.

Which approach will provide the information required for further analysis?

- A. Use Amazon Comprehend with the transcribed files to build the key topics.
- B. Use Amazon Translate with the transcribed files to train and build a model for the key topics.
- C. Use the AWS Deep Learning AMI with Gluon Semantic Segmentation on the transcribed files to train and build a model for the key topics.
- D. Use the Amazon SageMaker k-Nearest-Neighbors (kNN) algorithm on the transcribed files to generate a word embeddings dictionary for the key topics.

Answer: B

NEW QUESTION 62

A company has raw user and transaction data stored in Amazon S3, a MySQL database, and Amazon Redshift. A Data Scientist needs to perform an analysis by joining the three datasets from Amazon S3, MySQL, and Amazon Redshift, and then calculating the average of a few selected columns from the joined data.

Which AWS service should the Data Scientist use?

- A. Amazon Athena
- B. Amazon Redshift Spectrum
- C. AWS Glue
- D. Amazon QuickSight

Answer: A

NEW QUESTION 64

A Data Scientist is working on an application that performs sentiment analysis. The validation accuracy is poor, and the Data Scientist thinks that the cause may be a rich vocabulary and a low average frequency of words in the dataset.

Which tool should be used to improve the validation accuracy?

- A. Amazon Comprehend syntax analysts and entity detection
- B. Amazon SageMaker BlazingText allow mode
- C. Natural Language Toolkit (NLTK) stemming and stop word removal
- D. Scikit-learn term frequency-inverse document frequency (TF-IDF) vectorizers

Answer: D

NEW QUESTION 68

An employee found a video clip with audio on a company's social media feed. The language used in the video is Spanish. English is the employee's first language, and they do not understand Spanish. The employee wants to do a sentiment analysis. What combination of services is the MOST efficient to accomplish the task?

- A. Amazon Transcribe, Amazon Translate, and Amazon Comprehend
- B. Amazon Transcribe, Amazon Comprehend, and Amazon SageMaker seq2seq
- C. Amazon Transcribe, Amazon Translate, and Amazon SageMaker Neural Topic Model (NTM)
- D. Amazon Transcribe, Amazon Translate, and Amazon SageMaker BlazingText

Answer: C

NEW QUESTION 70

A Data Scientist wants to gain real-time insights into a data stream of GZIP files. Which solution would allow the use of SQL to query the stream with the LEAST latency?

- A. Amazon Kinesis Data Analytics with an AWS Lambda function to transform the data.
- B. AWS Glue with a custom ETL script to transform the data.
- C. An Amazon Kinesis Client Library to transform the data and save it to an Amazon ES cluster.
- D. Amazon Kinesis Data Firehose to transform the data and put it into an Amazon S3 bucket.

Answer: A

NEW QUESTION 71

A Machine Learning Specialist is building a model that will perform time series forecasting using Amazon SageMaker. The Specialist has finished training the model and is now planning to perform load testing on the endpoint so they can configure Auto Scaling for the model variant. Which approach will allow the Specialist to review the latency, memory utilization, and CPU utilization during the load test?"

- A. Review SageMaker logs that have been written to Amazon S3 by leveraging Amazon Athena and Amazon QuickSight to visualize logs as they are being produced
- B. Generate an Amazon CloudWatch dashboard to create a single view for the latency, memory utilization, and CPU utilization metrics that are outputted by Amazon SageMaker
- C. Build custom Amazon CloudWatch Logs and then leverage Amazon ES and Kibana to query and visualize the data as it is generated by Amazon SageMaker
- D. Send Amazon CloudWatch Logs that were generated by Amazon SageMaker to Amazon ES and use Kibana to query and visualize the log data.

Answer: B

NEW QUESTION 73

An online reseller has a large, multi-column dataset with one column missing 30% of its data. A Machine Learning Specialist believes that certain columns in the dataset could be used to reconstruct the missing data. Which reconstruction approach should the Specialist use to preserve the integrity of the dataset?

- A. Listwise deletion
- B. Last observation carried forward
- C. Multiple imputation
- D. Mean substitution

Answer: C

NEW QUESTION 76

A Machine Learning Specialist is using Amazon SageMaker to host a model for a highly available customer-facing application. The Specialist has trained a new version of the model, validated it with historical data, and now wants to deploy it to production. To limit any risk of a negative customer experience, the Specialist wants to be able to monitor the model and roll it back, if needed. What is the SIMPLEST approach with the LEAST risk to deploy the model and roll it back, if needed?

- A. Create a SageMaker endpoint and configuration for the new model version.
- B. Redirect production traffic to the new endpoint by updating the client configuration.
- C. Revert traffic to the last version if the model does not perform as expected.
- D. Create a SageMaker endpoint and configuration for the new model version.
- E. Redirect production traffic to the new endpoint by using a load balancer. Revert traffic to the last version if the model does not perform as expected.
- F. Update the existing SageMaker endpoint to use a new configuration that is weighted to send 5% of the traffic to the new variant.
- G. Revert traffic to the last version by resetting the weights if the model does not perform as expected.
- H. Update the existing SageMaker endpoint to use a new configuration that is weighted to send 100% of the traffic to the new variant. Revert traffic to the last version by resetting the weights if the model does not perform as expected.

Answer: A

NEW QUESTION 78


A manufacturing company asks its Machine Learning Specialist to develop a model that classifies defective parts into one of eight defect types. The company has provided roughly 100,000 images per defect type for training. During the initial training of the image classification model, the Specialist notices that the validation accuracy is 80%, while the training accuracy is 90%. It is known that human-level performance for this type of image classification is around 90%. What should the Specialist consider to fix this issue?

- A. A longer training time
- B. Making the network larger
- C. Using a different optimizer
- D. Using some form of regularization

Answer: D

NEW QUESTION 80

A Machine Learning Specialist prepared the following graph displaying the results of k-means for k = [1:10]



Considering the graph, what is a reasonable selection for the optimal choice of k?

- A. 1
- B. 4
- C. 7
- D. 10

Answer: C

NEW QUESTION 83

A company is observing low accuracy while training on the default built-in image classification algorithm in Amazon SageMaker. The Data Science team wants to use an Inception neural network architecture instead of a ResNet architecture.


Which of the following will accomplish this? (Select TWO.)

- A. Customize the built-in image classification algorithm to use Inception and use this for model training.
- B. Create a support case with the SageMaker team to change the default image classification algorithm to Inception.
- C. Bundle a Docker container with TensorFlow Estimator loaded with an Inception network and use this for model training.
- D. Use custom code in Amazon SageMaker with TensorFlow Estimator to load the model with an Inception network and use this for model training.
- E. Download and apt-get install the inception network code into an Amazon EC2 instance and use this instance as a Jupyter notebook in Amazon SageMaker.

Answer: AD

NEW QUESTION 86

Given the following confusion matrix for a movie classification model, what is the true class frequency for Romance and the predicted class frequency for Adventure?



- A. The true class frequency for Romance is 77.56% and the predicted class frequency for Adventure is 20.85%
- B. The true class frequency for Romance is 57.92% and the predicted class frequency for Adventure is 13.12%
- C. The true class frequency for Romance is 0.78 and the predicted class frequency for Adventure is (0.47 - 0.32).
- D. The true class frequency for Romance is 77.56% * 0.78 and the predicted class frequency for Adventure is 20.85% ' 0.32

Answer: A

NEW QUESTION 91

A Machine Learning Specialist kicks off a hyperparameter tuning job for a tree-based ensemble model using Amazon SageMaker with Area Under the ROC Curve (AUC) as the objective metric. This workflow will eventually be deployed in a pipeline that retrains and tunes hyperparameters each night to model click-through on data that goes stale every 24 hours.

With the goal of decreasing the amount of time it takes to train these models, and ultimately to decrease costs, the Specialist wants to reconfigure the input hyperparameter range(s).

Which visualization will accomplish this?


- A. A histogram showing whether the most important input feature is Gaussian.
- B. A scatter plot with points colored by target variable that uses t-Distributed Stochastic Neighbor Embedding (t-SNE) to visualize the large number of input variables in an easier-to-read dimension.
- C. A scatter plot showing the performance of the objective metric over each training iteration.
- D. A scatter plot showing the correlation between maximum tree depth and the objective metric.

Answer: B

NEW QUESTION 96

This graph shows the training and validation loss against the epochs for a neural network. The network being trained is as follows:

- Two dense layers, one output neuron
- 100 neurons in each layer
- 100 epochs
- Random initialization of weights



Which technique can be used to improve model performance in terms of accuracy in the validation set?

- A. Early stopping
- B. Random initialization of weights with appropriate seed
- C. Increasing the number of epochs
- D. Adding another layer with the 100 neurons

Answer: D

NEW QUESTION 98

A Machine Learning Specialist is configuring Amazon SageMaker so multiple Data Scientists can access notebooks, train models, and deploy endpoints. To ensure the best operational performance, the Specialist needs to be able to track how often the Scientists are deploying models, GPU and CPU utilization on the deployed SageMaker endpoints, and all errors that are generated when an endpoint is invoked.

Which services are integrated with Amazon SageMaker to track this information? (Select TWO.)

- A. AWS CloudTrail
- B. AWS Health
- C. AWS Trusted Advisor
- D. Amazon CloudWatch
- E. AWS Config

Answer: AD

NEW QUESTION 101

During mini-batch training of a neural network for a classification problem, a Data Scientist notices that training accuracy oscillates. What is the MOST likely cause of this issue?

- A. The class distribution in the dataset is imbalanced
- B. Dataset shuffling is disabled
- C. The batch size is too big
- D. The learning rate is very high

Answer: D

NEW QUESTION 103

A Data Scientist needs to create a serverless ingestion and analytics solution for high-velocity, real-time streaming data.

The ingestion process must buffer and convert incoming records from JSON to a query-optimized, columnar format without data loss. The output datastore must be highly available, and Analysts must be able to run SQL queries against the data and connect to existing business intelligence dashboards.

Which solution should the Data Scientist build to satisfy the requirements?

- A. Create a schema in the AWS Glue Data Catalog of the incoming data format
- B. Use an Amazon Kinesis Data Firehose delivery stream to stream the data and transform the data to Apache Parquet or ORC format using the AWS Glue Data Catalog before delivering to Amazon S3. Have the Analysts query the data directly from Amazon S3 using Amazon Athena, and connect to BI tools using the Athena Java Database Connectivity (JDBC) connector.
- C. Write each JSON record to a staging location in Amazon S3. Use the S3 Put event to trigger an AWS Lambda function that transforms the data into Apache Parquet or ORC format and writes the data to a processed data location in Amazon S3. Have the Analysts query the data directly from Amazon S3 using Amazon Athena, and connect to BI tools using the Athena Java Database Connectivity (JDBC) connector.
- D. Write each JSON record to a staging location in Amazon S3. Use the S3 Put event to trigger an AWS Lambda function that transforms the data into Apache Parquet or ORC format and inserts it into an Amazon RDS PostgreSQL database
- E. Have the Analysts query and run dashboards from the RDS database.
- F. Use Amazon Kinesis Data Analytics to ingest the streaming data and perform real-time SQL queries to convert the records to Apache Parquet before delivering to Amazon S3. Have the Analysts query the data directly from Amazon S3 using Amazon Athena and connect to BI tools using the Athena Java Database Connectivity (JDBC) connector.

Answer: A

NEW QUESTION 104

A Machine Learning Specialist is using an Amazon SageMaker notebook instance in a private subnet of a corporate VPC. The ML Specialist has important data stored on the Amazon SageMaker notebook instance's Amazon EBS volume, and needs to take a snapshot of that EBS volume. However the ML Specialist cannot find the Amazon SageMaker notebook instance's EBS volume or Amazon EC2 instance within the VPC.

Why is the ML Specialist not seeing the instance visible in the VPC?

- A. Amazon SageMaker notebook instances are based on the EC2 instances within the customer account, but they run outside of VPCs.
- B. Amazon SageMaker notebook instances are based on the Amazon ECS service within customer accounts.
- C. Amazon SageMaker notebook instances are based on EC2 instances running within AWS service accounts.
- D. Amazon SageMaker notebook instances are based on AWS ECS instances running within AWS service accounts.

Answer: C

NEW QUESTION 108

A Machine Learning Specialist needs to create a data repository to hold a large amount of time-based training data for a new model. In the source system, new files are added every hour. Throughout a single 24-hour period, the volume of hourly updates will change significantly. The Specialist always wants to train on the last 24 hours of the data.

Which type of data repository is the MOST cost-effective solution?

- A. An Amazon EBS-backed Amazon EC2 instance with hourly directories
- B. An Amazon RDS database with hourly table partitions
- C. An Amazon S3 data lake with hourly object prefixes
- D. An Amazon EMR cluster with hourly hive partitions on Amazon EBS volumes

Answer: C

NEW QUESTION 111

A bank's Machine Learning team is developing an approach for credit card fraud detection. The company has a large dataset of historical data labeled as fraudulent. The goal is to build a model to take the information from new transactions and predict whether each transaction is fraudulent or not.

Which built-in Amazon SageMaker machine learning algorithm should be used for modeling this problem?

- A. Seq2seq
- B. XGBoost
- C. K-means
- D. Random Cut Forest (RCF)

Answer: C

NEW QUESTION 114

IT leadership wants to transition a company's existing machine learning data storage environment to AWS as a temporary ad hoc solution. The company currently uses a custom software process that heavily leverages SQL as a query language and exclusively stores generated CSV documents for machine learning.

The ideal state for the company would be a solution that allows it to continue to use the current workforce of SQL experts. The solution must also support the storage of CSV and JSON files, and be able to query over semi-structured data. The following are high priorities for the company:

- Solution simplicity
- Fast development time
- Low cost
- High flexibility

What technologies meet the company's requirements?

- A. Amazon S3 and Amazon Athena
- B. Amazon Redshift and AWS Glue
- C. Amazon DynamoDB and DynamoDB Accelerator (DAX)
- D. Amazon RDS and Amazon ES

Answer: B

NEW QUESTION 116

A manufacturing company has a large set of labeled historical sales data. The manufacturer would like to predict how many units of a particular part should be produced each quarter. Which machine learning approach should be used to solve this problem?

- A. Logistic regression
- B. Random Cut Forest (RCF)
- C. Principal component analysis (PCA)
- D. Linear regression

Answer: B

NEW QUESTION 117

A manufacturing company has structured and unstructured data stored in an Amazon S3 bucket. A Machine Learning Specialist wants to use SQL to run queries on this data. Which solution requires the LEAST effort to be able to query this data?

- A. Use AWS Data Pipeline to transform the data and Amazon RDS to run queries.
- B. Use AWS Glue to catalogue the data and Amazon Athena to run queries.
- C. Use AWS Batch to run ETL on the data and Amazon Aurora to run the queries.
- D. Use AWS Lambda to transform the data and Amazon Kinesis Data Analytics to run queries.

Answer: D

NEW QUESTION 119

A Data Scientist is developing a machine learning model to predict future patient outcomes based on information collected about each patient and their treatment plans. The model should output a continuous value as its prediction. The data available includes labeled outcomes for a set of 4,000 patients. The study was conducted on a group of individuals over the age of 65 who have a particular disease that is known to worsen with age.

Initial models have performed poorly. While reviewing the underlying data, the Data Scientist notices that, out of 4,000 patient observations, there are 450 where the patient age has been input as 0. The other features for these observations appear normal compared to the rest of the sample population. How should the Data Scientist correct this issue?

- A. Drop all records from the dataset where age has been set to 0.
- B. Replace the age field value for records with a value of 0 with the mean or median value from the dataset.
- C. Drop the age feature from the dataset and train the model using the rest of the features.
- D. Use k-means clustering to handle missing features.

Answer: A

NEW QUESTION 124

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual MLS-C01 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the MLS-C01 Product From:

<https://www.2passeasy.com/dumps/MLS-C01/>

Money Back Guarantee

MLS-C01 Practice Exam Features:

- * MLS-C01 Questions and Answers Updated Frequently
- * MLS-C01 Practice Questions Verified by Expert Senior Certified Staff
- * MLS-C01 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * MLS-C01 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year