

# Microsoft

## Exam Questions MS-203

Microsoft 365 Messaging



### NEW QUESTION 1

- (Topic 5)

You have an Exchange Online tenant.

You need to ensure that the users in your company's finance department can select email messages that will be deleted automatically one year later. The solution must apply only to the finance department users.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Publish a label to the finance department.
- B. Create a data loss prevention (DLP) policy that uses the sensitive information type.
- C. For each mailbox in the finance department, configure the retention policy settings.
- D. Create a label that has a retention setting of one year.
- E. For each mailbox in the finance department, configure Message Delivery Restrictions.

**Answer:** AD

#### **Explanation:**

Create a retention label and publish it to the finance department users.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/retention?view=o365-worldwide>

### NEW QUESTION 2

- (Topic 5)

Your company has a Microsoft Exchange Server 2019 hybrid deployment.

Users in the advertising department and the editorial department of the company have mailboxes in Exchange Online.

A company policy requires that the advertising department users and the editorial department users be segmented based on the following requirements:

? The advertising department users must not see the editorial department users in the global address list

? (GAL).

? The editorial department users must not see the advertising department users in the GAL.

? The editorial department users must be treated as external recipients of the advertising department users.

? The advertising department users must be treated as external recipients of the editorial department users.

You need to recommend a solution that meets the requirements and minimize costs and effort.

What should you recommend?

- A. In the Exchange Online tenant, create separate address book policies (ABPs) for the advertising and editorial departments.
- B. Migrate all the mailboxes of the advertising department to the on-premises organization, and then enable address book policy (ABP) routing.
- C. Purchase an additional Microsoft 365 subscription, and then migrate all the mailboxes of the advertising department to the new subscription.
- D. Create two address book policies (ABPs) in Exchange Online, and then enable ABP routing for the Exchange Online tenant.

**Answer:** D

#### **Explanation:**

References:

<https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/address-book-policies/address-book-policies?view=exchserver-2019>

### NEW QUESTION 3

- (Topic 5)

You have a Microsoft Exchange Online tenant that uses a third-party email gateway device. You discover that inbound email messages are delayed.

The gateway device receives the following error message when sending email to the tenant.

\* 4.7.500 Server busy, please try again later. You need to prevent inbound email delays. What should you configure?

- A. Organization Sharing
- B. an MX record for the domain
- C. a transport rule
- D. a connector

**Answer:** D

#### **Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/use-connectors-to-configure-mail-flow>

### NEW QUESTION 4

- (Topic 5)

You have a Microsoft 365 tenant that contains a user named User1.

User1 reports that she cannot configure a mail profile in Microsoft Outlook for Windows. User1 receives the following error message: "Encrypted connection to your mail server is not available."

You verify that User1 is assigned a Microsoft Office 365 Enterprise F3 license and can send email messages from her account by using Outlook on the web.

You need to ensure that User1 can connect to Outlook successfully. What should you do?

- A. Run the Microsoft Support and Recovery Assistant for Office 365.
- B. Activate the installation of Office 365 ProPlus.
- C. Modify the license assigned to User1.
- D. Install a new certificate on the computer of User1.

**Answer:** C

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/troubleshoot/outlook-issues/encrypted-connection-unavailable>

**NEW QUESTION 5**

SIMULATION - (Topic 5)

SIMULATION

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.


When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you

as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that the users in your tenant can only share calendar availability information with users in the tenant and users in a domain named contoso.com.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

? From the Microsoft 365 admin center dashboard, go to Admin > Exchange.

? Go to Organization > Sharing.

? Under Organization Sharing, click New +.

? In new organization relationship, in the Relationship name box, type a friendly name for the organization relationship.

? In the Domains to share with box, type the domain for the external Microsoft 365, Office 365, or Exchange on-premises organization you want to let see your calendars. If you need to add more than one domain, you can do it after you create the organization relationship by editing it.

? Select the Enable calendar free/busy information sharing check box to turn on calendar sharing with the domains you listed. Set the sharing level for calendar free/busy information and set which users can share calendar free/busy information.

? To set the free/busy access level, select one of the following values:

- Calendar free/busy information with time only
- Calendar free/busy with time, subject, and location

To set which users will share calendar free/busy information, select one of the following values:

- Everyone in your organization
- A specified security group
- ? Click Browse to pick the security group from a list, then click OK.
- ? Click Save to create the organization relationship.

#### NEW QUESTION 6

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft 365 subscription.

Several users in the finance department of the company recently accessed unsafe websites by clicking on links in email messages.

Users in the marketing department of the company report that they must be able to access all the links embedded in email messages.

You need to reduce the likelihood of the finance department users accessing unsafe websites. The solution must affect only the finance department users.

Solution: You modify the Global Settings Safe Links policy.

Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

#### Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/configure-global-settings-for-safe-links?view=o365-worldwide>

#### NEW QUESTION 7

- (Topic 5)

Your company has a partnership with another company named contoso.com.

You need to ensure that all email messages containing the word sensitive and sent to the users at contoso.com are encrypted automatically. You enable Azure Information Protection.

What should you do next?

- A. Create a data loss prevention (DLP) policy.
- B. Create a mail flow rule.
- C. Configure a remote domain.
- D. Configure an Outbound connector.

**Answer:** B

#### Explanation:

Reference:

<https://thevaliantway.com/2019/01/encrypting-email-office-365-azure-information- protection/>

#### NEW QUESTION 8

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft Exchange Server 2019 hybrid deployment that contains two Mailbox servers named MBX1 and MBX2.

The company has the departments shown in the following table.

Name	Mailbox location	Number of recipients
Sales	MBX1	300
Production	MBX2	500
Administration	MBX1	200
IT	Exchange Online	50
Managers	Exchange Online	100
Marketing	Exchange Online	350

From the on-premises organization, outbound email is sent directly to the Internet by using DNS lookups.

You are informed that some sales department users send email messages that are identified as spam.

You need to automatically block the sales department users from repeatedly sending spam.

Solution: You migrate all the mailboxes of the sales department to Exchange Online. Does this meet the goal?

- A. yes
- B. No

**Answer:** A

#### Explanation:

Exchange Online Protection (EOP) will scan outbound messages from Exchange Online mailboxes.

#### NEW QUESTION 9

SIMULATION - (Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

Two users named Christie Cline and Irvyn Sayers leave your company.

You need to ensure that all email sent to the users at your company are forwarded automatically to the mailbox of Megan Bowen. The solution must NOT use mail flow rules.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

**Answer: A**

#### Explanation:

? In the EAC, go to Recipients > Mailboxes.

? In the list of user mailboxes, click or tap the mailbox that you want to configure mail forwarding for, and then click or tap Edit

? On the mailbox properties page, click Mailbox Features.

? Under Mail Flow, select View details to view or change the setting for forwarding email messages.

On this page, you can set the maximum number of recipients that the user can send a message to. For on-premises Exchange organizations, the recipient limit is unlimited. For Exchange Online organizations, the limit is 500 recipients.

? Check the Enable forwarding check box, and then click or tap Browse.

? On the Select Recipient page, select a user you want to forward all email to. Select the Deliver message to both forwarding address and mailbox check box if you want both the recipient and the forwarding email address to get copies of the emails sent. Click or tap OK, and then click or tap Save.

#### NEW QUESTION 10

SIMULATION - (Topic 5)

SIMULATION


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.



Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided. Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that the email messages in mailboxes and the documents in Microsoft OneDrive folders of all the users in your organization are retained for only five years.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

? From the Microsoft 365 compliance center, select Policies > Retention.

? Select New retention policy to start the Create retention policy configuration, and name your new retention policy.

? For the Choose the type of retention policy to create page, select Static. Adaptive policies don't support the locations for Exchange public folders or Skype for Business.

? Depending on your selected scope:

- On the Choose locations page, toggle on or off any of the locations except the locations for Teams and Yammer. For each location, you can leave it at the default to apply the policy to the entire location.

? Information specific to locations:

- Exchange email and Exchange public folders
- SharePoint sites and OneDrive accounts
- Microsoft 365 Groups
- Skype for Business

? For Decide if you want to retain content, delete it, or both page, specify the configuration options for retaining and deleting content.

You can create a retention policy that just retains content without deleting, retains and then deletes after a specified period of time, or just deletes content after a specified period of time.

? Complete the configuration and save your settings.

**NEW QUESTION 10**

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You plan to implement a hybrid deployment between Exchange Online and Exchange Server.

You need to install the Exchange Online Hybrid Agent. The solution must use the principle of least privilege.

To which roles should you be assigned to perform the installation? To answer, drag the appropriate roles to the correct products. Each role may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Answer Area

Global Admin	
Exchange Administrator	Microsoft Office 365
Service Administrator	
Organization Management	Exchange Server 2019
Server Management	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Global Admin	
Exchange Administrator	Microsoft Office 365
Service Administrator	
Organization Management	Exchange Server 2019
Server Management	

NEW QUESTION 11

- (Topic 5)  
You have a Microsoft Exchange Online tenant that has anti-spam policies configured.  
You need to identify any anti-spam policy settings that were changed during the last three months and review recommendations for increase Microsoft Standard or Stria configurations for Exchange Online anti-spam policies.  
What should you use?

- A. Configuration analyzer in Microsoft 365 Defender
- B. Compliance Manager
- C. Microsoft Defender for Cloud Apps
- D. the Insights dashboard in the Exchange admin center

Answer: A

NEW QUESTION 13

- (Topic 5)  
You have a Microsoft Exchange Server 2019 organization.  
You need to provide a user named User1 with the ability to create and manage transport rules.  
To which management role group should you add User1?

- A. Compliance Management
- B. Server Management
- C. Records Management
- D. Hygiene Management

Answer: C

Explanation:  
References:  
<https://docs.microsoft.com/en-us/exchange/records-management-exchange-2013-help>

NEW QUESTION 16

HOTSPOT - (Topic 5)  
You have an address book policy named Contoso-US that contains an address list named Contoso-Finance.

You need to add an address list named Contoso-Marketing to Contoso-US without removing Contoso-Finance.  
 How should you complete the command? To answer, select the appropriate options in the answer area.  
 NOTE: Each correct selection is worth one point.

<div>-Identity</div> <div> <div>New-AddressList</div> <div>Set-AddressList</div> <div>New-AddressBookPolicy</div> <div>Set-AddressBookPolicy</div> </div>	<div> <div>"Contoso-Marketing"</div> <div>"Contoso-Marketing", "Contoso-Finance"</div> <div>"Contoso-Finance"</div> <div>"Contoso-US"</div> </div>
<div>-AddressLists</div> <div> <div>"Contoso-Marketing"</div> <div>"Contoso-Marketing", "Contoso-Finance"</div> <div>"Contoso-Finance"</div> <div>"Contoso-US"</div> </div>	

- A. Mastered  
 B. Not Mastered

**Answer: A**

**Explanation:**

<div>-Identity</div> <div> <div>New-AddressList</div> <div>Set-AddressList</div> <div>New-AddressBookPolicy</div> <div>Set-AddressBookPolicy</div> </div>	<div> <div>"Contoso-Marketing"</div> <div>"Contoso-Marketing", "Contoso-Finance"</div> <div>"Contoso-Finance"</div> <div>"Contoso-US"</div> </div>
<div>-AddressLists</div> <div> <div>"Contoso-Marketing"</div> <div>"Contoso-Marketing", "Contoso-Finance"</div> <div>"Contoso-Finance"</div> <div>"Contoso-US"</div> </div>	

#### NEW QUESTION 17

- (Topic 5)

You have 1,000 user accounts that are each licensed for Microsoft 365. Each user account has a Microsoft Exchange Online mailbox. Ten of the user accounts are configured as service accounts for applications. The applications send event notifications to the mailboxes of the service accounts by using SMTP. The developers of each application have delegated access to the mailbox of their respective application. The solution must minimize licensing costs. What should you do?

- A. Replace the service account mailboxes with a Microsoft 365 group  
 B. Convert the service account mailboxes into mail-enabled contacts  
 C. Replace the service account mailboxes with a single user mailbox  
 D. Replace the service account mailboxes with a single user mailbox that contains a folder for each application.

**Answer: B**

#### NEW QUESTION 21

- (Topic 5)

You have a Microsoft Exchange Online tenant and the devices shown in the following table.

Name	Operating system	Microsoft Outlook version
Device1	Windows	Outlook 2019
Device2	MacOS	Outlook 2016 for Mac
Device3	iOS	Outlook for iOS
Device4	Windows	Outlook on the web

You plan to implement sensitivity labels for users to apply to email messages.  
 Which Microsoft Outlook versions will support sensitivity labels without requiring additional software?

- A. Outlook 2019 and Outlook on the web only  
 B. Outlook on the web only  
 C. Outlook 2019. Outlook 2016 for Ma  
 D. Outlook for iO  
 E. and Outlook on the web  
 F. Outlook for iOS and Outlook on the web only  
 G. Outlook 2019 only

**Answer: D**



## NEW QUESTION 26

### SIMULATION - (Topic 5)

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.


When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must

complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to prevent users in your company from sending out-of-office replies to users who use an email address suffix of @contoso.com. The solution must NOT use mail flow rules.

To complete this task, sign in to the Exchange admin center.

- A. Mastered
- B. Not Mastered

**Answer: A**

### Explanation:

? In the Exchange admin center, go to Mail flow > Remote domains.

? Click + Add a remote domain. The Name the domain screen appears.

? In the Name text box, enter a descriptive name for the domain.

? In the Remote Domain text box, enter the full domain name. Use the wildcard character (\*) for all subdomains of a specified domain, for example, \*.contoso.com.

? Click Next. The Email reply types screen appears.

? Define the following settings:

- In the Out of Office reply types section, specify which type of out-of-office replies should be sent to people at this domain.

- In the Automatic replies section, specify whether you want to allow automatic replies, automatic forwarding, or both.

? Click Next. The Message reporting screen appears.

? Specify whether you want to allow delivery reports and non-delivery reports by checking the respective check boxes.

? Click Next. The Text and character set screen appears.

? Define the following settings:

- In the Use Rich-text format pane, specify whether to follow each user's message settings, or whether to always or never preserve RTF formatting. Selecting Never means that RTF messages are sent as plain text or HTML.

- In the Supported Character Set pane, specify which character set to use (if the message doesn't specify the character set) by choosing from the MIME character set or on-MIME character set drop-down list.

? Click Next. The Review screen appears.

? Review the remote domain settings, and click Save.

NEW QUESTION 29

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Online tenant.

You need to create a new public folder. The solution must ensure that users can create new posts by sending emails to the folder.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order

Actions

Create a mail flow rule.

Edit the properties of the public folder mailbox.

Create a Microsoft 365 group.

Create a public folder mailbox.

Create a public folder.

Edit the properties of the public folder.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

Create a mail flow rule.

Edit the properties of the public folder mailbox.

Create a Microsoft 365 group.

Create a public folder mailbox.

Create a public folder.

Edit the properties of the public folder.

Answer Area

Create a public folder mailbox.

Create a public folder.

Edit the properties of the public folder.

NEW QUESTION 32

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are hosted in Microsoft 365. All outbound SMTP email is routed through the on-premises Exchange organization.

A corporate security policy requires that you must prevent credit card numbers from being sent to internet recipients by using email.

You need to configure the deployment to meet the security policy requirement.

Solution: From the Exchange organization, you create a data loss prevention (DLP) policy. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/data-loss-prevention-policies?view=o365-worldwide>

NEW QUESTION 36

HOTSPOT - (Topic 5)

You have a hybrid deployment of Microsoft Exchange Server 2019. You need to configure modern attachments for Outlook on the web.

From Exchange Management Shell, which cmdlet should you run? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

-Name Default

Set-CASMailbox

Set-OutlookProvider

Set-ClientAccessRule

Set-OwaMailboxPolicy

Https://Contoso-

-Identity

-internalSPMySiteHostURL

-WacExternalServicesEnabled

-ThirdPartyAttachmentsEnabled

my.sharepoint.com -ExternalSPMySiteHostURL Htps://Contoso-my.Contoso.com

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

▼	-Name Default	▼	Https://Contoso-
Set-CASMailbox		-Identity	
Set-OutlookProvider		-internalSPMySiteHostURL	
Set-ClientAccessRule		-WacExternalServicesEnabled	
Set-OwaMailboxPolicy		-ThirdPartyAttachmentsEnabled	

my.sharepoint.com -ExternalSPMySiteHostURL Https://Contoso-my.Contoso.com

### NEW QUESTION 37

- (Topic 5)

Your company has a Microsoft Exchange Server 2019 server. The company has five departments. The server contains one mailbox database for each department. Each mailbox database contains all the users in its respective department. The databases contain 1,000 users.

You create an address book policy for each department. You need to assign the address book policies to the users. Which cmdlet should you run?

- A. Set-Mailbox
- B. Set-AddressList
- C. Set-MailboxDatabase
- D. Sec-AddressBookPolicy

**Answer:** A

#### Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/address-books/address-book-policies/assign-an-address-book-policy-to-mail-users>

### NEW QUESTION 39

- (Topic 5)

You have a Microsoft Exchange Online tenant.

The tenant has the following Exchange ActiveSync configurations.

```
[PS] C:\> Get-ActiveSyncDeviceAccessRule | f1 Name, QueryString, AccessLevel, Characteristic
```

```
Name           : Outlook for iOS and Android (DeviceModel)
QueryString    : Outlook for iOS and Android
AccessLevel     : Allow
Characteristic  : DeviceModel
```

```
[PS] C:\> Get-ActiveSyncOrganizationSettings | f1 Name, DefaultAccessLevel, IsIntuneManaged,
HasAzurePremiumSubscription, DeviceFiltering
```

```
Name           : Mobile Mailbox Settings
DefaultAccessLevel : False
IsIntuneManaged : False
HasAzurePremiumSubscription : False
DeviceFiltering  :
```

Which mail client can Android device users use?

- A. both native Exchange ActiveSync clients and Microsoft Outlook for Android
- B. Microsoft Outlook for iOS and Android only
- C. native Exchange ActiveSync clients only
- D. neither native Exchange ActiveSync clients nor Microsoft Outlook for Android

**Answer:** A

#### Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/new-activesyncdeviceaccessrule?view=exchange-ps>

### NEW QUESTION 41

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a user named User1. User1 must perform the following tasks:

- Manage audit logs.
- Track email messages in the Exchange organization.
- Manage transport rules for the Exchange organization.

You need to recommend to which role group to add User1. The solution must follow the principle of least privilege. What should you recommend?

- A. Security Administrator
- B. Organization Management
- C. Compliance Management
- D. Security Operator

**Answer:** C



#### NEW QUESTION 42

- (Topic 5)

Your network contains an Active Directory domain named fabrikam.com.

You have a Microsoft Exchange Server 2019 organization that contains two Mailbox servers. The servers are members of a database availability group (DAG).

You plan to implement an Exchange hybrid deployment.

You are evaluating the use of the Exchange Modern Hybrid connection option during the hybrid deployment.

What are two benefits of using Exchange Modern Hybrid instead of Exchange Classic Hybrid? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

A. allows the use of Microsoft Azure Multi-Factor Authentication (MFA) for on-premises users

B. eliminates the need to purchase publicly trusted certificates for communication between the on-premises organization and Exchange Online

C. preserves mailbox quotas when mailboxes are moved between the on-premises organization and Exchange Online

D. uses Organization Configuration Transfer to configure Exchange Online

E. allows federated sharing between the on-premises organization and Exchange Online

**Answer:** BD

#### **Explanation:**

Reference:

<https://practical365.com/exchange-online/hybrid-exchange-making-it-easier-and-faster-to-move-to-the-cloud/>

#### NEW QUESTION 45

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 organization that contains 200 mailboxes.

You need to add a second email address to each mailbox. The address must have a syntax that uses the first letter of each user's last name, followed by the user's first name, and then @fabrikam.com.

Solution: You convert all the mailboxes to shared mailboxes, and then you run the Set-Mailbox cmdlet and specify the -EmailAddressPolicyEnabled \$false parameter.

Does this meet the goal?

A. Yes

B. No

**Answer:** B

#### **Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/email-address-policies/email-address-policies?view=exchserver-2019>

Email address policies define the rules that create email addresses for recipients in your Exchange organization.

The basic components of an email address policy are:

Email address templates: Define the email address format for the recipients (for example

<firstname>@contoso.com or <lastname>.<firstname>@contoso.com).

Recipient filter: Specifies the recipients whose email addresses are configured by the policy.

Priority: Specifies the order to apply the email address policies (important if a recipient is identified by more than one policy).

The EmailAddressPolicyEnabled parameter specifies whether to apply email address policies to this recipient. Valid values are:

\$true: Email address policies are applied to this recipient. This is the default value.

\$false: Email address policies aren't applied to this recipient.

#### NEW QUESTION 49

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has an Exchange Online tenant that contains 2,000 mailboxes.

A partner company named Fabrikam, Inc. uses a third-party messaging solution. The outbound SMTP server for Fabrikam uses an IP address of 131.107.2.22.

You discover that several email messages from the fabrikam.com domain are erroneously marked as spam.

You need to ensure that all the email messages sent from the fabrikam.com domain are delivered successfully to the user mailboxes of your company.

Solution: You create a connection filter. Does this meet the goal?

A. Yes

B. No

**Answer:** B

#### **Explanation:**

You can allow the server IP address in the Connection Filter. This would achieve the objective of ensuring all email from Fabrikam.com is delivered. However, it would also allow any other company that uses the thirdparty email server to bypass the spam filter.

The fact that the question specifies that Fabrikam uses a "third-party messaging solution" suggests that the

answer to this question should be No although technically it would work. Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/create-safe-sender-lists-in-office-365?view=o365-worldwide>

#### NEW QUESTION 53

- (Topic 5)

All the users in your company have Microsoft 365 mailboxes.

Each user connects to Microsoft Exchange Online and OneDrive for Business from a personal computer that runs Windows 10.

You need to ensure that the users can save attachments to OneDrive for Business only when they connect to their mailbox from Outlook on the web.

What should you create?



- A. an app protection policy in Microsoft Endpoint Manager
- B. a device compliance policy in Microsoft Endpoint Manager
- C. an Outlook Web App policy in Exchange Online
- D. an Exchange ActiveSync device access rule

**Answer:** C

**Explanation:**

<https://www.pelegit.co.il/prevent-downloading-attachments-through-owa/>

**NEW QUESTION 56**

- (Topic 5)

You deploy a Microsoft Exchange Server 2019 organization.

You need to ensure that users of all new mailboxes are prevented from editing their personal information.

What should you do?

- A. From the Exchange admin center, create a new role assignment policy.
- B. From PowerShell, run the New-Ro1eAssignmentPolicy cmdlet and specify the-isDefault parameter.
- C. From the Exchange admin center, create a new role group and assign the role group to Domain Users.
- D. From PowerShell, run the New-RoleGroup cmdlet and specify the-CustomRecipientWriteScope parameter.

**Answer:** B

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/role-based-access-control/newroleassignmentpolicy?view=exchange-ps>

**NEW QUESTION 57**

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization that uses an Edge Server.

You plan to implement a hybrid deployment between Exchange Online and Exchange Server.

You need to ensure that all the email between Exchange Online and Exchange Server 2019 is sent by using the Edge Server.

Which two hybrid configuration topologies could you deploy to meet the requirements? Each correct answer presents a complete solution.

- A. Modern Minimal
- B. Classic Minimal
- C. Classic Full
- D. Classic Express
- E. Modern Full

**Answer:** CE

**Explanation:**

Reference:

<https://www.enowsoftware.com/solutions-engine/what-are-your-exchange-hybrid-options>

**NEW QUESTION 62**

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that contains a mail-enabled public folder named CustomerSupport

You need to create a group for the customer support team at your company. The solution must ensure that email sent to the group is also posted to the CustomerSupport public folder

How should you configure the group? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

Group type:

<input type="text"/>
Distribution list
Microsoft 365
Security

Configuration:

<input type="text"/>
Add CustomerSupport as a member of the group.
Assign the group the Contributor role for CustomerSupport.
Configure the Send As settings.
Configure the Send on Behalf settings.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Group type:

Distribution list
Microsoft 365
Security

Configuration:

Add CustomerSupport as a member of the group.
Assign the group the Contributor role for CustomerSupport.
Configure the Send As settings.
Configure the Send on Behalf settings.

NEW QUESTION 65

- (Topic 5)  
You use an IMAP-based email system. You purchase a Microsoft 365 subscription.  
In Exchange Online, you create mailboxes for all users.  
You need to migrate all the email accounts of all the users to Exchange Online.  
Which three components should you create? Each correct answer presents part of the solution.  
NOTE: Each correct selection is worth one point.

- A. a migration batch
- B. a CSV migration file
- C. an inbound connector
- D. an accepted domain
- E. a remote domain
- F. a migration endpoint

Answer: BDF

Explanation:

Reference:  
<https://docs.microsoft.com/en-us/exchange/mailbox-migration/migrating-imap-mailboxes/migrate-other-typesof-imap-mailboxes>

NEW QUESTION 68

HOTSPOT - (Topic 5)  
You have a Microsoft Exchange Online tenant.  
You need to be notified when more than 1,000 email messages are queued in Exchange for more than one hour.  
What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Configure:	<table border="1"><tr><td>Alert policies</td></tr><tr><td>Alert policies</td></tr><tr><td>Insights</td></tr><tr><td>Message trace</td></tr><tr><td>Rules</td></tr></table>	Alert policies	Alert policies	Insights	Message trace	Rules
Alert policies						
Alert policies						
Insights						
Message trace						
Rules						
In portal:	<table border="1"><tr><td>Exchange admin center</td></tr><tr><td>Exchange admin center</td></tr><tr><td>Microsoft 365 admin center</td></tr><tr><td>Microsoft 365 Defender portal</td></tr><tr><td>Microsoft Purview compliance portal</td></tr></table>	Exchange admin center	Exchange admin center	Microsoft 365 admin center	Microsoft 365 Defender portal	Microsoft Purview compliance portal
Exchange admin center						
Exchange admin center						
Microsoft 365 admin center						
Microsoft 365 Defender portal						
Microsoft Purview compliance portal						

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Configure: 

Alert policies  
Alert policies  
Insights  
Message trace  
Rules

In portal: 

Exchange admin center  
Exchange admin center  
Microsoft 365 admin center  
Microsoft 365 Defender portal  
Microsoft Purview compliance portal

NEW QUESTION 73

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that contains two users named User1 and User2.

User1 receives an email message that appears to come from User2. You discover that the message did NOT originate from User2.

You need to prevent email impersonation in the Exchange environment.

Which type of policy should you use, and which setting should you configure? To answer, select the appropriate options in the answer area.

Answer Area

Policy type: 

Anti-phishing  
Anti-malware  
Anti-phishing  
Anti-spam

Setting: 

Enable domains to protect  
Enable users to protect  
Enable domains to protect  
Add trusted senders and domains

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Policy type: 

Anti-phishing  
Anti-malware  
Anti-phishing  
Anti-spam

Setting: 

Enable domains to protect  
Enable users to protect  
Enable domains to protect  
Add trusted senders and domains

NEW QUESTION 78

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

You need to configure Outlook on the web to meet the following requirements:

- Prevent users from requesting a remote wipe of their devices.
- Prevent users from accessing voice mails.

You create a new Outlook Web App mailbox policy named Policy1.

Policy1

Select the features that you want to enable for this Outlook Web App mailbox policy.

Communication management

<input checked="" type="checkbox"/>	Instant messaging
<input checked="" type="checkbox"/>	Text messaging
<input checked="" type="checkbox"/>	Unified Messaging

- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**

Unified Messaging

**NEW QUESTION 80**

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has an Exchange Online tenant that contains 2,000 mailboxes.

A partner company named Fabrikam, Inc. uses a third-party messaging solution. The outbound SMTP server for Fabrikam uses an IP address of 131.107.2.22.

You discover that several email messages from the fabrikam.com domain are erroneously marked as spam.

You need to ensure that all the email messages sent from the fabrikam.com domain are delivered successfully to the user mailboxes of your company.

Solution: You create a remote domain. Does this meet the goal?

A. Yes

B. No

**Answer: B**

**NEW QUESTION 84**

- (Topic 5)

You have a hybrid deployment that contains a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 server named Server1. All users use an email address suffix of @contoso.com.

You migrate 200 mailboxes from Server1 to Exchange Online by using Exchange PowerShell cmdlets. Users hosted on Server1 can send email messages to the migrated mailboxes.

In Microsoft 365, you create a new mailbox that uses an email address of user1@contoso.com.

When email is sent from the mailboxes hosted on Server1 to user1@contoso.com, the senders receive a non-delivery report (NDR) that contains the following text: "550 5.1.10 RESOLVER.ADR.RecipientNotFound; Recipient not found by SMTP address lookup."

You verify that Microsoft 365 mailboxes can send email to user1@contoso.com successfully.

You delete the user account and mailbox of User1.

You need to ensure that when new mailboxes are created, all the users at your company can exchange email successfully.

Which two actions should you perform? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

A. From Azure AD Connect, modify the synchronization settings

B. From Server1, run the New-RemoteMailbox cmdlet

C. From Server1, run the Enable-Mailbox cmdlet

D. From the on-premises network, create new mailboxes, and then migrate the mailboxes to Microsoft 365

E. From the Exchange admin center, modify the properties of the Outbound connector

**Answer: BD**

**Explanation:**

The problem happens because the on-premise Exchange server is not aware of the existence of the mailbox created in Exchange Online. To prevent this happening, new mailboxes need to be created from the on-premise Exchange server.

You can create on Exchange Online mailbox from the on-premise server by running New-RemoteMailbox cmdlet. Alternatively, you can create a local mailbox on the on-premise server and then migrate the mailbox to Exchange Online.

**NEW QUESTION 85**

- (Topic 5)

You have a Microsoft Exchange Online subscription.

You need to generate a CSV file containing all the email messages that failed to send from the user1@contoso.com email address during the last 30 days.

What are two possible ways to achieve the goal? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

A. From Exchange Online PowerShell, run the Get-MessageTrace cmdlet.

B. From the Exchange admin center, run a message trace.

C. From the Security & Compliance admin center, export the mailbox audit logs.

D. From Exchange Online PowerShell, run the Get-MessageTraceDetail cmdlet.

E. From the Security & Compliance admin center, run a message trace.

**Answer: BD**

**Explanation:**

References:

<https://docs.microsoft.com/en-us/exchange/monitoring/trace-an-email-message/run-a-message-trace-andview-results>

<https://docs.microsoft.com/en-us/powershell/module/exchange/mail-flow/get-messagetracedetail?view=exchange-ps>

**NEW QUESTION 86**

- (Topic 5)

You have a Microsoft Exchange Online tenant that has an email domain named contoso.com.

You collaborate with a partner company that has an email domain named adatum.com. You need to ensure that all the email messages sent to and received from adatum.com are encrypted in transit.

Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct answer is worth one point.

A. Create a connector from adatum.com to Microsoft Office 365 and configure the connector to use SMTP relay.

B. Create a connector from adatum.com to Microsoft Office 365 and configure the connector to require TLS.

C. Create a connector from Microsoft Office 365 to adatum.com and configure the connector to require TLS.



- D. Issue S/MIME certificates to all the users in contoso.com.
- E. Configure Exchange Online to use direct send to adatum.com.

Answer: BC

NEW QUESTION 88

- (Topic 5)  
You have a Microsoft Exchange Online tenant.  
Users use Microsoft Outlook as their primary email client.  
The users report that email messages received from a partner company are often delayed before being delivered.  
You need to analyze the message header of one of the delayed messages to identify the cause of the delay.  
What are two actions that you can perform? Each correct answer presents a complete solution.  
NOTE: Each correct selection is worth one point.

- A. From Message trace in the Exchange admin center, create a custom query.
- B. From the Exchange admin center, review the Queued messages report.
- C. Run the Microsoft Remote Connectivity Analyzer.
- D. From Outlook, review the properties of the message.
- E. From the Exchange admin center, review the mail flow rules.

Answer: AD

NEW QUESTION 92

HOTSPOT - (Topic 5)  
Your company has a Microsoft 365 subscription. All users are assigned Microsoft 365 E5 licenses.  
The users receive email messages that appear to come from managers at the company. However, the messages are not from the managers and often include links to malicious websites.  
You need to provide a solution to protect the mailboxes of the managers and to inform the users when phishing occurs.  
Which two settings should you modify in the anti-phishing policy? To answer, select the appropriate settings in the answer area.  
NOTE: Each correct selection is worth one point.

Answer Area

Priority	1
Status	On
Last modified	December 10, 2018

Policy setting	Policy name Description Applied to	Test
		If the recipient domain is: M365x051451.onmicrosoft.com
Impersonation	Users to protect	<input type="text" value="Off"/>
	Protect all domains I own	<input type="text" value="Off"/>
	Protect specific domains	<input type="text" value="Off"/>
	Action > User impersonation	<input type="text" value="Don't apply any action"/>
	Action > Domain impersonation	<input type="text" value="Don't apply any action"/>
	Safety tips > User impersonation	<input type="text" value="Off"/>
	Safety tips > Domain impersonation	<input type="text" value="Off"/>
	Safety tips > Unusual characters	<input type="text" value="Off"/>
	Mailbox intelligence	<input type="text" value="On"/>
Spoof	Enable antispoofting protection	<input type="text" value="On"/>
	Action	<input type="text" value="Move message to the recipients' Junk Email folders"/>
Advanced settings	Advanced phishing thresholds	1 - Standard

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

#### Answer Area

Priority	1	
Status	On	
Last modified	December 10, 2018	
Policy setting	Policy name Description Applied to	Test  If the recipient domain is: M365x051451.onmicrosoft.com
Impersonation	Users to protect Protect all domains I own Protect specific domains Action > User impersonation Action > Domain impersonation Safety tips > User impersonation Safety tips > Domain impersonation Safety tips > Unusual characters Mailbox intelligence	<input type="text" value="Off"/> <input type="text" value="Off"/> <input type="text" value="Off"/> <input type="text" value="Don't apply any action"/> <input type="text" value="Don't apply any action"/> <input type="text" value="Off"/> <input type="text" value="Off"/> <input type="text" value="Off"/> <input type="text" value="On"/>
Spoof	Enable antispoofting protection Action	<input type="text" value="On"/> <input type="text" value="Move message to the recipients' Junk Email folders"/>
Advanced settings	Advanced phishing thresholds	1 - Standard

#### NEW QUESTION 96

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a public folder named CustomerSupport. You need to access CustomerSupport by using Outlook on the web. Which section in Outlook on the web should you add CustomerSupport?

- A. Favorites
- B. Folders
- C. Groups

**Answer: C**

#### NEW QUESTION 99

- (Topic 5)

You have a Microsoft 365 tenant that contains a user named User1.

Automatic email forwarding to mailboxes outside your company is blocked for the tenant. You need to ensure that User1 can automatically forward email to an external recipient.

What should you do?

- A. Create an anti-malware policy.
- B. Modify the Tenant Allow/Block List
- C. Create an anti-spam policy.
- D. Create an anti-phishing policy.

**Answer: C**

#### NEW QUESTION 104

- (Topic 5)

You have a Microsoft Exchange Online tenant.

All users are assigned only an Office 365 Enterprise E3 license.

You need to ensure that the users can use only Microsoft Outlook to connect to their Microsoft 365 mailbox when they connect from an Android device.

What should you create?

- A. a conditional access policy in Azure Active Directory (Azure AD)
- B. a connection filter policy in Exchange Online Protection (EOP)
- C. an Outlook Web App policy in Exchange Online
- D. an app protection policy in Microsoft Endpoint Manager

**Answer: A**

#### Explanation:

Office 365 Enterprise E3 includes Azure Active Directory Premium P1 which is required for Azure conditional access policies.

#### NEW QUESTION 105

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization. You plan to migrate all mailboxes to Exchange Online.

You need to provide a user with the ability to perform the mailbox migrations. The solution must use the principle of least privilege.

Which role should you assign to the user?

- A. Recipient Management
- B. Server Management
- C. Help Desk
- D. Organization Management

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/permissions/feature-permissions/recipient-permissions?view=exchserver-2019>

#### NEW QUESTION 110

- (Topic 4)

You need to email a list of configuration changes to the Exchange Online environment that were recently performed by Allan Deyoung. What should you do?

- A. Run the admin audit log report
- B. Run the external admin audit log report
- C. Export the admin audit log
- D. Run an administrator role group report
- E. Export the mailbox audit logs

**Answer:** C

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/exchange-auditing-reports/exchange-auditing-reports>

#### NEW QUESTION 115

- (Topic 4)

Joni Sherman reports that the Microsoft Outlook client on her Windows 10 device fails to start.

You need to troubleshoot the issue.

From the device, you start the Microsoft Remote Connectivity Analyzer. What should you run next?

- A. the Exchange ActiveSync test
- B. the Outlook Connectivity test
- C. the Service Account Access test
- D. the Microsoft Support and Recovery Assistant for Office 365 client

**Answer:** D

**Explanation:**

Reference:

<https://www.sherweb.com/blog/office-365/microsoft-support-and-recovery-assistant/>

#### NEW QUESTION 116

- (Topic 4)

You discover that email messages sent to contoso.com are NOT delivered through Contoso Connector.

You need to ensure that all email sent to contoso.com is delivered through Contoso Connector.

Which connector setting should you modify?

- A. Routing
- B. Security restrictions
- C. Use of connector
- D. Status

**Answer:** C

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set-up-connectors-for-secure-mail-flow-with-a-partner>

#### NEW QUESTION 117

HOTSPOT - (Topic 3)

You need to perform a remote wipe of the devices of User2 and User3. You run the following commands.

Clear-MobileDevice -id User2-Device

-NotificationEmailAddress "admin@Fabrikam.com"

Clear-MobileDevice -id User3-Device

-NotificationEmailAddress "admin@Fabrikam.com"

What occurs on each device? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

On the device of User2:

All data is deleted. !
Only email messages are deleted.
Only email messages and calendar, contact, and file data are deleted.

On the device of User3:

All data is deleted.
Only email messages are deleted.
Only email messages and calendar, contact, and file data are deleted.

- A. Mastered  
B. Not Mastered

**Answer:** A

**Explanation:**

On the device of User2:

All data is deleted.
Only email messages are deleted.
Only email messages and calendar, contact, and file data are deleted.

On the device of User3:

All data is deleted.
Only email messages are deleted.
Only email messages and calendar, contact, and file data are deleted.

#### NEW QUESTION 122

- (Topic 3)

You need to generate a report for the mobile devices that meets the technical requirements.  
Which PowerShell cmdlet should you use?

- A. Get-DevicePolicy  
B. Get-MobileDevice  
C. Get-MobileDeviceStatistics  
D. Get-DeviceTenantPolicy

**Answer:** B

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/get-mobiledevice?view=exchange-ps>

#### NEW QUESTION 127

HOTSPOT - (Topic 3)

You need to ensure that In-Place Archiving is enabled for the marketing department users.

Which user should perform the change, and which tool should the user use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

User:

▼
Admin2 only
Admin3 only
Admin1 and Admin3 only
Admin2 and Admin4 only

Tool:

▼
Microsoft 365 admin center
Microsoft 365 security center
Microsoft 365 compliance center

- A. Mastered  
B. Not Mastered

**Answer:** A

**Explanation:**



Graphical user interface, text, application Description automatically generated

#### NEW QUESTION 130

- (Topic 3)

User3 leaves the company.

You need to ensure that Admin1 and Admin2 can access the mailbox of User3. The solution must meet the technical requirements.

What should you do?

- A. Migrate the mailbox of User3 to a distribution group.
- B. Migrate the mailbox of User3 to a Microsoft 365 group.
- C. Convert the mailbox of User3 into a resource mailbox.
- D. Convert the mailbox of User3 into a shared mailbox.

**Answer:** D

#### Explanation:

Fabrikam identifies the following technical requirements:

? When users leave the company, remove their licenses and ensure that their mailbox is accessible to Admin1 and Admin2.

If you remove the license from User3, the mailbox will be deleted after 30 days. Converting the mailbox to a shared mailbox will ensure that the mailbox is not deleted. You would still need to give Admin1 and Admin2 permissions to access the mailbox.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/admin/email/convert-user-mailbox-to-shared-mailbox?view=o365-worldwide>

#### NEW QUESTION 131

- (Topic 3)

You need to identify the contents of the FabrikamProject public folder to meet the technical requirements.

Which PowerShell cmdlet should you run?

- A. Get-PublicFolderScaviscics
- B. Get-PublicFolderItemStatistics
- C. Get-PublicFolderMailboxDiagnoscics
- D. Get-PublicFolder

**Answer:** B

#### Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/get-publicfolderitemstatistics?view=exchange-ps>

#### NEW QUESTION 132

- (Topic 2)

You need to resolve the issue for the transport department users.

What is the best way to achieve the goal? More than one answer choice may achieve the goal. Select the BEST answer.

- A. Move the public folder mailbox that contains TransportPF to a server in the main office.
- B. Move TransportPF to a public folder mailbox hosted in the main office.
- C. Modify the default public folder mailbox for all the transport department users.
- D. Instruct the transport department users to add TransportPF to their Favorites list in Outlook.

**Answer:** B

#### Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/recipients/mailbox-moves?view=exchserver-2019>

#### NEW QUESTION 136

HOTSPOT - (Topic 3)

You need to configure the new smartboard to support the planned changes.

Which three settings should you configure? To answer, select the appropriate settings in the answer area.

NOTE: Each correct selection is worth one point.

**Booking options**

Assign settings for the booking policy that defines when this resource can be scheduled

☐ Allow repeating meetings

☐ Allow scheduling only during work hours

☐ Auto-accepts meeting request

Set to "Off" if you want to specify users who want to accept meetings manually

Booking delegates

☐ Automatically decline meetings outside of limits below

Booking window (days)

Maximum duration (hours)

If the organizer needs a reply enter message below

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**  
Graphical user interface, text, application, email Description automatically generated

**NEW QUESTION 139**  
HOTSPOT - (Topic 3)  
How many default policy tags (DPTs), retention policy tags (RPTs), and personal tags should you create to meet the retention requirements? To answer, select the appropriate options in the answer area.  
NOTE: Each correct selection is worth one point.

Answer Area

DPTs:

0

1

2

3

4

RPTs:

0

1

2

3

4

5

6

7

Personal tags:

0

1

2

3

4

5

6

7

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: 1  
Default Policy Tags apply to any item that doesn't have another tag applied to it. We need one to meet the following requirement:  
? Ensure that any items without a retention tag are moved to the Archive mailbox two years after they were created and permanently deleted seven years after they were created.

Box 2: 2  
Retention Policy Tags apply to default mailbox folders (Inbox, Sent Items etc). We need two to meet the following requirements:  
? Automatically delete items in the Junk Email folder after 30 days.  
? Automatically delete items in the Sent Items folder after 300 days.

Box 3: 3  
Personal tags can be applied by users to custom folders or individual emails. We need three to meet the following requirements:  
? Enable users to tag items for deletion after one year.  
? Enable users to tag items for deletion after two years.  
? Enable users to tag items to be archived after one year.

NEW QUESTION 144

HOTSPOT - (Topic 2)  
You need to implement a solution that meets the technical requirements for the retention of junk email, sent items, and deleted items.  
What is the minimum number of retention policies and retention tags you should use? To answer, select the appropriate options in the answer area.  
NOTE: Each correct selection is worth one point.

Retention tags:

	▼
1	
2	
3	
14	
30	

Retention policies:

	▼
1	
2	
3	
14	
30	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Retention tags:

	▼
1	
2	
3	
14	
30	

Retention policies:

	▼
1	
2	
3	
14	
30	

#### NEW QUESTION 146

- (Topic 5)

You have hybrid deployment between a Microsoft Exchange Online tenant and an on- premises Exchange Server 2019 organization. The deployment uses Azure AD Connect. All incoming email is delivered to Exchange Online. You have 10 mail-enabled public folders hosted on an on-premises Mailbox server.

Customers receive an error when an email message is sent to a public folder.

You need to ensure that all the mail-enabled public folders can receive email messages from the internet. The solution must ensure that messages can be delivered only to valid recipients.

Solution: From Azure AD Connect, select Exchange Mail Public Folders. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

From Azure AD Connect, selecting Exchange Mail Public Folders will ensure that all the mail-enabled public folders can receive email messages from the internet and that messages can be delivered only to valid recipients. This is according to the Microsoft 365 Messaging documentation (<https://docs.microsoft.com/en-us/exchange/hybrid-deployment/hybrid-mail-flow>).

#### NEW QUESTION 147



#### HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

You need to create a new policy to retain mailbox items for five years before the items are deleted. The policy must be assigned to any user that has a job title attribute of Manager.

Which type of policy should you create, and what should you create first? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area



- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Answer Area



#### NEW QUESTION 148

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription.

You need to ensure that a user named User1 can review audit reports from the Microsoft 365 security center. User1 must be prevented from tracing messages from the Security admin center.

Solution: You assign the Reports reader role to User1. Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

#### NEW QUESTION 149

- (Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on- premises Exchange Server 2019 server.

Users report that the email they send to external recipients is marked as spam.

You need to validate the Reverse DNS and Sender ID data for the on-premises server. What should you use in the Microsoft Remote Connectivity Analyzer?

- A. Inbound SMTP Email
- B. Outbound SMTP Email
- C. Message Analyzer
- D. Exchange Online Custom Domains DNS Connectivity Test

**Answer:** B

#### NEW QUESTION 150


HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

You recently hired two new administrators named Admin5 and Admin6. You need to grant the following permissions to the new administrators:

- Admin5 must be able to assign licenses to users.
- Admin6 must be able to modify the email SPAM settings of all users.
- Admin5 must be able to configure the email forwarding settings of all users.
- Admin5 and Admin6 must be able to manage the mailbox permissions of all users. The solution must use the principle of least privilege.


Which role should you assign to each user? To answer, select the appropriate options NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**



**NEW QUESTION 154**

- (Topic 5)

You have a Microsoft Exchange Online tenant named contoso.com.  
 You create a partnership with two other companies named fabhkam.com and wingtiptoys.com. All the mailboxes of fabnkam.com are hosted in Microsoft 365. All the mailboxes of wingtiptoys.com are hosted in an on-premises Exchange Server 2019 organization.  
 You need to ensure that all the email messages sent from contoso.com to fabrikam.com and wingtiptoys.com is encrypted by using TLS.  
 What should you do?

- A. Configure one connector.
- B. Create an organizational relationship.
- C. Create two remote domains.
- D. Run the Office 365 Exchange Hybrid Configuration wizard.
- E. Configure two mail flow rules.

**Answer:** A

**Explanation:**

Reference:  
<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set-up-connectors-for-secure-mail-flow-with-a-partner>

**NEW QUESTION 156**

- (Topic 5)

You have a Microsoft Exchange Online tenant that has a domain named contoso.com.  
 From the Exchange admin center, you create an organization relationship that has the following settings:  
 • Domain to share with: fabhkam.com  
 • Share calendar free/busy information for: Everyone in your organization  
 The users in contoso.com report that they cannot view the calendar free/busy information of the users in fabrikam.com. You need to ensure that the users in both tenants can view the calendar free/busy information of all users.  
 What should you do?

- A. Configure a sharing policy for fabrikam.com.
- B. Request fabrikam.com to configure an organization relationship with contoso.com.
- C. Add a remote domain to fabnkam.com.
- D. Request fabrikam.com to add contoso.com as an accepted domain.

**Answer:** B

**NEW QUESTION 158**

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that contains the users shown in the following table.

Name	Mobile device	Mail client
User1	iOS	Native mail client
User2	Android	Microsoft Outlook for Android

From the Exchange admin center, you issue a Wipe Data command for User1 and User2. What occurs on the device of each user? To answer, select the appropriate options in the answer area.  
 NOTE: Each correct selection is worth one point.

User1:  ▼

All the data in the email client is wiped.
Only email messages and calendar items are wiped.
The mobile device is wiped.

User2:  ▼

All the data in the email client is wiped.
Only email messages and calendar items are wiped.
The mobile device is wiped.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

User1:  ▼

All the data in the email client is wiped.
Only email messages and calendar items are wiped.
The mobile device is wiped.

User2:  ▼

All the data in the email client is wiped.
Only email messages and calendar items are wiped.
The mobile device is wiped.

#### NEW QUESTION 161

- (Topic 5)

You have a Microsoft Exchange Online tenant that uses an email domain named @contoso.com.

You recently purchased an email domain named fabrikam.com.

You need to ensure that all the users in the tenant can receive email messages by using the @fabrikam.com email domain. The solution must ensure that the users can continue to receive email by using the @contoso.com email domain.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. From the Microsoft 365 admin center, add the fabrikam.com email domain.
- B. From the Exchange admin center, add an accepted domain for fabrikam.com.
- C. From the Microsoft 365 admin center, modify the organization profile.
- D. From the Exchange admin center, add a remote domain for fabrikam.com.
- E. From the Exchange Management Shell, create a script that runs the Set-Mailbox cmdlet.

**Answer:** AE

**Explanation:**

A: the first step is to add the Fabrikam.com domain to Microsoft 365. You would also need to verify the domain (verify that you own the domain).

E: create a script that runs the Set-Mailbox cmdlet to add an @fabrikam.com email address to each mailbox.

#### NEW QUESTION 166

- (Topic 5)

You have a Microsoft 365 subscription that uses Microsoft Exchange Online Protection (EOP) with the default settings.

You need to ensure that email messages sent from the unauthorized IP addresses of any sending domain are marked as High confidence spam The solution must minimize administrative effort.

What should you do?

- A. For the default anti-spam inbound policy, set SPF record: hard fail to On
- B. For the default connection filter policy, add an entry to the IP Block List.
- C. For the default anti-spam inbound policy, set Conditional Sender ID filtering: hard fail to On
- D. Create a mail flow rule.

**Answer:** A



NEW QUESTION 168

- (Topic 5)  
You have a Microsoft Exchange Server hybrid deployment that contains Exchange 2013, Exchange 2016, and Exchange 2019 servers. All the servers have the latest Cumulative Updates (CUs) applied.  
You need to implement Hybrid Modern Authentication (HMA). The solution must minimize costs.  
What should you do first?

- A. Upgrade the Exchange 2013 servers to Exchange 2016 CU7.
- B. Add the on-premises web service URLs as Azure Active Directory (Azure AD) service principal names (SPNs).
- C. Upgrade all the servers to Exchange 2019.
- D. Create an Azure Active Directory (Azure AD) conditional access policy for Exchange Online.

Answer: B

Explanation:

Reference:  
<https://docs.microsoft.com/en-us/microsoft-365/enterprise/configure-exchange-server-for-hybrid-modern-authentication?view=o365-worldwide#make-sure-you-meet-all-the-prerequisites>  
<https://docs.microsoft.com/en-us/microsoft-365/enterprise/hybrid-modern-auth-overview?view=o365-worldwide#do-you-meet-modern-authentication-prerequisites>

NEW QUESTION 172

HOTSPOT - (Topic 5)  
You run several PowerShell commands as shown in the following exhibit.

```
PS C:\> Get-AddressListPolicy | Format-Table

Name                GlobalAddressList      AddressLists              OfflineAddressBook      RoomList
-----                -
Fabrikam-ABP        \Fabrikam               \Fabrikam                 \Fabrikam-OAB           \All Rooms
Contoso-ABP         \Contoso                \Contoso-IT, \Contoso-Marketing \Contoso-OAB            \All Rooms

PS C:\> Get-GlobalAddressList | Format-Table

Name                RecipientFilter
-----                -
Contoso              ((Company -eq 'Contoso'))
Fabrikam             ((Company -eq 'Fabrikam'))

PS C:\> Get-AddressList | Format-Table

Name                DisplayName              RecipientFilter
-----                -
Contoso-Marketing   Contoso-Marketing        ((Company -eq 'Contoso') -and (Department -eq 'Marketing'))
Fabrikam            Fabrikam                 ((Company -eq 'Fabrikam'))

PS C:\> Get-ADUser | Where Name -eq "James Smith" | Select Name, UserPrincipalName, Company, Department

Name                UserPrincipalName      Company      Department
-----                -
James Smith         jsmith@contoso.com     Contoso      Marketing

PS C:\> Get-Mailbox | Where Name -eq "Executive Conference Room" | Select Name, Alias, Office, Database

Name                Alias                  Office      Database
-----                -
Executive Conference Room executiveconferenceroom Contoso     DB1
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.  
NOTE: Each correct selection is worth one point.

James Smith will appear on the [answer choice] address list.

Contoso-IT

Contoso-Marketing

Fabrikam

The Executive Conference Room will appear in [answer choice].

Contoso-ABP only

Fabrikam-ABP only

Contoso-ABP and Fabrikam-ABP

none of the policies

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



James Smith will appear on the [answer choice] address list.

	▼
Contoso-IT	
Contoso-Marketing	
Fabrikam	

The Executive Conference Room will appear in [answer choice].

	▼
Contoso-ABP only	
Fabrikam-ABP only	
Contoso-ABP and Fabrikam-ABP	
none of the policies	

#### NEW QUESTION 177

- (Topic 5)

You have two servers named EXCH1 and EXCH2 that run Windows Server 2012 R2 and have Microsoft Exchange 2016 installed. You purchase a Microsoft 365 subscription. You plan to configure a hybrid deployment between an Exchange Online tenant and the on-premises Exchange Server Organization. You need to identify the prerequisites to installing the Microsoft Hybrid Agent on EXCH1 and EXCH2. Which two prerequisites should you identify? Each correct answer presents part of the solution.

- A. All outbound HTTPS connections to Microsoft Online Services
- B. Enable Hybrid Modern Authentication (HMA).
- C. Upgrade the operating system of EXCH1 and EXCH2 to Windows Server 2019.
- D. Enable TLS 1.2.

**Answer:** AD

#### Explanation:

To perform a hybrid deployment between an Exchange Online tenant and an on-premises Exchange Server organization, you must ensure that all outbound HTTPS connections to Microsoft Online Services are allowed. This is a prerequisite for installing the Microsoft Hybrid Agent.

\* D. Enable TLS 1.2. Reference: <https://docs.microsoft.com/en-us/exchange/hybrid-deployment/prepare-for-hybrid-deployment> explanation: To perform a hybrid deployment between an Exchange Online tenant and an on-premises Exchange Server organization, you must ensure that Transport Layer Security (TLS) 1.2 is enabled on your on-premises Exchange servers. This is a prerequisite for installing the Microsoft Hybrid Agent.

#### NEW QUESTION 180

- (Topic 5)

Your company has an Exchange Server 2019 organization that has servers deployed in two Active Directory forests named adatum.com and contoso.com. The organization contains five Mailbox servers and two Edge Transport servers. You deploy Microsoft 365 and configure Exchange Online.

You plan to configure hybrid mail transport.

You need to identify the number of third-party CA certificates that must be used in the deployment.

What is the minimum number of certificates?

- A. 1
- B. 2
- C. 4
- D. 5

**Answer:** A

#### NEW QUESTION 181

- (Topic 5)

You have a Microsoft 365 subscription that contains a verified domain named contoso.com.

You have an app named App1 that sends meeting invitations on behalf of users. The invitations are sent from a Microsoft Exchange Online mailbox that has a sender address of app1@contoso.com and a reply-to address of the user scheduling the meeting.

You create an anti-phishing policy named Policy1 that includes all the users in contoso.com. Policy1 is configured to protect the domain against impersonation.

You discover that email messages sent from App1 are quarantined.

You need to ensure that App1 can send messages that impersonate any contoso.com user. How should you modify Policy1?

- A. Enable mailbox intelligence.
- B. Add app1@contoso.com as a trusted sender.
- C. Add app1@contoso.com as an excluded user.
- D. Enable spoof intelligence.

**Answer:** C

#### NEW QUESTION 185

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment.

You are migrating mailboxes from the on-premises organization to Exchange Online. From the Exchange admin center, you create a new migration batch that includes 25

mailboxes, and then you select Manual Complete the batch.

Later, you must complete the migration of a mailbox named user1@litware.com in the batch as soon as possible. You discover that the status of the migration batch is Syncing, but the status of the move request for user1@litware.com is Synced.

You need to complete the migration of the user1@litware.com mailbox to Exchange Online as soon as possible.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Set-MoveRequest	-Identity "user1@litware.com"	-CompleteAfter(Get-Date)
Set-MigrationBatch		-SuspendWhenReadyToComplete \$false
Set-MigrationConfig		-PreventCompletion \$false

Resume-MoveRequest -Identity "user1@litware.com"

- A. Mastered  
 B. Not Mastered

**Answer:** A

**Explanation:**

Set-MoveRequest	-Identity "user1@litware.com"	-CompleteAfter(Get-Date)
Set-MigrationBatch		-SuspendWhenReadyToComplete \$false
Set-MigrationConfig		-PreventCompletion \$false

Resume-MoveRequest -Identity "user1@litware.com"

### NEW QUESTION 187

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains the following email domains:

- ? Adatum.com
- ? Contoso.com
- ? Fabrikam.com

When external recipients receive email messages from the users in the tenant, all the messages are delivered by using the @contoso.com email domain.

You need to ensure that the users send email by using the @fabrikam.com email domain. Solution: From the Microsoft 365 admin center, you set fabrikam.com as the default domain.

Does this meet the goal?

- A. Yes  
 B. No

**Answer:** B

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/admin/setup/domains-faq?view=o365-worldwide#how-do-i-set-or-change-the-default-domain-in-microsoft-365>

### NEW QUESTION 192

- (Topic 5)

Your company has a Microsoft Exchange Server 2019 organization that contains two servers in a database availability group (DAG).

The customer service department at the company uses public folders to receive customer communications.

Only users in the customer service department can read items in the folders.

For a new customer, you create a mail-enabled public folder that has the default settings. The customer reports that when she sends an email message to the email address of the

public folder, she receives a non-delivery report (NDR). You need to ensure that the public folder can receive email.

Which public permissions should you configure in Microsoft Outlook?

- A. Grant the Author permission to the Default group
- B. Grant the Author permission to the Anonymous group
- C. Grant the Create items permission to the Anonymous group
- D. Grant the Create items permission to the Default group

**Answer:** C

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/mail-enable-or-disable?view=exchserver-2019>

### NEW QUESTION 196

DRAG DROP - (Topic 5)

You have a Microsoft 365 subscription.

You need to modify the anti-spam settings to meet the following requirements:

- ? Quarantine spam for 30 days.
- ? Notify administrators if users are blocked for sending spam.
- ? Every three days, provide users with a report that details which email messages were identified as spam.

Which spam filter policy should you modify to meet each requirement? To answer, drag the appropriate policies to the correct requirements. Each policy may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Policies	Answer Area
<div>The connection filter policy</div>	Quarantine spam for 30 days: <div></div>
<div>The default spam filter policy</div>	Notify administrators if users are blocked for sending spam: <div></div>
<div>The outbound spam filter policy</div>	Every three days, provide users with a report that details which messages were identified as spam: <div></div>
<div>The spoof intelligence policy</div>	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Policies	Answer Area
<div>The connection filter policy</div>	Quarantine spam for 30 days: <div>The default spam filter policy</div>
<div>The default spam filter policy</div>	Notify administrators if users are blocked for sending spam: <div>The outbound spam filter policy</div>
<div>The outbound spam filter policy</div>	Every three days, provide users with a report that details which messages were identified as spam: <div>The default spam filter policy</div>
<div>The spoof intelligence policy</div>	

NEW QUESTION 201

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment. All Mailbox servers and domain controllers are in the same site. You deploy an Edge Transport server.

You need to ensure that all SMTP traffic between the on-premises organization and Exchange Online is routed through the Edge Transport server.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
<div>On a Mailbox server, modify the accepted domains.</div>	<div></div>
<div>Copy the Edge Subscription file to a Mailbox server.</div>	<div></div>
<div>On the Edge Transport server, run New-EdgeSubscription.</div>	<div></div>
<div>On a Mailbox server, run New-EdgeSubscription.</div>	<div></div>
<div>Run the Microsoft Office 365 Hybrid Configuration wizard.</div>	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

New-EdgeSubscription -FileName "c:\EdgeServerSubscription.xml" This example creates the Edge Subscription file. It should be run on your Edge Transport server. New- EdgeSubscription -FileData ([byte[]]\$(Get-Content -Path "C:\EdgeServerSubscription.xml" - Encoding Byte -ReadCount 0)) -Site "Default-First-Site-Name" This example also imports the Edge Subscription file generated in Example 1 to the Active Directory site Default-First- Site-Name; however, the end result is accomplished using one command. You must run this command on the Mailbox server. ref. <https://docs.microsoft.com/en-us/powershell/module/exchange/mail-flow/new-edgesubscription?view=exchange-ps>

NEW QUESTION 203

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment named contoso.com. You are preparing to migrate several user mailboxes to Microsoft 365.

You have an on-premises Mailbox server named server1.contoso.com. You need to create a migration endpoint.

How should you complete the command? To answer, select the appropriate options in the answer area.



NOTE: Each correct selection is worth one point.

New-MigrationEndpoint -Name MEP1

-Autodiscover

-ExchangeRemoteMove

-SkipVerification

-TestMailbox

-DomainController

-RemoteServer

-RPCProxyServer

-SourceMailboxLegacyDN

server1.contoso.com

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

New-MigrationEndpoint -Name MEP1

-Autodiscover

-ExchangeRemoteMove

-SkipVerification

-TestMailbox

-DomainController

-RemoteServer

-RPCProxyServer

-SourceMailboxLegacyDN

server1.contoso.com

NEW QUESTION 204

HOTSPOT - (Topic 5)

You have a Microsoft 365 subscription that contains a Microsoft Exchange Online tenant.  
An named App1 emails files to a group named App1support. The files are sent in a file that has the jar extension.  
You have tie anti-malware policy shown in following exhibit.



Default (Default)

Always on | Priority Lowest

Protection settings

To enable only the members of the App1support group to receive the JAR files, you must [answer choice].

add a new file entry to the Tenant Allow/Block List

create a new anti-malware policy

customize the file types for the default anti-malware policy

disable the common attachments filter for the default anti-malware policy

To periodically rescan previously delivered email messages in all mailboxes, you must [answer choice].

create a new anti-malware policy

enable zero-hour auto purge (ZAP) for malware in the default anti-malware policy

select a different quarantine policy for the default anti-malware policy

- A. Mastered
- B. Not Mastered


Answer: A

Explanation:

Passing Certification Exams Made Easy

visit - <https://www.surepassexam.com>





### NEW QUESTION 208


DRAG DROP - (Topic 5)

Your company has two departments named Dept1 and Dept2. You have a Microsoft Exchange Online tenant.

You need to deploy custom offline address books (OABs) that contain address lists for each department. The solution must meet the following requirements:

- Dept1 and Dept2 must each have its own OAB.
- The users in Dept1 must NOT list the users in Dept2 in its OAB.
- The Dept2 users must NOT list the Dept1 users in its OAB.
- All users must be able to use the global address list (GAL) to search for users in both departments.


Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.



- A. Mastered  
B. Not Mastered

**Answer: A**

**Explanation:**



### NEW QUESTION 213

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 organization that contains 200 mailboxes. You need to add a second email address to each mailbox. The address must have a

syntax that uses the first letter of each user's last name, followed by the user's first name, and then @fabrikam.com.

Solution: You create an email address policy that uses the %1s%g@fabrikam.com email address format.

Does this meet the goal?

- A. Yes  
B. No

**Answer: A**

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/email-address-policies/email-address-policies?view=exchserver-2019>

### NEW QUESTION 216

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are hosted in Microsoft 365. All outbound SMTP email is routed through the on-premises Exchange organization.

A corporate security policy requires that you must prevent credit card numbers from being sent to internet recipients by using email.

You need to configure the deployment to meet the security policy requirement. Solution: From the Exchange organization, you modify the properties of the Send connectors.

Does this meet the goal?

- A. Yes  
B. No

**Answer:** B

**Explanation:**

You should create a Data Loss Prevention (DLP) policy.

**NEW QUESTION 221**

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are hosted in Microsoft 365. All outbound SMTP email is routed through the on-premises Exchange organization.

A corporate security policy requires that you must prevent credit card numbers from being sent to internet recipients by using email.

You need to configure the deployment to meet the security policy requirement. Solution: From Microsoft 365, you create a data loss prevention (DLP) policy. Does this meet the goal?

- A. Yes
- B. No

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/data-loss-prevention-policies?view=o365-worldwide>

**NEW QUESTION 225**

- (Topic 5)

You have a Microsoft Exchange Online tenant named contoso.com.

The Exchange configuration contains the following public folder hierarchy:

- Support
- Messages
- Calendar

You create a distribution list named HelpDesk@contoso.com.

You need to add the Messages public folder to the HelpDesk distribution list. What should you do first?

- A. Mail-enable the Support public folder
- B. Create a new public folder mailbox
- C. Mail-enable the Messages public folder
- D. Upgrade HelpDesk to a Microsoft 365 group

**Answer:** A

**Explanation:**


Reference:

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/mail-enable-or-disable?view=exchserver-2019>

**NEW QUESTION 229**

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant as shown in the following exhibit.



STATUS	NAME	FROM	TO
On	Connector to Server1	Office 365	Partner organization

**Connector to Server1**

Mail flow scenario  
From: Office 365  
To: Partner organization

Description  
None

Status  
On  
[Turn it off](#)

Validation  
[Validate this connector](#)  
Last validation result: Failed  
Last validation time: 4/7/2020 4:04 PM

When to use the connector  
Use only for email sent to these domains: \*

Routing method  
Route email messages through these smart hosts:  
131.107.100.200

Security restrictions  
Always use Transport Layer Security (TLS) and connect only if the recipient's email server certificate is issued by a trusted certificate authority (CA) and the subject names matches this domain: server1.contoso.com

All email recipients have an email address that uses an SMTP suffix of @contoso.com.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.  
NOTE: Each correct selection is worth one point.

131.107.100.200 will route

all email messages from Exchange Online to any contoso.com recipients.

all email from Exchange Online to any external recipients

all email messages from Exchange Online to recipients hosted on Server1 only

The Exchange Online tenant

cannot receive email messages from the internet

can receive email messages from server1.contoso.com only

can receive email messages from any email host on the internet

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1:  
Under “When to use this connector”, it says “Use only for email sent to these domains: \*” The asterisk means all domains so any external email will use the connector.

Box 2:  
With Exchange Online, you don’t need to configure a receive connector as you would with on-premises Exchange. Therefore, the server by default will be able to receive emails from any email host.

NEW QUESTION 231

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant. From a computer named Client1, you run the

Network connectivity test results for your location

Please open this website on a Windows PC and use a modern browser to run the advanced tests.

Summary Details

Here are the detailed connectivity test results for your location. [Learn about the tests we run](#)

Answer Area

The Microsoft Remote Connectivity Analyzer reports an issue with traffic [answer choice].




from the user to Microsoft 365

from Microsoft 365 to the user

from the user to Microsoft 365

on the internal Microsoft network

To correct the network connectivity issues, you must [answer choice] on Client1.

round by the web browser	
Network egress location (the location where your network connects to your ISP)	Copenhagen, Capital Region, Denmark
 Your distance from the network egress location	4,618 miles (7,431 kilometers)
 Customers in your metropolitan area with better performance	58% of people in your area have a better network
 Exchange service front door location	Staffanstorp, Sweden (119 ms). Potential 108
Best Exchange service front door(s) for your location	
Boydton, VA, United States	
Chicago, IL, United States	
Des Moines, IA, United States	
Manassas, VA, United States	
Phoenix, AZ, United States	
San Antonio, TX, United States	
Toronto, ON, Canada	

Microsoft Remote Connectivity Analyzer, perform a network test, and receive the results shown in the following exhibit.

Answer Area

The Microsoft Remote Connectivity Analyzer reports an issue with traffic [answer choice].

from the user to Microsoft 365

from Microsoft 365 to the user

from the user to Microsoft 365

on the internal Microsoft network

To correct the network connectivity issues, you must [answer choice] on Client1.

check the network routing configuration

check the network routing configuration

edit the Location services

validate the default gateway

- A. Mastered
- B. Not Mastered



**Answer:** A

**Explanation:**

**Answer Area**

The Microsoft Remote Connectivity Analyzer reports an issue with traffic [answer choice].

To correct the network connectivity issues, you must [answer choice] on Client1.

from the user to Microsoft 365

from Microsoft 365 to the user

from the user to Microsoft 365

on the internal Microsoft network

check the network routing configuration

check the network routing configuration

edit the Location services

validate the default gateway

**NEW QUESTION 232**

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has an Exchange Online tenant that contains 2,000 mailboxes.

A partner company named Fabrikam, Inc. uses a third-party messaging solution. The outbound SMTP server for Fabrikam uses an IP address of 131.107.2.22.

You discover that several email messages from the fabrikam.com domain are erroneously marked as spam.

You need to ensure that all the email messages sent from the fabrikam.com domain are delivered successfully to the user mailboxes of your company.

Solution: You create a spam filter policy. Does this meet the goal?

A. Yes

B. No

**Answer:** A

**Explanation:**

Add Fabrikam.com to the 'Domain allow list' in a spam filter policy.

**NEW QUESTION 234**

HOTSPOT - (Topic 5)

Your network contains an Active Directory forest named contoso.com.

You plan to implement Microsoft 365 and use Microsoft Exchange Online services.

You need to ensure that all client computers can use Autodiscover to connect to Microsoft 365.

Which record should you create? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Record Type:

Host(A)

Alias(CNAME)

Text(TXT)

Target:

autodiscover.contoso.com

autodiscover.outlook.com

autodiscover.office365.com

A. Mastered

B. Not Mastered

**Answer:** A

**Explanation:**



Record Type: ▼

Host(A)
Alias(CNAME)
Text(TXT)

Target: ▼

autodiscover.contoso.com
autodiscover.outlook.com
autodiscover.office365.com

#### NEW QUESTION 235

- (Topic 5)

You manage a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are located both on-premises and in the cloud.

You need to configure the deployment so that the on-premises mailboxes can access the public folders. Which three commands should you run? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Sync-MailPublicFolders.ps1
- B. Set-OrganizationConfig -PublicFoldersEnabled Remote
- C. Import-PublicFolderMailboxes.ps1
- D. Sync-MailPublicFoldersCloudToOnprem.ps1
- E. Set-OrganizationConfig -PublicFoldersEnabled Local -RemotePublicFolderMailboxes PFMailbox1

**Answer:** BCD

#### Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/hybrid-deployment/set-up-exo-hybrid-public-folders>

#### NEW QUESTION 240

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains 1,000 users.

A user named User1 receives a non-delivery report (NDR) when attempting to send an email message to an internal group named sales@contoso.com. The NDR contains the following text: "5.7.1 Delivery not authorized."

You need to ensure that User1 can send email to sales@contoso.com successfully. Solution: You instruct User1 to reduce the size of the email message. Does this meet the goal?

- A. No
- B. Yes

**Answer:** B

#### NEW QUESTION 244

HOTSPOT - (Topic 5)

You run the following PowerShell command in a Microsoft 365 environment.

```
PS C:\WINDOWS\system32> Get-OrganizationConfig | fl *group*
```

```
DistributionGroupDefaultOU           :
DistributionGroupNameBlockedWordsList : {}
DistributionGroupNamingPolicy         :
MailTipsGroupMetricsEnabled           : True
DirectReportsGroupAutoCreationEnabled : False
GroupsCreationEnabled                 : False
HiddenMembershipGroupsCreationEnabled : False
GroupsUsageGuidelinesLink             :
DefaultGroupAccessType                 : Private
IsMIPLabelForGroupsEnabled            : False
OcmGroupId                            :
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the command.

NOTE: Each correct selection is worth one point.

[Answer choice] can view the list of members in a group

	▼
Only administrators	
Only administrators and group owners	
All users	

[Answer choice] can view the contents of a group mailbox

	▼
Only administrators	
Only administrators and group owners	
All users	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

[Answer choice] can view the list of members in a group

	▼
Only administrators	
Only administrators and group owners	
All users	

[Answer choice] can view the contents of a group mailbox

	▼
Only administrators	
Only administrators and group owners	
All users	

**NEW QUESTION 248**

- (Topic 5)  
Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.  
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.  
You have a Microsoft Exchange Online tenant that contains the following email domains:  
? Adatum.com  
? Contoso.com  
? Fabrikam.com  
When external recipients receive email messages from the users in the tenant, all the messages are delivered by using the @contoso.com email domain.  
You need to ensure that the users send email by using the @fabrikam.com email domain. Solution: From the Exchange Management Shell, you run Set-Mailbox cmdlet.  
Does this meet the goal?

- A. Yes
- B. No

Answer: B





Explanation:

Set-Mailbox -PrimarySmtpAddress <SmtpAddress>  
Reference:  
<https://docs.microsoft.com/en-us/powershell/module/exchange/set-mailbox?view=exchange-ps>

**NEW QUESTION 250**

HOTSPOT - (Topic 5)  
You have a Microsoft 365 ES subscription that contains a Microsoft Exchange Online tenant.  
You plan to use a mailbox named Mailbox1 to store user-reported malicious email messages.  
You need to configure Microsoft Defender for Office 365 to meet the following requirements:  
+ Configure Mailbox1 as a SecOps mailbox.  
+ Create a policy that has zero-hour auto purge (ZAP) for infected email disabled for Mailbox1.  
Which two settings should you configure? To answer, select the appropriate settings in the answer area.



Policies

-  Anti-phishing
-  Anti-spam
-  Anti-malware
-  Safe Attachments
-  Safe Links

Rules

-  Tenant Allow/Block Lists
-  DKIM
-  Advanced delivery
-  Enhanced filtering
-  Quarantine policies

Others


-  User reported message settings
-  Evaluation mode

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:


## Policies



## Rules



## Others



### NEW QUESTION 252

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription.

You need to ensure that a user named User1 can review audit reports from the Microsoft 365 security center. User1 must be prevented from tracing messages from the Security admin center.

Solution: You assign the Security Reader role to User1. Does this meet the goal?

- A. Yes
- B. No

**Answer: A**

#### Explanation:

Security Administrator can view the audit reports but cannot create a message trace.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/message-trace-scc>

### NEW QUESTION 256

HOTSPOT - (Topic 5)

You have an on-premises Microsoft Exchange Server 2019 organization that contains a server named Server1 and uses an email address of contoso.com. You purchase a Microsoft 365 subscription.

You plan to use the Hybrid Configuration wizard to configure a hybrid deployment between Exchange Online and the on-premises Exchange organization. You need to configure a certificate request from a public certification authority (CA).

How should you configure the values of the subject name and the subject alternative name (SAN) for the certificate? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



• • • • •

**Answer Area**

Subject name:

- contoso.com
- server1.contoso.com**
- autodiscover.contoso.com
- contoso-com.mail.protection.outlook.com

SAN:

- contoso.com
- server1.contoso.com
- autodiscover.contoso.com**
- contoso-com.mail.protection.outlook.com

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

• • • • •

**Answer Area**

Subject name:

- contoso.com
- server1.contoso.com**
- autodiscover.contoso.com
- contoso-com.mail.protection.outlook.com

SAN:

- contoso.com
- server1.contoso.com
- autodiscover.contoso.com**
- contoso-com.mail.protection.outlook.com

**NEW QUESTION 260**

- (Topic 5)

Your company has a Microsoft Exchange Server 2019 organization.

You are auditing the Litigation Hold on the mailboxes of the company's research and development department.

You discover that the mailbox of a user named User1 has a Litigation Hold enabled.

You need to discover who placed the Litigation Hold on the mailbox of User1, and when the Litigation Hold was enabled.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. From the Exchange admin center, run an In-place eDiscovery and Hold report.
- B. From PowerShell, run the Get-Mailbox cmdlet.
- C. From the Exchange admin center, run a per-mailbox Litigation Hold report.
- D. run a per-mailbox Litigation Hold report.
- E. From PowerShell, run the Get-MailboxStatistics cmdlet.

**Answer:** BC

**Explanation:**

<https://docs.microsoft.com/en-us/powershell/module/exchange/get-mailboxstatistics?view=exchange-ps>

**NEW QUESTION 262**

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains 1,000 users.

A user named User1 receives a non-delivery report (NDR) when attempting to send an email message to an internal group named sales@contoso.com. The NDR contains the following text: "5.7.1 Delivery not authorized."

You need to ensure that User1 can send email to sales@contoso.com successfully. Solution: You modify the properties of a mail flow rule

- A. Yes
- B. No

**Answer:** B

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/non-delivery-reports-in-exchange-online/fix-error-code-550-5-7-1-in-exchange-online>

#### NEW QUESTION 266

- (Topic 5)

You have a Microsoft 365 subscription that contains two users named User1 and User2.

User1 reports to have received a suspicious email message that appears to have come from User2.

You identify that the message was sent by an external user impersonating User2. You need to block email that contains the email address of an impersonated sender. What should you configure?

- A. an anti-phishing policy
- B. a Tenant Allow/Block Lists rule
- C. an anti-spam policy
- D. an Enhanced filtering rule

**Answer:** B

#### NEW QUESTION 269

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment. You have the on-premises mailboxes shown in the following table.

Name	Forwarding address
User1	User6
User2	None
User3	None
User4	None
User5	None
User6	None

You add the mailbox permissions shown in the following table.

Mailbox	Permission
User2	Send As for User4
User4	Full Access for User3
User6	Send on Behalf for User5

You plan to migrate the mailboxes to Exchange Online by using remote mailbox move requests. The mailboxes will be migrated according to the schedule shown in the following table.

Week	Mailbox
1	User1, User2, User3, User6
2	User4, User5

Mailboxes migrated the same week will have their mailbox move requests included in the same batch and will be cut over simultaneously.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
The mail forwarding settings of the User1 mailbox will be preserved automatically after the migration.	<input type="radio"/>	<input type="radio"/>
The permissions granted to the User4 mailbox for the User2 mailbox will be preserved automatically after the migration.	<input type="radio"/>	<input type="radio"/>
The permissions granted to the User3 mailbox for the User4 mailbox will be preserved automatically after the migration.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/exchange-hybrid>

<https://practical365.com/exchange-online/configuring-exchange-hybrid-cross-forest- permissions/>

#### NEW QUESTION 274

**HOTSPOT - (Topic 5)**

You have a Microsoft Exchange Server 2019 organization that contains the Mailbox servers shown in the following table.

Name	Member of	Database
EX1	Site1	Mail1
EX2	Site2	Mail2
EX3	Site3	Mail3

The organization contains the mailboxes shown in the following table.

Name	Database
User1	Mail1
User2	Mail2
User3	Mail3

You create the public folder mailboxes shown in the following table.

Mailbox	Database	Hierarchy
PF1	Mail1	Primary
PF2	Mail2	Secondary
PF3	Mail3	Secondary

You set the DefaultPublicFolderMailbox property of each user mailbox to the public folder mailbox closest to the user.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
If User3 creates a public folder, the folder hierarchy will be updated first on EX3.	<input type="radio"/>	<input type="radio"/>
When User2 views the folder hierarchy, the user will use EX2.	<input type="radio"/>	<input type="radio"/>
If User3 accesses a public folder from PF1, and then EX1 goes offline, User3 can still access the content in the public folder.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Statements	Yes	No
If User3 creates a public folder, the folder hierarchy will be updated first on EX3.	<input type="radio"/>	<input checked="" type="radio"/>
When User2 views the folder hierarchy, the user will use EX2.	<input checked="" type="radio"/>	<input type="radio"/>
If User3 accesses a public folder from PF1, and then EX1 goes offline, User3 can still access the content in the public folder.	<input checked="" type="radio"/>	<input type="radio"/>

**NEW QUESTION 279**

- (Topic 5)

You have a Microsoft 365 E3 subscription that uses Microsoft Exchange Online. You need to retain audit log entries for users in the legal department for up to one year. Which two actions should you perform? Each Correct answer presents part of the solution.

Note: Each Correct Selection is worth one point.

- A. For the default audit log retention policy, set Duration to 1 Year.
- B. Assign a Microsoft Office 365 E5 license to each legal department user.
- C. Create a retention policy that has a one-year retention tag and apply the policy to the user mailboxes in the legal department.
- D. Create a new audit log retention policy and assign the policy to the legal department.
- E. Assign a Microsoft Office 365 E5 license to each user in the tenant.

**Answer: AC**

**Explanation:**



You can set the default audit log retention policy to retain log entries for up to one year by changing the "Duration" setting to "1 Year."

\* C. Create a retention policy that has a one-year retention tag and apply the policy to the user mailboxes in the legal department. Reference:  
<https://docs.microsoft.com/en-us/microsoft-365/compliance/retention-policies-in-the-security-compliance-center?view=o365-worldwide#create-or-edit-a-retention-policy>

You can create a retention policy with a one-year retention tag, and then apply the policy to the user mailboxes in the legal department. This will ensure that the audit log entries for those users are retained for up to one year as per the retention tag.

**NEW QUESTION 284**

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Online tenant.

You need to import PST files from a legacy archiving solution to Exchange Online. You will import the PST files over the internet.

Which five actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Use Azure Storage Explorer to upload the PST files.	
Create a mapping file.	
Start the PST import job.	
Use AzCopy to upload the PST files.	
Create a PST import job.	
Retrieve the shared access signature (SAS) URL.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
Use Azure Storage Explorer to upload the PST files.	Retrieve the shared access signature (SAS) URL.
Create a mapping file.	Use AzCopy to upload the PST files.
Start the PST import job.	Create a mapping file.
Use AzCopy to upload the PST files.	Create a PST import job.
Create a PST import job.	Start the PST import job.
Retrieve the shared access signature (SAS) URL.	

**NEW QUESTION 285**

- (Topic 5)

You have a Microsoft Exchange Online tenant.

A user named User1 no longer receives email in Outlook for Windows, but can see new messages in Outlook on the web

You plan to use the Microsoft Remote Connectivity Analyzer to run a connectivity test to verify whether MAPI over HTTP is failing.

Which test should you run?

- A. Outlook Connectivity
- B. Synchronization, Notification, Availability, and Automatic Replies
- C. Exchange ActiveSync



- D. Office 365 Single Sign-on Test
- E. Inbound SMTP Email

Answer: E

NEW QUESTION 288

- (Topic 5)

All the users in your company are licensed for Microsoft 365 and connect to their mailbox from client computers that run Windows 10.

The users connect to Outlook on the web by using the following browsers:

- ? Google Chrome
- ? Microsoft Edge
- ? Firefox

You apply restrictions for Outlook on the web sessions by using app protection policies in Microsoft Endpoint Manager, and then you deploy several Outlook Web App policies.

You need to ensure that the users can continue to connect successfully to their mailbox by using Outlook on the web.

What should you do?

- A. Enroll all the computers in Microsoft Intune
- B. Instruct all the users to connect by using Microsoft Edge only
- C. From Microsoft Cloud App Security, configure a sanctioned application

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/mem/intune/apps/app-protection-policy>

NEW QUESTION 293

HOTSPOT - (Topic 5)

HOTSPOT

You have a Microsoft Exchange Online subscription. You run the following command.

Set-ActiveSyncOrganizationSettings –DefaultAccessLevel Block

You run Get-ActiveSyncDeviceAccessRule | f1 Identity, AccessLevel, Characteristic, QueryString and you receive the following output.

Identity	: Outlook-Android/2.0 (UserAgent)
AccessLevel	: allow
Characteristic	: UserAgent
QueryString	: Outlook-Android/2.0
Identity	: Outlook-iOS/2.0 (UserAgent)
AccessLevel	: Allow
Characteristic	: UserAgent
QueryString	: Outlook-iOS/2.0

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
iOS devices can use the Microsoft Outlook app to sync mailbox data.	<input type="radio"/>	<input type="radio"/>
Android devices can use the Microsoft Outlook app to sync mailbox data.	<input type="radio"/>	<input type="radio"/>
iOS devices can use the native Mail app to sync mailbox data.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
iOS devices can use the Microsoft Outlook app to sync mailbox data.	<input checked="" type="radio"/>	<input type="radio"/>
Android devices can use the Microsoft Outlook app to sync mailbox data.	<input checked="" type="radio"/>	<input type="radio"/>
iOS devices can use the native Mail app to sync mailbox data.	<input type="radio"/>	<input checked="" type="radio"/>

#### NEW QUESTION 297

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You add 100 new users and create a mailbox for each user. The new users have the City attribute in Active Directory set to Seattle.

You need to create a separate global address list (GAL) that contains only users who have the City attribute set to Seattle. The solution must ensure that any new users who have the City attribute of Seattle are added automatically to the new GAL.

What should you do?

- A. From the Azure Active Directory admin center, create an Office 365 group that uses a dynamic membership rule.
- B. From the Exchange admin center, create a new GAL.
- C. Run the New-EmailAddressPolicy cmdlet to create a new email address policy that uses a recipient filter.
- D. Run the New-GlobalAddressList cmdlet to create a new address list.

**Answer: D**

#### Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/address-books/address-lists/address-lists>

#### NEW QUESTION 302

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a user named User1 and a shared mailbox named Project 1. You plan to delegate User1 permission to send email messages from Project1. You need to ensure that the messages appear to come directly from Project1. Which permission should you assign to User1?

- A. Send on Behalf
- B. Contributor
- C. Full Access
- D. Send As

**Answer: D**

#### NEW QUESTION 303

HOTSPOT - (Topic 5)


You have a Microsoft 365 subscription that contains a user named User 1. You need to ensure that User1 can perform the following actions:

« Search all mailboxes.

+ Purge email from all mailboxes.

The solution must use the principle of least privilege.

To which role group should you add User1, and which portal should you use? To answer, select the appropriate options in the answer area.



Role group: Compliance Administrator

Portal: Microsoft Purview compliance portal

- A. Mastered
- B. Not Mastered

**Answer: A**

#### Explanation:

Box 1 = Compliance Administrator1

the role group that you should add User1 to is:

The Compliance Administrator role group grants permissions to manage compliance features in Microsoft 365, such as content search, audit log search, eDiscovery cases, and data loss prevention policies1. Members of this role group can also search all mailboxes and purge email from all mailboxes using Security & Compliance PowerShell23. This role group uses the principle of least privilege by not granting permissions to manage other features or settings in Microsoft 3651.

Box 2 = Microsoft Purview compliance portal1. The Microsoft Purview compliance portal is a web-based portal that allows you to manage compliance features in Microsoft 365, such as content search, audit log search, eDiscovery cases, and data loss prevention policies1. You can use this portal to search all mailboxes and purge email from all mailboxes using Security & Compliance PowerShell23. You need to have the appropriate permissions to perform these tasks2

#### NEW QUESTION 308

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that contains a public folder named PF1 and three users named User1, User2, and User3. Users are assigned public folder permissions to PF1 as shown in the following table.

User	Permission level
User1	Editor
User2	Author
User3	Contributor

Which users can read items in PF1, and which users can delete all the items in PF1? To answer, select the appropriate options in the answer area.  
 NOTE: Each correct selection is worth one point.

Answer Area

Users that can read items in PF1:

User1 and User2 only

User1 only

User2 only

User3 only

User1 and User2 only

User1 and User3 only

User2 and User 3 only

Users that can delete all the items in PF1:

User1 only

User1 only

User2 only

User3 only

User1 and User2 only

User1 and User3 only

User2 and User 3 only

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Users that can read items in PF1:

User1 and User2 only

User1 only

User2 only

User3 only

User1 and User2 only

User1 and User3 only

User2 and User 3 only

Users that can delete all the items in PF1:

User1 only

User1 only

User2 only

User3 only

User1 and User2 only

User1 and User3 only

User2 and User 3 only

NEW QUESTION 313

- (Topic 5)  
 You have a Microsoft Exchange Server 2019 organization. You run the following commands.  
 New-Management-Scope –Name "VIP Mailboxes" –RecipientRoot "Contoso.com/ Executives"  
 –RecipientRestrictionFilter (ReceipientType –eq "UserMailbox")  
 New-ManagementRoleAssignment –SecurityGroup "VIP Admins" –Role "Mail Recipients"  
 –CustomRecipientWriteScope "VIP Mailboxes"  
 You have a user named Admin1.  
 You need to ensure that Admin1 can manage the mailboxes of users in the Executives organizational unit (OU) only.  
 What should you do?

- A. Modify the membership of VIP Admins.
- B. Create a custom role group.
- C. Add Admin1 to the Recipient Management management role group.
- D. Move Admin1 to the Executives OU.

Answer: A

Explanation:

References:  
<https://social.technet.microsoft.com/Forums/exchange/en-US/b316a841-c39d-483a-ac8e-64d5904c42e6/howto-limit-recipient-management-rights-to-users-in-a-ou-in-exchange-2010-sp1?forum=exchangesvradmlegacy>

NEW QUESTION 316

- (Topic 5)  
 Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.



After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that uses an email domain named contoso.com.

You need to prevent all users from performing the following tasks:

- ? Sending out-of-office replies to an email domain named fabrikam.com.
- ? Sending automatic replies to an email domain named adatum.com.

The solution must ensure that all the users can send out-of-office replies and automatic replies to other email domains on the internet.

Solution: You modify the default remote domain.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:  
<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/remote- domains/remote-domains>

NEW QUESTION 320

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that contains two users named Admin1 and Admin2. The users are assigned the roles shown in the following table. Admin1 performs the following actions:

Name	Role
Admin1	Recipient Management
Admin2	Organization Management, Mailbox Import Export

- From the Microsoft 365 admin center, adds a new user named User1 who is assigned a Microsoft 365 Enterprise E5 license
- From Exchange Online PowerShell, runs the New-Mailbox cmdlet Admin2 performs the following actions:
- From Exchange Online PowerShell, runs the Search-Mailbox cmdlet and specifies the - DeleteContent switch
- From Exchange Online PowerShell, runs the Test-ApplicationAccessPolicy cmdlet Which actions are recorded in the administrator audit log? To answer, select the appropriate options in the answer area.

Answer Area

Admin1:

No actions are recorded.

All actions are recorded.

No actions are recorded.

Only the addition of User1 is recorded.

Only the running of New-Mailbox is recorded.

Admin2:

All actions are recorded.

All actions are recorded.

No actions are recorded.

Only the running of Search-Mailbox is recorded.

Only the running of Test-ApplicationAccessPolicy is recorded.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Admin1:

No actions are recorded.

All actions are recorded.

No actions are recorded.

Only the addition of User1 is recorded.

Only the running of New-Mailbox is recorded.

Admin2:

All actions are recorded.

All actions are recorded.

No actions are recorded.

Only the running of Search-Mailbox is recorded.

Only the running of Test-ApplicationAccessPolicy is recorded.

NEW QUESTION 321

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft 365 subscription.

Several users in the finance department of the company recently accessed unsafe websites by clicking on links in email messages.

Users in the marketing department of the company report that they must be able to access all the links embedded in email messages.

You need to reduce the likelihood of the finance department users accessing unsafe websites. The solution must affect only the finance department users.

Solution: You create a new safe links policy and apply the policy to finance department users.



Does this meet the goal?

- A. Yes
- B. No

**Answer:** A

**Explanation:**

Reference:  
<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/set-up-safe-links-policies?view=o365-worldwide>

**NEW QUESTION 326**

- (Topic 5)  
You have a Microsoft Exchange Online tenant that contains two SMTP domains named contoso.com and litwareinc.com.  
You need to ensure that users who have a contoso.com email address are prevented from seeing users who have a litwareinc.com email address in the global address list (GAL). The litwareinc.com users must be able to see the contoso.com users in the GAL.  
Which three actions should you perform? Each correct answer presents part of the solution.  
NOTE: Each correct selection is worth one point.

- A. Modify the Default Address book policy to exclude the litwareinc.com users
- B. Create an offline address book (OAB) that contains the contoso.com users
- C. Create a separate GAL that contains the contoso.com users
- D. Modify the default GAL to exclude the litwareinc.com users
- E. Create a new email address policy for the contoso.com users
- F. Create a new address book policy (ABP) and assign the ABP to the contoso.com mailboxes

**Answer:** BCF

**Explanation:**

Reference:  
<https://docs.microsoft.com/en-us/exchange/address-books/address-book-policies/address-book-policies>

**NEW QUESTION 327**

- (Topic 5)  
You have a Microsoft Exchange Server 2019 organization. You implement hybrid connectivity to Microsoft 365.  
You need to ensure that users can use the Microsoft Outlook mobile app on their device to access their onpremises mailbox.  
What should you do?

- A. Run Azure AD Connect.
- B. Run Set-CASMailbox -OutlookMobileEnabled for each user.
- C. Enable Hybrid Modern Authentication (HMA).
- D. Configure Active Directory Federation Services (AD FS).

**Answer:** C

**Explanation:**

Reference:  
<https://techcommunity.microsoft.com/t5/exchange-team-blog/announcing-hybrid-modern-authentication-forexchange-on-premises/ba-p/607476>

**NEW QUESTION 329**

HOTSPOT - (Topic 5)  
HOTSPOT  
Your company named Contoso, Ltd. has a Microsoft Exchange Online subscription that uses a domain named contoso.com.  
Contoso works with a partner company named A.Datum Corporation. A.Datum has an Exchange Server 2016 organization that uses a domain named adatum.com.  
You need to ensure that users at Contoso can share their free/busy information with the users at A.Datum.  
What should you do for each company? To answer, select the appropriate options in the answer area.  
NOTE: Each correct selection is worth one point.

A.Datum:	<div><div></div><div>Configure Microsoft Azure Active Directory Connect</div><div>Create a federation trust between Exchange and Microsoft Office 365</div><div>Establish identity federation by using Active Directory Federation Services</div><div>Create a sharing policy</div></div>
Contoso:	<div><div></div><div>Establish identity federation by using Active Directory Federation Services</div><div>Configure Microsoft Azure Active Directory Connect</div><div>Create an organization relationship</div><div>Create a federation trust between Exchange and Microsoft Office 365</div></div>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

References:

<https://docs.microsoft.com/en-us/exchange/sharing/organization-relationships/organization-relationships>

**NEW QUESTION 332**

SIMULATION - (Topic 5)

SIMULATION

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.


When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s)

and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that the users in your tenant can only share calendar availability information with the other users in the tenant.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

? From the Microsoft 365 admin center dashboard, go to Admin > Exchange.

? Go to organization > sharing.

? Under Individual Sharing, select a sharing a policy. In the On column, clear the check box for the sharing policy you want to disable.

**NEW QUESTION 336**

- (Topic 5)

You have a Microsoft Exchange Server 2016 hybrid deployment.

You plan to migrate mailboxes from the on-premises Exchange organization to Exchange Online.

You have the appropriate permissions to perform the mailbox migrations. You need to prepare the environment for the planned migration.

What should you do?

- A. Disable Microsoft Outlook for the web.
- B. Install the Hybrid Agent.
- C. Run Get-MigrationBatch -Identity "MyMigrationBatch".
- D. Enable the MRSPProxy service on an on-premises Exchange server.

**Answer: D**

**Explanation:**

Mailbox replication service (MRS) proxy is used for cross forest mailbox move and remote move migration between on premise exchange and exchange online (Office 365)

Reference:

<https://docs.microsoft.com/en-us/Exchange/hybrid-deployment/move-mailboxes>

**NEW QUESTION 340**

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription.

You need to ensure that a user named User1 can review audit reports from the Microsoft 365 security center. User1 must be prevented from tracing messages from the Security admin center.

Solution: You assign the Security administrator role to User1. Does this meet the goal?

A. Yes

B. No

**Answer: A**

**Explanation:**

Security Administrator can view the audit reports but cannot create a message trace.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/message-trace-scc>

**NEW QUESTION 344**

- (Topic 5)

Your company has a Microsoft Exchange Server 2019 hybrid deployment. The company has a finance department.

You need to move all the on-premises mailboxes of the finance department to Exchange Online. The bulk of the move operation must occur during a weekend when the company's Internet traffic is lowest. The move must then be finalized the following Monday. The solution must minimize disruption to end users.

What should you do first?

A. Schedule a task that runs the New-MoveRequest cmdlet and specifies the Remote parameter

B. Create a batch migration and clear the Automatically complete the migration batchcheck box

C. Run the New-MigrationBatch cmdlet and specify the MoveOptions parameter

D. Create a batch migration and select the Automatically complete the migration batchcheck box

**Answer: C**

**NEW QUESTION 347**

- (Topic 5)

You manage an Exchange Online tenant.

You plan to migrate on-premises Microsoft Exchange Server mailboxes by using a cutover migration.

You need to grant the required permissions to the migration administrator account to complete the migration. The solution must use the principle of least privilege.

Which three permissions should you grant? Each correct answer presents a complete solution

NOTE: Each correct selection is worth one point.

A. the FullAccess permission on each on-premises mailbox and the WriteProperty permission to modify the TargetAddress property of the on-premises user account

B. the Receive As permission on the on-premises mailbox database that stores the user mailboxes and the WriteProperty permission to modify the TargetAddress property of the on-premises user account

C. Domain Admins group member in Active Directory Domain Services (AD DS) of the on-premises Exchange organization

D. the FullAccess permission on each on-premises mailbox

E. the Receive As permission on the on-premises mailbox database that stores the user mailboxes

**Answer: CDE**

**Explanation:**

<https://docs.microsoft.com/en-us/exchange/mailbox-migration/assign-permissions-for-migration>

**NEW QUESTION 352**

HOTSPOT - (Topic 5)

Your company purchases new mobile devices for each user in its sales department and marketing department. The new devices only support Exchange ActiveSync.

You need to configure mobile device access to meet the following requirements: Apply a specific password policy to all the sales department users.

Prevent all the marketing department users from using an Exchange ActiveSync-based client to access their mailbox.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

For the sales department users:

	▼
Create a mobile device access rule	
Create and assign a mobile device policy	
Create a client access rule scoped to the users	

For the marketing department users:

	▼
Run the Set-Mailbox cmdlet	
Run the Set-CasMailbox cmdlet	
Run the Set-ActiveSyncDeviceAccessRule cmdlet	

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

For the sales department users:

	▼
Create a mobile device access rule	
Create and assign a mobile device policy	
Create a client access rule scoped to the users	

For the marketing department users:

	▼
Run the Set-Mailbox cmdlet	
Run the Set-CasMailbox cmdlet	
Run the Set-ActiveSyncDeviceAccessRule cmdlet	

#### NEW QUESTION 357

- (Topic 5)

You have hybrid deployment between a Microsoft Exchange Online tenant and an on- premises Exchange Server 2019 organization. The deployment uses Azure AD Connect. All incoming email is delivered to Exchange Online. You have 10 mail-enabled public folders hosted on an on-premises Mailbox server. Customers receive an error when an email message is sent to a public folder.

You need to ensure that all the mail-enabled public folders can receive email messages from the internet. The solution must ensure that messages can be delivered only to valid recipients.

Solution: From Exchange Online, Create a mail contact for each mail-enabled public folder.

Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

**Explanation:**

No, this does not meet the goal. Creating a mail contact for each mail-enabled public folder in Exchange Online will not ensure that messages can only be delivered to valid recipients, as it does not allow for any filtering or validation of messages. To ensure that messages can only be delivered to valid recipients, you need to configure a connector in Exchange Online to allow only messages from valid senders to be delivered to the mail-enabled public folders.

#### NEW QUESTION 359

.....



## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### MS-203 Practice Exam Features:

- \* MS-203 Questions and Answers Updated Frequently
- \* MS-203 Practice Questions Verified by Expert Senior Certified Staff
- \* MS-203 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* MS-203 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The MS-203 Practice Test Here](#)**