



CompTIA

Exam Questions XK0-005

CompTIA Linux+ Certification Exam

About ExamBible

Your Partner of IT Exam

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

A Linux administrator is reviewing changes to a configuration file that includes the following section:

```
tls:
  certificates:
    - certFile: /etc/ssl/cert.cer
      keyFile: /etc/ssl/cert.key
      stores: default
    - certFile: /etc/ssl/expired.cer
      keyFile: /etc/ssl/expired.key
      stores: expired
```

The Linux administrator is trying to select the appropriate syntax formatter to correct any issues with the configuration file. Which of the following should the syntax formatter support to meet this goal?

- A. Markdown
- B. XML
- C. YAML
- D. JSON

Answer: C

NEW QUESTION 2

Which of the following data structures is written in JSON?

- A)
- ```

name: user1
position: DevOps
floor: 3
```
- B)
- ```
<table>
<tbody><tr>
<td>user1</td>
<td>DevOps</td>
<td>3</td>
</tr>
</tbody></table>
```
- C)
- ```
<root>
 <floor>3</floor>
 <name>user1</name>
 <position>DevOps</position>
</root>
```
- D)
- ```
{
  "name": "user1",
  "job": "DevOps",
  "floor": 3
}
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: D

NEW QUESTION 3

One leg of an LVM-mirrored volume failed due to the underlying physical volume, and a systems administrator is troubleshooting the issue. The following output has been provided:

```
Partial mode. Incomplete volume groups will be activated read-only
```

LV	VG	Attr	LSize	Origin	Snap%	Move	Log	Copy%	Devices
linear	vg	-wi-a-	40.00G						unknown device(0)
stripe	vg	-wi-a-	40.00G						unknown device(5120),/dev/sda1(0)

Given this scenario, which of the following should the administrator do to recover this volume?

- A. Reboot the serve
- B. The volume will automatically go back to linear mode.
- C. Replace the failed drive and reconfigure the mirror.
- D. Reboot the serve
- E. The volume will revert to stripe mode.
- F. Recreate the logical volume.

Answer: B

NEW QUESTION 4

Which of the following tools is BEST suited to orchestrate a large number of containers across many different servers?

- A. Kubernetes
- B. Ansible
- C. Podman
- D. Terraform

Answer: A

NEW QUESTION 5

An administrator attempts to rename a file on a server but receives the following error.

```
mv: cannot move 'files/readme.txt' to 'files/readme.txt.orig': Operation not permitted.
```

The administrator then runs a few commands and obtains the following output:

```
$ ls -ld files/
drwxrwxrwt.1  users  users  20   Sep 10   15:15  files/
$ ls -a files/
drwxrwxrwt.1  users  users  20   Sep 10   15:15  -
drwxr-xr-x.1  users  users  32   Sep 10   15:15  ..
-rw-rw-r--.1  users  users   4   Sep 12   10:34  readme.txt
```

Which of the following commands should the administrator run NEXT to allow the file to be renamed by any user?

- A. chgrp reet files
- B. chacl -R 644 files
- C. chown users files
- D. chmod -t files

Answer: D

NEW QUESTION 6

Rugged appliances are small appliances with ruggedized hardware and like Quantum Spark appliance they use which operating system?

- A. Centos Linux
- B. Gaia embedded
- C. Gaia
- D. Red Hat Enterprise Linux version 5

Answer: B

NEW QUESTION 7

A Linux system is getting an error indicating the root filesystem is full. Which of the following commands should be used by the systems administrator to resolve this issue? (Choose three.)

- A. df -h /
- B. fdisk -l /dev/sdb
- C. growpart /dev/mapper/rootvg-rootlv
- D. pvcreate /dev/sdb
- E. lvresize -L +10G -r /dev/mapper/rootvg-rootlv
- F. lsblk /dev/sda
- G. parted -l /dev/mapper/rootvg-rootlv
- H. vgextend /dev/rootvg /dev/sdb

Answer: DEH

NEW QUESTION 8

A systems administrator wants to back up the directory /data and all its contents to /backup/data on a remote server named remote. Which of the following commands will achieve the desired effect?

- A. scp -p /data remote:/backup/data
- B. ssh -i /remote:/backup/ /data
- C. rsync -a /data remote:/backup/
- D. cp -r /data /remote/backup/

Answer: C

NEW QUESTION 9

A cloud engineer needs to change the secure remote login port from 22 to 49000. Which of the following files should the engineer modify to change the port number to the desired value?

- A. /etc/host.conf
- B. /etc/hostname
- C. /etc/services
- D. /etc/ssh/sshd_config

Answer: D

NEW QUESTION 10

A systems administrator created a web server for the company and is required to add a tag for the API so end users can connect. Which of the following would the administrator do to complete this requirement?

- A. hostnamectl status --no-ask-password
- B. hostnamectl set-hostname "\$\$(perl -le "print" "A" x 86)"
- C. hostnamectl set-hostname Comptia-WebNode -H root@192.168.2.14
- D. hostnamectl set-hostname Comptia-WebNode --transient

Answer: C

NEW QUESTION 10

A Linux administrator needs to expand a volume group using a new disk. Which of the following options presents the correct sequence of commands to accomplish the task?

- A. partprobe vgcreate lvextend
- B. lvcreate fdisk partprobe
- C. fdiskpartprobe mkfs
- D. fdiskpvcreate vgextend

Answer: D

NEW QUESTION 14

At what point is the Internal Certificate Authority (ICA) created?

- A. During the primary Security Management Server installation process.
- B. Upon creation of a certificate.
- C. When an administrator decides to create one.
- D. When an administrator initially logs into SmartConsole.

Answer: A

NEW QUESTION 15

While inspecting a recently compromised Linux system, the administrator identified a number of processes that should not have been running:

PID	USER	PR	NI	VIRT	RES	SHR	S	%CPU	%MEM	TIME+	COMMAND
5545	joe	30	-10	5465	56465	8254	R	0.5	1.5	00:35.3	upload.sh
2567	joe	30	-10	6433	75544	9453	R	0.7	1.8	00:25.1	upload_passwd.sh
8634	joe	30	-10	3584	74537	6435	R	0.3	1.1	00:17.6	uploadpw.sh
4846	joe	30	-10	6426	63234	9683	R	0.8	1.9	00:22.2	upload_shadow.sh

Which of the following commands should the administrator use to terminate all of the identified processes?

- A. pkill -9 -f "upload*.sh"
- B. kill -9 "upload*.sh"
- C. killall -9 -upload*.sh"
- D. skill -9 "upload*.sh"

Answer: C

NEW QUESTION 19

Which of the following tools is commonly used for creating CI/CD pipelines?

- A. Chef

- B. Puppet
- C. Jenkins
- D. Ansible

Answer: C

NEW QUESTION 21

A systems administrator is compiling a report containing information about processes that are listening on the network ports of a Linux server. Which of the following commands will allow the administrator to obtain the needed information?

- A. ss -pint
- B. tcpdump -nL
- C. netstat -pn
- D. lsof -lt

Answer: C

NEW QUESTION 26

A Linux system fails to start and delivers the following error message:

```
Checking all file systems.  
/dev/sda1 contains a file system with errors, check forced.  
/dev/sda1: Inodes that were part of a corrupted orphan linked list found.  
/dev/sda1: UNEXPECTED INCONSISTENCY;
```

Which of the following commands can be used to address this issue?

- A. fsck.ext4 /dev/sda1
- B. partprobe /dev/sda1
- C. fdisk /dev/sda1
- D. mkfs.ext4 /dev/sda1

Answer: A

NEW QUESTION 30

An administrator needs to make some changes in the IaC declaration templates. Which of the following commands would maintain version control?

- A. git clone https://github.com/comptia/linux+-.git git push origin
- B. git clone https://qithub.com/comptia/linux+-.git git fetch New-Branch
- C. git clone https://github.com/comptia/linux+-.git git status
- D. git clone https://github.com/comptia/linux+-.gitgit checkout -b <new-branch>

Answer: D

NEW QUESTION 34

A Linux administrator is tasked with creating resources using containerization. When deciding how to create this type of deployment, the administrator identifies some key features, including portability, high availability, and scalability in production. Which of the following should the Linux administrator choose for the new design?

- A. Docker
- B. On-premises systems
- C. Cloud-based systems
- D. Kubernetes

Answer: D

NEW QUESTION 35

A systems administrator is tasked with installing GRUB on the legacy MBR of the SATA hard drive. Which of the following commands will help the administrator accomplish this task?

- A. grub-install /dev/hda
- B. grub-install /dev/sda
- C. grub-install /dev/sr0
- D. grub-install /dev/hd0,0

Answer: B

NEW QUESTION 39

A systems administrator is notified that the mysqld process stopped unexpectedly. The systems administrator issues the following command:

```
sudo grep -i -r 'out of memory' /var/log
```

The output of the command shows the following:

```
kernel: Out of memory: Kill process 9112 (mysqld) score 511 or sacrifice child.
```

Which of the following commands should the systems administrator execute NEXT to troubleshoot this issue? (Select two).

- A. free -h
- B. nc -v 127.0.0.1 3306
- C. renice -15 \$(pidof mysql)
- D. lsblk
- E. killall -15
- F. vmstat -a 1 4

Answer: AC

NEW QUESTION 42

A systems administrator is troubleshooting connectivity issues and trying to find out why a Linux server is not able to reach other servers on the same subnet it is connected to. When listing link parameters, the following is presented:

```
# ip link list dev eth0
2: etho: <NO-CARRIER, BROADCAST, MULTICAST, UP> mtu 1500, qdisc
fq_codel state DOWN mode DEFAULT group default qlen 1000
link/ether ac:00:11:22:33:cd brd ff:ff:ff:ff:ff:ff
```

Based on the output above, which of following is the MOST probable cause of the issue?

- A. The address ac:00:11:22:33:cd is not a valid Ethernet address.
- B. The Ethernet broadcast address should be ac:00:11:22:33:ff instead.
- C. The network interface eth0 is using an old kernel module.
- D. The network interface cable is not connected to a switch.

Answer: D

NEW QUESTION 46

A systems administrator is tasked with setting up key-based SSH authentication. In which of the following locations should the administrator place the public keys for the server?

- A. ~/.sshd/authkeys
- B. ~/.ssh/keys
- C. ~/.ssh/authorized_keys
- D. ~/.ssh/keyauth

Answer: C

NEW QUESTION 48

A development team asks an engineer to guarantee the persistency of journal log files across system reboots. Which of the following commands would accomplish this task?

- A. grep -i auto /etc/systemd/journald.conf && systemctl restart systemd-journald.service
- B. cat /etc/systemd/journald.conf | awk '{print \$1,\$3}'
- C. sed -i 's/auto/persistent/g' /etc/systemd/journald.conf && sed -i 'persistent/s/^#/q'/etc/systemd/journald.conf
- D. journalctl --list-boots && systemctl restart systemd-journald.service

Answer: A

NEW QUESTION 53

A systems administrator is tasked with mounting a USB drive on a system. The USB drive has a single partition, and it has been mapped by the system to the device /dev/sdb. Which of the following commands will mount the USB to /media/usb?

- A. mount /dev/sdb1 /media/usb
- B. mount /dev/sdb0 /media/usb
- C. mount /dev/sdb /media/usb
- D. mount -t usb /dev/sdb1 /media/usb

Answer: A

NEW QUESTION 58

A Linux system is failing to boot. The following error is displayed in the serial console: [[1;33mDEPEND[Om] Dependency failed for /data.
[[1;33mDEPEND[Om] Dependency failed for Local File Systems

...

Welcome to emergency mode! After logging in, type "journalctl -xb" to view system logs, "systemctl reboot" to reboot, "systemctl default" to try again to boot into default mode.

Give root password for maintenance (or type Control-D to continue)

Which of the following files will need to be modified for this server to be able to boot again?

- A. /etc/mtab
- B. /dev/sda
- C. /etc/fstab
- D. /etc/grub.conf

Answer: C

NEW QUESTION 60

An administrator installed an application from source into /opt/operations1/ and has received numerous reports that users are not able to access the application without having to use the full path /opt/operations1/bin/*. Which of the following commands should be used to resolve this issue?

- A. echo 'export PATH=\$PATH:/opt/operations1/bin' >> /etc/profile
- B. echo 'export PATH=/opt/operations1/bin' >> /etc/profile
- C. echo 'export PATH=\$PATH/opt/operations1/bin' >> /etc/profile
- D. echo 'export \$PATH:/opt/operations1/bin' >> /etc/profile

Answer: A

Explanation:

It would be better to put the directory before \$PATH, so that way the directory is searched before the rest of the pathing options in \$PATH.

NEW QUESTION 62

Developers have requested implementation of a persistent, static route on the application server. Packets sent over the interface eth0 to 10.0.213.5/32 should be routed via 10.0.5.1. Which of the following commands should the administrator run to achieve this goal?

- A. route -i eth0 -p add 10.0.213.5 10.0.5.1
- B. route modify eth0 +ipv4.routes "10.0.213.5/32 10.0.5.1"
- C. echo "10.0.213.5 10.0.5.1 eth0" > /proc/net/route
- D. ip route add 10.0.213.5/32 via 10.0.5.1 dev eth0

Answer: D

NEW QUESTION 66

Which of the following directories is the mount point in a UEFI system?

- A. /sys/efi
- B. /boot/efi
- C. /efi
- D. /etc/efi

Answer: B

NEW QUESTION 70

A systems administrator frequently connects to a remote host via SSH and a non-standard port. The systems administrator would like to avoid passing the port parameter on the command line every time. Which of the following files can be used to set a different port value for that host?

- A. /etc/ssh/sshd_config
- B. /etc/ssh/moduli
- C. ~/.ssh/config
- D. ~/.ssh/authorized_keys

Answer: C

NEW QUESTION 73

A Linux administrator recently downloaded a software package that is currently in a compressed file. Which of the following commands will extract the files?

- A. unzip -v
- B. bzip2 -z
- C. gzip
- D. funzip

Answer: C

NEW QUESTION 77

A cloud engineer is installing packages during VM provisioning. Which of the following should the engineer use to accomplish this task?

- A. Cloud-init
- B. Bash
- C. Docker
- D. Sidecar

Answer: A

NEW QUESTION 81

A junior administrator is trying to set up a passwordless SSH connection to one of the servers. The administrator follows the instructions and puts the key in the authorized_key file at the server, but the administrator is still asked to provide a password during the connection.

Given the following output:

```
junior@server:~$ ls -lh .ssh/auth*  
-rw----- 1 junior junior 566 sep 13 20:56 .ssh/authorized_key
```

Which of the following commands would resolve the issue and allow an SSH connection to be established without a password?

- A. restorecon -rv .ssh/authorized_key
- B. mv .ssh/authorized_key .ssh/authorized_keys
- C. systemctl restart sshd.service
- D. chmod 600 mv .ssh/authorized_key

Answer: C

NEW QUESTION 82

Which of the following commands is used to configure the default permissions for new files?

- A. setenforce
- B. sudo
- C. umask
- D. chmod

Answer: C

NEW QUESTION 83

A Linux system is failing to start due to issues with several critical system processes. Which of the following options can be used to boot the system into the single user mode? (Choose two.)

- A. Execute the following command from the GRUB rescue shell: mount -o remount, ro/sysroot.
- B. Interrupt the boot process in the GRUB menu and add systemd.unit=single in the kernel line.
- C. Interrupt the boot process in the GRUB menu and add systemd.unit=rescue.target in the kernel line.
- D. Interrupt the boot process in the GRUB menu and add single=user in the kernel line.
- E. Interrupt the boot process in the GRUB menu and add init=/bin/bash in the kernel line.
- F. Interrupt the boot process in the GRUB menu and add systemd.unit=single.target in the kernel line.

Answer: CE

NEW QUESTION 84

A systems administrator has been tasked with disabling the nginx service from the environment to prevent it from being automatically and manually started. Which of the following commands will accomplish this task?

- A. systemctl cancel nginx
- B. systemctl disable nginx
- C. systemctl mask nginx
- D. systemctl stop nginx

Answer: C

NEW QUESTION 86

A systems technician is working on deploying several microservices to various RPM-based systems, some of which could run up to two hours. Which of the following commands will allow the technician to execute those services and continue deploying other microservices within the same terminal session?

- A. gedit & disown
- B. kill 9 %1
- C. fg %1
- D. bg %1 job name

Answer: A

NEW QUESTION 90

A user is asking the systems administrator for assistance with writing a script to verify whether a file exists. Given the following:

```
#1/bin/bash  
filename=$1  
<CONDITIONAL>  
echo "File exists"  
else  
echo "File does not exist"  
fi
```

Which of the following commands should replace the <CONDITIONAL> string?

- A. if [-f "\$filename"]; then

- B. if [-d "\$filename"]; then
- C. if [-f "\$filename"] then
- D. if [-f "\$filename"]; while

Answer: A

NEW QUESTION 92

A Linux administrator has been tasked with installing the most recent versions of packages on a RPM-based OS. Which of the following commands will accomplish this task?

- A. apt-get upgrade
- B. rpm -a
- C. yum updateinfo
- D. dnf update
- E. yum check-update

Answer: D

NEW QUESTION 93

A Linux administrator was tasked with deleting all files and directories with names that are contained in the sobelete.txt file. Which of the following commands will accomplish this task?

- A. xargs -f cat toDelete.txt -rm
- B. rm -d -r -f toDelete.txt
- C. cat toDelete.txt | rm -frd
- D. cat toDelete.txt | xargs rm -rf

Answer: B

NEW QUESTION 95

A Linux engineer set up two local DNS servers (10.10.10.10 and 10.10.10.20) and was testing email connectivity to the local mail server using the mail command on a local machine when the following error appeared:

```
Send-mail: Cannot open mail:25
```

The local machine DNS settings are:

```
$ cat /etc/resolv.conf
nameserver 10.10.10.10 #web records
nameserver 10.10.10.20 #email records
```

```
Mail server: mail.example.com
```

Which of the following commands could the engineer use to query the DNS server to get mail server information?

- A. dig @example.com 10.10.10.20 a
- B. dig @10.10.10.20 example.com mx
- C. dig @example.com 10.10.10.20 ptr
- D. dig @10.10.10.20 example.com ns

Answer: B

NEW QUESTION 98

A Linux systems administrator needs to persistently enable IPv4 forwarding in one of the Linux systems. Which of the following commands can be used together to accomplish this task? (Choose two.)

- A. sysctl net.ipv4.ip_forward
- B. sysctl -w net.ipv4.ip_forward=1
- C. echo "net.ipv4.ip_forward=1" >> /etc/sysctl.conf
- D. echo 1 > /proc/sys/net/ipv4/ip_forward
- E. sysctl -p
- F. echo "net.ipv6.conf.all.forwarding=1" >> /etc/sysctl.conf

Answer: BC

NEW QUESTION 103

What is the main objective when using Application Control?

- A. To filter out specific content.
- B. To assist the firewall blade with handling traffic.
- C. To see what users are doing.
- D. Ensure security and privacy of information.

Answer: C

NEW QUESTION 108

A Linux administrator modified the SSH configuration file. Which of the following commands should be used to apply the configuration changes?

- A. systemctl stop sshd
- B. systemctl mask sshd
- C. systemctl reload sshd
- D. systemctl start sshd

Answer: C

NEW QUESTION 113

A Linux administrator needs to remove software from the server. Which of the following RPM options should be used?

- A. rpm -s
- B. rm -d
- C. rpm -q
- D. rpm -e

Answer: D

NEW QUESTION 116

A Linux administrator needs to ensure that Java 7 and Java 8 are both locally available for developers to use when deploying containers. Currently only Java 8 is available. Which of the following commands should the administrator run to ensure both versions are available?

- A. docker image load java:7
- B. docker image pull java:7
- C. docker image import java:7
- D. docker image build java:7

Answer: B

NEW QUESTION 120

A Linux administrator is alerted to a storage capacity issue on a server without a specific mount point or directory. Which of the following commands would be MOST helpful for troubleshooting? (Choose two.)

- A. parted
- B. df
- C. mount
- D. du
- E. fdisk
- F. dd
- G. ls

Answer: BD

NEW QUESTION 125

A systems administrator is receiving tickets from users who cannot reach the application app that should be listening on port 9443/tcp on a Linux server. To troubleshoot the issue, the systems administrator runs netstat and receives the following output:

```
# netstat -anp | grep appd | grep -w LISTEN
tcp 0 0 127.0.0.1:9443 0.0.0.0:* LISTEN 1234/appd
```

Based on the information above, which of the following is causing the issue?

- A. The IP address 0.0.0.0 is not valid.
- B. The application is listening on the loopback interface.
- C. The application is listening on port 1234.
- D. The application is not running.

Answer: B

Explanation:

The server is in a "Listen" state on port 9943 using its loopback address. The "1234" is a process-id

NEW QUESTION 126

A Linux administrator needs to correct the permissions of a log file on the server. Which of the following commands should be used to set filename.log permissions to -rwxr—r--. ?

- A. chmod 755 filename.log
- B. chmod 640 filename.log
- C. chmod 740 filename.log

D. `chmod 744 filename.log`

Answer: D

NEW QUESTION 127

A Linux administrator rebooted a server. Users then reported some of their files were missing. After doing some troubleshooting, the administrator found one of the filesystems was missing. The filesystem was not listed in `/etc/fstab` and might have been mounted manually by someone prior to reboot. Which of the following would prevent this issue from reoccurring in the future?

- A. Sync the mount units.
- B. Mount the filesystem manually.
- C. Create a mount unit and enable it to be started at boot.
- D. Remount all the missing filesystems

Answer: C

NEW QUESTION 129

A Linux administrator is creating a primary partition on the replacement hard drive for an application server. Which of the following commands should the administrator issue to verify the device name of this partition?

- A. `sudo fdisk /dev/sda`
- B. `sudo fdisk -s /dev/sda`
- C. `sudo fdisk -l`
- D. `sudo fdisk -h`

Answer: C

NEW QUESTION 131

A Linux system is failing to boot with the following error:

```
error: no such partitions
Entering rescue mode...
grub rescue>
```

Which of the following actions will resolve this issue? (Choose two.)

- A. Execute `grub-install --root-directory=/mnt` and reboot.
- B. Execute `grub-install /dev/sdX` and reboot.
- C. Interrupt the boot process in the GRUB menu and add `rescue` to the kernel line.
- D. Fix the partition modifying `/etc/default/grub` and reboot.
- E. Interrupt the boot process in the GRUB menu and add `single` to the kernel line.
- F. Boot the system on a LiveCD/ISO.

Answer: BD

NEW QUESTION 133

A Linux administrator is troubleshooting SSH connection issues from one of the workstations.

When users attempt to log in from the workstation to a server with the IP address 104.21.75.76, they receive the following message:

```
ssh: connect to host 104.21.75.76 port 22: Connection refused
```

The administrator reviews the information below:

Workstation output 1:

```
eth0: <BROADCAST,MULTICAST, UP, LOWER_UP> mtu 1500 qdisc mq state UP group default
link/ether 00:15:5d:e9:e9:fb brd 5.189.153.255 scope global eth0
inet 5.189.153.89/24 brd 5.189.153.255 scope global eth0
```

Workstation output 2:

```
default via 5.189.153.1 dev eth0
5.189.153.0/24 dev eth0 proto kernel scope link src 5.189.153.89
```

Server output 1:

```
target    prot    opt    source        destination
REJECT    tcp    --    101.68.78.194  0.0.0.0/0    tcp dpt:22 ctstate NEW, UNTRACKED
           reject-with icmp-port-unreachable
REJECT    tcp    --    222.186.180.130 0.0.0.0/0    tcp dpt:22 ctstate NEW, UNTRACKED
           reject-with icmp-port-unreachable
REJECT    tcp    --    104.131.1.39    0.0.0.0/0    tcp dpt:22 ctstate NEW, UNTRACKED
           reject-with icmp-port-unreachable
REJECT    tcp    --    68.183.196.11   0.0.0.0/0    tcp dpt:22 ctstate NEW, UNTRACKED
           reject-with icmp-port-unreachable
REJECT    tcp    --    5.189.153.89    0.0.0.0/0    tcp dpt:22 ctstate NEW, UNTRACKED
           reject-with icmp-port-unreachable
REJECT    tcp    --    41.93.32.148    0.0.0.0/0    tcp dpt:22 ctstate NEW, UNTRACKED
           reject-with icmp-port-unreachable
```

Server output 2:

```
sshd.service - OpenSSH server daemon
Loaded: loaded (/usr/lib/systemd/system/sshd.service; disabled; vendor preset: enabled)
Active: active (running) since Thu 2021-08-26 18:50:19 CEST; 2 weeks 5 days ago
```

Server output 3:

```
eth0: <BROADCAST, MULTICAST, UP, LOWER_UP> mtu 1500 qdisc mg state UP group default
link/ether 52:52:00:2a:bb:98 brd 104.21.75.255 scope global eth0
inet 104.21.75.76/24 brd 104.21.75.255 scope global eth0
```

Server output 4:

```
default via 104.21.75.254 dev eth0
104.21.75.0/24 dev eth0 proto kernel scope link src 104.21.75.76
```

Which of the following is causing the connectivity issue?

- A. The workstation has the wrong IP settings.
- B. The sshd service is disabled.
- C. The server's firewall is preventing connections from being made.
- D. The server has an incorrect default gateway configuration.

Answer: B

NEW QUESTION 137

A systems administrator configured firewall rules using firewalld. However, after the system is rebooted, the firewall rules are not present:

```
Chain INPUT (policy ACCEPT)
target    prot opt source        destination
Chain FORWARD (policy ACCEPT)
target    prot opt source        destination
Chain OUTPUT (policy ACCEPT)
target    prot opt source        destination
```

The systems administrator makes additional checks:

```
- dynamic firewall daemon
Loaded: loaded (/usr/lib/systemd/system/firewalld.service; disabled; vendor preset: enabled)
Active: inactive (dead)
Docs: man: firewalld (1)

firewalld is not running
```

Which of the following is the reason the firewall rules are not active?

- A. iptables is conflicting with firewalld.
- B. The wrong system target is activated.
- C. FIREWALL_ARGS has no value assigned.
- D. The firewalld service is not enabled.

Answer: D

NEW QUESTION 138

A cloud engineer needs to check the link status of a network interface named eth1 in a Linux server. Which of the following commands can help to achieve the goal?

- A. ifconfig hw eth1
- B. netstat -r eth1
- C. ss -ti eth1
- D. ip link show eth1

Answer: D

NEW QUESTION 141

A Linux administrator is trying to remove the ACL from the file /home/user/data.txt but receives the following error message:

```
setfacl: data.txt: operation not permitted
```

Given the following analysis:

```
/dev/mapper/linux-home on /home type xfs (rw,relatime,seclabel,attr2,inode64,usrquota)
```

```
-rw-rw-r--+ 1 user staff 2354 Sep 15 16:33 data.txt  
-rw-rw-r--+ user staff unconfined_u:object_r:user_home_t:s0 data.txt
```

```
# file: data.txt  
# owner: user  
# group: staff  
user::rw-  
user:accounting:rw-  
group::r-  
mask::rw-  
other::r-
```

```
Attributes:  
-----a-----
```

Which of the following is causing the error message?

- A. The administrator is not using a highly privileged account.
- B. The filesystem is mounted with the wrong options.
- C. SELinux file context is denying the ACL changes.
- D. File attributes are preventing file modification.

Answer: D

NEW QUESTION 143

A Linux administrator needs to create a new user named user02. However, user02 must be in a different home directory, which is under /comptia/projects. Which of the following commands will accomplish this task?

- A. useradd -d /comptia/projects user02
- B. useradd -m /comptia/projects user02
- C. useradd -b /comptia/projects user02
- D. useradd -s /comptia/projects user02

Answer: A

NEW QUESTION 144

A Linux administrator wants to find out whether files from the wget package have been altered since they were installed. Which of the following commands will provide the correct information?

- A. rpm -i wget
- B. rpm -qf wget
- C. rpm -F wget
- D. rpm -V wget

Answer: D

NEW QUESTION 146


Junior system administrator had trouble installing and running an Apache web server on a Linux server. You have been tasked with installing the Apache web server on the Linux server and resolving the issue that prevented the junior administrator from running Apache.

INSTRUCTIONS

Install Apache and start the service. Verify that the Apache service is running with the defaults. Typing “help” in the terminal will show a list of relevant event commands.

If at any time you would like to bring back the initial state of the simulation, please click the Reset All button.

CentOS Command Prompt



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

```
yum install httpd
systemctl --now enable httpd systemctl status httpd
netstat -tunlp | grep 80 pkill <processname> systemctl restart httpd systemctl status httpd
```

NEW QUESTION 147

After installing some RPM packages, a systems administrator discovers the last package that was installed was not needed. Which of the following commands can be used to remove the package?

- A. dnf remove packagename
- B. apt-get remove packagename
- C. rpm -i packagename
- D. apt remove packagename

Answer: A

NEW QUESTION 150

In which of the following filesystems are system logs commonly stored?

- A. /var
- B. /tmp
- C. /etc
- D. /opt

Answer: A

NEW QUESTION 153

As a Systems Administrator, to reduce disk space, you were tasked to create a shell script that does the following:
Add relevant content to /tmp/script.sh, so that it finds and compresses rotated files in /var/log without recursion.

INSTRUCTIONS

Fill the blanks to build a script that performs the actual compression of rotated log files.

If at any time you would like to bring back the initial state of the simulation, please click the Reset All button.

Snippets

tar

until

zip

egrep

awk

\$log

"\$@"

pgrep

repeat

/tmp/tmpfile

locate

Filename

rar

then

"log.[1-6]\$"

in

done

/var/log

for

xz

"\$1"

sed

gzip

"\$log.[1-6]\$"

while

```
#!/bin/bash

#name: script.sh

find /var/log -type f -maxdepth 1 | grep  > /tmp/tmpfile

 filename  $(cat )

do

 $filename


```

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Snippets

tar

until

zip

egrep

awk

\$log

"\$@"

pgrep

repeat

/tmp/tmpfile

locate

Filename

rar

then

"log.[1-6]\$"

in

done

/var/log

for

xz

"\$1"

sed

gzip

"\$log.[1-6]\$"

while

```
#!/bin/bash

#name: script.sh

find /var/log -type f -maxdepth 1 | grep "$1" > /tmp/tmpfile

for filename in $(cat /tmp/tmpfile)

do

gzip $filename

done
```

NEW QUESTION 158

A Linux administrator was notified that a virtual server has an I/O bottleneck. The Linux administrator analyzes the following output:

```
root@linux:~# uptime
18:43:47 up 1 day, 19:58, 1 user, load average: 9.90, 5.83, 2.49
root@linux:~# vmstat 10 10
procs -----memory----- --swap---- ----io---- -system- -----cpu-----

 r b swpd   free   buff   cache  si   so bi   bo    in    cs us  sy  id  wa  st
 13 0  5520 141228 98932 2325312 0    2 10    28   192   167  1  0 99  0  0
 10 0  5608 131280 98932 2325324 0 26211 0 26211  342   393 91  9  0  0  0
 10 0  5528   1096 98932 2325324 0  5242 0  5242  333   402 96  4  0  0  0

root@linux:~# free -m

      total used    free shared buff/cache available
Mem:   3933 1454    110     33     2368     2202
Swap:  1497     5    1491
```

Given there is a single CPU in the sever, which of the following is causing the slowness?

- A. The system is running out of swap space.
- B. The CPU is overloaded.
- C. The memory is exhausted.
- D. The processes are paging.

Answer: B

NEW QUESTION 163

An administrator transferred a key for SSH authentication to a home directory on a remote server. The key file was moved to `.ssh/authorized_keys` location in order to establish SSH connection without a password. However, the SSH command still asked for the password. Given the following output:

```
[admin@linux ~]$ -ls -lhZ .ssh/auth*
-rw-r--r--. admin unconfined_u:object_r:user_home_t:s0 .ssh/authorized_keys
```

Which of the following commands would resolve the issue?

- A. `restorecon .ssh/authorized_keys`
- B. `ssh_keygen -t rsa -o .ssh/authorized_keys`
- C. `chown root:root .ssh/authorized_keys`
- D. `chmod 600 .ssh/authorized_keys`

Answer: A

NEW QUESTION 166

An administrator deployed a Linux server that is running a web application on port 6379/tcp. SELinux is in enforcing mode based on organization policies. The port is open on the firewall.

Users who are trying to connect to a local instance of the web application receive Error 13, Permission denied. The administrator ran some commands that resulted in the following output:

```
# semanage port -l | egrep '(^http_port_t|6379)'
http_port_t tcp 80, 81, 443, 488, 8008, 8009, 8443, 9000

# curl http://localhost/App.php
Cannot connect to App Server.
```

Which of the following commands should be used to resolve the issue?

- A. `semanage port -d -t http_port_t -p tcp 6379`
- B. `semanage port -a -t http_port_t -p tcp 6379`
- C. `semanage port -a http_port_t -p top 6379`
- D. `semanage port -l -t http_port_tcp 6379`

Answer: B

NEW QUESTION 167

An administrator is trying to diagnose a performance issue and is reviewing the following output:

```
avg-cpu:  %user %nice %system %iowait  %steal   %idle
           2.00   0.00   3.00   32.00    0.00   63.00
```

Device	tps	kB_read/s	kB_wrtn/s	kB_read	kB_wrtn
sdb	345.00	0.02	0.04	4739073123	23849523
sdb1	345.00	32102.03	12203.01	4739073123	23849523

System Properties: CPU: 4 vCPU

Memory: 40GB

Disk maximum IOPS: 690

Disk maximum throughput: 44Mbps | 44000Kbps

Based on the above output, which of the following BEST describes the root cause?

- A. The system has reached its maximum IOPS, causing the system to be slow.
- B. The system has reached its maximum permitted throughput, therefore iowait is increasing.
- C. The system is mostly idle, therefore the iowait is high.
- D. The system has a partitioned disk, which causes the IOPS to be doubled.

Answer: B

NEW QUESTION 168

An administrator accidentally deleted the `/boot/vmlinuz` file and must resolve the issue before the server is rebooted. Which of the following commands should the administrator use to identify the correct version of this file?

- A. `rpm -qa | grep kernel; uname -a`
- B. `yum -y update; shutdown -r now`
- C. `cat /etc/centos-release; rpm -Uvh --nodeps`
- D. `telinit 1; restorecon -Rv /boot`

Answer: A

NEW QUESTION 171

A cloud engineer is asked to copy the file `deployment.yaml` from a container to the host where the container is running. Which of the following commands can accomplish this task?

- A. `docker cp container_id/deployment.yaml deployment.yaml`
- B. `docker cp container_id:/deployment.yaml deployment.yaml`
- C. `docker cp deployment.yaml local:///deployment.yaml`
- D. `docker cp container_id/deployment.yaml local:///deployment.yaml`

Answer: A

NEW QUESTION 173

A Linux administrator needs to analyze a failing application that is running inside a container. Which of the following commands allows the Linux administrator to enter the running container and analyze the logs that are stored inside?

- A. `docker run -ti app /bin/sh`
- B. `podman exec -ti app /bin/sh`
- C. `podman run -d app /bin/bash`
- D. `docker exec -d app /bin/bash`

Answer: B

NEW QUESTION 177

A developer has been unable to remove a particular data folder that a team no longer uses. The developer escalated the issue to the systems administrator. The following output was received:

```
# rmdir data/
rmdir: failed to remove 'data/': Operation not permitted
# rm -rf data/
rm: cannot remove 'data': Operation not permitted
# mv data/ mydata
mv: cannot move 'data/' to 'mydata': Operation not permitted
# cd data/
# cat > test.txt
bash: test.txt: Permission denied
```

Which of the following commands can be used to resolve this issue?

- A. chgrp -R 755 data/
- B. chmod -R 777 data/
- C. chattr -R -i data/
- D. chown -R data/

Answer: C

NEW QUESTION 178

A systems administrator is investigating why one of the servers has stopped connecting to the internet.

```
#curl http://google.com
curl: (6) Could not resolve host: google.com

#cat /etc/resolv.conf
search user.company.com company.com
#nameserver 10.10.10.10

#ip route
0.0.0.0/0 via 10.0.5.1 dev eth0 proto static metric 100
10.0.0.0/16 dev eth0 proto kernel scope link src 10.0.3.60 metric 101

#nmcli connection show
NAME                                UUID                                TYPE      DEVICE
eth0                                ba4a3d30-efdc-4fa5-83d3-3721fd4aff75 ethernet  eth0
Wired connection 1                  8d569d5a-22a2-356d-8532-9a2638f11b5a5 ethernet  --
```

Which of the following is causing the issue?

- A. The DNS address has been commented out in the configuration file.
- B. The search entry in the /etc/resolv.conf file is incorrect.
- C. Wired connection 1 is offline.
- D. No default route is defined.

Answer: A

NEW QUESTION 179

Employees in the finance department are having trouble accessing the file /opt/work/file. All IT employees can read and write the file. Systems administrator reviews the following output:

```
admin@server:/opt/work$ ls -al file
-rw-rw----+ 1 root it 4 Sep 5 17:29 file
```

Which of the following commands would permanently fix the access issue while limiting access to IT and finance department employees?

- A. chattr +i file
- B. chown it:finance file
- C. chmod 666 file
- D. setfacl -m g:finance:rw file

Answer: D

NEW QUESTION 181

A systems administrator is checking the system logs. The administrator wants to look at the last 20 lines of a log. Which of the following will execute the command?

- A. tail -v 20
- B. tail -n 20

- C. tail -c 20
- D. tail -l 20

Answer: B

NEW QUESTION 186

To harden one of the servers, an administrator needs to remove the possibility of remote administrative login via the SSH service. Which of the following should the administrator do?

- A. Add the line DenyUsers root to the /etc/hosts.deny file.
- B. Set PermitRootLogin to no in the /etc/ssh/sshd_config file.
- C. Add the line account required pam_nologin
- D. so to the /etc/pam.d/sshd file.
- E. Set PubKeyAuthentication to no in the /etc/ssh/ssh_config file.

Answer: B

NEW QUESTION 187

Several users reported that they were unable to write data to the /oracle1 directory. The following output has been provided:

Filesystem	Size	Used	Available	Use%	Mounted on
/dev/sdb1	100G	50G	50G	50%	/oracle1

Which of the following commands should the administrator use to diagnose the issue?

- A. df -i /oracle1
- B. fdisk -l /dev/sdb1
- C. lsblk /dev/sdb1
- D. du -sh /oracle1

Answer: A

NEW QUESTION 192

A server is experiencing intermittent connection issues. Some connections to the Internet work as intended, but some fail as if there is no connectivity. The systems administrator inspects the server configuration:

Routing table:

```
default via 89.107.157.129 dev ens3 proto static metric 100
default via 10.0.5.1 dev ens11 proto dhcp metric 101
10.0.0.0/16 dev sn11 proto kernel scope link src 10.0.6.225 metric 101
89.107.157.128/26 via 89.107.157.129 dev ens3 proto static metric 100
89.107.157.129 dev ens3 proto static scope link metric 100
89.107.157.160/29 dev ens3 proto kernel scope link src 89.107.157.161 metric 100
```

IP configuration:

```
ens3:
    inet 89.107.157.161/29 brd 89.107.157.167 scope global noprefixroute ens3
ens11:
    inet 10.0.6.225/16 brd 10.0.255.255 scope global noprefixroute dynamic ens11
```

ARP table:

Address	Hwtype	Hwaddress	Flags	Mask	Iface
10.0.5.1	ether	64:d1:54:c4:75:cb	C		ens11
89.107.157.129	ether	5c:5e:ab:01:85:cf	C		ens3
89.107.157.162	ether	52:54:00:e1:44:0a	C		ens3
10.0.255.1	ether	00:50:7f:e3:aa:1c	C		ens11

```
/etc/resolv.conf:
Generated by NetworkManager
search company.com
nameserver 10.0.5.1
```

Which of the following is MOST likely the cause of the issue?

- A. An internal-only DNS server is configured.
- B. The IP netmask is wrong for ens3.
- C. Two default routes are configured.

D. The ARP table contains incorrect entries.

Answer: C

NEW QUESTION 195

Which of the following enables administrators to configure and enforce MFA on a Linux system?

- A. Kerberos
- B. SELinux
- C. PAM
- D. PKI

Answer: A

NEW QUESTION 196

Which of the following technologies provides load balancing, encryption, and observability in containerized environments?

- A. Virtual private network
- B. Sidecar pod
- C. Overlay network
- D. Service mesh

Answer: D

Explanation:

"A service mesh controls the delivery of service requests in an application. Common features provided by a service mesh include service discovery, load balancing, encryption and failure recovery."

<https://www.techtarget.com/searchitoperations/definition/service-mesh>

NEW QUESTION 199

A new Linux systems administrator just generated a pair of SSH keys that should allow connection to the servers. Which of the following commands can be used to copy a key file to remote servers? (Choose two.)

- A. wget
- B. ssh-keygen
- C. ssh-keyscan
- D. ssh-copy-id
- E. ftpd
- F. scp

Answer: DF

NEW QUESTION 202

Joe, a user, is unable to log in to the Linux system. Given the following output:

```
# grep joe /etc/passwd /etc/shadow
/etc/passwd:joe:x:1001:1001::/home/joe:/bin/nologin
/etc/shadow:joe:$6$93uOw6qWx9876jGhgKJedfH987634534voj.:18883:0:99999:7:::
```

Which of the following commands would resolve the issue?

- A. usermod -s /bin/bash joe
- B. pam_tally2 -u joe -r
- C. passwd -u joe
- D. chage -E 90 joe

Answer: A

NEW QUESTION 206

A systems administrator is investigating an issue in which one of the servers is not booting up properly. The journalctl entries show the following:

```
Sep 16 20:30:43 server kernel: acpi PNP0A03:00: _OSC failed (AE_NOT_FOUND);
-- Subject: Unit dev-mapper-centos\x2dapp.device has failed
Sep 16 20:32:15 server systemd[1]: Dependency failed for /opt/app
-- Subject: Unit opt-app.mount has failed
-- Unit opt-app.mount has failed
Sep 16 20:32:15 server systemd[1]: Dependency failed for Local File Systems.
-- Subject: Unit local-fs.target has failed
-- Unit local-fs.target has failed.
Sep 16 20:32:15 server systemd[1]: Dependency failed for Relabel all filesystem, if necessary.
-- Subject: Unit rhel-autorelabel.service has failed
-- Unit rhel-autorelabel.service has failed.
```

Which of the following will allow the administrator to boot the Linux system to normal mode quickly?

- A. Comment out the /opt/app filesystem in /etc/fstab and reboot.
- B. Reformat the /opt/app filesystem and reboot.
- C. Perform filesystem checks on local filesystems and reboot.
- D. Trigger a filesystem relabel and reboot.

Answer: A

NEW QUESTION 210

A systems administrator is encountering performance issues. The administrator runs 3 commands with the following output

```
09:10:18 up 457 days, 32min, 5 users, load average: 4.22 6.63 5.98
```

The Linux server has the following system properties CPU: 4 vCPU

Memory: 50GB

Which of the following accurately describes this situation?

- A. The system is under CPU pressure and will require additional vCPUs
- B. The system has been running for over a year and requires a reboot.
- C. Too many users are currently logged in to the system
- D. The system requires more memory

Answer: B

NEW QUESTION 215

A newly created container has been unable to start properly, and a Linux administrator is analyzing the cause of the failure. Which of the following will allow the administrator to determine the FIRST command that is executed inside the container right after it starts?

- A. docker export <container_id>
- B. docker info <container_id>
- C. docker start <container_id>
- D. docker inspect <container_id>

Answer: D

NEW QUESTION 220

A systems administrator was tasked with assigning the temporary IP address/netmask 192.168.168.1/255.255.255.255 to the interface eth0 of a Linux server.

When adding the address, the following error appears:

```
# ip address add 192.168.168.1/33 dev eth0
```

Error: any valid prefix is expected rather than "192.168.168.1/33".

Based on the command and its output above, which of the following is the cause of the issue?

- A. The CIDR value /33 should be /32 instead.
- B. There is no route to 192.168.168.1/33.
- C. The interface eth0 does not exist.
- D. The IP address 192.168.168.1 is already in use.

Answer: C

NEW QUESTION 224

A systems administrator requires that all files that are created by the user named web have read-only permissions by the owner. Which of the following commands will satisfy this requirement?

- A. chown web:web /home/web
- B. chmod -R 400 /home/web
- C. echo "umask 377" >> /home/web/.bashrc
- D. setfacl read /home/web

Answer: B

NEW QUESTION 228

.....

Relate Links

100% Pass Your XK0-005 Exam with Exam Bible Prep Materials

<https://www.exambible.com/XK0-005-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>