



# **LPI**

## **Exam Questions 101-500**

LPIC-1 Exam 101 - Part 1 of 2 - version 5.0

## About ExamBible

### [Your Partner of IT Exam](#)

## Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

## Our Advances

### \* 99.9% Uptime

All examinations will be up to date.

### \* 24/7 Quality Support

We will provide service round the clock.

### \* 100% Pass Rate

Our guarantee that you will pass the exam.

### \* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

#### NEW QUESTION 1

- (Exam Topic 1)

Which of the following statements is correct when talking about `/proc/`?

- A. All changes to files in `/proc/` are stored in `/etc/proc.d/` and restored on reboot.
- B. All files within `/proc/` are read-only and their contents cannot be changed.
- C. All changes to files in `/proc/` are immediately recognized by the kernel.
- D. All files within `/proc/` are only readable by the root user.

**Answer:** C

#### NEW QUESTION 2

- (Exam Topic 1)

What information can the `lspci` command display about the system hardware? (Choose THREE correct answers.)

- A. Device IRQ settings
- B. PCI bus speed
- C. System battery type
- D. Device vendor identification
- E. Ethernet MAC address

**Answer:** ABD

#### NEW QUESTION 3

- (Exam Topic 1)

During a system boot cycle, what program is executed after the BIOS completes its tasks?

- A. The bootloader
- B. The `inetd` program
- C. The `init` program
- D. The kernel

**Answer:** A

#### NEW QUESTION 4

- (Exam Topic 1)

Which command will display messages from the kernel that were output during the normal boot sequence? `dmesg`, `/bin/dmesg`

- A. Mastered
- B. Not Mastered

**Answer:** A

#### NEW QUESTION 5

- (Exam Topic 1)

During a system boot cycle, what is the program that is run after the BIOS completes its tasks?

- A. The bootloader
- B. The `inetd` program
- C. The `init` program
- D. The kernel

**Answer:** A

#### NEW QUESTION 6

- (Exam Topic 1)

The USB device filesystem can be found under `/proc/_____/usb/`. (Please fill in the blank with the single word only)

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

bus

#### NEW QUESTION 7

- (Exam Topic 1)

The message "Hard Disk Error" is displayed on the screen during Stage 1 of the GRUB boot process. What does this indicate?

- A. The kernel was unable to execute `/bin/init`
- B. The next Stage cannot be read from the hard disk because GRUB was unable to determine the size and geometry of the disk
- C. One or more of the filesystems on the hard disk has errors and a filesystem check should be run

D. The BIOS was unable to read the necessary data from the Master Boot Record to begin the boot process

**Answer:** B

#### NEW QUESTION 8

- (Exam Topic 1)

Which run levels should never be declared as the default run level when using SysV init? (Choose TWO correct answers.)

- A. 1
- B. 3
- C. 5
- D. 6

**Answer:** AE

#### NEW QUESTION 9

- (Exam Topic 1)

Which of the following options for the kernel's command line changes the systemd boot target to rescue.target instead of the default target?

- A. systemd.target=rescue.target
- B. systemd.runlevel=rescue.target
- C. systemd.service=rescue.target
- D. systemd.default=rescue.target
- E. systemd.unit=rescue.target

**Answer:** E

#### NEW QUESTION 10

- (Exam Topic 2)

Which command will disable swapping on a device? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

swapoff, /sbin/swapoff

#### NEW QUESTION 10

- (Exam Topic 2)

The dpkg-\_\_\_\_\_ command will ask configuration questions for a specified package, just as if the package were being installed for the first time.

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

reconfigure

#### NEW QUESTION 12

- (Exam Topic 2)

Which Debian package management tool asks the configuration questions for a specific already installed package just as if the package were being installed for the first time? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

dpkg-reconfigure

#### NEW QUESTION 15

- (Exam Topic 2)

After modifying GNU GRUB's configuration file, which command must be run for the changes to take effect?

- A. kill -HUP \$(pidof grub)
- B. grub-install
- C. grub
- D. No action is required

**Answer:** D

### NEW QUESTION 18

- (Exam Topic 2)

Which RPM command will output the name of the package which supplied the file /etc/exports?

- A. rpm -F /etc/exports
- B. rpm -qf /etc/exports
- C. rpm -Kl /etc/exports
- D. rpm -qp /etc/exports
- E. rpm -qi/etc/exports

**Answer: B**

### NEW QUESTION 22

- (Exam Topic 2)

Which of the following commands lists all currently installed packages when using RPM package management?

- A. yum --query --all
- B. yum --list --installed
- C. rpm --query --all
- D. rpm --list --installed

**Answer: C**

### NEW QUESTION 26

- (Exam Topic 2)

Which of the following options is used in a GRUB Legacy configuration file to define the amount of time that the GRUB menu will be shown to the user?

- A. hidemenu
- B. splash
- C. timeout
- D. showmenu

**Answer: C**

### NEW QUESTION 30

- (Exam Topic 2)

Which of the following commands can be used to perform a full text search on all available packages on a Debian system?

- A. apt
- B. apt-cache
- C. apt-get
- D. apt-search
- E. dpkg

**Answer: B**

### NEW QUESTION 31

- (Exam Topic 2)

Which of the following commands updates the linker cache of shared libraries?

- A. mkcache
- B. soconfig
- C. mkldconfig
- D. lddconfig
- E. ldconfig

**Answer: E**

### NEW QUESTION 33

- (Exam Topic 3)

What happens after issuing the command vi without any additional parameters?

- A. vi starts and loads the last file used and moves the cursor to the position where vi was when it last exited.
- B. vi starts and requires the user to explicitly either create a new or load an existing file.
- C. vi exits with an error message as it cannot be invoked without a file name to operate on.
- D. vi starts in command mode and opens a new empty file.
- E. vi starts and opens a new file which is filled with the content of the vi buffer if the buffer contains text.

**Answer: D**

### NEW QUESTION 35

- (Exam Topic 3)

When given the following command line. echo "foo bar" | tee bar | cat

Which of the following output is created?

- A. cat
- B. foo bar

- C. tee bar
- D. bar
- E. foo

**Answer: B**

#### NEW QUESTION 36

- (Exam Topic 3)

Which of the following commands will print the last 10 lines of a text file to the standard output?

- A. cat -n 10 filename
- B. dump -n 10 filename
- C. head -n 10 filename
- D. tail -n 10 filename

**Answer: D**

#### NEW QUESTION 37

- (Exam Topic 3)

Which of the following commands will send output from the program myapp to both standard output (stdout) and the file file1.log?

- A. cat < myapp | cat > file1.log
- B. myapp 0>&1 | cat > file1.log
- C. myapp | cat > file1.log
- D. myapp | tee file1.log
- E. tee myapp file1.log

**Answer: D**

#### NEW QUESTION 40

- (Exam Topic 3)

What is the difference between the i and a commands of the vi editor?

- A. i (interactive) requires the user to explicitly switch between vi modes whereas a (automatic) switches modes automatically.
- B. i (insert) inserts text before the current cursor position whereas a (append) inserts text after the cursor.
- C. i (independent rows) starts every new line at the first character whereas a (aligned rows) keeps the indentation of the previous line.
- D. i (interrupt) temporarily suspends editing of a file to the background whereas a (abort) terminates editing.

**Answer: B**

#### NEW QUESTION 41

- (Exam Topic 3)

In the vi editor, which of the following commands will copy the current line into the vi buffer?

- A. c
- B. cc
- C. 1c
- D. yy
- E. 1y

**Answer: D**

#### NEW QUESTION 42

- (Exam Topic 3)

Which of the following commands moves and resumes in the background the last stopped shell job?

- A. run
- B. bg
- C. fg
- D. back

**Answer: B**

#### NEW QUESTION 44

- (Exam Topic 3)

In a nested directory structure, which find command line option would be used to restrict the command to searching down a particular number of subdirectories?

- A. -dirmax
- B. -maxdepth
- C. -maxlevels
- D. -n
- E. -s

**Answer: B**

#### NEW QUESTION 45

- (Exam Topic 3)

What is the default nice level when a process is started using the nice command?

- A. -10
- B. 10
- C. 20

**Answer:** B

#### NEW QUESTION 49

- (Exam Topic 3)

Which of the following signals is sent to a process when the key combination CTRL+C is pressed on the keyboard?

- A. SIGTERM
- B. SIGINT
- C. SIGSTOP
- D. SIGKILL

**Answer:** B

#### NEW QUESTION 52

- (Exam Topic 3)

Which of the following commands prints a list of usernames (first column) and their primary group (fourth column) from the /etc/passwd file?

- A. `fmt -f 1,4 /etc/passwd`
- B. `split -c 1,4 /etc/passwd`
- C. `cut -d : -f 1,4 /etc/passwd`
- D. `paste -f 1,4 /etc/passwd`

**Answer:** C

#### NEW QUESTION 57

- (Exam Topic 3)

In the vi editor, how can commands such as moving the cursor or copying lines into the buffer be issued multiple times or applied to multiple rows?

- A. By using the command `:repeat` followed by the number and the command.
- B. By specifying the number right in front of a command such as `4l` or `2yj`.
- C. By selecting all affected lines using the shift and cursor keys before applying the command.
- D. By issuing a command such as `:set repetition=4` which repeats every subsequent command 4 times.

**Answer:** B

#### NEW QUESTION 61

- (Exam Topic 3)

Which command displays a list of all background tasks running in the current shell? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

`jobs`

#### NEW QUESTION 64

- (Exam Topic 3)

Which of the following characters can be combined with a separator string in order to read from the current input source until the separator string, which is on a separate line and without any trailing spaces, is reached?

- A. `<<`
- B. `<|`
- C. `!<`
- D. `&<`

**Answer:** A

#### NEW QUESTION 68

- (Exam Topic 3)

Which of the following sequences in the vi editor saves the opened document and exits the editor? (Choose TWO correct answers.)

- A. `esc ZZ`
- B. `ctrl :w!`
- C. `esc zz`
- D. `esc :wq!`
- E. `ctrl XX`

**Answer:** AD

#### NEW QUESTION 73

- (Exam Topic 3)

From a Bash shell, which of the following commands directly executes the instruction from the file /usr/local/bin/runme.sh without starting a subshell? (Please select TWO answers.)

- A. source /usr/local/bin/runme.sh
- B. ./usr/local/bin/runme.sh
- C. /bin/bash /usr/local/bin/runme.sh
- D. /usr/local/bin/runme.sh
- E. run /usr/local/bin/runme.sh

**Answer:** AB

#### NEW QUESTION 77

- (Exam Topic 3)

Which of the following shell redirections will write standard output and standard error output to a file named filename?

- A. 2>&1 >filename
- B. >filename 2>&1
- C. 1>&2>filename
- D. >>filename
- E. 1&2>filename

**Answer:** B

#### NEW QUESTION 79

- (Exam Topic 3)

Which of the following explanations are valid reasons to run a command in the background of your shell?

- A. The command does not need to execute immediately.
- B. The command has to run immediately but the user needs to log out.
- C. The system is being shut down and the command needs to restart execution immediately after the reboot.
- D. The command can run at a lower priority than normal commands run on the command line.

**Answer:** B

#### NEW QUESTION 80

- (Exam Topic 3)

A user accidentally created the subdirectory \dir in his home directory. Which of the following commands will remove that directory?

- A. rmdir '~/\dir'
- B. rmdir "~/\dir"
- C. rmdir ~/'dir'
- D. rmdir ~\dir
- E. rmdir ~/\dir

**Answer:** E

#### NEW QUESTION 84

- (Exam Topic 3)

What does the + symbol mean in the following grep regular expression: grep '^d[aei]\+d\$' /usr/share/dict/words

- A. Match the preceding character set ([aei]) one or more times.
- B. Match the preceding character set ([aei]) zero or more times.
- C. Match the preceding character set ([aei]) zero or one times.
- D. Match a literal + symbol.

**Answer:** A

#### NEW QUESTION 86

- (Exam Topic 3)

What is the default action of the split command on an input file?

- A. It will break the file into new files of 1,024 byte pieces each.
- B. It will break the file into new files of 1,000 line pieces each.
- C. It will break the file into new files of 1,024 kilobyte pieces each.
- D. It will break the file into new files that are no more than 5% of the size of the original file.

**Answer:** B

#### NEW QUESTION 91

- (Exam Topic 3)

Which of the following commands kills the process with the PID 123 but allows the process to "clean up" before exiting?

- A. kill -PIPE 123
- B. kill -KILL 123
- C. kill -STOP 123
- D. kill -TERM 123

**Answer:** D

#### NEW QUESTION 95

- (Exam Topic 3)

Which character, added to the end of a command, runs that command in the background as a child process of the current shell?

- A. !
- B. +
- C. &
- D. %
- E. #

**Answer:** C

#### NEW QUESTION 97

- (Exam Topic 4)

Which umask value will result in the default access permissions of 600 (rw-----) for files and 700 (rwx-----) for directories? (Specify only the numerical umask value.)

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

0077, 077

#### NEW QUESTION 98

- (Exam Topic 4)

Which of the following commands instructs SysVinit to reload its configuration file?

- A. reinit
- B. initreload
- C. telinit 7
- D. telinit q
- E. init reinit

**Answer:** D

#### NEW QUESTION 101

- (Exam Topic 4)

Which command is used to create and initialize the files used to store quota information? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

quotacheck

#### NEW QUESTION 104

- (Exam Topic 4)

After moving data to a new filesystem, how can the former path of the data be kept intact in order to avoid reconfiguration of existing applications? (Choose TWO correct answers.)

- A. By creating an ACL redirection from the old to the new path of the data.
- B. By creating a hard link from the old to the new path of the data.
- C. By creating a symbolic link from the old to the new path of the data.
- D. By running the command touch on the old path.
- E. By mounting the new filesystem on the original path of the data.

**Answer:** CE

#### NEW QUESTION 108

- (Exam Topic 4)

Which of the following commands can be used to locate programs and their corresponding man pages and configuration files?

- A. dirname
- B. which
- C. basename

- D. query
- E. whereis

**Answer:** E

#### NEW QUESTION 109

- (Exam Topic 4)

Which of the following settings for umask ensures that new files have the default permissions -rw-r----- ?

- A. 0017
- B. 0640
- C. 0038
- D. 0027

**Answer:** D

#### NEW QUESTION 112

- (Exam Topic 4)

After successfully creating a hard link called bar to the ordinary file foo, foo is deleted from the filesystem. Which of the following describes the resulting situation?

- A. foo and bar would both be removed.
- B. foo would be removed while bar would remain accessible.
- C. foo would be removed
- D. bar would still exist but would be unusable.
- E. Both foo and bar would remain accessible.
- F. The user is prompted whether bar should be removed, too.

**Answer:** B

#### NEW QUESTION 116

- (Exam Topic 4)

What do the permissions -rwsr-xr-x mean for a binary file when it is executed as a command?

- A. The command is SetUID and it will be executed with the effective rights of the owner.
- B. The command will be executed with the effective rights of the group instead of the owner.
- C. The execute flag is not set for the owner
- D. Therefore the SetUID flag is ignored.
- E. The command will be executed with the effective rights of the owner and group.

**Answer:** C

#### NEW QUESTION 118

- (Exam Topic 4)

In Bash, inserting 2>&1 after a command redirects:

- A. standard error to standard input.
- B. standard input to standard error.
- C. standard output to standard error.
- D. standard error to standard output.
- E. standard output to standard input.

**Answer:** C

#### NEW QUESTION 122

- (Exam Topic 4)

Which of the following commands enables the setuid (suid) permission on the executable /bin/foo?

- A. chmod 1755 /bin/foo
- B. chmod 4755 /bin/foo
- C. chmod u-s /bin/foo
- D. chmod 755+s /bin/foo

**Answer:** B

#### NEW QUESTION 126

- (Exam Topic 4)

Which of the following statements is correct for a command line ending with a & character?

- A. The command's output is redirected to/dev/null.
- B. The result of the command defines if the next command will be run.
- C. The command is run in background of the current shell.
- D. The command is run as a direct child of the init process.

**Answer:** C

#### NEW QUESTION 128

- (Exam Topic 4)

Which of the following commands set the sticky bit for the directory /tmp? (Choose TWO correct answers.)

- A. chmod +s /tmp
- B. chmod +t /tmp
- C. chmod 1775 /tmp
- D. chmod 4775 /tmp
- E. chmod 2775 /tmp

**Answer:** BC

#### NEW QUESTION 133

- (Exam Topic 4)

Which utility would be used to change how often a filesystem check is performed on an ext2 filesystem without losing any data stored on that filesystem?

- A. mod2fs
- B. fsck
- C. tune2fs
- D. mke2fs
- E. fixe2fs

**Answer:** C

#### NEW QUESTION 134

- (Exam Topic 4)

Which of the following Linux filesystems preallocates a fixed number of inodes at the filesystem's make/creation time and does NOT generate them as needed? (Choose TWO correct answers.)

- A. ext3
- B. JFS
- C. ext2
- D. XFS
- E. procfs

**Answer:** AC

#### NEW QUESTION 138

- (Exam Topic 4)

Which command creates a swap space on a block device or a file? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

mkswap

#### NEW QUESTION 142

- (Exam Topic 4)

Which type of filesystem is created by mkfs when it is executed with the block device name only and without any additional parameters?

- A. ext2
- B. ext3
- C. ext4
- D. XFS
- E. VFAT

**Answer:** A

#### NEW QUESTION 145

- (Exam Topic 4)

Which of the following commands changes all occurrences of the word "bob" in file data to "Bob" and prints the result to standard output?

- A. sed '/bob/Bob' data
- B. sed 's/bob/Bob/g' data
- C. sed 's/bob/Bob/' data
- D. sed '/bob/Bob/' data
- E. sed 's/bob,Bob/' data

**Answer:** B

#### NEW QUESTION 148

- (Exam Topic 4)

Which of the following options must be passed to a filesystem's entry in /etc/fstab in order to mount the file system without root privileges?

- A. auto

- B. norestrict
- C. noauto
- D. user

**Answer:** D

#### NEW QUESTION 149

- (Exam Topic 4)

Which of the following commands will print important system information such as the kernel version and machine hardware architecture?

- A. sysinfo
- B. uname
- C. lspci
- D. arch
- E. info

**Answer:** B

#### NEW QUESTION 154

- (Exam Topic 4)

How many fields are in a syntactically correct line of /etc/fstab?

- A. 3
- B. 4
- C. 5
- D. 6
- E. 7

**Answer:** D

#### NEW QUESTION 155

- (Exam Topic 4)

Which of the following commands will change the quota for a specific user?

- A. edquota
- B. repquota
- C. quota -e
- D. quota

**Answer:** A

#### NEW QUESTION 158

- (Exam Topic 4)

When using regular expressions, which of the following characters match the beginning of a line?

- A. ^
- B. ?
- C. \*
- D. +
- E. \$

**Answer:** A

#### NEW QUESTION 162

- (Exam Topic 4)

What is the purpose of the xargs command?

- A. It passes arguments to an X server.
- B. It reads standard input (STDIN) and builds up command lines to execute.
- C. It helps shellscripts take variable argument lists.
- D. It asks a question, graphically, and returns the answer to the shell.
- E. It allows users to specify long options for commands that normally only accept short options.

**Answer:** B

#### NEW QUESTION 166

- (Exam Topic 4)

Which of the following partition types is used for Linux swap spaces when partitioning hard disk drives?

- A. 82
- B. 83
- C. 8e
- D. fd
- E. 7

**Answer:** B

#### NEW QUESTION 168

- (Exam Topic 4)

Which command is used to start another command with a given nice level? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

nice

#### NEW QUESTION 170

- (Exam Topic 4)

Which of the following shell commands makes the already defined variable TEST visible to new child processes? (Choose two.)

- A. visible TEST
- B. declare +x TEST
- C. declare -x TEST
- D. export TEST
- E. export -v TEST

**Answer:** D

#### NEW QUESTION 175

- (Exam Topic 4)

What does the command grub-install /dev/sda do?

- A. GRUB creates partitions on the device/dev/sda to be used with Linux.
- B. GRUB sets the default BIOS boot device to/dev/sda.
- C. GRUB installs all required files and configures the boot loader on device/dev/sda.
- D. GRUB recompiles the Linux Kernel and installs it on the Master Boot Record of device/dev/sda.

**Answer:** C

#### NEW QUESTION 180

- (Exam Topic 4)

Which of the following pieces of information of an existing file is changed when a hard link pointing to that file is created?

- A. File size
- B. Modify timestamp
- C. Link count
- D. Inode number
- E. Permissions

**Answer:** C

#### NEW QUESTION 182

- (Exam Topic 4)

Which signal is sent by the kill command by default?

- A. SIGHUP(1)
- B. SIGQUIT(3)
- C. SIGKILL(9)
- D. SIGTERM(15)

**Answer:** D

#### NEW QUESTION 185

- (Exam Topic 4)

Which of the following commands can be used to create a new file that is 100kB in size?

- A. dd
- B. file
- C. mkfile
- D. touch

**Answer:** A

#### NEW QUESTION 188

- (Exam Topic 4)

What does the command mount -a do?

- A. It ensures that all file systems listed with the option noauto in /etc/fstab are mounted.
- B. It shows all mounted file systems that have been automatically mounted.
- C. It opens an editor with root privileges and loads /etc/fstab for editing.

- D. It ensures that all file systems listed with the option auto in /etc/fstab are mounted.
- E. It ensures that all file systems listed in /etc/fstab are mounted regardless of their options.

**Answer:** D

#### NEW QUESTION 193

- (Exam Topic 4)

Which of the following are filesystems which can be used on Linux root partitions? (Choose two.)

- A. NTFS
- B. ext3
- C. XFS
- D. VFAT
- E. swap

**Answer:** BE

#### NEW QUESTION 197

- (Exam Topic 4)

Which of the following command lines creates or, in case it already exists, overwrites a file called data with the output of ls?

- A. ls 3> data
- B. ls >& data
- C. ls > data
- D. ls >> data

**Answer:** C

#### NEW QUESTION 201

- (Exam Topic 4)

Which of the following commands print the current working directory when using a Bash shell? (Choose two.)

- A. echo "\${PWD}"
- B. echo "\${WD}"
- C. pwd
- D. printwd
- E. echo "\${pwd}"

**Answer:** C

#### NEW QUESTION 204

- (Exam Topic 4)

Which of the following commands shows the definition of a given shell command?

- A. where
- B. stat
- C. type
- D. case

**Answer:** C

#### NEW QUESTION 206

- (Exam Topic 4)

Which file in /proc describes the IRQs that are used by various kernel drivers? (Specify the file name only without any path.)

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

interrupts

#### NEW QUESTION 209

- (Exam Topic 4)

In the vi editor, what vi command will copy (but not paste) from the current line at the cursor and the following 16 lines (17 lines total)? Specify the correct vi command without spaces.

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

17yy

#### NEW QUESTION 212

- (Exam Topic 4)

Which of the following commands are common Linux commands for file management? (Choose three correct answers.)

- A. copy
- B. mv
- C. move
- D. cp
- E. mkdir

**Answer:** BDE

#### NEW QUESTION 214

- (Exam Topic 4)

Which of the following commands changes the number of days before the ext3 filesystem on /dev/sda1 has to run through a full filesystem check while booting?

- A. tune2fs -d 200 /dev/sda1
- B. tune2fs -c 200 /dev/sda1
- C. tune2fs -i 200 /dev/sda1
- D. tune2fs -n 200 /dev/sda1
- E. tune2fs --days 200 /dev/sda1

**Answer:** C

#### NEW QUESTION 216

- (Exam Topic 4)

Which of the following commands updates the already installed RPM package rpmname?

- A. rpm --update rpmname
- B. rpm -U rpmname
- C. rpm -q rpmname
- D. rpm --force rpmname
- E. rpm -u rpmname

**Answer:** B

#### NEW QUESTION 218

- (Exam Topic 5)

When considering the use of hard links, what are valid reasons not to use hard links?

- A. Hard links are not available on all Linux systems because traditional filesystems, such as ext4, do not support them
- B. Each hard link has individual ownership, permissions and ACLs which can lead to unintended disclosure of file content
- C. Hard links are specific to one filesystem and cannot point to files on another filesystem
- D. If users other than root should be able to create hard links, suLN has to be installed and configured
- E. When a hard linked file is changed, a copy of the file is created and consumes additional space

**Answer:** A

#### NEW QUESTION 222

- (Exam Topic 5)

Consider the following directory:

```
drwxrwxr-x 2 root sales 4096 Jan 1 15:21 sales
```

Which command ensures new files created within the directory sales are owned by the group sales? (Choose two.)

- A. chmod g+s sales
- B. setpol -R newgroup=sales sales
- C. chgrp -p sales sales
- D. chown --persistent \*.sales sales
- E. chmod 2775 sales

**Answer:** CE

#### NEW QUESTION 227

- (Exam Topic 5)

Which command must be entered before exiting vi to save the current file as filea.txt?

- A. %s filea.txt
- B. %w filea.txt
- C. :save filea.txt
- D. :w filea.txt
- E. :s filea.txt

**Answer:** D

#### NEW QUESTION 228

- (Exam Topic 5)

Which of the following directories on a 64 bit Linux system typically contain shared libraries? (Choose two.)

- A. ~/.lib64/
- B. /usr/lib64/
- C. /var/lib64/
- D. /lib64/
- E. /opt/lib64/

**Answer:** AD

#### NEW QUESTION 232

- (Exam Topic 5)

Which program runs a command in specific intervals and refreshes the display of the program's output? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

watch

#### NEW QUESTION 237

- (Exam Topic 5)

A faulty kernel module is causing issues with a network interface card. Which of the following actions ensures that this module is not loaded automatically when the system boots?

- A. Using lsmod --remove --autoclean without specifying the name of a specific module
- B. Using modinfo -k followed by the name of the offending module
- C. Using modprobe -r followed by the name of the offending module
- D. Adding a blacklist line including the name of the offending module to the file/etc/modprobe.d/blacklist.conf
- E. Deleting the kernel module's directory from the file system and recompiling the kernel, including its modules

**Answer:** D

#### NEW QUESTION 239

- (Exam Topic 5)

Which of the following is true when a file system, which is neither listed in /etc/fstab nor known to system, is mounted manually?

- A. systemd ignores any manual mounts which are not done using the systemctl mount command
- B. The command systemctl mountsinc can be used to create a mount unit based on the existing mount
- C. systemd automatically generates a mount unit and monitors the mount point without changing it
- D. Unless a systemd mount unit is created, systemd unmounts the file system after a short period of time
- E. systemctl unmount must be used to remove the mount because system opens a file descriptor on the mount point

**Answer:** B

#### NEW QUESTION 244

- (Exam Topic 5)

Which of the following properties of a Linux system should be changed when a virtual machine is cloned? (Choose two.)

- A. The partitioning scheme
- B. The file system
- C. The D-Bus Machine ID
- D. The permissions of /root/
- E. The SSH host keys

**Answer:** DE

#### NEW QUESTION 249

- (Exam Topic 5)

Which of the following commands lists the dependencies of the RPM package file foo.rpm?

- A. rpm -qpR foo.rpm
- B. rpm -dep foo
- C. rpm -ld foo.rpm
- D. rpm -R foo.rpm
- E. rpm -pD foo

**Answer:** A

#### NEW QUESTION 252

- (Exam Topic 5)

What is contained on the EFI System Partition?

- A. The Linux root file system
- B. The first stage boot loader
- C. The default swap space file

- D. The Linux default shell binaries
- E. The user home directories

**Answer:** B

#### NEW QUESTION 254

- (Exam Topic 5)

A Debian package creates several files during its installation. Which of the following commands searches for packages owning the file /etc/debian\_version?

- A. apt-get search /etc/debian\_version
- B. apt -r /etc/debian\_version
- C. find /etc/debian\_version -dpkg
- D. dpkg -S /etc/debian\_version
- E. apt-file /etc/debian\_version

**Answer:** C

#### NEW QUESTION 257

- (Exam Topic 5)

Which command displays the current disk space usage for all mounted file systems? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

du

#### NEW QUESTION 258

- (Exam Topic 5)

When redirecting the output of find to the xargs command, what option to find is useful if the filenames contain spaces?

- A. -rep-space
- B. -printnul
- C. -nospace
- D. -ignore-space
- E. -print0

**Answer:** E

#### NEW QUESTION 262

- (Exam Topic 5)

What output will be displayed when the user fred executes the following command? echo 'fred \$USER'

- A. fred fred
- B. fred /home/fred/
- C. 'fred \$USER'
- D. fred \$USER
- E. 'fred fred'

**Answer:** A

#### NEW QUESTION 265

- (Exam Topic 5)

Which of the following statements are true about the boot sequence of a PC using a BIOS? (Choose two.)

- A. Some parts of the boot process can be configured from the BIOS
- B. Linux does not require the assistance of the BIOS to boot a computer
- C. The BIOS boot process starts only if secondary storage, such as the hard disk, is functional
- D. The BIOS initiates the boot process after turning the computer on
- E. The BIOS is started by loading hardware drivers from secondary storage, such as the hard disk

**Answer:** AD

#### NEW QUESTION 268

- (Exam Topic 5)

Consider the following output from the command ls -li:

```
525385 -rw-rw-r-- 2 1000 1000 0 Feb 12 19:44 a.txt
526255 lrwxrwxrwx 1 1000 1000 5 Feb 12 19:44 b.txt -> a.txt
```

How would a new file named c.txt be created with the same inode number as a.txt (Inode 525385)?

- A. ln -h a.txt c.txt
- B. ln c.txt a.txt
- C. ln a.txt c.txt
- D. ln -f c.txt a.txt

E. ln -i 525385 c.txt

**Answer: C**

#### NEW QUESTION 272

- (Exam Topic 5)

Given a log file loga.log with timestamps of the format DD/MM/YYYY:hh:mm:ss, which command filters out all log entries in the time period between 8:00 am and 8:59 am?

- A. grep -E ':08:[09]+:[09]+' loga.log
- B. grep -E ':08:[00]+' loga.log
- C. grep -E loga.log ':08:[0-9]+:[0-9]+'
- D. grep loga.log ':08:[0-9]:[0-9]'
- E. grep -E ':08:[0-9]+:[0-9]+' loga.log

**Answer: E**

#### NEW QUESTION 277

- (Exam Topic 5)

Which of the following files exist in a standard GRUB 2 installation? (Choose two.)

- A. /boot/grub/stages/stage0
- B. /boot/grub/i386-pc/1vm.mod
- C. /boot/grub/fstab
- D. /boot/grub/grub.cfg
- E. /boot/grub/linux/vmlinuz

**Answer: BD**

#### NEW QUESTION 279

- (Exam Topic 5)

What is the first program the Linux kernel starts at boot time when using System V init?

- A. /lib/init.so
- B. /proc/sys/kernel/init
- C. /etc/rc.d/rcinit
- D. /sbin/init
- E. /boot/init

**Answer: D**

#### NEW QUESTION 282

- (Exam Topic 5)

Which of the following commands list all files and directories within the /tmp/ directory and its subdirectories which are owned by the user root? (Choose two.)

- A. find /tmp -user root -print
- B. find -path /tmp -uid root
- C. find /tmp -uid root -print
- D. find /tmp -user root
- E. find -path /tmp -user root -print

**Answer: AE**

#### NEW QUESTION 286

- (Exam Topic 5)

What does the command mount --bind do?

- A. It makes the contents of one directory available in another directory
- B. It mounts all available filesystems to the current directory
- C. It mounts all user mountable filesystems to the user's home directory
- D. It mounts all file systems listed in /etc/fstab which have the option userbind set
- E. It permanently mounts a regular file to a directory

**Answer: A**

#### NEW QUESTION 288

- (Exam Topic 5)

Which command uninstalls a package but keeps its configuration files in case the package is re-installed?

- A. dpkg -s pkgname
- B. dpkg -L pkgname
- C. dpkg -P pkgname
- D. dpkg -v pkgname
- E. dpkg -r pkgname

**Answer: E**

#### NEW QUESTION 289

- (Exam Topic 5)

Which of the following commands prints a list of usernames (first column) and their primary group (fourth column) from the `/etc/passwd` file?

- A. `fmt -f 1,4 /etc/passwd`
- B. `cut -d : -f 1,4 /etc/passwd`
- C. `sort -t : -k 1,4 /etc/passwd`
- D. `paste -f 1,4 /etc/passwd`
- E. `split -c 1,4 /etc/passwd`

**Answer: B**

#### NEW QUESTION 292

- (Exam Topic 5)

What is true regarding the configuration of yum? (Choose two.)

- A. Changes to the repository configuration become active after running `yum confupdate`
- B. Changes to the yum configuration become active after restarting the `yum` service
- C. The configuration of package repositories can be divided into multiple files
- D. Repository configurations can include variables such as `$basearch` or `$releasever`
- E. In case `/etc/yum.repos.d/` contains files, `/etc/yum.conf` is ignored

**Answer: DE**

#### NEW QUESTION 297

- (Exam Topic 5)

Which of the following vi commands deletes two lines, the current and the following line?

- A. `d2`
- B. `2d`
- C. `2dd`
- D. `dd2`
- E. `de12`

**Answer: C**

#### NEW QUESTION 299

- (Exam Topic 5)

Which daemon handles power management events on a Linux system?

- A. `acpid`
- B. `batteryd`
- C. `pwrmgntd`
- D. `psd`
- E. `inetd`

**Answer: A**

#### NEW QUESTION 300

- (Exam Topic 5) Given the following input stream:

`txt1.txt`  
`atxt.txt`  
`txtB.txt`

Which of the following regular expressions turns this input stream into the following output stream? `txt1.bak.txt`

`atxt.bak.txt`  
`txtB.bak.txt`

- A. `s/^txt/.bak/`
- B. `s/txt/bak.txt/`
- C. `s/txt$/bak.txt/`
- D. `s/^txt$/bak^/`
- E. `s/[.txt]/.bak$1/`

**Answer: B**

#### NEW QUESTION 303

- (Exam Topic 5)

Which of the following commands displays the output of the `foo` command on the screen and also writes it to a file called `/tmp/foodata`?

- A. `foo | less /tmp/foodata`
- B. `foo | cp /tmp/foodata`
- C. `foo > /tmp/foodata`
- D. `foo | tee /tmp/foodata`
- E. `foo > stdout >> /tmp/foodata`

**Answer: D**

**NEW QUESTION 304**

- (Exam Topic 5)

The command `dbmaint &` was used to run `dbmaint` in the background. However, `dbmaint` is terminated after logging out of the system. Which alternative `dbmaint` invocation lets `dbmaint` continue to run even when the user running the program logs out?

- A. `job -b dbmaint`
- B. `dbmaint &>/dev/pts/null`
- C. `nohup dbmaint &`
- D. `bg dbmaint`
- E. `wait dbmaint`

**Answer:** D

**NEW QUESTION 306**

When in Normal mode `invi`, which character can be used to begin a reverse search of the text?

- A. `A.?B./C.FD.r`

**Answer:** A

**NEW QUESTION 309**

.....

## Relate Links

**100% Pass Your 101-500 Exam with ExamBible Prep Materials**

<https://www.exambible.com/101-500-exam/>

## Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>