



**Cisco**

## **Exam Questions 300-735**

Automating and Programming Cisco Security Solutions (SAUTO)

### NEW QUESTION 1

Which description of synchronous calls to an API is true?

- A. They can be used only within single-threaded processes.
- B. They pause execution and wait for the response.
- C. They always successfully return within a fixed time.
- D. They can be used only for small requests.

Answer: B

### NEW QUESTION 2

Refer to the exhibit.

Which expression prints the text "802.1x"?

- A. `print(quiz[0]['choices']['b'])`
- B. `print(quiz['choices']['b'])`
- C. `print(quiz[0]['choices']['b']['802.1x'])`
- D. `print(quiz[0]['question']['choices']['b'])`

Answer: A

### NEW QUESTION 3

DRAG DROP

Drag and drop the code to complete the curl query to the Umbrella Reporting API that provides a detailed report of blocked security activity events from the organization with an organizationId of "12345678" for the last 24 hours. Not all options are used.

Select and Place:

```
curl --include --header "Authorization: Basic %base64string%"  
https://reports.api.umbrella.com/v1/ [ ] /  
[ ] / [ ]
```

- |                          |                   |
|--------------------------|-------------------|
| 12345678                 | security-activity |
| security-activity-events | organizations     |
| organizationId           | security-events   |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

```
curl --include --header "Authorization: Basic %base64string%"  
https://reports.api.umbrella.com/v1/ [ organizations ] /  
[ organizationId ] / [ security-activity ]
```

- |                          |                   |
|--------------------------|-------------------|
| 12345678                 | security-activity |
| security-activity-events | organizations     |
| organizationId           | security-events   |

### NEW QUESTION 4

Which snippet is used to create an object for network 10.0.69.0/24 using Cisco Firepower Management Center REST APIs?

- A.

```
- API PATH:
/api/fmc_config/v1/domain/<domain_uuid>/object/networks

- METHOD:
POST

- INPUT JSON:
{
  "type": "Network",
  "value": "10.0.69.0/24",
  "overridable": false,
  "description": " ",
  "name": "Branch_1_net"
}
```

B.

```
- API PATH:
/api/fmc_config/v1/domain/<domain_uuid>/object/networkgroups

- METHOD:
PUT

- INPUT JSON:
{
  "type": "Network",
  "value": "10.0.69.0/24",
  "overridable": false,
  "description": " ",
  "name": "Branch_1_net"
}
```

C.

```
- API PATH:
/api/fmc_config/v1/domain/<domain_uuid>/object/networkgroups

- METHOD:
POST

- INPUT JSON:
{
  "type": "Network",
  "value": "10.0.69.0/24",
  "overridable": false,
  "description": " "
}
```

D.

```
- API PATH:
/api/fmc_config/v1/domain/<domain_uuid>/object/networks

- METHOD:
POST

- INPUT JSON:
{
  "type": "Network",
  "value": "10.0.69.0/24",
  "overridable": false,
  "description": " "
}
```

Answer: A

#### NEW QUESTION 5

##### DRAG DROP

Drag and drop the items to complete the ThreatGRID API call to return a curated feed of sinkholed-ip-dns in stix format. Not all options are used.  
Select and Place:

<input type="text"/>	https://panacea.threatgrid.com/api/v3/
<input type="text"/>	/ <input type="text"/> ?api_key=[API_KEY]

PUT	sinkholed-ip-dns
feeds	search
sinkholed-ip-dns.stix	GET

- A. Mastered  
B. Not Mastered

Answer: A

Explanation:

GET	https://panacea.threatgrid.com/api/v3/
feeds	/ <input type="text"/> ?api_key=[API_KEY]

PUT	sinkholed-ip-dns
feeds	search
sinkholed-ip-dns.stix	GET

#### NEW QUESTION 6

For which two programming languages does Cisco offer an SDK for Cisco pxGrid 1.0? (Choose two.)

- A. Python  
B. Perl  
C. Java  
D. C  
E. JavaScript

Answer: CD

#### NEW QUESTION 7

Which two URI parameters are needed for the Cisco Stealthwatch Top Alarm Host v1 API? (Choose two.)

- A. startAbsolute  
B. externalGeos  
C. tenantId  
D. intervalLength  
E. tagID

Answer: CE

#### NEW QUESTION 8

After changes are made to the Cisco Firepower Threat Defense configuration using the Cisco Firepower Device Manager API, what must be done to ensure that the new policy is activated?

- A. Submit a POST to the /api/fdm/latest/operational/deploy URI.  
B. Submit a GET to the /api/fdm/latest/operational/deploy URI.  
C. Submit a PUT to the /api/fdm/latest/devicesettings/pushpolicy URI.  
D. Submit a POST to the /api/fdm/latest/devicesettings/pushpolicy URI.

Answer: A

#### NEW QUESTION 9

```
def query(config, secret, url, payload):
    print('query url=' + url)
    print(' request=' + payload)
    handler = urllib.request.HTTPSHandler(context=config.get_ssl_context())
    opener = urllib.request.build_opener(handler)
    rest_request = urllib.request.Request(url=url, data=str.encode(payload))
    rest_request.add_header('Content-Type', 'application/json')
    rest_request.add_header('Accept', 'application/json')
    b64 = base64.b64encode((config.get_node_name() + ':' + secret).encode()).decode()
    rest_request.add_header('Authorization', 'Basic ' + b64)
    rest_response = opener.open(rest_request)
    print(' response status=' + str(rest_response.getcode()))
    print(' response content=' + rest_response.read().decode())
```

Refer to the exhibit. A Python function named "query" has been developed and the goal is to use it to query the service "com.cisco.ise.session" via Cisco pxGrid 2.0 APIs. How is the function called, if the goal is to identify the sessions that are associated with the IP address 10.0.0.50?

- A. query(config, secret, "getSessionByIpAddress/10.0.0.50", "ipAddress")
- B. query(config, "10.0.0.50", url, payload)
- C. query(config, secret, url, "10.0.0.50")
- D. query(config, secret, url, '{"ipAddress": "10.0.0.50"}')

**Answer: D**

#### NEW QUESTION 10

Which API capability is available on Cisco Firepower devices?

- A. Firepower Management Center - Sockets API
- B. Firepower Management Center - eStreamer API
- C. Firepower Management Center - Camera API
- D. Firepower Management Center - Host Output API

**Answer: B**

#### NEW QUESTION 10

Which API is designed to give technology partners the ability to send security events from their platform/service/appliance within a mutual customer's environment to the Umbrella cloud for enforcement?

- A. Cisco Umbrella Management API
- B. Cisco Umbrella Security Events API
- C. Cisco Umbrella Enforcement API
- D. Cisco Umbrella Reporting API

**Answer: C**

#### NEW QUESTION 15

Which two event types can the eStreamer server transmit to the requesting client from a managed device and a management center? (Choose two.)

- A. user activity events
- B. intrusion events
- C. file events
- D. intrusion event extra data
- E. malware events

**Answer: BD**

#### NEW QUESTION 17

Which curl command lists all tags (host groups) that are associated with a tenant using the Cisco Stealthwatch Enterprise API?

- A. curl -X PUT "Cookie:{Cookie Data}"https://{stealthwatch\_host}/smc-configuration/rest/v1/tenants/{tenant\_id}/tags
- B. curl -X POST -H"Cookie:{Cookie Data}"https://{stealthwatch\_host}/smc-configuration/rest/v1/tenants/tags
- C. curl -X GET -H"Cookie:{Cookie Data}"https://{stealthwatch\_host}/smc-configuration/rest/v1/tenants/{tenant\_id}/tags
- D. curl -X GET -H"Cookie:{Cookie Data}"https://{stealthwatch\_host}/smc-configuration/rest/v1/tenants/tags

**Answer: C**

#### NEW QUESTION 19

FILL BLANK

Fill in the blank to complete the statement with the correct technology.

Cisco Investigate provides access to data that pertains to DNS security events and correlations collected by the Cisco security team.

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Umbrella



#### NEW QUESTION 22

```
import requests

API_KEY = "123456789abcdef"

URL = "https://example.obsrvbl.com/api/v3/alerts/alert/"

HEADERS = {"Authorization": "Bearer {}".format(API_KEY)}

response = requests.get(URL, headers=HEADERS)
```

Refer to the exhibit. A security engineer created a script and successfully executed it to retrieve all currently open alerts. Which print command shows the first returned alert?

- A. `print(response[data][0])`
- B. `print(response[results][0])`
- C. `print(response.json()[data][0])`
- D. `print(response.json()[results][0])`

**Answer:** A

#### NEW QUESTION 25

What are two benefits of Ansible when managing security platforms? (Choose two.)

- A. End users can be identified and tracked across a network.
- B. Network performance issues can be identified and automatically remediated.
- C. Policies can be updated on multiple devices concurrently, which reduces outage windows.
- D. Anomalous network traffic can be detected and correlated.
- E. The time that is needed to deploy a change is reduced, compared to manually applying the change.

**Answer:** CE

#### NEW QUESTION 30

Which two APIs are available from Cisco ThreatGRID? (Choose two.)

- A. Access
- B. User Scope
- C. Data
- D. Domains
- E. Curated Feeds

**Answer:** CE

#### NEW QUESTION 32

Which two commands create a new local source code branch? (Choose two.)

- A. `git checkout -b new_branch`
- B. `git branch -b new_branch`
- C. `git checkout -f new_branch`
- D. `git branch new_branch`
- E. `git branch -m new_branch`

**Answer:** AD

#### NEW QUESTION 34

Which header set should be sent with all API calls to the Cisco Stealthwatch Cloud API?

- A. `Content-Type: application/json`  
`Accept: application/json`  
`Authorization: Bearer <api_key>`
- B. `Content-Type: application/json`  
`Accept: application/json`  
`Authorization: ApiKey <username>:<api_key>`
- C. `Content-Type: application/json`  
`Accept: application/json`  
`Authorization: Basic <api_key>`
- D.

Content-Type: application/json  
Accept: application/json  
Authorization: <username>:<api\_key>

Answer: B

#### NEW QUESTION 38

Refer to the exhibit. A network operator wrote a Python script to retrieve events from Cisco AMP.

```
import requests  
CLIENT_ID = 'a1b2c3d4e5f6g7h8i9j0'  
API_KEY = 'a1b2c3d4-e5f6-g7h8-i9j0-k112m3n4o5p6'  
----MISSING CODE----  
URL = BASE_URL+'v1/events'  
request = requests.get(url, auth=(amp_client_id, amp_api_key))
```

Against which API gateway must the operator make the request?

- A. BASE\_URL = "https://api.amp.cisco.com"
- B. BASE\_URL = "https://amp.cisco.com/api"
- C. BASE\_URL = "https://amp.cisco.com/api/"
- D. BASE\_URL = "https://api.amp.cisco.com/"

Answer: A

#### NEW QUESTION 41

What is the purpose of the snapshot APIs exposed by Cisco Stealthwatch Cloud?

- A. Report on flow data during a customizable time period.
- B. Operate and return alerts discovered from infrastructure observations.
- C. Return current configuration data of Cisco Stealthwatch Cloud infrastructure.
- D. Create snapshots of supported Cisco Stealthwatch Cloud infrastructure.

Answer: B

#### NEW QUESTION 43

Which URI string is used to create a policy that takes precedence over other applicable policies that are configured on Cisco Stealthwatch?

- A. /tenants/{tenantId}/policy/system/host-policy
- B. /tenants/{tenantId}/policy/system/role-policy
- C. /tenants/{tenantId}/policy/system
- D. /tenants/{tenantId}/policy/system/{policyId}

Answer: A

#### NEW QUESTION 44

DRAG DROP

Drag and drop the code to complete the URL for the Cisco AMP for Endpoints API POST request so that it will add a sha256 to a given file\_list using file\_list\_guid. Select and Place:

https://api.amp.cisco.com/v1

/  /  /  /

files

file\_lists


{:sha256}

{:file\_list\_guid}

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 45

.....



## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### 300-735 Practice Exam Features:

- \* 300-735 Questions and Answers Updated Frequently
- \* 300-735 Practice Questions Verified by Expert Senior Certified Staff
- \* 300-735 Most Realistic Questions that Guarantee you a Pass on Your First Try
- \* 300-735 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The 300-735 Practice Test Here](#)**