



**Microsoft**

## **Exam Questions AZ-801**

Configuring Windows Server Hybrid Advanced Services

### NEW QUESTION 1

#### DRAG DROP

You are planning the implementation of Cluster2 to support the on-premises migration plan.

You need to ensure that the disks on Cluster2 meet the security requirements.

In which order should you perform the actions? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions	Answer Area
Add a disk resource to the cluster.	
Enable BitLocker on the volume.	
Update the BitLockerProtectorInfo property of the volume.	
Create a Cluster Shared Volume (CSV).	
Put the disk in maintenance mode.	

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

Reference: <https://docs.microsoft.com/en-us/windows-server/failover-clustering/bitlocker-on-csv-in-ws-2022>

### NEW QUESTION 2

#### HOTSPOT

You need to implement a security policy solution to authorize the applications. The solution must meet the security requirements.

Which service should you use to enforce the security policy, and what should you use to manage the policy settings? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

#### Answer Area

Enforce the security policy:	<div>Microsoft Defender Application Control</div> <div>Microsoft Defender Application Guard</div> <div>Microsoft Defender Credential Guard</div> <div>Microsoft Defender for Endpoint</div>
Manage the policy settings:	<div>Configuration profiles in Microsoft Intune</div> <div>Compliance policies in Microsoft Intune</div> <div>Group Policy Objects (GPOs)</div>

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

Reference: <https://docs.microsoft.com/en-us/windows/security/threat-protection/windows-defender-application-control/wdacand-applockeroverview>

### NEW QUESTION 3

You are remediating the firewall security risks to meet the security requirements.

What should you configure to reduce the risks?

- A. a Group Policy Object (GPO)
- B. adaptive network hardening in Microsoft Defender for Cloud
- C. a network security group (NSG) in Sub1
- D. an Azure Firewall policy

**Answer:** A

#### Explanation:

Firewall rules configured in a Group Policy Object cannot be modified by local server administrators.

Reference: <https://docs.microsoft.com/en-us/windows/security/threat-protection/windows-firewall/create-an-inbound-port-rule>

### NEW QUESTION 4

#### HOTSPOT

You need to configure BitLocker on Server4.

On which volumes can you turn on BitLocker, and on which volumes can you turn on auto-unlock? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

## Answer Area

BitLocker:

D only
C and D only
D, E, and F only
C, D, E, and F

Auto-unlock:

D only
C and D only
D, E, and F only
C, D, E, and F

- A. Mastered
- B. Not Mastered

**Answer:** A

### Explanation:

Reference: <https://docs.microsoft.com/en-us/windows-server/storage/refs/refs-overview>

<https://docs.microsoft.com/enus/powershell/module/bitlocker/enable-bitlockerautounlock?view=windowsserver2022-ps>

### NEW QUESTION 5

#### HOTSPOT

With which servers can Server1 and Server3 communicate? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

## Answer Area

Server1 can communicate with:

Server2 only
Server3 only
Server2 and Server3 only
Server2, Server3, and Server4
None of the servers

Server3 can communicate with:

Server2 only
Server1 and Server2 only
Server1 and Server4 only
Server1, Server2, and Server4
None of the servers

- A. Mastered
- B. Not Mastered

**Answer:** A

### Explanation:

Server1 can communicate with:

- Server2 only
- Server3 only
- Server2 and Server3 only
- Server2, Server3, and Server4
- None of the servers

Server3 can communicate with:

- Server2 only
- Server1 and Server2 only
- Server1 and Server4 only
- Server1, Server2, and Server4
- None of the servers

#### NEW QUESTION 6

You need to meet the technical requirements for Cluster3.  
 What should you include in the solution?

- A. Enable integration services on all the virtual machines.
- B. Add a Windows Server server role.
- C. Configure a fault domain doe the cluster.
- D. Add a failover cluster role.

**Answer: D**

#### Explanation:

The Hyper-V replica broker role is required on the cluster.

Reference: <https://docs.microsoft.com/en-us/virtualization/community/team-blog/2012/20120327-why-is-the-hyper-v-replicabroker-required>

#### NEW QUESTION 7

DRAG DROP

You need to meet the technical requirements for Cluster2.

Which four actions should you perform in sequence before you can enable replication? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

#### Actions

- Create an Azure Recovery Services vault.
- Install Azure Connected Machine agents.
- Install and register Azure Site Recovery Providers.
- Create and associate replication policies.
- Create a Hyper-V site.

#### Answer Area

- A. Mastered
- B. Not Mastered

**Answer: A**

#### Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/site-recovery/hyper-v-azure-tutorial>

#### NEW QUESTION 8

You are planning the data share migration to support the on-premises migration plan.

What should you use to perform the migration?

- A. Storage Migration Service
- B. Microsoft File Server Migration Toolkit
- C. File Server Resource Manager (FSRM)
- D. Windows Server Migration Tools

**Answer: A**

#### Explanation:

Reference: <https://docs.microsoft.com/en-us/windows-server/storage/storage-migration-service/migrate-data>

#### NEW QUESTION 9

HOTSPOT

You need to implement alerts for the domain controllers. The solution must meet the technical requirements.

What should you do on the domain controllers, and what should you create on Azure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

### Answer Area

On the domain controllers:

Create a Data Collector Set in Performance Monitor.  
Modify the Performance Monitor Users group.  
Install the Azure Monitor agent.

In Azure:

Create an Azure SQL database.  
Create a Storage Sync Service.  
Create an Azure Log Analytics workspace.  
Create an Azure Storage account.

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

Reference: <https://docs.microsoft.com/en-us/azure/azure-monitor/agents/azure-monitor-agentoverview?tabs=PowerShellWindows>

#### NEW QUESTION 10

You have 100 Azure virtual machines that run Windows Server. The virtual machines are onboarded to Microsoft Defender for Cloud.

You need to shut down a virtual machine automatically if Microsoft Defender for Cloud generates the "Antimalware disabled in the virtual machine" alert for the virtual machine.

What should you use in Microsoft Defender for Cloud?

- A. a logic app
- B. a workbook
- C. a security policy
- D. adaptive network hardening

**Answer:** A

#### Explanation:

Reference: <https://docs.microsoft.com/en-us/azure/defender-for-cloud/managing-and-responding-alerts>

#### NEW QUESTION 10

You have an on-premises Active Directory Domain Services (AD DS) domain that syncs with an Azure Active Directory (Azure AD) tenant by using password hash synchronization.

You have a Microsoft 365 subscription.

All devices are hybrid Azure AD-joined.

Users report that they must enter their password manually when accessing Microsoft 365 applications.

You need to reduce the number of times the users are prompted for their password when they access Microsoft 365 and Azure services.

What should you do?

- A. In Azure AD, configure a Conditional Access policy for the Microsoft Office 365 applications.
- B. In the DNS zone of the AD DS domain, create an autodiscover record.
- C. From Azure AD Connect, enable single sign-on (SSO).
- D. From Azure AD Connect, configure pass-through authentication.

**Answer:** C

#### Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sso-quick-start>

#### NEW QUESTION 14

You have an Azure virtual machine named VM1 that runs Windows Server.

You need to encrypt the contents of the disks on VM1 by using Azure Disk Encryption.

What is a prerequisite for implementing Azure Disk Encryption?

- A. Customer Lockbox for Microsoft Azure
- B. an Azure key vault
- C. a BitLocker recovery key
- D. data-link layer encryption in Azure

**Answer:** B

#### Explanation:

Reference: <https://docs.microsoft.com/en-us/azure/virtual-machines/windows/disk-encryption-overview>



#### NEW QUESTION 17

Your network contains an Active Directory Domain Services (AD DS) domain. The domain contains two servers named Server1 and Server2 that run Windows Server.

You need to ensure that you can use the Computer Management console to manage Server2. The solution must use the principle of least privilege.

Which two Windows Defender Firewall with Advanced Security rules should you enable on Server2? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. the COM+ Network Access (DCOM-In) rule
- B. all the rules in the Remote Event Log Management group
- C. the Windows Management Instrumentation (WMI-In) rule
- D. the COM+ Remote Administration (DCOM-In) rule
- E. the Windows Management Instrumentation (DCOM-In) rule

**Answer:** AB

#### Explanation:

Reference: <https://docs.microsoft.com/en-us/windows-server/administration/server-manager/configure-remote-managementin-servermanager>

#### NEW QUESTION 21

You have a server that runs Windows Server. The server is configured to encrypt all incoming traffic by using a connection security rule.

You need to ensure that Server1 can respond to the unencrypted tracert commands initiated from computers on the same network.

What should you do from Windows Defender Firewall with Advanced Security?

- A. From the IPsec Settings, configure IPsec defaults.
- B. Create a new custom outbound rule that allows ICMPv4 protocol connections for all profiles.
- C. Change the Firewall state of the Private profile to Off.
- D. From the IPsec Settings, configure IPsec exemptions.

**Answer:** D

#### NEW QUESTION 22

You have an Azure virtual machine named VM1.

You enable Microsoft Defender SmartScreen on VM1.

You need to ensure that the SmartScreen messages displayed to users are logged.

What should you do?

- A. From a command prompt, run WinRM quickconfig.
- B. From the local Group Policy, modify the Advanced Audit Policy Configuration settings.
- C. From Event Viewer, enable the Debug log.
- D. From the Windows Security app, configure the Virus & threat protection settings.

**Answer:** C

#### Explanation:

Reference: <https://docs.microsoft.com/en-us/windows/security/threat-protection/microsoft-defender-smartscreen/microsoftdefendersmartscreenoverview>

#### NEW QUESTION 25

You are planning the migration of Archive1 to support the on-premises migration plan.

What is the minimum number of IP addresses required for the node and cluster roles on Cluster3?

- A. 2
- B. 3
- C. 4
- D. 5

**Answer:** B

#### Explanation:

One IP for each of the two nodes in the cluster and one IP for the cluster virtual IP (VIP).

#### NEW QUESTION 27

You have a failover cluster named Cluster1 that has the following configurations:

Number of nodes: 6

Quorum: Dynamic quorum

Witness: File share, Dynamic witness

What is the maximum number of nodes that can fail simultaneously while maintaining quorum?

- A. 1
- B. 2
- C. 3
- D. 4
- E. 5

**Answer:** C

#### Explanation:

Note this question is asking about nodes failing 'simultaneously', not nodes failing one after the other.

With six nodes and one witness, there are seven votes. To maintain quorum there needs to be four votes available (four votes is the majority of seven). This means that a minimum of three nodes plus the witness need to remain online for the cluster to function. Therefore, the maximum number of simultaneous failures is three.  
Reference: <https://docs.microsoft.com/en-us/windows-server/storage/storage-spaces/understand-quorum>

**NEW QUESTION 29**

Your company uses Storage Spaces Direct.  
You need to view the available storage in a Storage Space Direct storage pool.  
What should you use?

- A. System Configuration
- B. File Server Resource Manager (FSRM)
- C. the Get-StorageFileServer cmdlet
- D. Failover Cluster Manager

**Answer:** D

**Explanation:**

If Failover Cluster Manager, select the Storage Space Direct storage pool. The information displayed in the main window includes the free space and used space.

**NEW QUESTION 34**

You have a Storage Spaces Direct configuration that has persistent memory and contains the data volumes shown in the following table.

Name	File system
Volume1	NTFS
Volume2	ReFS

You plan to add data volumes to Storage Spaces Direct as shown in the following table.

Name	File system
Volume3	NTFS
Volume4	ReFS

On which volumes can you use direct access (DAX)?

- A. Volume3 only
- B. Volume4 only
- C. Volume1 and Volume3 only
- D. Volume2 and Volume4 only
- E. Volume3 and Volume4 only

**Answer:** A

**Explanation:**

DAX can only be used on one volume and the volume has to be NTFS. You could configure DAX on Volume1 (although that would require reformatting the volume) or Volume3. However, 'Volume1 only' isn't an answer option so Volume3 is the correct answer.  
'Volume1 and Volume3' is incorrect because of the single volume limitation.  
Reference: <https://docs.microsoft.com/en-us/windows-server/storage/storage-spaces/persistent-memory-direct-access>

**NEW QUESTION 36**

**HOTSPOT**

You have a failover cluster named Cluster1 that contains three nodes.  
You plan to add two file server cluster roles named File1 and File2 to Cluster1. File1 will use the File Server for general use role. File2 will use the Scale-Out File Server for application data role.  
What is the maximum number of nodes for File1 and File2 that can concurrently serve client connections? To answer, select the appropriate options in the answer area.  
NOTE: Each correct selection is worth one point.  
Hot Area:

**Answer Area**

File1:

1

2

3

File2:

1

2

3

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:  
<https://docs.microsoft.com/en-us/windows-server/failover-clustering/sofs-overview>

NEW QUESTION 38

You have two servers named Server1 and Server2 that run Windows Server. Both servers have the Hyper-V server role installed. Server1 hosts three virtual machines named VM1, VM2, and VM3. The virtual machines replicate to Server2. Server1 experiences a hardware failure. You need to bring VM1, VM2, and VM3 back online as soon as possible. From the Hyper-V Manager console on Server2, what should you run for each virtual machine?

- A. Start
- B. Move
- C. Unplanned Failover
- D. Planned Failover

Answer: C

Explanation:

Reference: <https://docs.microsoft.com/en-us/windows-server/virtualization/hyper-v/manage/set-up-hyper-v-replica>

NEW QUESTION 42

DRAG DROP

You have two Azure virtual machines named VM1 and VM2. VM1 is backed up to an Azure Recovery Services vault daily and retains backups for 30 days. You need to restore an individual file named C:\Data\Important.docx from VM1 to VM2. The solution must minimize administrative effort.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions	Answer Area
Unmount the disks.	
Download the file recovery script for VM1.	
Copy the file by using Azure Storage Explorer.	
Copy the file by using File Explorer.	
Restore the file by using Windows Server Backup.	
Run the file recovery script on VM2.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference: <https://docs.microsoft.com/en-us/azure/backup/backup-azure-restore-files-from-vm>

NEW QUESTION 44

HOTSPOT

You have three servers named Host1, Host2, and VM1 that run Windows Server. Host1 and Host2 have the Hyper-V server role installed. VM1 is a virtual machine hosted on Host1.

You configure VM1 to replicate to Host2 by using Hyper-V Replica.

Which types of failovers can you perform on VM1 on each host? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:



Answer Area

VM1 on Host1:

Failover only

Test Failover only

Planned Failover only

Failover and Planned Failover only

Test Failover and Failover only

VM1 on Host2:

Failover only

Test Failover only

Planned Failover only

Failover and Planned Failover only

Test Failover and Failover only

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

VM1 on Host1:

Failover only

Test Failover only

Planned Failover only

Failover and Planned Failover only

Test Failover and Failover only

VM1 on Host2:

Failover only

Test Failover only

Planned Failover only

Failover and Planned Failover only

Test Failover and Failover only

NEW QUESTION 49

You have three Azure virtual machines named VM1, VM2, and VM3 that host a multitier application.  
 You plan to implement Azure Site Recovery.  
 You need to ensure that VM1, VM2, and VM3 fail over as a group.  
 What should you configure?

- A. an availability zone
- B. a recovery plan
- C. an availability set

Answer: B

Explanation:

Reference: <https://docs.microsoft.com/en-us/azure/site-recovery/site-recovery-overview>

NEW QUESTION 52

DRAG DROP

Your network contains an Active Directory Domain Services (AD DS) domain that has the Active Directory Recycle Bin enabled. The domain contains two domain controllers named DC1 and DC2. The system state of the domain controllers is backed up daily at 23:00 by using Windows Server Backup.  
 You have an organizational unit (OU) named ParisUsers that contains 1,000 users.  
 At 08:00, DC1 shuts down for hardware maintenance. The maintenance completes, but DC1 remains shut down.  
 At 09:00, an administrative error causes the manager attribute of each user in ParisUsers to be deleted.  
 You need to recover the user account details as quickly as possible. The solution must minimize data loss.  
 Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.  
 Select and Place:

Actions

Start DC1 normally.

Perform an authoritative restore on DC1.

Recover all the user objects in the Active Directory Recycle Bin.

Start DC1 by using the Last Known Good Configuration.

Start DC1 in Directory Services Restore Mode.

Perform a system state restore on DC1.

Answer Area

- A. Mastered  
B. Not Mastered

Answer: A

Explanation:

Actions

Start DC1 normally.

Perform a system state restore on DC1.

Perform an authoritative restore on DC1.

Recover all the user objects in the Active Directory Recycle Bin.

Start DC1 by using the Last Known Good Configuration.

Answer Area

Start DC1 in Directory Services Restore Mode.

Perform a system state restore on DC1.

Perform an authoritative restore on DC1.

NEW QUESTION 55

You have an on-premises server named Server1 that runs Windows Server and has the Hyper-V server role installed.  
You have an Azure subscription.  
You plan to back up Server1 to Azure by using Azure Backup.  
Which two Azure Backup options require you to deploy Microsoft Azure Backup Server (MABS)? Each correct answer presents a complete solution.  
NOTE: Each correct selection is worth one point.

- A. Bare Metal Recovery  
B. Files and folders  
C. System State  
D. Hyper-V Virtual Machines

Answer: AC

Explanation:

Reference: <https://docs.microsoft.com/en-us/azure/backup/backup-mabs-system-state-and-bmr>

NEW QUESTION 56

DRAG DROP

Your network contains an Active Directory Domain Services (AD DS) domain named contoso.com. The functional level of the forest and the domain is Windows Server 2012 R2. The domain contains the domain controllers shown in the following table.

Name	Operating system	FSMO role
DC1	Windows Server 2012 R2	All
DC2	Windows Server 2022	None
DC3	Windows Server 2019	None

You need to raise the forest functional level to Windows Server 2016. The solution must meet the following requirements:  
Ensure that there are three domain controllers after you raises the level. Minimize how long the FSMO roles are unavailable.  
Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.  
Select and Place:

Actions
Install the Active Directory Migration Tool (ADMT).
Deploy an additional domain controller.
Raise the domain and forest functional level.
Upgrade DC3.
Migrate computer accounts by using the Active Directory Migration Tool (ADMT).
Upgrade DC1.
Create a custom AD DS partition.
Move the FSMO roles to DC2.

#### Answer Area

- A. Mastered  
 B. Not Mastered

**Answer:** A

#### Explanation:

Actions
Install the Active Directory Migration Tool (ADMT).
Deploy an additional domain controller.
Upgrade DC3.
Migrate computer accounts by using the Active Directory Migration Tool (ADMT).
Create a custom AD DS partition.

#### Answer Area

Move the FSMO roles to DC2.
Upgrade DC1.
Raise the domain and forest functional level.

#### NEW QUESTION 58

##### HOTSPOT

Your network contains an Active Directory Domain Services (AD DS) domain. The domain contains the servers shown in the following table.

Name	Operating system	Server role
Server1	Windows Server 2019	DHCP Server
Server2	Windows Server 2022	DHCP Server
Server3	Windows Server 2019	File Server

Server3 contains a share named Share1.

On Server1, DHCP has the following configurations:

Conflict detection attempts: 3

An IPv4 scope named Scope1 that has the following settings: 1. Address Pool: 172.16.10.100

- 172.16.10.130 2. Address Leases:

- 172.16.10.100 computer1.contoso.com

- 172.16.10.101 computer2.contoso.com

Reservations: 172.16.10.101 computer2.contoso.com Policies: Policy1

You perform the following actions:

On Server1, you run

Export-DhcpServer -File \\Server3\Share1\File1.xml.

On Server2, you run

Import-DhcpServer -File \\Server3\Share1\File1.xml -BackupPath \\Server3\Share1.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

#### Answer Area

Statements	Yes	No
On Server2, Conflict detection attempts is set to 3.	<input type="radio"/>	<input type="radio"/>
On Server2, there is a reservation for computer2.contoso.com.	<input type="radio"/>	<input type="radio"/>
On Server2, Policy1 is applied to Scope1.	<input type="radio"/>	<input type="radio"/>



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference: <https://docs.microsoft.com/en-us/powershell/module/dhcpserver/export-dhcpserver?view=windowsserver2022-ps>  
<https://docs.microsoft.com/en-us/powershell/module/dhcpserver/import-dhcpserver?view=windowsserver2022-ps>

NEW QUESTION 60

DRAG DROP

You have a server named Server1 that runs Windows Server and has the Web Server (IIS) server role installed. Server1 hosts an ASP.NET Core web app named WebApp1 and the app's source files.

You install Docker on Server1.

You need to ensure that you can deploy WebApp1 to an Azure App Service web app from the Azure Container Registry.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions

Run the docker push command.

Run the docker run command.

Run the docker build command.

Create a Dockerfile.

Create an Azure Resource Manager (ARM) template.

Run the docker pull command.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Create a Dockerfile. This file contains instructions for the build process.  
Step 2: Run the docker build command to create a container image.  
Step 3: Run the docker push command to upload the image to Azure Container Registry.

NEW QUESTION 65

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains a single-domain Active Directory Domain Services (AD DS) forest named contoso.com. The functional level of the forest is Windows Server 2012 R2. All domain controllers run Windows Server 2012 R2.

Sysvol replicates by using the File Replication Service (FRS).

You plan to replace the existing domain controllers with new domain controllers that will run Windows Server 2022.

You need to ensure that you can add the first domain controller that runs Windows Server 2022.

Solution: You upgrade the PDC emulator.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 67

You plan to deploy the Azure Monitor agent to 100 on-premises servers that run Windows Server.

Which parameters should you provide when you install the agent?

- A. the client ID and the secret of an Azure service principal
- B. the name and the access key of an Azure Storage account
- C. a connection string for an Azure SQL database
- D. the ID and the key of an Azure Log Analytics workspace

Answer: D

Explanation:

Reference: <https://docs.microsoft.com/en-us/windows-server/storage/storage-spaces/configure-azure-monitor>

NEW QUESTION 70

Your on-premises network contains two subnets. The subnets contain servers that run Windows Server as shown in the following table.

Name	IP address
Server1	192.168.1.10
Server2	192.168.0.250
Server3	192.168.0.240
Server4	192.168.0.10

Server4 has the following IP configurations:  
Ethernet adapter Ethernet:  
Connection-specific DNS Suffix . . . :  
IPv4 Address . . . . . : 192.168.0.10  
Subnet Mask . . . . . : 255.255.255.0  
Default Gateway . . . . . : 192.168.0.1  
From Server4, you can ping Server1 and Server2 successfully. When you ping Server3, you get a Request timed out response.  
From Server2, you can ping Server1 and Server3 successfully.  
The misconfiguration of which component on Server3 can cause the Request timed out response?

- A. default gateway
- B. IP address
- C. subnet mask
- D. DNS server

Answer: C

NEW QUESTION 73

You have a Site-to-Site VPN between an on-premises network and an Azure VPN gateway. BGP is disabled for the Site-to- Site VPN.  
You have an Azure virtual network named Vnet1 that contains a subnet named Subnet1. Subnet1 contains a virtual machine named Server1.  
You can connect to Server1 from the on-premises network.  
You extend the address space of Vnet1. You add a subnet named Subnet2 to Vnet1. Subnet2 uses the extended address space. You deploy an Azure virtual machine named Server2 to Subnet2.  
You cannot connect to Server2 from the on-premises network. Server1 can connect to Server2.  
You need to ensure that you can connect to Subnet2 from the on-premises network.  
What should you do?

- A. Add an additional Site-to-Site VPN between the on-premises network and Vnet1.
- B. Add a private endpoint to Subnet2.
- C. To Subnet2, add a route table that contains a user-defined route.
- D. Update the routing information on the on-premises routers.

Answer: D

NEW QUESTION 78

DRAG DROP  
You have an Azure virtual machine named VM1 that runs Windows Server. VM1 has boot diagnostics configured to use a managed storage account.  
You are troubleshooting connectivity issue on VM1.  
You need to run a PowerShell cmdlet on VM1 by using the Azure Serial Console.  
Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.  
Select and Place:

Actions

From the Azure portal, configure the Boot diagnostics settings for VM1 to use a custom storage account.

From the Azure portal, open the Run command blade.

From the Azure portal, open the Serial console blade of VM1.

From the Azure portal, enable just in time (JIT) VM access to VM1.

From the Serial console, run `ch -si 1` and sign in by using a local account.

From the Serial console, run `cmd`.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:  
Reference:  
<https://docs.microsoft.com/en-us/troubleshoot/azure/virtual-machines/serial-console-overview> <https://docs.microsoft.com/enus/troubleshoot/azure/virtual-machines/serial-console-windows>

NEW QUESTION 80

.....



## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### AZ-801 Practice Exam Features:

- \* AZ-801 Questions and Answers Updated Frequently
- \* AZ-801 Practice Questions Verified by Expert Senior Certified Staff
- \* AZ-801 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* AZ-801 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The AZ-801 Practice Test Here](#)**